## Harm van Tinteren

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4610664/publications.pdf

Version: 2024-02-01

257429 330122 2,380 37 24 37 h-index citations g-index papers 37 37 37 2140 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Rationale for the treatment of Wilms tumour in the UMBRELLA SIOP–RTSG 2016 protocol. Nature Reviews Urology, 2017, 14, 743-752.	3.8	249
2	Mutations in the SIX1/2 Pathway and the DROSHA/DGCR8 miRNA Microprocessor Complex Underlie High-Risk Blastemal Type Wilms Tumors. Cancer Cell, 2015, 27, 298-311.	16.8	248
3	Reduction of postoperative chemotherapy in children with stage I intermediate-risk and anaplastic Wilms' tumour (SIOP 93-01 trial): a randomised controlled trial. Lancet, The, 2004, 364, 1229-1235.	13.7	191
4	Omission of doxorubicin from the treatment of stage II–III, intermediate-risk Wilms' tumour (SIOP WT) Tj ETQ	q0 0 0 rgB 13.7	T /Overlock 10
5	Characteristics and survival of 750 children diagnosed with a renal tumor in the first seven months of life: A collaborative study by the SIOP/GPOH/SFOP, NWTSG, and UKCCSG Wilms tumor study groups. Pediatric Blood and Cancer, 2008, 50, 1130-1134.	1.5	151
6	Malignant rhabdoid tumours of the kidney (MRTKs), registered on recent SIOP protocols from 1993 to 2005: A report of the SIOP renal tumour study group. Pediatric Blood and Cancer, 2011, 56, 733-737.	1.5	125
7	Clear Cell Sarcomas of the Kidney registered on International Society of Pediatric Oncology (SIOP) 93-01 and SIOP 2001 protocols: A report of the SIOP Renal Tumour Study Group. European Journal of Cancer, 2013, 49, 3497-3506.	2.8	105
8	Gain of 1q As a Prognostic Biomarker in Wilms Tumors (WTs) Treated With Preoperative Chemotherapy in the International Society of Paediatric Oncology (SIOP) WT 2001 Trial: A SIOP Renal Tumours Biology Consortium Study. Journal of Clinical Oncology, 2016, 34, 3195-3203.	1.6	105
9	Treatment of Pulmonary Metastases in Children With Stage IV Nephroblastoma With Risk-Based Use of Pulmonary Radiotherapy. Journal of Clinical Oncology, 2012, 30, 3533-3539.	1.6	95
10	Nephron sparing surgery (NSS) for unilateral wilms tumor (UWT): The SIOP 2001 experience. Pediatric Blood and Cancer, 2014, 61, 2175-2179.	1.5	85
11	Multiple mechanisms of MYCN dysregulation in Wilms tumour. Oncotarget, 2015, 6, 7232-7243.	1.8	85
12	Characteristics and outcome of stage II and III non-anaplastic Wilms' tumour treated according to the SIOP trial and study 93-01. European Journal of Cancer, 2012, 48, 3240-3248.	2.8	81
13	Outcome of localised blastemal-type Wilms tumour patients treated according to intensified treatment in the SIOP WT 2001 protocol, a report of the SIOP Renal Tumour Study Group (SIOP-RTSG). European Journal of Cancer, 2015, 51, 498-506.	2.8	67
14	Minimally invasive nephrectomy for Wilms tumors in children – data from SIOP 2001. Journal of Pediatric Surgery, 2014, 49, 1544-1548.	1.6	61
15	Gain of 1q is a marker of poor prognosis in Wilms' tumors. Genes Chromosomes and Cancer, 2013, 52, 1065-1074.	2.8	54
16	The contribution of chest CT-scan at diagnosis in children with unilateral Wilms' tumour. Results of the SIOP 2001 study. European Journal of Cancer, 2012, 48, 1060-1065.	2.8	53
17	Stromal and epithelial predominant Wilms tumours have an excellent outcome: The SIOP 93 01 experience. Pediatric Blood and Cancer, 2010, 55, 233-238.	1.5	49
18	Treatment and outcome of patients with relapsed clear cell sarcoma of the kidney: a combined SIOP and AIEOP study. British Journal of Cancer, 2014, 111, 227-233.	6.4	49

#	Article	IF	Citations
19	Incidence and outcomes of patients with late recurrence of Wilms' tumor. Pediatric Blood and Cancer, 2013, 60, 1612-1615.	1.5	43
20	Prognostic significance of age in 5631 patients with Wilms tumour prospectively registered in International Society of Paediatric Oncology (SIOP) 93-01 and 2001. PLoS ONE, 2019, 14, e0221373.	2.5	33
21	Nephroblastoma: does the decrease in tumor volume under preoperative chemotherapy predict the lymph nodes status at surgery?. Pediatric Blood and Cancer, 2011, 57, 1266-1269.	1.5	31
22	Progression of localised Wilms' tumour during preoperative chemotherapy is an independent prognostic factor: A report from the SIOP 93–01 nephroblastoma trial and study. European Journal of Cancer, 2007, 43, 131-136.	2.8	30
23	Clinical characteristics and outcomes of children with WAGR syndrome and Wilms tumor and/or nephroblastomatosis: The 30â€year SIOPâ€RTSG experience. Cancer, 2021, 127, 628-638.	4.1	30
24	Prognostic Factors for Wilms Tumor Recurrence: A Review of the Literature. Cancers, 2021, 13, 3142.	3.7	27
25	Characteristics and outcome of pediatric renal cell carcinoma patients registered in the International Society of Pediatric Oncology ( <scp>SIOP</scp> ) 93â€01, 2001 and <scp>UKâ€IMPORT</scp> database: A report of the <scp>SIOPâ€Renal</scp> Tumor Study Group. International Journal of Cancer, 2021. 148. 2724-2735.	5.1	26
26	Evaluation of needle biopsy as a potential risk factor for local recurrence of Wilms tumour in the SIOP WT 2001 trial. European Journal of Cancer, 2019, 116, 13-20.	2.8	24
27	Outcome of patients with stage IV high-risk Wilms tumour treated according to the SIOP2001 protocol: A report of the SIOP Renal Tumour Study Group. European Journal of Cancer, 2020, 128, 38-46.	2.8	24
28	Tumour-infiltrating lymphocytes (TILs) and BRCA-like status in stage III breast cancer patients randomised to adjuvant intensified platinum-based chemotherapy versus conventional chemotherapy. European Journal of Cancer, 2020, 127, 240-250.	2.8	21
29	Is radiotherapy required in firstâ€line treatment of stage I diffuse anaplastic Wilms tumor? A report of SIOPâ€RTSG, AIEOP, JWiTS, and UKCCSG. Pediatric Blood and Cancer, 2020, 67, e28039.	1.5	14
30	Evaluation of boost irradiation in patients with intermediateâ€risk stage III Wilms tumour with positive lymph nodes only: Results from the SIOPâ€WTâ€⊋001 Registry. Pediatric Blood and Cancer, 2018, 65, e27085.	1.5	10
31	Locoregional control using highly conformal flank target volumes and volumetric-modulated arc therapy in pediatric renal tumors: Results from the Dutch national cohort. Radiotherapy and Oncology, 2021, 159, 249-254.	0.6	10
32	Characteristics and outcome of children with renal tumors in the Netherlands: The first five-year's experience of national centralization. PLoS ONE, 2022, 17, e0261729.	2.5	10
33	Adjuvant dose-dense doxorubicin-cyclophosphamideÂversus docetaxel-doxorubicin-cyclophosphamide for high-risk breast cancer: First results of the randomised MATADOR trial (BOOG 2004-04). European Journal of Cancer, 2018, 102, 40-48.	2.8	9
34	Outcome of Stage IV Completely Necrotic Wilms Tumour and Local Stage III Treated According to the SIOP 2001 Protocol. Cancers, 2021, 13, 976.	3.7	6
35	Bilateral Renal Tumors in Children: The First 5 Years' Experience of National Centralization in The Netherlands and a Narrative Review of the Literature. Journal of Clinical Medicine, 2021, 10, 5558.	2.4	6
36	Characteristics and Outcome of Children with Wilms Tumor Requiring Intensive Care Admission in First Line Therapy. Cancers, 2022, 14, 943.	3.7	4

#	Article	lF	CITATIONS
37	Differential Survival and Therapy Benefit of Patients with Breast Cancer Are Characterized by Distinct Epithelial and Immune Cell Microenvironments. Clinical Cancer Research, 2022, 28, 960-971.	7.0	4