

Johannes Bernardi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4610693/publications.pdf>

Version: 2024-02-01

142
papers

3,920
citations

117571

34
h-index

161767

54
g-index

148
all docs

148
docs citations

148
times ranked

5079
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Microbeam bending of hydrated human cortical bone lamellae from the central region of the body of femur shows viscoelastic behaviour. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022, 125, 104815. | 1.5 | 2 |
| 2 | Performance modulation through selective, homogenous surface doping of lanthanum strontium ferrite electrodes revealed by <i>in situ</i> PLD impedance measurements. <i>Journal of Materials Chemistry A</i> , 2022, 10, 2973-2986. | 5.2 | 6 |
| 3 | Elucidating the role of earth alkaline doping in perovskite-based methane dry reforming catalysts. <i>Catalysis Science and Technology</i> , 2022, 12, 1229-1244. | 2.1 | 6 |
| 4 | Influence of Local Inhomogeneities in the REBCO Layer on the Mechanism of Quench Onset in 2G HTS Tapes. <i>IEEE Transactions on Applied Superconductivity</i> , 2022, 32, 1-7. | 1.1 | 5 |
| 5 | Magnetic granularity in PLD-grown Fe(Se,Te) films on simple RABiTS templates. <i>Superconductor Science and Technology</i> , 2022, 35, 074001. | 1.8 | 6 |
| 6 | Who Does the Job? How Copper Can Replace Noble Metals in Sustainable Catalysis by the Formation of Copper-Mixed Oxide Interfaces. <i>ACS Catalysis</i> , 2022, 12, 7696-7708. | 5.5 | 7 |
| 7 | Steering the Methane Dry Reforming Reactivity of Ni/La ₂ O ₃ Catalysts by Controlled In Situ Decomposition of Doped La ₂ NiO ₄ Precursor Structures. <i>ACS Catalysis</i> , 2021, 11, 43-59. | 5.5 | 38 |
| 8 | Mechanistic in situ insights into the formation, structural and catalytic aspects of the La ₂ NiO ₄ intermediate phase in the dry reforming of methane over Ni-based perovskite catalysts. <i>Applied Catalysis A: General</i> , 2021, 612, 117984. | 2.2 | 16 |
| 9 | Evolution of the superconducting properties from binary to ternary APC-Nb ₃ Sn wires. <i>Superconductor Science and Technology</i> , 2021, 34, 035028. | 1.8 | 10 |
| 10 | Resolving multifrequential oscillations and nanoscale interfacet communication in single-particle catalysis. <i>Science</i> , 2021, 372, 1314-1318. | 6.0 | 22 |
| 11 | Nb ₃ Sn Wires for the Future Circular Collider at CERN: Microstructural Investigation of Different Wire Layouts. <i>IEEE Transactions on Applied Superconductivity</i> , 2021, 31, 1-5. | 1.1 | 1 |
| 12 | Steering the methanol steam reforming performance of Cu/ZrO ₂ catalysts by modification of the Cu-ZrO ₂ interface dimensions resulting from Cu loading variation. <i>Applied Catalysis A: General</i> , 2021, 623, 118279. | 2.2 | 13 |
| 13 | In Situ-Determined Catalytically Active State of LaNi ₃ in Methane Dry Reforming. <i>ACS Catalysis</i> , 2020, 10, 1102-1112. | 5.5 | 55 |
| 14 | Understanding electrochemical switchability of perovskite-type exsolution catalysts. <i>Nature Communications</i> , 2020, 11, 4801. | 5.8 | 46 |
| 15 | Outstanding Oxygen Reduction Kinetics of La _{0.6} Sr _{0.4} FeO ₃ Surfaces Decorated with Platinum Nanoparticles. <i>Journal of the Electrochemical Society</i> , 2020, 167, 104514. | 1.3 | 15 |
| 16 | Influence of experimental constraints on micromechanical assessment of micromachined hard-tissue samples. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 106, 103741. | 1.5 | 1 |
| 17 | Epitaxial Ge _{0.81} Sn _{0.19} Nanowires for Nanoscale Mid-Infrared Emitters. <i>ACS Nano</i> , 2019, 13, 8047-8054. | 7.3 | 34 |
| 18 | Cobalt and Iron Ions in MgO Nanocrystals: Should They Stay or Should They Go. <i>Journal of Physical Chemistry C</i> , 2019, 123, 25991-26004. | 1.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Crystallographic and electronic evolution of lanthanum strontium ferrite ($\text{La}_{0.6}\text{Sr}_{0.4}\text{FeO}_3$) thin film and bulk model systems during iron exsolution. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 3781-3794. | 1.3 | 18 |
| 20 | The CERN FCC Conductor Development Program: A Worldwide Effort for the Future Generation of High-Field Magnets. <i>IEEE Transactions on Applied Superconductivity</i> , 2019, 29, 1-9. | 1.1 | 35 |
| 21 | Impurity Segregation and Nanoparticle Reorganization of Indium Doped MgO Cubes. <i>ChemNanoMat</i> , 2019, 5, 634-641. | 1.5 | 6 |
| 22 | Surface-Structure Libraries: Multifrequential Oscillations in Catalytic Hydrogen Oxidation on Rhodium. <i>Journal of Physical Chemistry C</i> , 2019, 123, 4217-4227. | 1.5 | 18 |
| 23 | Operando XAS and NAP-XPS investigation of CO oxidation on meso- and nanoscale CoO catalysts. <i>Catalysis Today</i> , 2019, 336, 139-147. | 2.2 | 25 |
| 24 | From sol-gel prepared porous silica to monolithic porous Mg ₂ Si/MgO composite materials. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 89, 295-302. | 1.1 | 3 |
| 25 | Elasto-plastic deformation in Al-Cu cast alloys for engine components. <i>Journal of Alloys and Compounds</i> , 2019, 775, 617-627. | 2.8 | 21 |
| 26 | The nano heat effect of replacing macro-particles by nano-particles in drop calorimetry: the case of core/shell metal/oxide nano-particles. <i>RSC Advances</i> , 2018, 8, 8856-8869. | 1.7 | 9 |
| 27 | Visualizing catalyst heterogeneity by a multifrequential oscillating reaction. <i>Nature Communications</i> , 2018, 9, 600. | 5.8 | 31 |
| 28 | Heterogeneous Strain Distribution and Saturation of Geometrically Necessary Dislocations in a Ferritic-Pearlitic Steel during Lubricated Sliding. <i>Advanced Engineering Materials</i> , 2018, 20, 1700810. | 1.6 | 4 |
| 29 | A novel magnetic microfluidic platform for on-chip separation of 3 types of silica coated magnetic nanoparticles ($\text{Fe}_3\text{O}_4@\text{SiO}_2$). <i>Sensors and Actuators A: Physical</i> , 2018, 270, 223-230. | 2.0 | 16 |
| 30 | Diallyl disulphide as natural organosulphur friction modifier via the in-situ tribo-chemical formation of tungsten disulphide. <i>Applied Surface Science</i> , 2018, 428, 659-668. | 3.1 | 11 |
| 31 | Thin water films and particle morphology evolution in nanocrystalline MgO. <i>Journal of the American Ceramic Society</i> , 2018, 101, 4994-5003. | 1.9 | 18 |
| 32 | Complex oxide thin films: Pyrochlore, defect fluorite and perovskite model systems for structural, spectroscopic and catalytic studies. <i>Applied Surface Science</i> , 2018, 452, 190-200. | 3.1 | 12 |
| 33 | Carbon aerogels with improved flexibility by sphere templating. <i>RSC Advances</i> , 2018, 8, 27326-27331. | 1.7 | 13 |
| 34 | Effects of inhomogeneities on pinning force scaling in Nb_3Sn wires. <i>Superconductor Science and Technology</i> , 2018, 31, 084002. | 1.8 | 11 |
| 35 | Formation of Pd-Ce intermetallic compounds by reductive metal-support interaction. <i>Journal of Solid State Chemistry</i> , 2018, 265, 176-183. | 1.4 | 3 |
| 36 | Irreversible degradation of Nb_3Sn Rutherford cables due to transverse compressive stress at room temperature. <i>Superconductor Science and Technology</i> , 2018, 31, 065009. | 1.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Surface composition changes of CuNi-ZrO ₂ during methane decomposition: An operando NAP-XPS and density functional study. <i>Catalysis Today</i> , 2017, 283, 134-143. | 2.2 | 48 |
| 38 | Organisation von Metalloxid-Nanowürfeln durch Hydroxylierung. <i>Angewandte Chemie</i> , 2017, 129, 1428-1432. | 1.6 | 0 |
| 39 | Monolithic porous magnesium silicide. <i>Dalton Transactions</i> , 2017, 46, 8855-8860. | 1.6 | 5 |
| 40 | Hydroxylation Induced Alignment of Metal Oxide Nanocubes. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 1407-1410. | 7.2 | 19 |
| 41 | Dislocations Accelerate Oxygen Ion Diffusion in La _{0.8} Sr _{0.2} MnO ₃ Epitaxial Thin Films. <i>ACS Nano</i> , 2017, 11, 11475-11487. | 7.3 | 80 |
| 42 | Stability and Local Environment of Iron in Vapor Phase Grown MgO Nanocrystals. <i>Journal of Physical Chemistry C</i> , 2017, 121, 24292-24301. | 1.5 | 10 |
| 43 | Assessing composition gradients in multifilamentary superconductors by means of magnetometry methods. <i>Superconductor Science and Technology</i> , 2017, 30, 014011. | 1.8 | 8 |
| 44 | Setting Directions: Anisotropy in Hierarchically Organized Porous Silica. <i>Chemistry of Materials</i> , 2017, 29, 7969-7975. | 3.2 | 16 |
| 45 | Dependences of phase stability and thermoelectric properties of type-I clathrate Ba ₈ Cu _{4.5} Si ₆ Ge _{35.5} on synthesis process parameters. <i>Journal of Alloys and Compounds</i> , 2017, 725, 783-791. | 2.8 | 4 |
| 46 | Iron Precursor Decomposition in the Magnesium Combustion Flame: A New Approach for the Synthesis of Particulate Metal Oxide Nanocomposites. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1700109. | 1.2 | 10 |
| 47 | Pushing the Composition Limit of Anisotropic Ge _{1-x} Sn _x Nanostructures and Determination of Their Thermal Stability. <i>Chemistry of Materials</i> , 2017, 29, 9802-9813. | 3.2 | 33 |
| 48 | Structural and Catalytic Properties of Ag- and Co ₃ O ₄ -Impregnated Strontium Titanium Ferrite SrTi _{0.7} Fe _{0.3} O ₃ in Methanol Steam Reforming. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 13654-13662. | 1.8 | 6 |
| 49 | A Comparative Discussion of the Catalytic Activity and CO ₂ -Selectivity of Cu-Zr and Pd-Zr (Intermetallic) Compounds in Methanol Steam Reforming. <i>Catalysts</i> , 2017, 7, 53. | 1.6 | 24 |
| 50 | A Combined TEM/STEM and Micromagnetic Study of the Anisotropic Nature of Grain Boundaries and Coercivity in Nd-Fe-B Magnets. <i>Advances in Materials Science and Engineering</i> , 2017, 2017, 1-12. | 1.0 | 13 |
| 51 | Microstructural and Chemical Evolution and Analysis of a Self-Activating CO ₂ -Selective Cu-Zr Bimetallic Methanol Steam Reforming Catalyst. <i>Journal of Physical Chemistry C</i> , 2016, 120, 25395-25404. | 1.5 | 19 |
| 52 | Sn-Ag-Cu Nanosolders: Solder Joints Integrity and Strength. <i>Journal of Electronic Materials</i> , 2016, 45, 4390-4399. | 1.0 | 8 |
| 53 | Changing interfaces: Photoluminescent ZnO nanoparticle powders in different aqueous environments. <i>Surface Science</i> , 2016, 652, 253-260. | 0.8 | 19 |
| 54 | Hydrogen Oxidation on Stepped Rh Surfaces: Åm-Scale versus Nanoscale. <i>Catalysis Letters</i> , 2016, 146, 1867-1874. | 1.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Elasto-plastic deformation within diamond reinforced metals for thermal management. <i>Diamond and Related Materials</i> , 2016, 70, 52-58. | 1.8 | 2 |
| 56 | Straightforward Solvothermal Synthesis toward Phase Pure $\text{Li}_2\text{CoPO}_4\text{F}$. <i>Crystal Growth and Design</i> , 2016, 16, 4999-5005. | 1.4 | 5 |
| 57 | Nanostructured clathrates and clathrate-based nanocomposites. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 784-801. | 0.8 | 3 |
| 58 | Surface Spectroscopy on UHV-Grown and Technological Ni/ZrO_2 Reforming Catalysts: From UHV to Operando Conditions. <i>Topics in Catalysis</i> , 2016, 59, 1614-1627. | 1.3 | 16 |
| 59 | Adsorption, Ordering, and Metalation of Porphyrins on MgO Nanocube Surfaces: The Directional Role of Carboxylic Anchoring Groups. <i>Journal of Physical Chemistry C</i> , 2016, 120, 26879-26888. | 1.5 | 20 |
| 60 | Porphyrin Metalation at MgO Surfaces: A Spectroscopic and Quantum Mechanical Study on Complementary Model Systems. <i>Chemistry - A European Journal</i> , 2016, 22, 1744-1749. | 1.7 | 36 |
| 61 | An attempt to synthesize Sn-Zn-Cu alloy nanoparticles. <i>Materials Letters</i> , 2016, 178, 10-14. | 1.3 | 13 |
| 62 | Methane dry reforming over ceria-zirconia supported Ni catalysts. <i>Catalysis Today</i> , 2016, 277, 234-245. | 2.2 | 196 |
| 63 | Boosting Hydrogen Production from Methanol and Water by in-situ Activation of Bimetallic Cu/Zr Species. <i>ChemCatChem</i> , 2016, 8, 1778-1781. | 1.8 | 16 |
| 64 | Lead-supported germanium nanowire growth. <i>Materials Letters</i> , 2016, 173, 248-251. | 1.3 | 6 |
| 65 | Electronic Reducibility Scales with Intergranular Interface Area in Consolidated In_2O_3 Nanoparticles Powders. <i>Journal of Physical Chemistry C</i> , 2016, 120, 4581-4588. | 1.5 | 4 |
| 66 | Surface crack propagation and morphology in cutting tools. <i>Industrial Lubrication and Tribology</i> , 2016, 68, 141-148. | 0.6 | 0 |
| 67 | Mechanism of Rare Earth Incorporation and Crystal Growth of Rare Earth Containing Type-I Clathrates. <i>Crystal Growth and Design</i> , 2016, 16, 25-33. | 1.4 | 8 |
| 68 | USTEM - TRANSMISSIONSELEKTRONENMIKROSKOPIE AUF H-CHSTEM / NIVEAU USTEM - TRANSMISSION ELECTRON MICROSCOPY AT THE HIGHEST LEVEL. , 2016, , 89-94. | | 0 |
| 69 | Critical current anisotropy of GdBCO tapes grown on ISD/MgO buffered substrate. <i>Superconductor Science and Technology</i> , 2015, 28, 124002. | 1.8 | 14 |
| 70 | Surface-specific visible light luminescence from composite metal oxide nanocrystals. <i>Journal of Materials Science</i> , 2015, 50, 8153-8165. | 1.7 | 17 |
| 71 | Cross-sectional nanoindentation (CSN) studies on the effect of thickness on adhesion strength of thin films. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 035301. | 1.3 | 6 |
| 72 | Synthesis and thermal behavior of tin-based alloy ($\text{Sn}/\text{Ag}/\text{Cu}$) nanoparticles. <i>Nanoscale</i> , 2015, 7, 5843-5851. | 2.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Diffusion parameters of grain-growth inhibitors in WC based hardmetals with Co, Fe/Ni and Fe/Co/Ni binder alloys. <i>International Journal of Refractory Metals and Hard Materials</i> , 2015, 49, 67-74. | 1.7 | 30 |
| 74 | Synthesis and characterisation of (Fe,Co) ₂ B microcrystalline alloys. <i>Journal of Alloys and Compounds</i> , 2015, 644, 199-204. | 2.8 | 8 |
| 75 | Microwave-assisted solution-liquid-solid growth of Ge _{1-x} Sn _x nanowires with high tin content. <i>Chemical Communications</i> , 2015, 51, 12282-12285. | 2.2 | 42 |
| 76 | Pt-B System Revisited: Pt ₂ B, a New Structure Type of Binary Borides. Ternary WAl ₁₂ -Type Derivative Borides. <i>Inorganic Chemistry</i> , 2015, 54, 10958-10965. | 1.9 | 12 |
| 77 | Porphyrin Metalation at the MgO Nanocube/Toluene Interface. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 22962-22969. | 4.0 | 30 |
| 78 | Microwave-Assisted Ge _{1-x} Sn _x Nanowire Synthesis: Precursor Species and Growth Regimes. <i>Chemistry of Materials</i> , 2015, 27, 6125-6130. | 3.2 | 39 |
| 79 | Extracellular bone matrix exhibits hardening elastoplasticity and more than double cortical strength: Evidence from homogeneous compression of non-tapered single micron-sized pillars welded to a rigid substrate. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015, 52, 51-62. | 1.5 | 60 |
| 80 | Surface modification processes during methane decomposition on Cu-promoted Ni-ZrO ₂ catalysts. <i>Catalysis Science and Technology</i> , 2015, 5, 967-978. | 2.1 | 48 |
| 81 | Toward Synthesis and Characterization of Unconventional C ₆₆ and C ₆₈ Fullerenes inside Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2014, 118, 30260-30268. | 1.5 | 6 |
| 82 | Electrochemical properties of La _{0.6} Sr _{0.4} CoO ₃ thin films investigated by complementary impedance spectroscopy and isotope exchange depth profiling. <i>Solid State Ionics</i> , 2014, 256, 38-44. | 1.3 | 28 |
| 83 | Growth of monocrystalline In ₂ O ₃ nanowires by a seed orientation dependent vapour-solid-solid mechanism. <i>Journal of Materials Chemistry C</i> , 2014, 2, 5747. | 2.7 | 17 |
| 84 | Cation diffusion in La _{0.6} Sr _{0.4} CoO ₃ below 800 °C and its relevance for Sr segregation. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 2715. | 1.3 | 104 |
| 85 | Microstresses and crack formation in AlSi7MgCu and AlSi17Cu4 alloys for engine components. <i>Acta Materialia</i> , 2014, 81, 401-408. | 3.8 | 40 |
| 86 | Characterization of Frictional Stressed White Etching Layers out of Cutting Tools by Means of Transmission Electron Microscopy (TEM). <i>Praktische Metallographie/Practical Metallography</i> , 2014, 51, 485-498. | 0.1 | 2 |
| 87 | Conductive AFM and chemical analysis of highly conductive paths in DC degraded PZT with Ag/Pd electrodes. <i>Solid State Ionics</i> , 2013, 244, 5-16. | 1.3 | 11 |
| 88 | Chemistry and morphology of dried cup pollen suspension residues. <i>Journal of Raman Spectroscopy</i> , 2013, 44, 1654-1658. | 1.2 | 42 |
| 89 | Spores of many common airborne fungi reveal no ice nucleation activity in oil immersion freezing experiments. <i>Biogeosciences</i> , 2013, 10, 8083-8091. | 1.3 | 11 |
| 90 | Suspendable macromolecules are responsible for ice nucleation activity of birch and conifer pollen. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 2541-2550. | 1.9 | 251 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Microstructural Investigation of Interfacial Features in Al Wire Bonds. Journal of Electronic Materials, 2012, 41, 3436-3446. | 1.0 | 22 |
| 92 | Ionic bis-nanoparticle networks. Monatshefte für Chemie, 2012, 143, 519-525. | 0.9 | 1 |
| 93 | Phase Separation at the Nanoscale: Structural Properties of BaO Segregates on MgO-Based Nanoparticles. Journal of Physical Chemistry C, 2011, 115, 15853-15861. | 1.5 | 26 |
| 94 | Solid-Solid Interface Formation in TiO ₂ Nanoparticle Networks. Langmuir, 2011, 27, 1946-1953. | 1.6 | 49 |
| 95 | Accelerated mechanical fatigue testing and lifetime of interconnects in microelectronics. Procedia Engineering, 2010, 2, 511-519. | 1.2 | 38 |
| 96 | BaO Clusters on MgO Nanocubes: A Quantitative Analysis of Optical Powder Properties. Small, 2010, 6, 582-588. | 5.2 | 17 |
| 97 | Zinc oxide scaffolds on MgO nanocubes. Nanotechnology, 2010, 21, 355603. | 1.3 | 31 |
| 98 | Colloidally Prepared Pt Nanowires versus Impregnated Pt Nanoparticles: Comparison of Adsorption and Reaction Properties. Langmuir, 2010, 26, 16330-16338. | 1.6 | 20 |
| 99 | Solar Light and Dopant-Induced Recombination Effects: Photoactive Nitrogen in TiO ₂ as a Case Study. Journal of Physical Chemistry C, 2010, 114, 18067-18072. | 1.5 | 54 |
| 100 | Structural and Chemical Investigations of (La, Sr)CoO _{3-δ} Thin Film Electrodes Exhibiting Very Fast Oxygen Reduction Kinetics. ECS Transactions, 2009, 25, 2397-2402. | 0.3 | 2 |
| 101 | Development of an in vitro model on cellular adhesion on granular natural bone mineral under dynamic seeding conditions-A pilot study. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2009, 91B, 766-771. | 1.6 | 5 |
| 102 | Functional Interfaces in Pure and Blended Oxide Nanoparticle Networks: Recombination versus Separation of Photogenerated Charges. Journal of Physical Chemistry C, 2009, 113, 15792-15795. | 1.5 | 39 |
| 103 | Stability and Photoelectronic Properties of Layered Titanate Nanostructures. Journal of the American Chemical Society, 2009, 131, 6198-6206. | 6.6 | 101 |
| 104 | When Fewer Photons Do More: A Comparative O ₂ Photoadsorption Study on Vapor-Deposited TiO ₂ and ZrO ₂ Nanocrystal Ensembles. Journal of Physical Chemistry C, 2009, 113, 9175-9181. | 1.5 | 14 |
| 105 | Redox mechanism in the NiP ₂ electrode for Li-ion batteries: A DFT study coupled with local chemical bond analyses. Ionics, 2008, 14, 197-202. | 1.2 | 8 |
| 106 | Charge Separation in Layered Titanate Nanostructures: Effect of Ion Exchange Induced Morphology Transformation. Angewandte Chemie - International Edition, 2008, 47, 1496-1499. | 7.2 | 43 |
| 107 | Photoluminescent Nanoparticle Surfaces: The Potential of Alkaline Earth Oxides for Optical Applications. Advanced Materials, 2008, 20, 4840-4844. | 11.1 | 28 |
| 108 | Tribological behaviour of Ti containing nanocomposite DLC films under milli-Newton load range. Diamond and Related Materials, 2008, 17, 2010-2018. | 1.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | A New Preparation Pathway to Well-Defined In ₂ O ₃ Nanoparticles at Low Substrate Temperatures. Journal of Physical Chemistry C, 2008, 112, 918-925. | 1.5 | 23 |
| 110 | Nanoparticles as a Support: CaO Deposits on MgO Cubes. Journal of Physical Chemistry C, 2008, 112, 9120-9123. | 1.5 | 16 |
| 111 | Chemical Control of Photoexcited States in Titanate Nanostructures. Nano Letters, 2007, 7, 433-438. | 4.5 | 65 |
| 112 | One-Step Flame Synthesis of Ultrafine SiO ₂ @C Nanocomposite Particles with High Carbon Loading and Their Carbothermal Conversion. Industrial & Engineering Chemistry Research, 2007, 46, 4273-4281. | 1.8 | 15 |
| 113 | Photoexcitation of Local Surface Structures on Strontium Oxide Grains. Journal of Physical Chemistry C, 2007, 111, 8069-8074. | 1.5 | 12 |
| 114 | Fullerene release from the inside of carbon nanotubes: A possible route toward drug delivery. Chemical Physics Letters, 2007, 445, 288-292. | 1.2 | 47 |
| 115 | Imaging of low temperature induced SMSI on Pd/TiO ₂ catalysts. Catalysis Letters, 2007, 114, 91-95. | 1.4 | 41 |
| 116 | Optical Surface Properties and Morphology of MgO and CaO Nanocrystals. Journal of Physical Chemistry B, 2006, 110, 13866-13871. | 1.2 | 81 |
| 117 | Particles Coming Together: Electron Centers in Adjoined TiO ₂ Nanocrystals. Journal of Physical Chemistry B, 2006, 110, 7605-7608. | 1.2 | 52 |
| 118 | Factors Influencing Hydride Formation in a Pd/TiO ₂ Catalyst. Journal of Physical Chemistry B, 2006, 110, 17090-17095. | 1.2 | 61 |
| 119 | Encapsulating C ₅₉ N azafullerenes inside single-wall carbon nanotubes. Physica Status Solidi (B): Basic Research, 2006, 243, 3263-3267. | 0.7 | 7 |
| 120 | Encapsulating C ₅₉ N azafullerene derivatives inside single-wall carbon nanotubes. Carbon, 2006, 44, 1958-1962. | 5.4 | 34 |
| 121 | Microstructure and Mechanical Properties of HVOF Sprayed Nanocrystalline Cr ₃ C ₂ -25(Ni ₂₀ Cr) Coating. Journal of Thermal Spray Technology, 2006, 15, 372-381. | 1.6 | 51 |
| 122 | Synthesis of nanowires in room temperature ambient: A focused ion beam approach. Applied Physics Letters, 2006, 88, 163114. | 1.5 | 13 |
| 123 | Trapping of photogenerated charges in oxide nanoparticles. Materials Science and Engineering C, 2005, 25, 664-668. | 3.8 | 30 |
| 124 | Size-Dependent Optical Properties of MgO Nanocubes. Angewandte Chemie - International Edition, 2005, 44, 4917-4920. | 7.2 | 205 |
| 125 | Novel Optical Surface Properties of Ca ²⁺ -Doped MgO Nanocrystals. Nano Letters, 2005, 5, 1889-1893. | 4.5 | 69 |
| 126 | Low temperature fullerene encapsulation in single wall carbon nanotubes: synthesis of N@C ₆₀ @SWCNT. Chemical Physics Letters, 2004, 383, 362-367. | 1.2 | 122 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Preparation, magnetic properties and microstructure of lean rare-earth permanent magnetic materials. <i>Journal of Magnetism and Magnetic Materials</i> , 2000, 219, 186-198. | 1.0 | 42 |
| 128 | Electron microscopy of giant magnetoresistive granular Au _{1-x} Co alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 1996, 157-158, 153-155. | 1.0 | 12 |
| 129 | TEM Investigation of Multilayered Structures in Heterogeneous Au _{1-x} Co Alloys. <i>Physica Status Solidi A</i> , 1995, 147, 165-175. | 1.7 | 9 |
| 130 | Lorentz microscopy of giant magnetoresistive Au _{1-x} Co alloys. <i>Physica Status Solidi A</i> , 1995, 150, 171-184. | 1.7 | 30 |
| 131 | Magnetic and microstructural properties of FeNdB type magnets with additives. <i>Journal of Magnetism and Magnetic Materials</i> , 1995, 140-144, 1059-1060. | 1.0 | 6 |
| 132 | Permanent magnets – New microstructural aspects. <i>Scripta Metallurgica Et Materialia</i> , 1995, 33, 1781-1791. | 1.0 | 19 |
| 133 | Microstructural influence on magnetic properties and giant magnetoresistance of melt-spun gold-cobalt. <i>Scripta Metallurgica Et Materialia</i> , 1995, 33, 1647-1666. | 1.0 | 28 |
| 134 | Magnetic and microstructural properties of sintered FeNdB-based magnets with Ga and Nb additions. <i>Journal of Magnetism and Magnetic Materials</i> , 1994, 138, 294-300. | 1.0 | 19 |
| 135 | Preparation and transmission electron microscope investigation of sintered Nd _{15.4} Fe _{75.7} B _{6.7} Cu _{1.3} Nb _{0.9} magnets. <i>Journal of Applied Physics</i> , 1994, 76, 6241-6243. | 1.1 | 36 |
| 136 | Role of the heating rate up to the annealing temperature on the hysteretic properties of hard magnetic materials prepared from amorphous precursors. <i>Journal of Alloys and Compounds</i> , 1993, 191, 127-130. | 2.8 | 16 |
| 137 | Preparation and TEM-study of sintered Nd ₁₈ /Fe ₇₄ /B ₆ /Ga ₁ /Nb ₁ magnets. <i>IEEE Transactions on Magnetics</i> , 1993, 29, 2773-2775. | 1.2 | 48 |
| 138 | Observation and characterization of a twinned monoclinic phase as a product of the solid state decomposition of Nd ₂ Fe ₁₄ B. <i>Journal of Materials Research</i> , 1992, 7, 1762-1768. | 1.2 | 2 |
| 139 | The effect of V or W additives to microstructure and coercivity of Nd-Fe-B based magnets. <i>IEEE Transactions on Magnetics</i> , 1992, 28, 2127-2129. | 1.2 | 17 |
| 140 | Transmission electron microscope characterization of cast and hot-worked R ₂ Fe ₁₄ B:Cu (R=Nd,Pr) permanent magnets. <i>Journal of Applied Physics</i> , 1991, 70, 6456-6458. | 1.1 | 57 |
| 141 | Analytical electron microscopy of Sm(Co,Fe,Cu, Zr) ₉ . <i>IEEE Transactions on Magnetics</i> , 1990, 26, 1385-1387. | 1.2 | 5 |
| 142 | Role of Impurities and PSBs on Microcracking of Polycrystalline Copper at Very High Numbers of Cycles. <i>Key Engineering Materials</i> , 0, 465, 29-34. | 0.4 | 8 |