

Vincent Niderkorn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4613025/publications.pdf>

Version: 2024-02-01

30
papers

1,535
citations

516561

16
h-index

477173

29
g-index

30
all docs

30
docs citations

30
times ranked

2442
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Tannin Supplementation on Proteolysis during Post-Ruminal Digestion in Wethers Using a Dynamic <i>In Vitro</i> System: A Plant (<i>Medicago sativa</i>) Digestomic Approach. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 2221-2230.	2.4	4
2	Effects of elevated CO ₂ and extreme climatic events on forage quality and in vitro rumen fermentation in permanent grassland. <i>Biogeosciences</i> , 2021, 18, 4841-4853.	1.3	1
3	Cheese quality from cows given a tannin extract in 2 different grazing seasons. <i>Journal of Dairy Science</i> , 2021, 104, 9543-9555.	1.4	8
4	Opportunities Offered by Plant Bioactive Compounds to Improve Silage Quality, Animal Health and Product Quality for Sustainable Ruminant Production: A Review. <i>Agronomy</i> , 2021, 11, 86.	1.3	20
5	Effect of increasing the proportion of chicory in forage-based diets on intake and digestion by sheep. <i>Animal</i> , 2019, 13, 718-726.	1.3	16
6	Effects of <i>Acacia mearnsii</i> supplementation on nutrition, parasitological, blood parameters and methane emissions in Santa In�s sheep infected with <i>Trichostrongylus colubriformis</i> and <i>Haemonchus contortus</i> . <i>Experimental Parasitology</i> , 2019, 207, 107777.	0.5	19
7	Feeding lambs with silage mixtures of grass, sainfoin and red clover improves meat oxidative stability under high oxidative challenge. <i>Meat Science</i> , 2019, 156, 59-67.	2.7	32
8	Effects of including bioactive legumes in grass silage on digestion parameters, nitrogen balance and methane emissions in sheep. <i>Grass and Forage Science</i> , 2019, 74, 626-635.	1.2	6
9	Benefits of Condensed Tannins in Forage Legumes Fed to Ruminants: Importance of Structure, Concentration, and Diet Composition. <i>Crop Science</i> , 2019, 59, 861-885.	0.8	154
10	Complementarities between grasses and forage legumes from temperate and subtropical areas on in vitro rumen fermentation characteristics. <i>Animal Feed Science and Technology</i> , 2017, 228, 178-185.	1.1	20
11	Associative effects between fresh perennial ryegrass and white clover on dynamics of intake and digestion in sheep. <i>Grass and Forage Science</i> , 2017, 72, 691-699.	1.2	13
12	Associative effects between red clover and kikuyu grass silage: Proteolysis reduction and synergy during in vitro organic matter degradation. <i>Animal Feed Science and Technology</i> , 2017, 231, 107-110.	1.1	7
13	Silages containing bioactive forage legumes: a promising protein-rich feed source for growing lambs. <i>Grass and Forage Science</i> , 2016, 71, 622-631.	1.2	28
14	Fatty acid composition of ruminal digesta and longissimus muscle from lambs fed silage mixtures including red clover, sainfoin, and timothy. <i>Journal of Animal Science</i> , 2016, 94, 1550-1560.	0.2	32
15	Associative effects between orchardgrass and red clover silages on voluntary intake and digestion in sheep: Evidence of a synergy on digestible dry matter intake. <i>Journal of Animal Science</i> , 2015, 93, 4967-4976.	0.2	20
16	A meta-analysis of climate change effects on forage quality in grasslands: specificities of mountain and Mediterranean areas. <i>Grass and Forage Science</i> , 2015, 70, 239-254.	1.2	124
17	Sodium Hydroxide Enhances Extractability and Analysis of Proanthocyanidins in Ensiled Sainfoin (<i>Onobrychis viciifolia</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 9471-9479.	2.4	12
18	Patterns of in vitro rumen fermentation of silage mixtures including sainfoin and red clover as bioactive legumes. <i>Animal Feed Science and Technology</i> , 2015, 208, 220-224.	1.1	13

#	ARTICLE	IF	CITATIONS
19	Bioactive forage legumes as a strategy to improve silage quality and minimise nitrogenous losses. <i>Animal Production Science</i> , 2014, 54, 1826.	0.6	20
20	Fifty thousand years of Arctic vegetation and megafaunal diet. <i>Nature</i> , 2014, 506, 47-51.	13.7	505
21	Identification of bioactive grassland plants for reducing enteric methane production and rumen proteolysis using an in vitro screening assay. <i>Animal Production Science</i> , 2014, 54, 1805.	0.6	4
22	Synergistic effects of mixing cocksfoot and sainfoin on in vitro rumen fermentation. Role of condensed tannins. <i>Animal Feed Science and Technology</i> , 2012, 178, 48-56.	1.1	19
23	Occurrence of associative effects between grasses and legumes in binary mixtures on in vitro rumen fermentation characteristics1. <i>Journal of Animal Science</i> , 2011, 89, 1138-1145.	0.2	51
24	In vitro study of the effects of condensed tannins in sainfoin on the digestive process in the rumen at two vegetation cycles. <i>Animal Feed Science and Technology</i> , 2011, 170, 147-159.	1.1	27
25	In vitro rumen simulated (RUSITEC) metabolism of freshly cut or wilted grasses with contrasting polyphenol oxidase activities. <i>Grass and Forage Science</i> , 2011, 66, 196-205.	1.2	13
26	Cell wall component and mycotoxin moieties involved in the binding of fumonisin B ₁ and B ₂ by lactic acid bacteria. <i>Journal of Applied Microbiology</i> , 2009, 106, 977-985.	1.4	111
27	Stability of the bacteria-bound zearalenone complex in ruminal fluid and in simulated gastrointestinal environment in vitro. <i>World Mycotoxin Journal</i> , 2008, 1, 463-467.	0.8	7
28	Screening of fermentative bacteria for their ability to bind and biotransform deoxynivalenol, zearalenone and fumonisins in an in vitro simulated corn silage model. <i>Food Additives and Contaminants</i> , 2007, 24, 406-415.	2.0	96
29	Binding of <i>Fusarium</i> mycotoxins by fermentative bacteria in vitro. <i>Journal of Applied Microbiology</i> , 2006, 101, 849-856.	1.4	151
30	Red clover silage: an alternative for mitigating the impact of nitrogen excretion in ovine production systems. <i>Revista Brasileira De Zootecnia</i> , 0, 48, .	0.3	2