

Hae-Jeong Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4613681/publications.pdf>

Version: 2024-02-01

138
papers

7,801
citations

87723

38
h-index

56606

83
g-index

142
all docs

142
docs citations

142
times ranked

10728
citing authors

#	ARTICLE	IF	CITATIONS
1	Structural and Functional Brain Networks: From Connections to Cognition. <i>Science</i> , 2013, 342, 1238411.	6.0	1,543
2	A review of diffusion tensor imaging studies in schizophrenia. <i>Journal of Psychiatric Research</i> , 2007, 41, 15-30.	1.5	686
3	DTI and MTR abnormalities in schizophrenia: Analysis of white matter integrity. <i>NeuroImage</i> , 2005, 26, 1109-1118.	2.1	399
4	White matter hemisphere asymmetries in healthy subjects and in schizophrenia: a diffusion tensor MRI study. <i>NeuroImage</i> , 2004, 23, 213-223.	2.1	284
5	Corpus callosal connection mapping using cortical gray matter parcellation and DT-MRI. <i>Human Brain Mapping</i> , 2008, 29, 503-516.	1.9	221
6	Morphological alterations in the congenital blind based on the analysis of cortical thickness and surface area. <i>NeuroImage</i> , 2009, 47, 98-106.	2.1	201
7	A randomized trial of mesenchymal stem cells in multiple system atrophy. <i>Annals of Neurology</i> , 2012, 72, 32-40.	2.8	199
8	Spatial normalization of diffusion tensor MRI using multiple channels. <i>NeuroImage</i> , 2003, 20, 1995-2009.	2.1	194
9	Fornix Integrity and Hippocampal Volume in Male Schizophrenic Patients. <i>Biological Psychiatry</i> , 2006, 60, 22-31.	0.7	160
10	Large-scale DCMs for resting-state fMRI. <i>Network Neuroscience</i> , 2017, 1, 222-241.	1.4	146
11	White matter abnormalities associated with auditory hallucinations in schizophrenia: A combined study of voxel-based analyses of diffusion tensor imaging and structural magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 93-104.	0.9	144
12	Functional Disconnection Between the Prefrontal and Parietal Cortices During Working Memory Processing in Schizophrenia: A [15O]H ₂ O PET Study. <i>American Journal of Psychiatry</i> , 2003, 160, 919-923.	4.0	137
13	The pattern of cortical atrophy in patients with Parkinson's disease according to cognitive status. <i>Movement Disorders</i> , 2011, 26, 289-296.	2.2	131
14	Sex differences in the human corpus callosum: diffusion tensor imaging study. <i>NeuroReport</i> , 2005, 16, 795-798.	0.6	127
15	Motor pathway injury in patients with periventricular leucomalacia and spastic diplegia. <i>Brain</i> , 2011, 134, 1199-1210.	3.7	113
16	Dynamic effective connectivity in resting state fMRI. <i>NeuroImage</i> , 2018, 180, 594-608.	2.1	100
17	Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. <i>Human Brain Mapping</i> , 2002, 17, 168-178.	1.9	99
18	Altered hemispheric asymmetry and positive symptoms in schizophrenia: equivalent current dipole of auditory mismatch negativity. <i>Schizophrenia Research</i> , 2003, 59, 253-260.	1.1	97

#	ARTICLE	IF	CITATIONS
19	Automated diagnosis of ear disease using ensemble deep learning with a big otoendoscopy image database. <i>EBioMedicine</i> , 2019, 45, 606-614.	2.7	97
20	A comparative analysis of cognitive profiles and white-matter alterations using voxel-based diffusion tensor imaging between patients with Parkinson's disease dementia and dementia with Lewy bodies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 320-326.	0.9	93
21	Functional connectivity-based identification of subdivisions of the basal ganglia and thalamus using multilevel independent component analysis of resting state fMRI. <i>Human Brain Mapping</i> , 2013, 34, 1371-1385.	1.9	77
22	Clustering Fiber Traces Using Normalized Cuts. <i>Lecture Notes in Computer Science</i> , 2004, , 368-375.	1.0	77
23	Task-related modulation of anterior theta and posterior alpha EEG reflects top-down preparation. <i>BMC Neuroscience</i> , 2010, 11, 79.	0.8	67
24	Development of Korean Standard Brain Templates. <i>Journal of Korean Medical Science</i> , 2005, 20, 483.	1.1	65
25	Automated detection and elimination of periodic ECG artifacts in EEG using the energy interval histogram method. <i>IEEE Transactions on Biomedical Engineering</i> , 2002, 49, 1526-1533.	2.5	63
26	Increased water diffusivity in the frontal and temporal cortices of schizophrenic patients. <i>NeuroImage</i> , 2006, 30, 1285-1291.	2.1	62
27	Medial prefrontal default-mode hypoactivity affecting trait physical anhedonia in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2009, 171, 155-165.	0.9	61
28	Relationship between personality trait and regional cerebral glucose metabolism assessed with positron emission tomography. <i>Biological Psychology</i> , 2002, 60, 109-120.	1.1	58
29	Alterations of white matter diffusion anisotropy in early deafness. <i>NeuroReport</i> , 2009, 20, 1032-1036.	0.6	57
30	A comparison of gray and white matter density in patients with Parkinson's disease dementia and dementia with Lewy bodies using voxel-based morphometry. <i>Movement Disorders</i> , 2010, 25, 28-34.	2.2	57
31	Cortical surface-based analysis of 18F-FDG PET: Measured metabolic abnormalities in schizophrenia are affected by cortical structural abnormalities. <i>NeuroImage</i> , 2006, 31, 1434-1444.	2.1	56
32	Comparison of various imaging modalities in localization of epileptogenic lesion using epilepsy surgery outcome in pediatric patients. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2009, 18, 504-510.	0.9	56
33	Medical Image Computing and Computer-Assisted Intervention "MICCAI 2004. <i>Lecture Notes in Computer Science</i> , 2004, 3216/2004, 368-375.	1.0	54
34	LORETA imaging of P300 in schizophrenia with individual MRI and 128-channel EEG. <i>NeuroImage</i> , 2003, 20, 1552-1560.	2.1	48
35	Dysfunctional modulation of emotional interference in the medial prefrontal cortex in patients with schizophrenia. <i>Neuroscience Letters</i> , 2008, 440, 119-124.	1.0	47
36	Are brain networks stable during a 24-hour period?. <i>NeuroImage</i> , 2012, 59, 456-466.	2.1	47

#	ARTICLE	IF	CITATIONS
37	Relationship between bilateral temporal hypometabolism and EEG findings for mesial temporal lobe epilepsy: Analysis of 18F-FDG PET using SPM. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2006, 15, 56-63.	0.9	46
38	Everyday conversation requires cognitive inference: Neural bases of comprehending implicated meanings in conversations. <i>NeuroImage</i> , 2013, 81, 61-72.	2.1	45
39	Coloring of DT-MRI Fiber Traces Using Laplacian Eigenmaps. <i>Lecture Notes in Computer Science</i> , 2003, , 518-529.	1.0	40
40	An MRI study of spatial probability brain map differences between first-episode schizophrenia and normal controls. <i>NeuroImage</i> , 2004, 22, 1231-1246.	2.1	40
41	Reorganization of neural circuits in the blind on diffusion direction analysis. <i>NeuroReport</i> , 2007, 18, 1757-1760.	0.6	40
42	Involvement of the mirror neuron system in blunted affect in schizophrenia. <i>Schizophrenia Research</i> , 2014, 152, 268-274.	1.1	40
43	Smaller Neocortical Gray Matter and Larger Sulcal Cerebrospinal Fluid Volumes in Neuroleptic-Naive Women With Schizotypal Personality Disorder. <i>Archives of General Psychiatry</i> , 2006, 63, 1090.	13.8	36
44	Abnormal brain response during the auditory emotional processing in schizophrenic patients with chronic auditory hallucinations. <i>Schizophrenia Research</i> , 2009, 107, 83-91.	1.1	36
45	Hierarchical Dynamic Causal Modeling of Resting-State fMRI Reveals Longitudinal Changes in Effective Connectivity in the Motor System after Thalamotomy for Essential Tremor. <i>Frontiers in Neurology</i> , 2017, 8, 346.	1.1	36
46	Re-visiting Riemannian geometry of symmetric positive definite matrices for the analysis of functional connectivity. <i>NeuroImage</i> , 2021, 225, 117464.	2.1	35
47	Immediate and Longitudinal Alterations of Functional Networks after Thalamotomy in Essential Tremor. <i>Frontiers in Neurology</i> , 2016, 7, 184.	1.1	34
48	Volumetric abnormalities in connectivity-based subregions of the thalamus in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2007, 97, 226-235.	1.1	33
49	Reduced Binding Potential of GABA-A/Benzodiazepine Receptors in Individuals at Ultra-high Risk for Psychosis: An [18F]-Fluoroflumazenil Positron Emission Tomography Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 548-557.	2.3	33
50	Effective connectivity during working memory and resting states: A DCM study. <i>NeuroImage</i> , 2018, 169, 485-495.	2.1	31
51	Changes in brain metabolic connectivity underlie autistic-like social deficits in a rat model of autism spectrum disorder. <i>Scientific Reports</i> , 2017, 7, 13213.	1.6	30
52	Energy landscape analysis of the subcortical brain network unravels system properties beneath resting state dynamics. <i>NeuroImage</i> , 2017, 149, 153-164.	2.1	29
53	Geometric Convolutional Neural Network for Analyzing Surface-Based Neuroimaging Data. <i>Frontiers in Neuroinformatics</i> , 2018, 12, 42.	1.3	29
54	Method for combining information from white matter fiber tracking and gray matter parcellation. <i>American Journal of Neuroradiology</i> , 2004, 25, 1318-24.	1.2	29

#	ARTICLE	IF	CITATIONS
55	Quantification of thalamocortical tracts in schizophrenia on probabilistic maps. <i>NeuroReport</i> , 2008, 19, 399-403.	0.6	28
56	Neuroanatomical correlates of trait anhedonia in patients with schizophrenia: A voxel-based morphometric study. <i>Neuroscience Letters</i> , 2011, 489, 110-114.	1.0	28
57	Altered cingulo-striatal function underlies reward drive deficits in schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 229-236.	1.1	28
58	Analysis of structureâ€“function network decoupling in the brain systems of spastic diplegic cerebral palsy. <i>Human Brain Mapping</i> , 2017, 38, 5292-5306.	1.9	28
59	How does distortion correction correlate with anisotropic indices? A diffusion tensor imaging study. <i>Magnetic Resonance Imaging</i> , 2006, 24, 1369-1376.	1.0	27
60	Correlations of Dynamic Contrast-Enhanced Magnetic Resonance Imaging with Morphologic, Angiogenic, and Molecular Prognostic Factors in Rectal Cancer. <i>Yonsei Medical Journal</i> , 2013, 54, 123.	0.9	27
61	Connectivity-based change point detection for large-size functional networks. <i>NeuroImage</i> , 2016, 143, 353-363.	2.1	27
62	Prestimulus top-down reflection of obsessive-compulsive disorder in EEG frontal theta and occipital alpha oscillations. <i>Neuroscience Letters</i> , 2011, 496, 181-185.	1.0	26
63	Neural responses to affective and cognitive theory of mind in children and adolescents with autism spectrum disorder. <i>Neuroscience Letters</i> , 2016, 621, 117-125.	1.0	26
64	Assessment of regional GABAA receptor binding using 18F-fluoroflumazenil positron emission tomography in spastic type cerebral palsy. <i>NeuroImage</i> , 2007, 34, 19-25.	2.1	25
65	Prestimulus EEG alpha activity reflects temporal expectancy. <i>Neuroscience Letters</i> , 2008, 438, 270-274.	1.0	25
66	Histogram Analysis of Gadoteric Acid-Enhanced MRI for Quantitative Hepatic Fibrosis Measurement. <i>PLoS ONE</i> , 2014, 9, e114224.	1.1	25
67	Functional disconnection of the semantic networks in schizophrenia. <i>NeuroReport</i> , 2005, 16, 355-359.	0.6	24
68	Activation of the Occipital Cortex and Deactivation of the Default Mode Network During Working Memory in the Early Blind. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, 407-422.	1.2	24
69	Functional network organizations of two contrasting temperament groups in dimensions of novelty seeking and harm avoidance. <i>Brain Research</i> , 2014, 1575, 33-44.	1.1	24
70	Increased GABA-A Receptor Binding and Reduced Connectivity at the Motor Cortex in Children with Hemiplegic Cerebral Palsy: A Multimodal Investigation Using ¹⁸ F-Fluoroflumazenil PET, Immunohistochemistry, and MR Imaging. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1263-1269.	2.8	23
71	Optimized individual mismatch negativity source localization using a realistic head model and the Talairach coordinate system. <i>Brain Topography</i> , 2003, 15, 233-238.	0.8	22
72	Distortion correction of high b-valued and high angular resolution diffusion images using iterative simulated images. <i>NeuroImage</i> , 2011, 57, 968-978.	2.1	21

#	ARTICLE	IF	CITATIONS
73	Hippocampus and nucleus accumbens activity during neutral word recognition related to trait physical anhedonia in patients with schizophrenia: An fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 203, 46-53.	0.9	21
74	Abnormal Neural Processing during Emotional Salience Attribution of Affective Asymmetry in Patients with Schizophrenia. <i>PLoS ONE</i> , 2014, 9, e90792.	1.1	21
75	Individuality manifests in the dynamic reconfiguration of large-scale brain networks during movie viewing. <i>Scientific Reports</i> , 2017, 7, 41414.	1.6	21
76	Graph-theoretical analysis for energy landscape reveals the organization of state transitions in the resting-state human cerebral cortex. <i>PLoS ONE</i> , 2019, 14, e0222161.	1.1	21
77	Triple-Layer Appearance of Brodmann Area 4 at Thin-Section Double Inversion-Recovery MR Imaging. <i>Radiology</i> , 2009, 250, 515-522.	3.6	20
78	Graph Independent Component Analysis Reveals Repertoires of Intrinsic Network Components in the Human Brain. <i>PLoS ONE</i> , 2014, 9, e82873.	1.1	20
79	Evaluation of Node-Inhomogeneity Effects on the Functional Brain Network Properties Using an Anatomy-Constrained Hierarchical Brain Parcellation. <i>PLoS ONE</i> , 2013, 8, e74935.	1.1	19
80	Aberrant cerebro-cerebellar functional connectivity and minimal self-disturbance in individuals at ultra-high risk for psychosis and with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2018, 202, 138-140.	1.1	19
81	Is the GABA System Related to the Social Competence Improvement Effect of Aripiprazole? An ¹⁸ F-Fluoroflumazenil PET Study. <i>Psychiatry Investigation</i> , 2013, 10, 75.	0.7	19
82	Changes of Neurotransmitters in Youth with Internet and Smartphone Addiction: A Comparison with Healthy Controls and Changes after Cognitive Behavioral Therapy. <i>American Journal of Neuroradiology</i> , 2020, 41, 1293-1301.	1.2	17
83	Visualization of maturation of the corpus callosum during childhood and adolescence using T2 relaxometry. <i>International Journal of Developmental Neuroscience</i> , 2007, 25, 409-414.	0.7	16
84	Measuring Fractional Anisotropy of the Corpus Callosum Using Diffusion Tensor Imaging: Mid-Sagittal versus Axial Imaging Planes. <i>Korean Journal of Radiology</i> , 2008, 9, 391.	1.5	16
85	Independent component model for cognitive functions of multiple subjects using [15O]H ₂ O PET images. <i>Human Brain Mapping</i> , 2003, 18, 284-295.	1.9	15
86	Reciprocal activation of the orbitofrontal cortex and the ventrolateral prefrontal cortex in processing ambivalent stimuli. <i>Brain Research</i> , 2008, 1246, 136-143.	1.1	15
87	Neural correlates in the processing of phoneme-level complexity in vowel production. <i>Brain and Language</i> , 2011, 119, 158-166.	0.8	15
88	Validation of a mobile game-based assessment of cognitive control among children and adolescents. <i>PLoS ONE</i> , 2020, 15, e0230498.	1.1	15
89	Common and differential brain responses in men and women to nonverbal emotional vocalizations by the same and opposite sex. <i>Neuroscience Letters</i> , 2012, 515, 157-161.	1.0	14
90	Positive symptoms and water diffusivity of the prefrontal and temporal cortices in schizophrenia patients: A pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2014, 224, 49-57.	0.9	14

#	ARTICLE	IF	CITATIONS
91	The neural basis of a deficit in abstract thinking in patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 66-73.	0.9	13
92	Interregional metabolic connectivity of 2-deoxy- ¹⁸ F-fluoro-D-glucose positron emission tomography in vagus nerve stimulation for pediatric patients with epilepsy: A retrospective cross-sectional study. <i>Epilepsia</i> , 2018, 59, 2249-2259.	2.6	13
93	SENSE factors for reliable cortical thickness measurement. <i>NeuroImage</i> , 2008, 40, 187-196.	2.1	12
94	Consonant chords stimulate higher EEG gamma activity than dissonant chords. <i>Neuroscience Letters</i> , 2011, 488, 101-105.	1.0	11
95	Alpha amplitude and phase locking in obsessive-compulsive disorder during working memory. <i>International Journal of Psychophysiology</i> , 2012, 83, 1-7.	0.5	11
96	Structural Brain Connectivity Constrains within-a-Day Variability of Direct Functional Connectivity. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 408.	1.0	11
97	Happier People Show Greater Neural Connectivity during Negative Self-Referential Processing. <i>PLoS ONE</i> , 2016, 11, e0149554.	1.1	11
98	Anhedonia and Ambivalence in Schizophrenic Patients with Fronto-Cerebellar Metabolic Abnormalities: A Fluoro-D-Glucose Positron Emission Tomography Study. <i>Psychiatry Investigation</i> , 2009, 6, 72.	0.7	11
99	Different hemispheric specializations for pitch and audioverbal working memory. <i>NeuroReport</i> , 2008, 19, 99-103.	0.6	10
100	A Network Analysis of ¹⁵ O-H ₂ O PET Reveals Deep Brain Stimulation Effects on Brain Network of Parkinson's Disease. <i>Yonsei Medical Journal</i> , 2015, 56, 726.	0.9	10
101	Contribution of fronto-striatal regions to emotional valence and repetition under cognitive conflict. <i>Brain Research</i> , 2017, 1666, 48-57.	1.1	10
102	Evaluative processing of ambivalent stimuli in patients with schizophrenia and depression: A [¹⁵ O] H ₂ O PET study. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 990-1001.	1.2	9
103	Aberrant neural networks for the recognition memory of socially relevant information in patients with schizophrenia. <i>Brain and Behavior</i> , 2017, 7, e00602.	1.0	9
104	Involvement of amygdala-prefrontal dysfunction in the influence of negative emotion on the resolution of cognitive conflict in patients with schizophrenia. <i>Brain and Behavior</i> , 2018, 8, e01064.	1.0	9
105	Comparative evaluation of the white matter fiber integrity in patients with prelingual and postlingual deafness. <i>NeuroReport</i> , 2017, 28, 1103-1107.	0.6	8
106	Decoding brain states using functional magnetic resonance imaging. <i>Biomedical Engineering Letters</i> , 2011, 1, 82-88.	2.1	7
107	Bayesian estimation of maximum entropy model for individualized energy landscape analysis of brain state dynamics. <i>Human Brain Mapping</i> , 2021, 42, 3411-3428.	1.9	7
108	The frontal and temporal lobe in the identification of laryngeal contrasts. <i>NeuroReport</i> , 2010, 21, 474-478.	0.6	6

#	ARTICLE	IF	CITATIONS
109	A method for anisotropic spatial smoothing of functional magnetic resonance images using distance transformation of a structural image. <i>Physics in Medicine and Biology</i> , 2011, 56, 5063-5077.	1.6	6
110	Multivariate detrending of fMRI signal drifts for real-time multiclass pattern classification. <i>NeuroImage</i> , 2015, 108, 203-213.	2.1	6
111	Neurofeedback learning for mental practice rather than repetitive practice improves neural pattern consistency and functional network efficiency in the subsequent mental motor execution. <i>NeuroImage</i> , 2019, 188, 680-693.	2.1	6
112	Differential structure-function network coupling in the inattentive and combined types of attention deficit hyperactivity disorder. <i>PLoS ONE</i> , 2021, 16, e0260295.	1.1	6
113	Quantification of White Matter using Diffusion Tensor Imaging. <i>International Review of Neurobiology</i> , 2005, 66, 167-212.	0.9	5
114	Differential Biases and Variabilities of Deep Learning-Based Artificial Intelligence and Human Experts in Clinical Diagnosis: Retrospective Cohort and Survey Study. <i>JMIR Medical Informatics</i> , 2021, 9, e33049.	1.3	5
115	A study on the elimination of the ECG artifact in the polysomnographic EEG and EOG using AR model. , 0, , .		4
116	Prefrontal functional dissociation in the semantic network of patients with schizophrenia. <i>NeuroReport</i> , 2008, 19, 1391-1395.	0.6	4
117	Regional cerebral blood flow changes and performance deficit during a sustained attention task in schizophrenia: ¹⁵ O-water positron emission tomography. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 564-572.	1.0	4
118	Dynamic causal modeling for calcium imaging: Exploration of differential effective connectivity for sensory processing in a barrel cortical column. <i>NeuroImage</i> , 2019, 201, 116008.	2.1	4
119	Empirical Bayes estimation of pairwise maximum entropy model for nonlinear brain state dynamics. <i>NeuroImage</i> , 2021, 244, 118618.	2.1	4
120	State-Dependent Effective Connectivity in Resting-State fMRI. <i>Frontiers in Neural Circuits</i> , 2021, 15, 719364.	1.4	4
121	Response to Rosburg: A voxel-based statistical parametric mapping of MMN current densities. <i>Human Brain Mapping</i> , 2004, 21, 46-48.	1.9	3
122	Perceived patient-parent relationships and neural representation of parents in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 259-269.	1.8	3
123	A Computational Framework for Controlling the Self-Restorative Brain Based on the Free Energy and Degeneracy Principles. <i>Frontiers in Computational Neuroscience</i> , 2021, 15, 590019.	1.2	3
124	Evaluation of Bayesian tensor estimation using tensor coherence. <i>Physics in Medicine and Biology</i> , 2009, 54, 3785-3802.	1.6	2
125	Motion correction of magnetic resonance imaging data by using adaptive moving least squares method. <i>Magnetic Resonance Imaging</i> , 2015, 33, 659-670.	1.0	2
126	A computational framework for optimal control of a self-adjustive neural system with activity-dependent and homeostatic plasticity. <i>NeuroImage</i> , 2021, 230, 117805.	2.1	2

#	ARTICLE	IF	CITATIONS
127	Bayesian adaptive model estimation to solve the speed accuracy tradeoff problem in psychophysical experiments. Scientific Reports, 2021, 11, 18264.	1.6	2
128	A populational connection distribution map for the whole brain white matter reveals ordered cortical wiring in the space of white matter. NeuroImage, 2022, 254, 119167.	2.1	2
129	Temporal association of MMN multiple generators: high density recording (128 channels). International Congress Series, 2002, 1232, 335-338.	0.2	1
130	Real-time functional MRI for patient monitoring during a language task. , 2009, 2009, 5389-92.		1
131	Dynamic causal modeling of hippocampal activity measured via mesoscopic voltage-sensitive dye imaging. NeuroImage, 2020, 213, 116755.	2.1	1
132	Multivariate Bayesian decoding of single-trial event-related fMRI responses for memory retrieval of voluntary actions. PLoS ONE, 2017, 12, e0182657.	1.1	1
133	A study on the integration and synchronization of video image using H.261 in polysomnography. , 0, , .		0
134	A Study on the Neurobiological Basis of Communicative Intelligence Using Voxel-Based Morphometry. Korean Journal of Schizophrenia Research, 2015, 18, 35.	0.3	0
135	PM456. Aberrant cortico-cerebellar connectivity of the default mode network in individuals at ultra-high risk for psychosis: a resting-state fMRI study. International Journal of Neuropsychopharmacology, 2016, 19, 65-66.	1.0	0
136	Neural correlates of anxiety under interrogation in guilt or innocence contexts. PLoS ONE, 2020, 15, e0230837.	1.1	0
137	Inter-species cortical registration between macaques and humans using a functional network property under a spherical demons framework. PLoS ONE, 2021, 16, e0258992.	1.1	0
138	Analyzing differences between parent- and self-report measures with a latent space approach. PLoS ONE, 2022, 17, e0269376.	1.1	0