## Maurizio Fava

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4614585/publications.pdf

Version: 2024-02-01

293 papers 20,966 citations

20759 60 h-index 134 g-index

297 all docs

297 docs citations

times ranked

297

18335 citing authors

#	Article	IF	CITATIONS
1	Evaluation of Outcomes With Citalopram for Depression Using Measurement-Based Care in STAR*D: Implications for Clinical Practice. American Journal of Psychiatry, 2006, 163, 28-40.	4.0	3,206
2	Major depressive disorder. Nature Reviews Disease Primers, 2016, 2, 16065.	18.1	1,171
3	Diagnosis and definition of treatment-resistant depression. Biological Psychiatry, 2003, 53, 649-659.	0.7	1,121
4	Harmonization of cortical thickness measurements across scanners and sites. NeuroImage, 2018, 167, 104-120.	2.1	790
5	Difference in Treatment Outcome in Outpatients With Anxious Versus Nonanxious Depression: A STAR*D Report. American Journal of Psychiatry, 2008, 165, 342-351.	4.0	741
6	DEFINITION AND EPIDEMIOLOGY OF TREATMENT-RESISTANT DEPRESSION. Psychiatric Clinics of North America, 1996, 19, 179-200.	0.7	639
7	The Efficacy and Safety of Aripiprazole as Adjunctive Therapy in Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2008, 28, 156-165.	0.7	478
8	Background and rationale for the Sequenced Treatment Alternatives to Relieve Depression (STARâ^—D) study. Psychiatric Clinics of North America, 2003, 26, 457-494.	0.7	456
9	Variation in the Gene Encoding the Serotonin 2A Receptor Is Associated with Outcome of Antidepressant Treatment. American Journal of Human Genetics, 2006, 78, 804-814.	2.6	434
10	Eszopiclone Co-Administered With Fluoxetine in Patients With Insomnia Coexisting With Major Depressive Disorder. Biological Psychiatry, 2006, 59, 1052-1060.	0.7	432
11	The Problem of the Placebo Response in Clinical Trials for Psychiatric Disorders: Culprits, Possible Remedies, and a Novel Study Design Approach. Psychotherapy and Psychosomatics, 2003, 72, 115-127.	4.0	407
12	Efficacy and Safety of Fixed-Dose Esketamine Nasal Spray Combined With a New Oral Antidepressant in Treatment-Resistant Depression: Results of a Randomized, Double-Blind, Active-Controlled Study (TRANSFORM-1). International Journal of Neuropsychopharmacology, 2019, 22, 616-630.	1.0	404
13	Clinical correlates and symptom patterns of anxious depression among patients with major depressive disorder in STAR*D. Psychological Medicine, 2004, 34, 1299-1308.	2.7	352
14	Adjunctive Nutraceuticals for Depression: A Systematic Review and Meta-Analyses. American Journal of Psychiatry, 2016, 173, 575-587.	4.0	315
15	Statistical harmonization corrects site effects in functional connectivity measurements from multiâ€site fMRI data. Human Brain Mapping, 2018, 39, 4213-4227.	1.9	295
16	Illness Progression, Recent Stress, and Morphometry of Hippocampal Subfields and Medial Prefrontal Cortex in Major Depression. Biological Psychiatry, 2015, 77, 285-294.	0.7	267
17	Folate in Depression. Journal of Clinical Psychiatry, 2009, 70, 12-17.	1.1	256
18	Treatment of SSRI-Resistant Depression: A Meta-Analysis Comparing Within- Versus Across-Class Switches. Biological Psychiatry, 2008, 63, 699-704.	0.7	236

#	Article	IF	CITATIONS
19	Double-blind, placebo-controlled, dose-ranging trial of intravenous ketamine as adjunctive therapy in treatment-resistant depression (TRD). Molecular Psychiatry, 2020, 25, 1592-1603.	4.1	235
20	Establishing moderators and biosignatures of antidepressant response in clinical care (EMBARC): Rationale and design. Journal of Psychiatric Research, 2016, 78, 11-23.	1.5	216
21	The Effect of Duloxetine on Painful Physical Symptoms in Depressed Patients. Journal of Clinical Psychiatry, 2004, 65, 521-530.	1.1	182
22	A Cross-Sectional Study of the Prevalence of Cognitive and Physical Symptoms During Long-Term Antidepressant Treatment. Journal of Clinical Psychiatry, 2006, 67, 1754-1759.	1.1	181
23	Interruption of selective serotonin reuptake inhibitor treatment. British Journal of Psychiatry, 2000, 176, 363-368.	1.7	177
24	A comparison of mirtazapine and nortriptyline following two consecutive failed medication treatments for depressed outpatients: a STAR*D report. American Journal of Psychiatry, 2006, 163, 1161-72.	4.0	167
25	A Multicenter, Placebo-Controlled Study of Modafinil Augmentation in Partial Responders to Selective Serotonin Reuptake Inhibitors With Persistent Fatigue and Sleepiness. Journal of Clinical Psychiatry, 2005, 66, 85-93.	1.1	159
26	An electroencephalographic signature predicts antidepressant response in major depression. Nature Biotechnology, 2020, 38, 439-447.	9.4	157
27	Childhood trauma history is linked to abnormal brain connectivity in major depression. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 8582-8590.	3.3	151
28	What Clinical and Symptom Features and Comorbid Disorders Characterize Outpatients with Anxious Major Depressive Disorder: A Replication and Extension. Canadian Journal of Psychiatry, 2006, 51, 823-835.	0.9	148
29	Evaluation of Opioid Modulation in Major Depressive Disorder. Neuropsychopharmacology, 2015, 40, 1448-1455.	2.8	143
30	Current Status of Augmentation and Combination Treatments for Major Depressive Disorder: A Literature Review and a Proposal for a Novel Approach to Improve Practice. Psychotherapy and Psychosomatics, 2006, 75, 139-153.	4.0	136
31	Test–retest reliability of freesurfer measurements within and between sites: Effects of visual approval process. Human Brain Mapping, 2015, 36, 3472-3485.	1.9	136
32	Pretreatment Rostral Anterior Cingulate Cortex Theta Activity in Relation to Symptom Improvement in Depression. JAMA Psychiatry, 2018, 75, 547.	6.0	125
33	A Double-Blind, Placebo-Controlled Study of Aripiprazole Adjunctive to Antidepressant Therapy among Depressed Outpatients with Inadequate Response to Prior Antidepressant Therapy (ADAPT-A Study). Psychotherapy and Psychosomatics, 2012, 81, 87-97.	4.0	122
34	Effects of smartphone use with and without blue light at night inÂhealthy adults: A randomized, double-blind, cross-over, placebo-controlled comparison. Journal of Psychiatric Research, 2017, 87, 61-70.	1.5	122
35	Repeat-dose ketamine augmentation for treatment-resistant depression with chronic suicidal ideation: A randomized, double blind, placebo controlled trial. Journal of Affective Disorders, 2019, 243, 516-524.	2.0	120
36	CLINICAL RELEVANCE OF FATIGUE AS A RESIDUAL SYMPTOM IN MAJOR DEPRESSIVE DISORDER. Depression and Anxiety, 2014, 31, 250-257.	2.0	118

#	Article	IF	Citations
37	An Electronic Health Records Study of Long-Term Weight Gain Following Antidepressant Use. JAMA Psychiatry, 2014, 71, 889.	6.0	118
38	A Double-blind, Randomized Trial of St John's Wort, Fluoxetine, and Placebo in Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2005, 25, 441-447.	0.7	116
39	Double-Blind Study of High-Dose Fluoxetine Versus Lithium or Desipramine Augmentation of Fluoxetine in Partial Responders and Nonresponders to Fluoxetine. Journal of Clinical Psychopharmacology, 2002, 22, 379-387.	0.7	114
40	Reliability and Validity of the Massachusetts General Hospital Cognitive and Physical Functioning Questionnaire. Psychotherapy and Psychosomatics, 2009, 78, 91-97.	4.0	114
41	Personalized prediction of antidepressant v. placebo response: evidence from the EMBARC study. Psychological Medicine, 2019, 49, 1118-1127.	2.7	109
42	Rapid and Sustained Reductions in Current Suicidal Ideation Following Repeated Doses of Intravenous Ketamine. Journal of Clinical Psychiatry, 2016, 77, e719-e725.	1.1	100
43	Guidelines for the recognition and management of mixed depression. CNS Spectrums, 2017, 22, 203-219.	0.7	97
44	Modafinil Augmentation of Selective Serotonin Reuptake Inhibitor Therapy in MDD Partial Responders with Persistent Fatigue and Sleepiness. Annals of Clinical Psychiatry, 2007, 19, 153-159.	0.6	94
45	Near-Infrared Transcranial Radiation for Major Depressive Disorder: Proof of Concept Study. Psychiatry Journal, 2015, 2015, 1-8.	0.7	90
46	Moderation of the Relationship Between Reward Expectancy and Prediction Error-Related Ventral Striatal Reactivity by Anhedonia in Unmedicated Major Depressive Disorder: Findings From the EMBARC Study. American Journal of Psychiatry, 2015, 172, 881-891.	4.0	87
47	Neural Correlates of Three Promising Endophenotypes of Depression: Evidence from the EMBARC Study. Neuropsychopharmacology, 2016, 41, 454-463.	2.8	84
48	Ketamine augmentation for outpatients with treatment-resistant depression: Preliminary evidence for two-step intravenous dose escalation. Australian and New Zealand Journal of Psychiatry, 2017, 51, 55-64.	1.3	84
49	Reduced orbitofrontal-thalamic functional connectivity related to suicidal ideation in patients with major depressive disorder. Scientific Reports, 2017, 7, 15772.	1.6	83
50	Acute Efficacy of Fluoxetine Versus Sertraline and Paroxetine in Major Depressive Disorder Including Effects of Baseline Insomnia. Journal of Clinical Psychopharmacology, 2002, 22, 137-147.	0.7	75
51	Somatic Symptoms, Depression, and Antidepressant Treatment. Journal of Clinical Psychiatry, 2002, 63, 305-307.	1.1	74
52	Transcranial Photobiomodulation for the Treatment of Major Depressive Disorder. The ELATED-2 Pilot Trial. Photomedicine and Laser Surgery, 2018, 36, 634-646.	2.1	73
53	Efficacy and Safety of Sildenafil in Men With Serotonergic Antidepressant-Associated Erectile Dysfunction. Journal of Clinical Psychiatry, 2006, 67, 240-246.	1.1	73
54	Efficacy of Esketamine Augmentation in Major Depressive Disorder. Journal of Clinical Psychiatry, 2020, 81, .	1.1	71

#	Article	IF	CITATIONS
55	Serum lipids, recent suicide attempt and recent suicide status in patients with major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 51, 113-118.	2.5	70
56	Improved Insomnia Symptoms and Sleep-Related Next-Day Functioning in Patients With Comorbid Major Depressive Disorder and Insomnia Following Concomitant Zolpidem Extended-Release 12.5 mg and Escitalopram Treatment. Journal of Clinical Psychiatry, 2011, 72, 914-928.	1.1	70
57	Strategies for Managing Depression Refractory to Selective Serotonin Reuptake Inhibitor Treatment: A Survey of Clinicians. Canadian Journal of Psychiatry, 2000, 45, 476-481.	0.9	69
58	Severe Depression. CNS Drugs, 2001, 15, 765-776.	2.7	69
59	Rare Copy Number Variation in Treatment-Resistant Major Depressive Disorder. Biological Psychiatry, 2014, 76, 536-541.	0.7	67
60	Zolpidem Extended-Release Improves Sleep and Next-Day Symptoms in Comorbid Insomnia and Generalized Anxiety Disorder. Journal of Clinical Psychopharmacology, 2009, 29, 222-230.	0.7	64
61	Understanding the effects of emotional reactivity on depression and suicidal thoughts and behaviors: Moderating effects of childhood adversity and resilience. Journal of Affective Disorders, 2019, 245, 419-427.	2.0	62
62	Pretreatment and early-treatment cortical thickness is associated with SSRI treatment response in major depressive disorder. Neuropsychopharmacology, 2018, 43, 2221-2230.	2.8	61
63	Inflammatory cytokines in major depressive disorder: A case–control study. Australian and New Zealand Journal of Psychiatry, 2017, 51, 23-31.	1.3	60
64	Daytime sleepiness and insomnia as correlates of depression. Journal of Clinical Psychiatry, 2004, 65 Suppl 16, 27-32.	1.1	58
65	S-adenosyl methionine (SAMe) versus escitalopram and placebo in major depression RCT: Efficacy and effects of histamine and carnitine as moderators of response. Journal of Affective Disorders, 2014, 164, 76-81.	2.0	53
66	Anhedonia in melancholic and non-melancholic depressive disorders. Journal of Affective Disorders, 2015, 184, 81-88.	2.0	53
67	An exploratory study of combination buspirone and melatonin SR in Major Depressive Disorder (MDD): A possible role for neurogenesis in drug discovery. Journal of Psychiatric Research, 2012, 46, 1553-1563.	1.5	52
68	Anger attacks in depression. Depression and Anxiety, 1998, 8, 59-63.	2.0	49
69	Pretreatment Rostral Anterior Cingulate Cortex Connectivity With Salience Network Predicts Depression Recovery: Findings From the EMBARC Randomized Clinical Trial. Biological Psychiatry, 2019, 85, 872-880.	0.7	48
70	The pro-inflammatory profile of depressed patients is (partly) related to obesity. Journal of Psychiatric Research, 2015, 70, 91-97.	1.5	47
71	Paraquat Prohibition and Change in the Suicide Rate and Methods in South Korea. PLoS ONE, 2015, 10, e0128980.	1.1	47
72	Poor sleep quality and suicide attempt among adults with internet addiction: A nationwide community sample of Korea. PLoS ONE, 2017, 12, e0174619.	1.1	47

#	Article	IF	CITATIONS
73	Opioid system modulation with buprenorphine/samidorphan combination for major depressive disorder: two randomized controlled studies. Molecular Psychiatry, 2020, 25, 1580-1591.	4.1	46
74	Telomere length and telomerase in a well-characterized sample of individuals with major depressive disorder compared to controls. Psychoneuroendocrinology, 2015, 58, 9-22.	1.3	45
<b>7</b> 5	Cortical Connectivity Moderators of Antidepressant vs Placebo Treatment Response in Major Depressive Disorder. JAMA Psychiatry, 2020, 77, 397.	6.0	45
76	REL-1017 (Esmethadone) as Adjunctive Treatment in Patients With Major Depressive Disorder: A Phase 2a Randomized Double-Blind Trial. American Journal of Psychiatry, 2022, 179, 122-131.	4.0	44
77	Methodological approaches and magnitude of the clinical unmet need associated with amotivation in mood disorders. Journal of Affective Disorders, 2014, 168, 439-451.	2.0	43
78	Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder: Efficacy Results From a Randomized, Double-Blind, Placebo-Controlled Study. American Journal of Psychiatry, 2015, 172, 1251-1258.	4.0	43
79	A COMPREHENSIVE EXAMINATION OF WHITE MATTER TRACTS AND CONNECTOMETRY IN MAJOR DEPRESSIVE DISORDER. Depression and Anxiety, 2016, 33, 56-65.	2.0	43
80	A repeated measures model for analysis of continuous outcomes in sequential parallel comparison design studies. Statistics in Medicine, 2013, 32, 2767-2789.	0.8	42
81	S-Adenosylmethionine (Ademetionine) in Psychiatric Disorders. CNS Drugs, 1996, 6, 416-425.	2.7	41
82	Sex differences in response to ketamine as a rapidly acting intervention for treatment resistant depression. Journal of Psychiatric Research, 2019, 110, 166-171.	1.5	41
83	Treatment Approaches to Major Depressive Disorder Relapse. Psychotherapy and Psychosomatics, 2002, 71, 195-199.	4.0	40
84	Feelings of worthlessness, traumatic experience, and their comorbidity in relation to lifetime suicide attempt in community adults with major depressive disorder. Journal of Affective Disorders, 2014, 166, 206-212.	2.0	40
85	Pharmacological approaches to the treatment of residual symptoms. Journal of Psychopharmacology, 2006, 20, 29-34.	2.0	39
86	Web-Based Depression Screening and Psychiatric Consultation for College Students: A Feasibility and Acceptability Study. International Journal of Telemedicine and Applications, 2014, 2014, 1-9.	1.1	39
87	A Novel Strategy to Identify Placebo Responders: Prediction Index of Clinical and Biological Markers in the EMBARC Trial. Psychotherapy and Psychosomatics, 2018, 87, 285-295.	4.0	39
88	Efficacy of adjunctive low-dose cariprazine in major depressive disorder. International Clinical Psychopharmacology, 2018, 33, 312-321.	0.9	37
89	Dose- and time-dependent increase in circulating anti-inflammatory and pro-resolving lipid mediators following eicosapentaenoic acid supplementation in patients with major depressive disorder and chronic inflammation. Prostaglandins Leukotrienes and Essential Fatty Acids, 2021, 164, 102219.	1.0	37
90	Redefining Affective Disorders: Relevance for Drug Development. CNS Neuroscience and Therapeutics, 2008, 14, 2-9.	1.9	37

#	Article	IF	CITATIONS
91	Brief, unidimensional melancholia rating scales are highly sensitive to the effect of citalopram and may have biological validity: Implications for the Research Domain Criteria (RDoC). Journal of Affective Disorders, 2014, 163, 18-24.	2.0	36
92	A Randomized, Double-Blind, Placebo-Controlled, Sequential Parallel Comparison Design Trial of Adjunctive Riluzole for Treatment-Resistant Major Depressive Disorder. Neuropsychopharmacology, 2017, 42, 2567-2574.	2.8	36
93	Development and validation study of the Smartphone Overuse Screening Questionnaire. Psychiatry Research, 2017, 257, 352-357.	1.7	36
94	Illness beliefs of Chinese American immigrants with major depressive disorder in a primary care setting. Asian Journal of Psychiatry, 2015, 13, 16-22.	0.9	35
95	Increased adrenocorticotropic hormone (ACTH) levels predict severity of depression after six months of follow-up in outpatients with major depressive disorder. Psychiatry Research, 2018, 270, 246-252.	1.7	35
96	Development and evaluation of a multimodal marker of major depressive disorder. Human Brain Mapping, 2018, 39, 4420-4439.	1.9	35
97	THE AMERICAN SOCIETY OF CLINICAL PSYCHOPHARMACOLOGY SURVEY OF PSYCHOPHARMACOLOGISTS' PRACTICE PATTERNS FOR THE TREATMENT OF MOOD DISORDERS. Depression and Anxiety, 2015, 32, 605-613.	2.0	34
98	A Post Hoc Analysis of the Effect of Nightly Administration of Eszopiclone and a Selective Serotonin Reuptake Inhibitor in Patients With Insomnia and Anxious Depression. Journal of Clinical Psychiatry, 2011, 72, 473-479.	1.1	34
99	Prospective association between major depressive disorder and leukocyte telomere length over two years. Psychoneuroendocrinology, 2018, 90, 157-164.	1.3	32
100	A Phase 2, Randomized, Double-Blind, Placebo-Controlled Study of Adjunctive Pimavanserin in Patients With Major Depressive Disorder and an Inadequate Response to Therapy (CLARITY). Journal of Clinical Psychiatry, 2019, 80, .	1.1	32
101	A clinical approach to treatment resistance in depressed patients: What to do when the usual treatments don't work well enough?. World Journal of Biological Psychiatry, 2021, 22, 483-494.	1.3	32
102	A Double-Blind Placebo-Controlled Trial of Maca Root as Treatment for Antidepressant-Induced Sexual Dysfunction in Women. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-9.	0.5	30
103	A comparison of structural connectivity in anxious depression versus non-anxious depression. Journal of Psychiatric Research, 2017, 89, 38-47.	1.5	30
104	A Pilot, Randomized Controlled Study of Tai Chi With Passive and Active Controls in the Treatment of Depressed Chinese Americans. Journal of Clinical Psychiatry, 2017, 78, e522-e528.	1.1	30
105	Switching to Reboxetine: An Efficacy and Safety Study in Patients With Major Depressive Disorder Unresponsive to Fluoxetine. Journal of Clinical Psychopharmacology, 2003, 23, 365-369.	0.7	29
106	Brain regulation of emotional conflict predicts antidepressant treatment response for depression. Nature Human Behaviour, 2019, 3, 1319-1331.	6.2	29
107	Reward related ventral striatal activity and differential response to sertraline versus placebo in depressed individuals. Molecular Psychiatry, 2020, 25, 1526-1536.	4.1	29
108	Clinical consequences of initial duloxetine dosing strategies: Comparison of 30 and 60 mg QD starting doses. Current Therapeutic Research, 2005, 66, 522-540.	0.5	28

#	Article	IF	CITATIONS
109	Mavoglurant Augmentation in OCD Patients Resistant to Selective Serotonin Reuptake Inhibitors: A Proof-of-Concept, Randomized, Placebo-Controlled, Phase 2 Study. Advances in Therapy, 2017, 34, 524-541.	1.3	28
110	Test-retest reliability of cerebral blood flow in healthy individuals using arterial spin labeling: Findings from the EMBARC study. Magnetic Resonance Imaging, 2018, 45, 26-33.	1.0	28
111	Discovery and replication of cerebral bloodÂflow differences in major depressive disorder. Molecular Psychiatry, 2020, 25, 1500-1510.	4.1	28
112	Management of depression relapse: Re-initiation of duloxetine treatment or dose increase. Journal of Psychiatric Research, 2006, 40, 328-336.	1.5	27
113	Reliability and validity of the Symptoms of Depression Questionnaire (SDQ). CNS Spectrums, 2014, 19, 535-546.	0.7	27
114	Online recovery support meetings can help mitigate the public health consequences of COVID-19 for individuals with substance use disorder. Addictive Behaviors, 2021, 113, 106661.	1.7	27
115	Anxiety symptoms are linked to new-onset suicidal ideation after six months of follow-up in outpatients with major depressive disorder. Journal of Affective Disorders, 2015, 187, 183-187.	2.0	26
116	The promise and challenges of drug repurposing in psychiatry. World Psychiatry, 2018, 17, 28-29.	4.8	26
117	Massachusetts General Hospital SAFER Criteria for Clinical Trials and Research. Harvard Review of Psychiatry, 2013, 21, 269-274.	0.9	25
118	Resting EEG Measures of Brain Arousal in a Multisite Study of Major Depression. Clinical EEG and Neuroscience, 2019, 50, 3-12.	0.9	25
119	Body Mass Index as a Moderator of Treatment Response to Ketamine for Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2020, 40, 287-292.	0.7	25
120	Effects of Open-Label, Adjunctive Ganaxolone on Persistent Depression Despite Adequate Antidepressant Treatment in Postmenopausal Women. Journal of Clinical Psychiatry, 2020, 81, .	1.1	25
121	Reward Responsiveness Varies by Smoking Status in Women with a History of Major Depressive Disorder. Neuropsychopharmacology, 2015, 40, 1940-1946.	2.8	24
122	From depression to anxiety, and back. Acta Psychiatrica Scandinavica, 2017, 136, 341-342.	2.2	24
123	Heart rate variability for treatment response between patients with major depressive disorder versus panic disorder: A 12-week follow-up study. Journal of Affective Disorders, 2019, 246, 157-165.	2.0	24
124	Changes in cognitive symptoms after a buspirone–melatonin combination treatment for Major Depressive Disorder. Journal of Psychiatric Research, 2015, 68, 392-396.	1.5	23
125	Linking major depression and the neural substrates of associative processing. Cognitive, Affective and Behavioral Neuroscience, 2016, 16, 1017-1026.	1.0	23
126	A Randomized Controlled Pilot Study on Mindfulness-Based Cognitive Therapy for Unipolar Depression in Patients With Chronic Pain. Journal of Clinical Psychiatry, 2018, 79, 26-34.	1.1	23

#	Article	IF	CITATIONS
127	Tachyphylaxis in major depressive disorder: A review of the current state of research. Journal of Affective Disorders, 2019, 245, 488-497.	2.0	23
128	Pretreatment Reward Sensitivity and Frontostriatal Resting-State Functional Connectivity Are Associated With Response to Bupropion After Sertraline Nonresponse. Biological Psychiatry, 2020, 88, 657-667.	0.7	23
129	Predictive inflammatory biomarkers for change in suicidal ideation in major depressive disorder and panic disorder: A 12-week follow-up study. Journal of Psychiatric Research, 2021, 133, 73-81.	1.5	23
130	The Effectiveness of Telepsychiatry-Based Culturally Sensitive Collaborative Treatment for Depressed Chinese American Immigrants. Journal of Clinical Psychiatry, 2016, 77, e996-e1002.	1.1	23
131	The Efficacy and Tolerability of Duloxetine in the Treatment of Anxious Versus Non-Anxious Depression: A Post-Hoc Analysis of an Open-Label Outpatient Study. Annals of Clinical Psychiatry, 2007, 19, 187-195.	0.6	22
132	Antidepressant-like effect of low dose ketamine and scopolamine co-treatment in mice. Neuroscience Letters, 2016, 620, 70-73.	1.0	22
133	Statistical analysis plan for stage 1 EMBARC (Establishing Moderators and Biosignatures of) Tj ETQq1 1 0.784314 6, 22-30.	rgBT /Ove 0.5	erlock 10 Tf 22
134	Alcohol-induced disinhibition is associated with impulsivity, depression, and suicide attempt: A nationwide community sample of Korean adults. Journal of Affective Disorders, 2018, 227, 323-329.	2.0	22
135	Sexual functioning and SSRIs. Journal of Clinical Psychiatry, 2002, 63 Suppl 5, 13-6; discussion 23-5.	1.1	22
136	Predictors of relapse in a study of duloxetine treatment in patients with major depressive disorder. Journal of Affective Disorders, 2009, 113, 263-271.	2.0	21
137	Anterior insula activation during inhibition to smoking cues is associated with ability to maintain tobacco abstinence. Addictive Behaviors Reports, 2018, 7, 40-46.	1.0	21
138	A randomized controlled dosing study of Iyengar yoga and coherent breathing for the treatment of major depressive disorder: Impact on suicidal ideation and safety findings. Complementary Therapies in Medicine, 2018, 37, 136-142.	1.3	21
139	Anxiety Symptoms Questionnaire (ASQ): development and validation. Annals of General Psychiatry, 2019, 32, e100144.	1.1	21
140	Time to relapse after a single administration of intravenous ketamine augmentation in unipolar treatment-resistant depression. Journal of Affective Disorders, 2020, 260, 131-139.	2.0	21
141	Thyroid stimulating hormone and serum, plasma, and platelet brain-derived neurotrophic factor during a 3-month follow-up in patients with major depressive disorder. Journal of Affective Disorders, 2014, 169, 112-117.	2.0	20
142	Obsessive-Compulsive Symptoms as a Risk Factor for Suicidality in U.S. College Students. Journal of Adolescent Health, 2016, 58, 481-484.	1.2	20
143	Double-blind, proof-of-concept (POC) trial of Low-Field Magnetic Stimulation (LFMS) augmentation of antidepressant therapy in treatment-resistant depression (TRD). Brain Stimulation, 2018, 11, 75-84.	0.7	20
144	Accounting for Dynamic Fluctuations across Time when Examining fMRI Test-Retest Reliability: Analysis of a Reward Paradigm in the EMBARC Study. PLoS ONE, 2015, 10, e0126326.	1.1	20

#	Article	IF	CITATIONS
145	The role of the serotonergic and noradrenergic neurotransmitter systems in the treatment of psychological and physical symptoms of depression. Journal of Clinical Psychiatry, 2003, 64 Suppl 13, 26-9.	1.1	20
146	Metabolic Assessment of Aripiprazole as Adjunctive Therapy in Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2009, 29, 362-367.	0.7	19
147	Gender Differences in Somatic Symptoms and Current Suicidal Risk in Outpatients with Major Depressive Disorder. Psychiatry Investigation, 2016, 13, 609.	0.7	19
148	Outcomes of an online computerized cognitive behavioral treatment program for treating chinese patients with depression: A pilot study. Asian Journal of Psychiatry, 2018, 38, 102-107.	0.9	19
149	Cerebral Blood Perfusion Predicts Response to Sertraline versus Placebo for Major Depressive Disorder in the EMBARC Trial. EClinicalMedicine, 2019, 10, 32-41.	3.2	19
150	Effect of Korean Red Ginseng in individuals exposed to high stress levels: a 6-week, double-blind, randomized, placebo-controlled trial. Journal of Ginseng Research, 2019, 43, 402-407.	3.0	19
151	Association Between Stigma and Depression Outcomes Among Chinese Immigrants in a Primary Care Setting. Journal of Clinical Psychiatry, 2016, 77, e1287-e1292.	1.1	19
152	A Naturalistic Study of the Effectiveness of Pharmacogenetic Testing to Guide Treatment in Psychiatric Patients With Mood and Anxiety Disorders. primary care companion for CNS disorders, The, 2015, 17, .	0.2	19
153	Mechanisms of Perceived Treatment Assignment and Subsequent Expectancy Effects in a Double Blind Placebo Controlled RCT of Major Depression. Frontiers in Psychiatry, 2018, 9, 424.	1.3	18
154	Increased Morbidity of Major Depressive Disorder After Thyroidectomy: A Nationwide Population-Based Study in South Korea. Thyroid, 2019, 29, 1713-1722.	2.4	18
155	Efficacy and Tolerability of Adjunctive Intravenous Sodium Nitroprusside Treatment for Outpatients With Schizophrenia. JAMA Psychiatry, 2019, 76, 691.	6.0	18
156	Effects of transcranial photobiomodulation with nearâ€infrared light on sexual dysfunction. Lasers in Surgery and Medicine, 2019, 51, 127-135.	1.1	18
157	Long-term outcome in outpatients with depression treated with acute and maintenance intravenous ketamine: A retrospective chart review. Journal of Affective Disorders, 2020, 276, 660-666.	2.0	18
158	John D. Loeser Award Lecture: Size does matter, but it isn't everything: the challenge of modest treatment effects in chronic pain clinical trials. Pain, 2020, 161, S3-S13.	2.0	18
159	Adjunctive Brexpiprazole in Patients With Major Depressive Disorder and Irritability. Journal of Clinical Psychiatry, 2016, 77, 1695-1701.	1.1	18
160	Reduced Venous Blood Basophil Count and Anxious Depression in Patients with Major Depressive Disorder. Psychiatry Investigation, 2016, 13, 321.	0.7	18
161	Screening for Suicide Risk in the College Population. Journal of Rational - Emotive and Cognitive - Behavior Therapy, 2015, 33, 78-94.	1.0	17
162	Relationship between placebo response rate and clinical trial outcome in bipolar depression. Journal of Psychiatric Research, 2016, 74, 38-44.	1.5	17

#	Article	IF	CITATIONS
163	Neuroticism and Individual Differences in Neural Function in Unmedicated Major Depression: Findings From the EMBARC Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 138-148.	1.1	17
164	Cortical thickness is not associated with current depression in a clinical treatment study. Human Brain Mapping, 2017, 38, 4370-4385.	1.9	17
165	Deformities of the Globus Pallidus are Associated with Severity of Suicidal Ideation and Impulsivity in Patients with Major Depressive Disorder. Scientific Reports, 2019, 9, 7462.	1.6	17
166	Anxiety and anhedonia in depression: Associations with neuroticism and cognitive control. Journal of Affective Disorders, 2019, 245, 1070-1078.	2.0	17
167	Genetic Association of Attention-Deficit/Hyperactivity Disorder and Major Depression With Suicidal Ideation and Attempts in Children: The Adolescent Brain Cognitive Development Study. Biological Psychiatry, 2022, 92, 236-245.	0.7	17
168	A Randomized, Double-Blind, Placebo-Controlled Phase 2 Study of the Augmentation of a Nicotinic Acetylcholine Receptor Partial Agonist in Depression. Journal of Clinical Psychopharmacology, 2015, 35, 51-56.	0.7	16
169	Efficacy and safety of a form of cranial electrical stimulation (CES) as an add-on intervention for treatment-resistant major depressive disorder: A three week double blind pilot study. Journal of Psychiatric Research, 2015, 70, 98-105.	1.5	16
170	Longer-term open-label study of adjunctive riluzole in treatment-resistant depression. Journal of Affective Disorders, 2019, 258, 102-108.	2.0	16
171	The Engagement Interview Protocol (EIP): improving the acceptance of mental health treatment among Chinese immigrants. International Journal of Culture and Mental Health, 2011, 4, 91-105.	0.6	15
172	Placebo nonâ€response measure in sequential parallel comparison design studies. Statistics in Medicine, 2015, 34, 2281-2293.	0.8	15
173	Celebrity Suicides and Their Differential Influence on Suicides in the General Population: A National Population-Based Study in Korea. Psychiatry Investigation, 2015, 12, 204.	0.7	15
174	Association between physician beliefs regarding assigned treatment and clinical response: Re-analysis of data from the Hypericum Depression Trial Study Group. Asian Journal of Psychiatry, 2015, 13, 23-29.	0.9	15
175	Switching from Inadequate Adjunctive or Combination Treatment Options to Brexpiprazole Adjunctive to Antidepressant: An Open-Label Study on the Effects on Depressive Symptoms and Cognitive and Physical Functioning. International Journal of Neuropsychopharmacology, 2016, 20, pyw087.	1.0	15
176	Results from a long-term open-label extension study of adjunctive buprenorphine/samidorphan combination in patients with major depressive disorder. Neuropsychopharmacology, 2019, 44, 2268-2276.	2.8	15
177	Vortioxetine for attention deficit hyperactivity disorder in adults: A randomized, double-blind, placebo-controlled, proof-of-concept study. Journal of Psychopharmacology, 2019, 33, 511-521.	2.0	15
178	Efficacy and safety of TS-121, a novel vasopressin V1B receptor antagonist, as adjunctive treatment for patients with major depressive disorder: A randomized, double-blind, placebo-controlled study. Journal of Psychiatric Research, 2020, 128, 43-51.	<b>1.</b> 5	15
179	Altered temporal, but intact spatial, features of transient network dynamics in psychosis. Molecular Psychiatry, 2021, 26, 2493-2503.	4.1	15
180	Switching to bupropion in fluoxetine-resistant major depressive disorder. Annals of Clinical Psychiatry, 2003, 15, 17-22.	0.6	15

#	Article	IF	CITATIONS
181	Risks of Completed Suicide of Community Individuals with ICD-10 Disorders Across Age Groups: A Nationwide Population-Based Nested Case-Control Study in South Korea. Psychiatry Investigation, 2019, 16, 314-324.	0.7	15
182	Effects of Adjunctive Aripiprazole on Sexual Functioning in Patients With Major Depressive Disorder and an Inadequate Response to Standard Antidepressant Monotherapy. primary care companion for CNS disorders, The, 2011, 13, .	0.2	15
183	Sleep Quality, Posttraumatic Stress, Depression, and Human Errors in Train Drivers: A Population-Based Nationwide Study in South Korea. Sleep, 2014, 37, 1969-1975.	0.6	14
184	Monthly Extended-Release Risperidone (RBP-7000) in the Treatment of Schizophrenia. Journal of Clinical Psychopharmacology, 2019, 39, 428-433.	0.7	14
185	Prolactin and stress. Stress and Health, 1987, 3, 211-216.	0.7	13
186	The Effects of Tai Chi on Sleep Quality in Chinese American Patients With Major Depressive Disorder: A Pilot Study. Behavioral Sleep Medicine, 2018, 16, 398-411.	1.1	13
187	Binge eating, trauma, and suicide attempt in community adults with major depressive disorder. PLoS ONE, 2018, 13, e0198192.	1.1	13
188	Predictive factors of diagnostic conversion from major depressive disorder to bipolar disorder in young adults ages 19–34: A nationwide population study in South Korea. Journal of Affective Disorders, 2020, 265, 52-58.	2.0	13
189	Risk Factors for Depression in Adolescents With ADHD: The Impact of Cognitive Biases and Stress. Journal of Attention Disorders, 2021, 25, 340-354.	1.5	13
190	Implications of a Biosignature Study of the Placebo Response in Major Depressive Disorder. JAMA Psychiatry, 2015, 72, 1073.	6.0	12
191	Characterizing anxiety subtypes and the relationship to behavioral phenotyping in major depression: Results from the EMBARC study. Journal of Psychiatric Research, 2018, 102, 207-215.	1.5	12
192	Examining raphe-amygdala structural connectivity as a biological predictor of SSRI response. Journal of Affective Disorders, 2019, 256, 8-16.	2.0	12
193	Increased amygdala-visual cortex connectivity in youth with persecutory ideation. Psychological Medicine, 2020, 50, 273-283.	2.7	12
194	Response Surface Analysis and Nonlinear Optimization Algorithm for Maximization of Clinical Drug Performance: Application to Extendedâ€Release and Longâ€Acting Injectable Paliperidone. Journal of Clinical Pharmacology, 2016, 56, 1296-1306.	1.0	11
195	Pre-treatment peripheral biomarkers associated with treatment response in panic symptoms in patients with major depressive disorder and panic disorder: A 12-week follow-up study. Comprehensive Psychiatry, 2019, 95, 152140.	1.5	11
196	Risks of suicide attempts after prescription of zolpidem in people with depression: a nationwide population study in South Korea. Sleep, 2020, 43, .	0.6	11
197	Anxious attachment is associated with heightened responsivity of a parietofrontal cortical network that monitors peri-personal space. Neurolmage: Clinical, 2021, 30, 102585.	1.4	11
198	Evaluation of the Effect of SPN-812 (Viloxazine Extended-Release) on QTc Interval in Healthy Adults. Journal of Clinical Psychiatry, 2020, 81, .	1.1	11

#	Article	IF	CITATIONS
199	Effectiveness of the Relaxation Response-Based Group Intervention for Treating Depressed Chinese American Immigrants: A Pilot Study. International Journal of Environmental Research and Public Health, 2014, 11, 9186-9201.	1.2	10
200	Influence of anxiety symptoms on improvement of neurocognitive functions in patients with major depressive disorder: A 12-week, multicenter, randomized trial of tianeptine versus escitalopram, the CAMPION study. Journal of Affective Disorders, 2015, 185, 24-30.	2.0	10
201	Lifetime suicidal ideation and attempt in adults with full major depressive disorder versus sustained depressed mood. Journal of Affective Disorders, 2016, 203, 275-280.	2.0	10
202	Lurasidone for major depressive disorder with mixed features and irritability: a post-hoc analysis. CNS Spectrums, 2017, 22, 228-235.	0.7	10
203	Efficacy of Brexpiprazole as Adjunctive Treatment in Major Depressive Disorder With Irritability. Journal of Clinical Psychopharmacology, 2017, 37, 276-278.	0.7	10
204	Launching a resiliency group program to assist frontline clinicians in meeting the challenges of the COVID-19 pandemic: Results of a hospital-based systems trial. General Hospital Psychiatry, 2021, 68, 111-112.	1.2	10
205	Translating Attention-Deficit/Hyperactivity Disorder Rating Scale-5 and Weiss Functional Impairment Rating Scale-Parent Effectiveness Scores into Clinical Global Impressions Clinical Significance Levels in Four Randomized Clinical Trials of SPN-812 (Viloxazine Extended-Release) in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder. Journal of Child and Adolescent	0.7	10
206	A Randomized, Double-blind, Placebo-controlled Proof-of-Concept Trial to Evaluate the Efficacy and Safety of Non-racemic Amisulpride (SEP-4199) for the Treatment of Bipolar I Depression. Journal of Affective Disorders, 2022, 296, 549-558.	2.0	10
207	Augmenting antidepressants with folate: a clinical perspective. Journal of Clinical Psychiatry, 2007, 68 Suppl 10, 4-7.	1.1	10
208	Effectiveness Study of Venlafaxine-XR Combined with Aripiprazole for Chronic or Recurrent Major Depressive Disorder. Australian and New Zealand Journal of Psychiatry, 2009, 43, 956-967.	1.3	9
209	Use of band-pass filter analysis to evaluate outcomes in an antidepressant trial for treatment resistant patients. European Neuropsychopharmacology, 2014, 24, 1188-1195.	0.3	9
210	Community-Delivered Heated Hatha Yoga as a Treatment for Depressive Symptoms: An Uncontrolled Pilot Study. Journal of Alternative and Complementary Medicine, 2019, 25, 814-823.	2.1	9
211	Can electronic health records revive central nervous system clinical trials?. Molecular Psychiatry, 2019, 24, 1096-1098.	4.1	9
212	Success and efficiency of phase 2/3 adjunctive trials for MDD funded by industry: a systematic review. Molecular Psychiatry, 2020, 25, 1967-1974.	4.1	9
213	Patterns of Pretreatment Reward Task Brain Activation Predict Individual Antidepressant Response: Key Results From the EMBARC Randomized Clinical Trial. Biological Psychiatry, 2022, 91, 550-560.	0.7	9
214	Association of smartphone overuse with depression, anxiety, and other addictive behaviors: A nationwide community sample of Korean adults. Psychiatry Research, 2021, 304, 114133.	1.7	9
215	Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder. Journal of Clinical Psychiatry, 2017, 78, 449-455.	1.1	9
216	Review of Suicide Prevention Programs: Massachusetts, United States, in Comparison with Seoul. Psychiatry Investigation, 2015, 12, 281.	0.7	9

#	Article	IF	CITATIONS
217	Prospective studies of adverse events related to antidepressant discontinuation. Journal of Clinical Psychiatry, 2006, 67 Suppl 4, 14-21.	1.1	9
218	Sex Differences in the Association between Heavy Drinking and Behavioral Distress Tolerance and Emotional Reactivity Among Non-Depressed College Students. Alcohol and Alcoholism, 2018, 53, 674-681.	0.9	8
219	Dose increase of S-Adenosyl-Methionine and escitalopram in a randomized clinical trial for major depressive disorder. Journal of Affective Disorders, 2020, 262, 118-125.	2.0	8
220	Elevated Amygdala Activity in Young Adults WithÂFamilial Risk for Depression: A Potential Marker of Low Resilience. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 194-202.	1,1	8
221	All Suicidal Ideation Is Not Created Equal: Two Cases of Suicide Attempts During Maintenance Ketamine Treatment. American Journal of Psychiatry, 2020, 177, 173-174.	4.0	8
222	Relationship between cannabis use and psychotic experiences in college students. Schizophrenia Research, 2021, 231, 198-204.	1.1	8
223	Double-blind, placebo-controlled, proof-of-concept trial of a kappa-selective opioid receptor antagonist augmentation in treatment-resistant depression., 2020, 33, 18-26.		8
224	Are Dependency and Self-Criticism Risk Factors for Major Depressive Disorder?. Canadian Journal of Psychiatry, 1997, 42, 291-297.	0.9	7
225	A Novel Methodology to Estimate the Treatment Effect in Presence of Highly Variable Placebo Response. Neuropsychopharmacology, 2015, 40, 2588-2595.	2.8	7
226	Ratio of plasma BDNF to leptin levels are associated with treatment response in major depressive disorder but not in panic disorder: A 12-week follow-up study. Journal of Affective Disorders, 2019, 259, 349-354.	2.0	7
227	Multiple types of somatic pain increase suicide attempts and depression: A nationwide community sample of Korean adults. Comprehensive Psychiatry, 2019, 90, 43-48.	1.5	7
228	Paranoid Ideation Without Psychosis Is Associated With Depression, Anxiety, and Suicide Attempts in General Population. Journal of Nervous and Mental Disease, 2019, 207, 826-831.	0.5	7
229	Association of anger attacks with suicidal ideation in adults with major depressive disorder: Findings from the EMBARC study. Depression and Anxiety, 2021, 38, 57-66.	2.0	7
230	Evaluating the likelihood to be helped or harmed after treatment with viloxazine extendedâ€release in children and adolescents with attentionâ€deficit/hyperactivity disorder. International Journal of Clinical Practice, 2021, 75, e14330.	0.8	7
231	Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. Journal of Affective Disorders, 2021, 294, 786-793.	2.0	7
232	Comparisons of Subthreshold Versus Full Posttraumatic Stress Disorder Distinguished by Subjective Functional Impairment Among Train Drivers: A Population-Based Nationwide Study in South Korea. Psychiatry Investigation, 2017, 14, 1.	0.7	7
233	Comparison of suicide attempts in individuals with major depressive disorder with and without history of subthreshold hypomania: A nationwide community sample of Korean adults✺,✺✺. Journal of Affective Disorders, 2019, 248, 18-25.	2.0	6
234	Exploration of baseline and early changes in neurocognitive characteristics as predictors of treatment response to bupropion, sertraline, and placebo in the EMBARC clinical trial. Psychological Medicine, 2022, 52, 2441-2449.	2.7	6

#	Article	IF	CITATIONS
235	Anger attacks are associated with persistently elevated irritability in MDD: findings from the EMBARC study. Psychological Medicine, 2020, , 1-9.	2.7	6
236	Dorsolateral Prefrontal Cortex and Subcallosal Cingulate Connectivity Show Preferential Antidepressant Response in Major Depressive Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 20-28.	1.1	6
237	Anger attacks in depression. Depression and Anxiety, 1998, 8, 59-63.	2.0	6
238	Efficacy of Ziprasidone Augmentation of Escitalopram for Cognitive Symptoms of Major Depressive Disorder. Journal of Clinical Psychiatry, 2018, 79, 55-59.	1.1	6
239	Effect of Adjunctive Pimavanserin on Sleep/Wakefulness in Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2020, 82, .	1.1	6
240	Transitioning From In-Person to Remote Clinical Research on Depression and Traumatic Brain Injury During the COVID-19 Pandemic: Study Modifications and Preliminary Feasibility From a Randomized Controlled Pilot Study. JMIR Formative Research, 2021, 5, e28734.	0.7	6
241	Depression with physical symptoms: treating to remission. Journal of Clinical Psychiatry, 2003, 64 Suppl 7, 24-8.	1.1	6
242	What is the overlap between subjective and objective cognitive impairments in MDD?. Annals of Clinical Psychiatry, 2018, 30, 176-184.	0.6	6
243	High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea. Frontiers in Psychiatry, 2021, 12, 765129.	1.3	6
244	Efficacy of ziprasidone monotherapy in patients with anxious depression: A 12-week, randomized, double-blind, placebo-controlled, sequential-parallel comparison trial. Journal of Psychiatric Research, 2015, 62, 56-61.	1.5	5
245	Loss of sexual interest and premenstrual mood change in women with postpartum versus non-postpartum depression: A nationwide community sample of Korean adults. Journal of Affective Disorders, 2016, 191, 222-229.	2.0	5
246	Anxiety attacks with or without life-threatening situations, major depressive disorder, and suicide attempt: a nationwide community sample of Korean adults. Psychiatry Research, 2018, 270, 257-263.	1.7	5
247	Modelâ€Informed Approach to Assess the Treatment Effect Conditional to the Level of Placebo Response. Clinical Pharmacology and Therapeutics, 2019, 106, 1253-1260.	2.3	5
248	Design and Methods of the Korean National Investigations of 70,000 Suicide Victims Through Police Records (The KNIGHTS Study). Psychiatry Investigation, 2019, 16, 777-788.	0.7	5
249	A Cross-Sectional Study of Private Psychiatric Practices under a Single-Payer Health Care System. Canadian Journal of Psychiatry, 1997, 42, 395-401.	0.9	4
250	Cross-national differences in hypochondriasis symptoms between Korean and American outpatients with major depressive disorder. Psychiatry Research, 2016, 245, 127-132.	1.7	4
251	Does folic acid interfere with lamotrigine?. Lancet Psychiatry,the, 2016, 3, 704-705.	3.7	4
252	Placebo Response as a Latent Characteristic: Application to Analysis of Sequential Parallel Comparison Design Studies. Journal of the American Statistical Association, 2018, 113, 1411-1430.	1.8	4

#	Article	IF	Citations
253	Optimal dosing of antidepressant drugs. Lancet Psychiatry, the, 2019, 6, 805-806.	3.7	4
254	A commentary on: statistical inference problems in sequential parallel comparison designs. Journal of Biopharmaceutical Statistics, 2019, 29, 1130-1133.	0.4	4
255	Moderators of a resiliency group intervention for frontline clinicians during the COVID-19 pandemic. Journal of Affective Disorders, 2021, 293, 373-378.	2.0	4
256	Bullying, Psychological, and Physical Trauma During Early Life Increase Risk of Major Depressive Disorder in Adulthood: A Nationwide Community Sample of Korean Adults. Frontiers in Psychiatry, 2022, 13, 792734.	1.3	4
257	Neural substrates of emotional conflict with anxiety in major depressive disorder: Findings from the Establishing Moderators and biosignatures of Antidepressant Response in Clinical Care (EMBARC) randomized controlled trial. Journal of Psychiatric Research, 2022, 149, 243-251.	1.5	4
258	A placebo-controlled crossover study of iloperidone augmentation for residual anger and irritability in major depressive disorder. Therapeutic Advances in Psychopharmacology, 2016, 6, 4-12.	1.2	3
259	The Impact of Childhood Trauma, Hallucinations, and Emotional Reactivity on Delusional Ideation. Schizophrenia Bulletin Open, 2020, $1$ , .	0.9	3
260	Differential response to SSRI versus Placebo and distinct neural signatures among data-driven subgroups of patients with major depressive disorder. Journal of Affective Disorders, 2021, 282, 602-610.	2.0	3
261	Is the Noradrenergic Symptom Cluster a Valid Construct in Adjunctive Treatment of Major Depressive Disorder?. Journal of Clinical Psychiatry, 2017, 78, 317-323.	1.1	3
262	Is It Time to Try Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Again?. JAMA Psychiatry, 2022, , .	6.0	3
263	A Phase 2a Double-Blind Randomized Trial of REL-1017 (Esmethadone) in Patients with MDD: Analysis of Subscales from the Symptoms of Depression Questionnaire. CNS Spectrums, 2022, 27, 235-235.	0.7	3
264	Fatigue across the CNS spectrum: a clinical review. Fatigue: Biomedicine, Health and Behavior, 2014, 2, 231-246.	1.2	2
265	Lessons Learned From the VA Augmentation and Switching Treatments for Improving Depression Outcomes (VAST-D) Study. JAMA - Journal of the American Medical Association, 2017, 318, 126.	3.8	2
266	114 An Assessment of QTc Effects With SPN-812 (Extended-Release Viloxazine) in Healthy Adults. CNS Spectrums, 2020, 25, 274-274.	0.7	2
267	Obsessive Thought, Compulsive Behavior, and Their Associations With Suicide Ideation and Attempts and Major Depressive Disorder. Journal of Nervous and Mental Disease, 2021, Publish Ahead of Print, 820-828.	0.5	2
268	Agoraphobia and Follicle-Stimulating Hormone Levels between Tamoxifen and Goserelin versus Tamoxifen Alone in Premenopausal Hormone Receptor-Positive Breast Cancer: A 12-Month Prospective Randomized Study. Psychiatry Investigation, 2017, 14, 491.	0.7	2
269	High body weight variability is associated with increased risk of depression: a nationwide cohort study in South Korea. Psychological Medicine, 2022, , 1-9.	2.7	2
270	The role of placebo response in the efficacy outcome assessment in viloxazine extendedâ€release pivotal trials in paediatric subjects with attentionâ€deficit/hyperactivity disorder. British Journal of Clinical Pharmacology, 2022, 88, 4828-4838.	1.1	2

#	Article	IF	Citations
271	Major depressive disorder with psychosis-like symptoms in Latinos: treatment with and without antipsychotic augmentation. International Journal of Culture and Mental Health, 2015, 8, 137-149.	0.6	1
272	PET imaging of neurotransmission using direct parametric reconstruction. NeuroImage, 2020, 221, 117154.	2.1	1
273	Comparisons Between Successful Versus Unsuccessful Switches From Benzodiazepines or Zolpidem (Z-Drug) to Controlled-Release Melatonin in Patients With Major Depressive Disorder and Insomnia. Frontiers in Psychiatry, 2020, 11, 444.	1.3	1
274	Suppression and acceptance in unipolar depression: Shortâ€term and longâ€term effects on emotional responding. British Journal of Clinical Psychology, 2021, , .	1.7	1
275	Augmentation and combination strategies to treat the residual symptoms of major depressive disorder. Psychiatry, 2007, 4, 16-8.	0.3	1
276	OUP accepted manuscript. Brain, 2022, , .	3.7	1
277	Cultivating social support: the role of peer support in self-management. , 0, , 163-189.		0
278	Self-management of depression using meditation., 0,, 138-162.		0
279	Using the Electronic Medical Record to Examine Racial and Ethnic Differences in Depression Diagnosis and Treatment in a Primary Care Population. Primary Health Care: Open Access, 2011, 01, 1000106.	0.0	O
280	[P4–543]: COGNITIVE FUNCTION AS A PROXY OF FINANCIAL DECISION MAKING IN OLDER PRIMARY CARE ADULTS. Alzheimer's and Dementia, 2017, 13, P1558.	0.4	0
281	Is It Time for Going Beyond the <i>P</i> â€Value Paradigm With the Estimation of the Probability of Clinical Benefit as a Criterion for Assessing the Outcomes of a Clinical Trial? A Case Study in Patients With Major Depressive Disorder. Journal of Clinical Pharmacology, 2018, 58, 740-749.	1.0	0
282	F27. EFFICACY OF MONTHLY EXTENDED-RELEASE RISPERIDONE INJECTIONS (RBP-7000) FOR THE TREATMENT OF SCHIZOPHRENIA: AN ANALYSIS OF INDIVIDUAL PANSS ITEMS. Schizophrenia Bulletin, 2019, 45, S264-S265.	2.3	0
283	3.4 CHANGES IN AMYGDALA AND HIPPOCAMPAL FUNCTIONAL CONNECTIVITY IN SUBCLINICAL PSYCHOSIS: RELATIONSHIP TO SYMPTOM PERSISTENCE, PARANOIA AND ABERRANT SALIENCE. Schizophrenia Bulletin, 2019, 45, S90-S91.	2.3	0
284	Dose-Dependent Effects of EPA Supplementation on Plasma Specialized Pro-Resolving Mediators in Major Depressive Disorder Patients with Chronic Inflammation. Current Developments in Nutrition, 2020, 4, nzaa068_023.	0.1	0
285	Increased risk of depression before and after unilateral or bilateral oophorectomy: A self-controlled case series study using a nationwide cohort in South Korea. Journal of Affective Disorders, 2021, 285, 47-54.	2.0	0
286	A Patient with Treatment-resistant Depression Who Achieved Remission with Heated Yoga: A Case Report. Clinical Neuropsychopharmacology and Therapeutics, 2021, 12, 12-17.	0.3	0
287	The use of self-management for depression. , 0, , 1-23.		0
288	Care management of depression: treatment of depression in primary care and the need for a multidisciplinary approach., 0,, 24-45.		0

#	ARTICLE	IF	CITATIONS
289	Self-assessment instruments for depression. , 2009, , 46-67.		0
290	Self-help: the role of bibliotherapy and computerized psychotherapy in self-management for depression., 0,, 68-106.		0
291	Physical exercise as a form of self-management for depression. , 0, , 107-137.		0
292	Putting it all together: applying self-management for depression in your practice., 0,, 190-198.		0
293	Case Report: REL-1017 Reduces Abnormal Clinician Administered Dissociative States Scale Scores in Patients with Major Depressive Disorder. CNS Spectrums, 2022, 27, 236-236.	0.7	0