

# Maurizio Fava

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4614585/maurizio-fava-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

282  
papers

15,116  
citations

57  
h-index

118  
g-index

297  
ext. papers

18,404  
ext. citations

5.8  
avg, IF

6.58  
L-index

#	Paper	IF	Citations
282	A Randomized, Double-blind, Placebo-controlled Proof-of-Concept Trial to Evaluate the Efficacy and Safety of Non-racemic Amisulpride (SEP-4199) for the Treatment of Bipolar I Depression. <i>Journal of Affective Disorders</i> , <b>2022</b> , 296, 549-558	6.6	1
281	High body weight variability is associated with increased risk of depression: a nationwide cohort study in South Korea.. <i>Psychological Medicine</i> , <b>2022</b> , 1-9	6.9	0
280	Bullying, Psychological, and Physical Trauma During Early Life Increase Risk of Major Depressive Disorder in Adulthood: A Nationwide Community Sample of Korean Adults.. <i>Frontiers in Psychiatry</i> , <b>2022</b> , 13, 792734	5	0
279	Neural substrates of emotional conflict with anxiety in major depressive disorder: Findings from the Establishing Moderators and biosignatures of Antidepressant Response in Clinical Care (EMBARC) randomized controlled trial.. <i>Journal of Psychiatric Research</i> , <b>2022</b> , 149, 243-251	5.2	0
278	Case Report: REL-1017 Reduces Abnormal Clinician Administered Dissociative States Scale Scores in Patients with Major Depressive Disorder.. <i>CNS Spectrums</i> , <b>2022</b> , 27, 236	1.8	
277	A Phase 2a Double-Blind Randomized Trial of REL-1017 (Esmethadone) in Patients with MDD: Analysis of Subscales from the Symptoms of Depression Questionnaire.. <i>CNS Spectrums</i> , <b>2022</b> , 27, 235	1.8	0
276	A clinical approach to treatment resistance in depressed patients: What to do when the usual treatments don't work well enough?. <i>World Journal of Biological Psychiatry</i> , <b>2021</b> , 22, 483-494	3.8	11
275	REL-1017 (Esmethadone) as Adjunctive Treatment in Patients With Major Depressive Disorder: A Phase 2a Randomized Double-Blind Trial.. <i>American Journal of Psychiatry</i> , <b>2021</b> , appiajp202121020197	11.9	8
274	Transitioning From In-Person to Remote Clinical Research on Depression and Traumatic Brain Injury During the COVID-19 Pandemic: Study Modifications and Preliminary Feasibility From a Randomized Controlled Pilot Study. <i>JMIR Formative Research</i> , <b>2021</b> , 5, e28734	2.5	2
273	Differential response to SSRI versus Placebo and distinct neural signatures among data-driven subgroups of patients with major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2021</b> , 282, 602-610	6.6	0
272	Translating Attention-Deficit/Hyperactivity Disorder Rating Scale-5 and Weiss Functional Impairment Rating Scale-Parent Effectiveness Scores into Clinical Global Impressions Clinical Significance Levels in Four Randomized Clinical Trials of SPN-812 (Viloxazine Extended-Release) in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2021</b> , 31, 100-109	2.9	5
271	Increased risk of depression before and after unilateral or bilateral oophorectomy: A self-controlled case series study using a nationwide cohort in South Korea. <i>Journal of Affective Disorders</i> , <b>2021</b> , 285, 47-54	6.6	
270	Relationship between cannabis use and psychotic experiences in college students. <i>Schizophrenia Research</i> , <b>2021</b> , 231, 198-204	3.6	3
269	Evaluating the likelihood to be helped or harmed after treatment with viloxazine extended-release in children and adolescents with attention-deficit/hyperactivity disorder. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14330	2.9	3
268	Obsessive Thought, Compulsive Behavior, and Their Associations With Suicide Ideation and Attempts and Major Depressive Disorder: A Nationwide Community Sample of Korean Adults. <i>Journal of Nervous and Mental Disease</i> , <b>2021</b> , 209, 820-828	1.8	1
267	Dorsolateral Prefrontal Cortex and Subcallosal Cingulate Connectivity Show Preferential Antidepressant Response in Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , <b>2021</b> , 6, 20-28	3.4	1
266	Risk Factors for Depression in Adolescents With ADHD: The Impact of Cognitive Biases and Stress. <i>Journal of Attention Disorders</i> , <b>2021</b> , 25, 340-354	3.7	7

265	Association of anger attacks with suicidal ideation in adults with major depressive disorder: Findings from the EMBARC study. <i>Depression and Anxiety</i> , <b>2021</b> , 38, 57-66	8.4	3
264	Dose- and time-dependent increase in circulating anti-inflammatory and pro-resolving lipid mediators following eicosapentaenoic acid supplementation in patients with major depressive disorder and chronic inflammation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2021</b> , 164, 102219	2.8	13
263	Launching a resiliency group program to assist frontline clinicians in meeting the challenges of the COVID-19 pandemic: Results of a hospital-based systems trial. <i>General Hospital Psychiatry</i> , <b>2021</b> , 68, 111-112	5.6	7
262	Altered temporal, but intact spatial, features of transient network dynamics in psychosis. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 2493-2503	15.1	4
261	Predictive inflammatory biomarkers for change in suicidal ideation in major depressive disorder and panic disorder: A 12-week follow-up study. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 133, 73-81	5.2	11
260	Anxious attachment is associated with heightened responsivity of a parietofrontal cortical network that monitors peri-personal space. <i>NeuroImage: Clinical</i> , <b>2021</b> , 30, 102585	5.3	2
259	A Patient with Treatment-resistant Depression Who Achieved Remission with Heated Yoga: A Case Report. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , <b>2021</b> , 12, 12-17	0.2	
258	Patterns of Pretreatment Reward Task Brain Activation Predict Individual Antidepressant Response: Key Results From the EMBARC Randomized Clinical Trial.. <i>Biological Psychiatry</i> , <b>2021</b> ,	7.9	3
257	Moderators of a resiliency group intervention for frontline clinicians during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , <b>2021</b> , 293, 373-378	6.6	2
256	Association of smartphone overuse with depression, anxiety, and other addictive behaviors: A nationwide community sample of Korean adults. <i>Psychiatry Research</i> , <b>2021</b> , 304, 114133	9.9	2
255	Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. <i>Journal of Affective Disorders</i> , <b>2021</b> , 294, 786-793	6.6	0
254	High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea.. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 765129	5	0
253	Comparisons Between Successful Versus Unsuccessful Switches From Benzodiazepines or Zolpidem (Z-Drug) to Controlled-Release Melatonin in Patients With Major Depressive Disorder and Insomnia. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 444	5	1
252	Efficacy and safety of TS-121, a novel vasopressin V receptor antagonist, as adjunctive treatment for patients with major depressive disorder: A randomized, double-blind, placebo-controlled study. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 128, 43-51	5.2	6
251	Body Mass Index as a Moderator of Treatment Response to Ketamine for Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , <b>2020</b> , 40, 287-292	1.7	12
250	Pretreatment Reward Sensitivity and Frontostriatal Resting-State Functional Connectivity Are Associated With Response to Bupropion After Sertraline Nonresponse. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 657-667	7.9	8
249	Anger attacks are associated with persistently elevated irritability in MDD: findings from the EMBARC study. <i>Psychological Medicine</i> , <b>2020</b> , 1-9	6.9	4
248	Success and efficiency of phase 2/3 adjunctive trials for MDD funded by industry: a systematic review. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1967-1974	15.1	3

247	An electroencephalographic signature predicts antidepressant response in major depression. <i>Nature Biotechnology</i> , <b>2020</b> , 38, 439-447	44.5	68
246	All Suicidal Ideation Is Not Created Equal: Two Cases of Suicide Attempts During Maintenance Ketamine Treatment. <i>American Journal of Psychiatry</i> , <b>2020</b> , 177, 173-174	11.9	3
245	114 An Assessment of QTc Effects With SPN-812 (Extended-Release Viloxazine) in Healthy Adults. <i>CNS Spectrums</i> , <b>2020</b> , 25, 274-274	1.8	2
244	Double-blind, placebo-controlled, proof-of-concept trial of a kappa-selective opioid receptor antagonist augmentation in treatment-resistant depression. <i>Annals of Clinical Psychiatry</i> , <b>2020</b> , 32, 18-26	1.4	3
243	Effects of Open-Label, Adjunctive Ganaxolone on Persistent Depression Despite Adequate Antidepressant Treatment in Postmenopausal Women: A Pilot Study. <i>Journal of Clinical Psychiatry</i> , <b>2020</b> , 81,	4.6	10
242	Efficacy of Esketamine Augmentation in Major Depressive Disorder: A Meta-Analysis. <i>Journal of Clinical Psychiatry</i> , <b>2020</b> , 81,	4.6	25
241	Evaluation of the Effect of SPN-812 (Viloxazine Extended-Release) on QTc Interval in Healthy Adults. <i>Journal of Clinical Psychiatry</i> , <b>2020</b> , 81,	4.6	6
240	Effect of Adjunctive Pimavanserin on Sleep/Wakefulness in Patients With Major Depressive Disorder: Secondary Analysis From CLARITY. <i>Journal of Clinical Psychiatry</i> , <b>2020</b> , 82,	4.6	3
239	Dose increase of S-Adenosyl-Methionine and escitalopram in a randomized clinical trial for major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2020</b> , 262, 118-125	6.6	4
238	Elevated Amygdala Activity in Young Adults With Familial Risk for Depression: A Potential Marker of Low Resilience. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , <b>2020</b> , 5, 194-202	3.4	1
237	Predictive factors of diagnostic conversion from major depressive disorder to bipolar disorder in young adults ages 19-34: A nationwide population study in South Korea. <i>Journal of Affective Disorders</i> , <b>2020</b> , 265, 52-58	6.6	5
236	Cortical Connectivity Moderators of Antidepressant vs Placebo Treatment Response in Major Depressive Disorder: Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 397-408	14.5	22
235	The Impact of Childhood Trauma, Hallucinations, and Emotional Reactivity on Delusional Ideation. <i>Schizophrenia Bulletin Open</i> , <b>2020</b> , 1,	2.2	1
234	PET imaging of neurotransmission using direct parametric reconstruction. <i>NeuroImage</i> , <b>2020</b> , 221, 1171549	4.9	0
233	Exploration of baseline and early changes in neurocognitive characteristics as predictors of treatment response to bupropion, sertraline, and placebo in the EMBARC clinical trial. <i>Psychological Medicine</i> , <b>2020</b> , 1-9	6.9	0
232	Long-term outcome in outpatients with depression treated with acute and maintenance intravenous ketamine: A retrospective chart review. <i>Journal of Affective Disorders</i> , <b>2020</b> , 276, 660-666	6.6	3
231	John D. Loeser Award Lecture: Size does matter, but it isn't everything: the challenge of modest treatment effects in chronic pain clinical trials. <i>Pain</i> , <b>2020</b> , 161 Suppl 1, S3-S13	8	4
230	Dose-Dependent Effects of EPA Supplementation on Plasma Specialized Pro-Resolving Mediators in Major Depressive Disorder Patients with Chronic Inflammation. <i>Current Developments in Nutrition</i> , <b>2020</b> , 4, 1538-1538	0.4	78

229	Double-blind, placebo-controlled, dose-ranging trial of intravenous ketamine as adjunctive therapy in treatment-resistant depression (TRD). <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1592-1603	15.1	125
228	Increased amygdala-visual cortex connectivity in youth with persecutory ideation. <i>Psychological Medicine</i> , <b>2020</b> , 50, 273-283	6.9	9
227	Risks of suicide attempts after prescription of zolpidem in people with depression: a nationwide population study in South Korea. <i>Sleep</i> , <b>2020</b> , 43,	1.1	4
226	Discovery and replication of cerebral blood flow differences in major depressive disorder. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1500-1510	15.1	13
225	Time to relapse after a single administration of intravenous ketamine augmentation in unipolar treatment-resistant depression. <i>Journal of Affective Disorders</i> , <b>2020</b> , 260, 131-139	6.6	14
224	Opioid system modulation with buprenorphine/samidorphan combination for major depressive disorder: two randomized controlled studies. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1580-1591	15.1	24
223	Reward related ventral striatal activity and differential response to sertraline versus placebo in depressed individuals. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1526-1536	15.1	17
222	F27. EFFICACY OF MONTHLY EXTENDED-RELEASE RISPERIDONE INJECTIONS (RBP-7000) FOR THE TREATMENT OF SCHIZOPHRENIA: AN ANALYSIS OF INDIVIDUAL PANSS ITEMS. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S264-S265	1.3	78
221	Ratio of plasma BDNF to leptin levels are associated with treatment response in major depressive disorder but not in panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , <b>2019</b> , 259, 349-354	6.6	4
220	Longer-term open-label study of adjunctive riluzole in treatment-resistant depression. <i>Journal of Affective Disorders</i> , <b>2019</b> , 258, 102-108	6.6	9
219	Brain regulation of emotional conflict predicts antidepressant treatment response for depression. <i>Nature Human Behaviour</i> , <b>2019</b> , 3, 1319-1331	12.8	15
218	Optimal dosing of antidepressant drugs. <i>Lancet Psychiatry</i> , <b>2019</b> , 6, 805-806	23.3	2
217	Multiple types of somatic pain increase suicide attempts and depression: A nationwide community sample of Korean adults. <i>Comprehensive Psychiatry</i> , <b>2019</b> , 90, 43-48	7.3	5
216	Comparison of suicide attempts in individuals with major depressive disorder with and without history of subthreshold hypomania: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , <b>2019</b> , 248, 18-25	6.6	3
215	Cerebral Blood Perfusion Predicts Response to Sertraline versus Placebo for Major Depressive Disorder in the EMBARC Trial. <i>EClinicalMedicine</i> , <b>2019</b> , 10, 32-41	11.3	8
214	Examining raphe-amygdala structural connectivity as a biological predictor of SSRI response. <i>Journal of Affective Disorders</i> , <b>2019</b> , 256, 8-16	6.6	2
213	Deformities of the Globus Pallidus are Associated with Severity of Suicidal Ideation and Impulsivity in Patients with Major Depressive Disorder. <i>Scientific Reports</i> , <b>2019</b> , 9, 7462	4.9	7
212	Vortioxetine for attention deficit hyperactivity disorder in adults: A randomized, double-blind, placebo-controlled, proof-of-concept study. <i>Journal of Psychopharmacology</i> , <b>2019</b> , 33, 511-521	4.6	10

211	Efficacy and Tolerability of Adjunctive Intravenous Sodium Nitroprusside Treatment for Outpatients With Schizophrenia: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 691-699	14.5	14
210	A commentary on: statistical inference problems in sequential parallel comparison designs. <i>Journal of Biopharmaceutical Statistics</i> , <b>2019</b> , 29, 1130-1133	1.3	2
209	Childhood trauma history is linked to abnormal brain connectivity in major depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 8582-8590	11.5	66
208	3.4 CHANGES IN AMYGDALA AND HIPPOCAMPAL FUNCTIONAL CONNECTIVITY IN SUBCLINICAL PSYCHOSIS: RELATIONSHIP TO SYMPTOM PERSISTENCE, PARANOIA AND ABERRANT SALIENCE. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S90-S91	1.3	78
207	Personalized prediction of antidepressant v. placebo response: evidence from the EMBARC study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1118-1127	6.9	72
206	Increased Morbidity of Major Depressive Disorder After Thyroidectomy: A Nationwide Population-Based Study in South Korea. <i>Thyroid</i> , <b>2019</b> , 29, 1713-1722	6.2	8
205	Results from a long-term open-label extension study of adjunctive buprenorphine/samidorphan combination in patients with major depressive disorder. <i>Neuropsychopharmacology</i> , <b>2019</b> , 44, 2268-2276	8.7	9
204	Efficacy and Safety of Fixed-Dose Esketamine Nasal Spray Combined With a New Oral Antidepressant in Treatment-Resistant Depression: Results of a Randomized, Double-Blind, Active-Controlled Study (TRANSFORM-1). <i>International Journal of Neuropsychopharmacology</i> , <b>2019</b> , 22, 616-630	5.8	205
203	Community-Delivered Heated Hatha Yoga as a Treatment for Depressive Symptoms: An Uncontrolled Pilot Study. <i>Journal of Alternative and Complementary Medicine</i> , <b>2019</b> , 25, 814-823	2.4	6
202	Sex differences in response to ketamine as a rapidly acting intervention for treatment resistant depression. <i>Journal of Psychiatric Research</i> , <b>2019</b> , 110, 166-171	5.2	24
201	Pre-treatment peripheral biomarkers associated with treatment response in panic symptoms in patients with major depressive disorder and panic disorder: A 12-week follow-up study. <i>Comprehensive Psychiatry</i> , <b>2019</b> , 95, 152140	7.3	5
200	Model-Informed Approach to Assess the Treatment Effect Conditional to the Level of Placebo Response. <i>Clinical Pharmacology and Therapeutics</i> , <b>2019</b> , 106, 1253-1260	6.1	1
199	Risks of Completed Suicide of Community Individuals with ICD-10 Disorders Across Age Groups: A Nationwide Population-Based Nested Case-Control Study in South Korea. <i>Psychiatry Investigation</i> , <b>2019</b> , 16, 314-324	3.1	7
198	Design and Methods of the Korean National Investigations of 70,000 Suicide Victims Through Police Records (The KNIGHTS Study). <i>Psychiatry Investigation</i> , <b>2019</b> , 16, 777-788	3.1	3
197	Anxiety Symptoms Questionnaire (ASQ): development and validation. <i>Annals of General Psychiatry</i> , <b>2019</b> , 32, e100144	5.3	10
196	A Phase 2, Randomized, Double-Blind, Placebo-Controlled Study of Adjunctive Pimavanserin in Patients With Major Depressive Disorder and an Inadequate Response to Therapy (CLARITY). <i>Journal of Clinical Psychiatry</i> , <b>2019</b> , 80,	4.6	17
195	Monthly Extended-Release Risperidone (RBP-7000) in the Treatment of Schizophrenia: Results From the Phase 3 Program. <i>Journal of Clinical Psychopharmacology</i> , <b>2019</b> , 39, 428-433	1.7	9
194	Paranoid Ideation Without Psychosis Is Associated With Depression, Anxiety, and Suicide Attempts in General Population. <i>Journal of Nervous and Mental Disease</i> , <b>2019</b> , 207, 826-831	1.8	4



193	Effects of transcranial photobiomodulation with near-infrared light on sexual dysfunction. <i>Lasers in Surgery and Medicine</i> , <b>2019</b> , 51, 127-135	3.6	12
192	Resting EEG Measures of Brain Arousal in a Multisite Study of Major Depression. <i>Clinical EEG and Neuroscience</i> , <b>2019</b> , 50, 3-12	2.3	15
191	Heart rate variability for treatment response between patients with major depressive disorder versus panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , <b>2019</b> , 246, 157-165	6.6	16
190	Pretreatment Rostral Anterior Cingulate Cortex Connectivity With Salience Network Predicts Depression Recovery: Findings From the EMBARC Randomized Clinical Trial. <i>Biological Psychiatry</i> , <b>2019</b> , 85, 872-880	7.9	19
189	Anxiety and anhedonia in depression: Associations with neuroticism and cognitive control. <i>Journal of Affective Disorders</i> , <b>2019</b> , 245, 1070-1078	6.6	6
188	Understanding the effects of emotional reactivity on depression and suicidal thoughts and behaviors: Moderating effects of childhood adversity and resilience. <i>Journal of Affective Disorders</i> , <b>2019</b> , 245, 419-427	6.6	38
187	Tachyphylaxis in major depressive disorder: A review of the current state of research. <i>Journal of Affective Disorders</i> , <b>2019</b> , 245, 488-497	6.6	16
186	Repeat-dose ketamine augmentation for treatment-resistant depression with chronic suicidal ideation: A randomized, double blind, placebo controlled trial. <i>Journal of Affective Disorders</i> , <b>2019</b> , 243, 516-524	6.6	68
185	Effect of Korean Red Ginseng in individuals exposed to high stress levels: a 6-week, double-blind, randomized, placebo-controlled trial. <i>Journal of Ginseng Research</i> , <b>2019</b> , 43, 402-407	5.8	11
184	Prospective association between major depressive disorder and leukocyte telomere length over two years. <i>Psychoneuroendocrinology</i> , <b>2018</b> , 90, 157-164	5	26
183	Pretreatment Rostral Anterior Cingulate Cortex Theta Activity in Relation to Symptom Improvement in Depression: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 547-554	14.5	80
182	Anterior insula activation during inhibition to smoking cues is associated with ability to maintain tobacco abstinence. <i>Addictive Behaviors Reports</i> , <b>2018</b> , 7, 40-46	3.7	11
181	Is It Time for Going Beyond the P-Value Paradigm With the Estimation of the Probability of Clinical Benefit as a Criterion for Assessing the Outcomes of a Clinical Trial? A Case Study in Patients With Major Depressive Disorder. <i>Journal of Clinical Pharmacology</i> , <b>2018</b> , 58, 740-749	2.9	
180	Characterizing anxiety subtypes and the relationship to behavioral phenotyping in major depression: Results from the EMBARC study. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 102, 207-215	5.2	7
179	A randomized controlled dosing study of Iyengar yoga and coherent breathing for the treatment of major depressive disorder: Impact on suicidal ideation and safety findings. <i>Complementary Therapies in Medicine</i> , <b>2018</b> , 37, 136-142	3.5	13
178	The Effects of Tai Chi on Sleep Quality in Chinese American Patients With Major Depressive Disorder: A Pilot Study. <i>Behavioral Sleep Medicine</i> , <b>2018</b> , 16, 398-411	4.2	11
177	Double-blind, proof-of-concept (POC) trial of Low-Field Magnetic Stimulation (LFMS) augmentation of antidepressant therapy in treatment-resistant depression (TRD). <i>Brain Stimulation</i> , <b>2018</b> , 11, 75-84	5.1	14
176	Test-retest reliability of cerebral blood flow in healthy individuals using arterial spin labeling: Findings from the EMBARC study. <i>Magnetic Resonance Imaging</i> , <b>2018</b> , 45, 26-33	3.3	18

175	Pretreatment and early-treatment cortical thickness is associated with SSRI treatment response in major depressive disorder. <i>Neuropsychopharmacology</i> , <b>2018</b> , 43, 2221-2230	8.7	29
174	A Randomized Controlled Pilot Study on Mindfulness-Based Cognitive Therapy for Unipolar Depression in Patients With Chronic Pain. <i>Journal of Clinical Psychiatry</i> , <b>2018</b> , 79,	4.6	16
173	Placebo Response as a Latent Characteristic: Application to Analysis of Sequential Parallel Comparison Design Studies. <i>Journal of the American Statistical Association</i> , <b>2018</b> , 113, 1411-1430	2.8	3
172	Development and evaluation of a multimodal marker of major depressive disorder. <i>Human Brain Mapping</i> , <b>2018</b> , 39, 4420-4439	5.9	23
171	A Novel Strategy to Identify Placebo Responders: Prediction Index of Clinical and Biological Markers in the EMBARC Trial. <i>Psychotherapy and Psychosomatics</i> , <b>2018</b> , 87, 285-295	9.4	28
170	Efficacy of Ziprasidone Augmentation of Escitalopram for Cognitive Symptoms of Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , <b>2018</b> , 79,	4.6	5
169	Alcohol-induced disinhibition is associated with impulsivity, depression, and suicide attempt: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , <b>2018</b> , 227, 323-329	6.6	17
168	Outcomes of an online computerized cognitive behavioral treatment program for treating chinese patients with depression: A pilot study. <i>Asian Journal of Psychiatry</i> , <b>2018</b> , 38, 102-107	6.7	6
167	Harmonization of cortical thickness measurements across scanners and sites. <i>NeuroImage</i> , <b>2018</b> , 167, 104-120	7.9	286
166	Efficacy of adjunctive low-dose cariprazine in major depressive disorder: a randomized, double-blind, placebo-controlled trial. <i>International Clinical Psychopharmacology</i> , <b>2018</b> , 33, 312-321	2.2	22
165	Mechanisms of Perceived Treatment Assignment and Subsequent Expectancy Effects in a Double Blind Placebo Controlled RCT of Major Depression. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 424	5	12
164	Increased adrenocorticotrophic hormone (ACTH) levels predict severity of depression after six months of follow-up in outpatients with major depressive disorder. <i>Psychiatry Research</i> , <b>2018</b> , 270, 246-252	9.9	12
163	Anxiety attacks with or without life-threatening situations, major depressive disorder, and suicide attempt: a nationwide community sample of Korean adults. <i>Psychiatry Research</i> , <b>2018</b> , 270, 257-263	9.9	4
162	Transcranial Photobiomodulation for the Treatment of Major Depressive Disorder. The ELATED-2 Pilot Trial. <i>Photomedicine and Laser Surgery</i> , <b>2018</b> , 36, 634-646		39
161	Binge eating, trauma, and suicide attempt in community adults with major depressive disorder. <i>PLoS ONE</i> , <b>2018</b> , 13, e0198192	3.7	7
160	Statistical harmonization corrects site effects in functional connectivity measurements from multi-site fMRI data. <i>Human Brain Mapping</i> , <b>2018</b> , 39, 4213-4227	5.9	117
159	Sex Differences in the Association between Heavy Drinking and Behavioral Distress Tolerance and Emotional Reactivity Among Non-Depressed College Students. <i>Alcohol and Alcoholism</i> , <b>2018</b> , 53, 674-681	3.5	2
158	What is the overlap between subjective and objective cognitive impairments in MDD?. <i>Annals of Clinical Psychiatry</i> , <b>2018</b> , 30, 176-184	1.4	6



157	Ketamine augmentation for outpatients with treatment-resistant depression: Preliminary evidence for two-step intravenous dose escalation. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2017</b> , 51, 55-64	2.6	63
156	Inflammatory cytokines in major depressive disorder: A case-control study. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2017</b> , 51, 23-31	2.6	43
155	Neuroticism and Individual Differences in Neural Function in Unmedicated Major Depression: Findings from the EMBARC Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , <b>2017</b> , 2, 138-148	3.4	14
154	Mavoglurant Augmentation in OCD Patients Resistant to Selective Serotonin Reuptake Inhibitors: A Proof-of-Concept, Randomized, Placebo-Controlled, Phase 2 Study. <i>Advances in Therapy</i> , <b>2017</b> , 34, 524-541	4.1	23
153	A comparison of structural connectivity in anxious depression versus non-anxious depression. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 89, 38-47	5.2	20
152	Statistical Analysis Plan for Stage 1 EMBARC (Establishing Moderators and Biosignatures of Antidepressant Response for Clinical Care) Study. <i>Contemporary Clinical Trials Communications</i> , <b>2017</b> , 6, 22-30	1.8	17
151	Guidelines for the recognition and management of mixed depression. <i>CNS Spectrums</i> , <b>2017</b> , 22, 203-219	1.8	72
150	Cortical thickness is not associated with current depression in a clinical treatment study. <i>Human Brain Mapping</i> , <b>2017</b> , 38, 4370-4385	5.9	11
149	A Randomized, Double-Blind, Placebo-Controlled, Sequential Parallel Comparison Design Trial of Adjunctive Riluzole for Treatment-Resistant Major Depressive Disorder. <i>Neuropsychopharmacology</i> , <b>2017</b> , 42, 2567-2574	8.7	29
148	Lurasidone for major depressive disorder with mixed features and irritability: a post-hoc analysis. <i>CNS Spectrums</i> , <b>2017</b> , 22, 228-235	1.8	8
147	Effects of smartphone use with and without blue light at night in healthy adults: A randomized, double-blind, cross-over, placebo-controlled comparison. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 87, 61-70	5.2	68
146	Switching from Inadequate Adjunctive or Combination Treatment Options to Brexpiprazole Adjunctive to Antidepressant: An Open-Label Study on the Effects on Depressive Symptoms and Cognitive and Physical Functioning. <i>International Journal of Neuropsychopharmacology</i> , <b>2017</b> , 20, 22-30	5.8	11
145	Efficacy of Brexpiprazole as Adjunctive Treatment in Major Depressive Disorder With Irritability: Post Hoc Analysis of 2 Pivotal Clinical Studies. <i>Journal of Clinical Psychopharmacology</i> , <b>2017</b> , 37, 276-278	1.7	10
144	Development and validation study of the Smartphone Overuse Screening Questionnaire. <i>Psychiatry Research</i> , <b>2017</b> , 257, 352-357	9.9	23
143	Reduced orbitofrontal-thalamic functional connectivity related to suicidal ideation in patients with major depressive disorder. <i>Scientific Reports</i> , <b>2017</b> , 7, 15772	4.9	56
142	[P4843]: COGNITIVE FUNCTION AS A PROXY OF FINANCIAL DECISION MAKING IN OLDER PRIMARY CARE ADULTS <b>2017</b> , 13, P1558-P1560		
141	Poor sleep quality and suicide attempt among adults with internet addiction: A nationwide community sample of Korea. <i>PLoS ONE</i> , <b>2017</b> , 12, e0174619	3.7	31
140	Is the Noradrenergic Symptom Cluster a Valid Construct in Adjunctive Treatment of Major Depressive Disorder?. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, 317-323	4.6	3

139	Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder: Cardiac, Endocrine, Metabolic, and Motoric Effects in a Randomized, Double-Blind, Placebo-Controlled Study. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, 449-455	4.6	9
138	A Pilot, Randomized Controlled Study of Tai Chi With Passive and Active Controls in the Treatment of Depressed Chinese Americans. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, e522-e528	4.6	21
137	Comparisons of Subthreshold Versus Full Posttraumatic Stress Disorder Distinguished by Subjective Functional Impairment Among Train Drivers: A Population-Based Nationwide Study in South Korea. <i>Psychiatry Investigation</i> , <b>2017</b> , 14, 1-7	3.1	5
136	Agoraphobia and Follicle-Stimulating Hormone Levels between Tamoxifen and Goserelin versus Tamoxifen Alone in Premenopausal Hormone Receptor-Positive Breast Cancer: A 12-Month Prospective Randomized Study. <i>Psychiatry Investigation</i> , <b>2017</b> , 14, 491-498	3.1	2
135	Linking major depression and the neural substrates of associative processing. <i>Cognitive, Affective and Behavioral Neuroscience</i> , <b>2016</b> , 16, 1017-1026	3.5	14
134	Does folic acid interfere with lamotrigine?. <i>Lancet Psychiatry</i> , <b>2016</b> , 3, 704-705	23.3	4
133	Lifetime suicidal ideation and attempt in adults with full major depressive disorder versus sustained depressed mood. <i>Journal of Affective Disorders</i> , <b>2016</b> , 203, 275-280	6.6	7
132	Response Surface Analysis and Nonlinear Optimization Algorithm for Maximization of Clinical Drug Performance: Application to Extended-Release and Long-Acting Injectable Paliperidone. <i>Journal of Clinical Pharmacology</i> , <b>2016</b> , 56, 1296-306	2.9	7
131	A COMPREHENSIVE EXAMINATION OF WHITE MATTER TRACTS AND CONNECTOMETRY IN MAJOR DEPRESSIVE DISORDER. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 56-65	8.4	32
130	Obsessive-Compulsive Symptoms as a Risk Factor for Suicidality in U.S. College Students. <i>Journal of Adolescent Health</i> , <b>2016</b> , 58, 481-484	5.8	15
129	Relationship between placebo response rate and clinical trial outcome in bipolar depression. <i>Journal of Psychiatric Research</i> , <b>2016</b> , 74, 38-44	5.2	14
128	Neural Correlates of Three Promising Endophenotypes of Depression: Evidence from the EMBARC Study. <i>Neuropsychopharmacology</i> , <b>2016</b> , 41, 454-63	8.7	62
127	The Effectiveness of Telepsychiatry-Based Culturally Sensitive Collaborative Treatment for Depressed Chinese American Immigrants: A Randomized Controlled Trial. <i>Journal of Clinical Psychiatry</i> , <b>2016</b> , 77, e996-e1002	4.6	15
126	Rapid and Sustained Reductions in Current Suicidal Ideation Following Repeated Doses of Intravenous Ketamine: Secondary Analysis of an Open-Label Study. <i>Journal of Clinical Psychiatry</i> , <b>2016</b> , 77, e719-25	4.6	81
125	Association Between Stigma and Depression Outcomes Among Chinese Immigrants in a Primary Care Setting. <i>Journal of Clinical Psychiatry</i> , <b>2016</b> , 77, e1287-e1292	4.6	14
124	Adjunctive Brexpiprazole in Patients With Major Depressive Disorder and Irritability: An Exploratory Study. <i>Journal of Clinical Psychiatry</i> , <b>2016</b> , 77, 1695-1701	4.6	15
123	Reduced Venous Blood Basophil Count and Anxious Depression in Patients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , <b>2016</b> , 13, 321-6	3.1	11
122	Gender Differences in Somatic Symptoms and Current Suicidal Risk in Outpatients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , <b>2016</b> , 13, 609-615	3.1	14

121	Loss of sexual interest and premenstrual mood change in women with postpartum versus non-postpartum depression: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , <b>2016</b> , 191, 222-9	6.6	4
120	A placebo-controlled crossover study of iloperidone augmentation for residual anger and irritability in major depressive disorder. <i>Therapeutic Advances in Psychopharmacology</i> , <b>2016</b> , 6, 4-12	4.9	2
119	Antidepressant-like effect of low dose ketamine and scopolamine co-treatment in mice. <i>Neuroscience Letters</i> , <b>2016</b> , 620, 70-3	3.3	16
118	Establishing moderators and biosignatures of antidepressant response in clinical care (EMBARC): Rationale and design. <i>Journal of Psychiatric Research</i> , <b>2016</b> , 78, 11-23	5.2	153
117	Adjunctive Nutraceuticals for Depression: A Systematic Review and Meta-Analyses. <i>American Journal of Psychiatry</i> , <b>2016</b> , 173, 575-87	11.9	243
116	Cross-national differences in hypochondriasis symptoms between Korean and American outpatients with major depressive disorder. <i>Psychiatry Research</i> , <b>2016</b> , 245, 127-132	9.9	3
115	Major depressive disorder. <i>Nature Reviews Disease Primers</i> , <b>2016</b> , 2, 16065	51.1	635
114	Moderation of the Relationship Between Reward Expectancy and Prediction Error-Related Ventral Striatal Reactivity by Anhedonia in Unmedicated Major Depressive Disorder: Findings From the EMBARC Study. <i>American Journal of Psychiatry</i> , <b>2015</b> , 172, 881-91	11.9	67
113	Anhedonia in melancholic and non-melancholic depressive disorders. <i>Journal of Affective Disorders</i> , <b>2015</b> , 184, 81-8	6.6	41
112	Influence of anxiety symptoms on improvement of neurocognitive functions in patients with major depressive disorder: A 12-week, multicenter, randomized trial of tianeptine versus escitalopram, the CAMPION study. <i>Journal of Affective Disorders</i> , <b>2015</b> , 185, 24-30	6.6	8
111	Evaluation of opioid modulation in major depressive disorder. <i>Neuropsychopharmacology</i> , <b>2015</b> , 40, 1448-55	11.9	122
110	Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder: Efficacy Results From a Randomized, Double-Blind, Placebo-Controlled Study. <i>American Journal of Psychiatry</i> , <b>2015</b> , 172, 1251-8	11.9	37
109	Efficacy of ziprasidone monotherapy in patients with anxious depression: a 12-week, randomized, double-blind, placebo-controlled, sequential-parallel comparison trial. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 62, 56-61	5.2	5
108	Telomere length and telomerase in a well-characterized sample of individuals with major depressive disorder compared to controls. <i>Psychoneuroendocrinology</i> , <b>2015</b> , 58, 9-22	5	39
107	Association between physician beliefs regarding assigned treatment and clinical response: re-analysis of data from the Hypericum Depression Trial Study Group. <i>Asian Journal of Psychiatry</i> , <b>2015</b> , 13, 23-9	6.7	10
106	Screening for Suicide Risk in the College Population. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , <b>2015</b> , 33, 78-94	1.7	15
105	A randomized, double-blind, placebo-controlled phase 2 study of the augmentation of a nicotinic acetylcholine receptor partial agonist in depression: is there a relationship to leptin levels?. <i>Journal of Clinical Psychopharmacology</i> , <b>2015</b> , 35, 51-6	1.7	16
104	Reward Responsiveness Varies by Smoking Status in Women with a History of Major Depressive Disorder. <i>Neuropsychopharmacology</i> , <b>2015</b> , 40, 1940-6	8.7	20

103	The pro-inflammatory profile of depressed patients is (partly) related to obesity. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 70, 91-7	5.2	40
102	Anxiety symptoms are linked to new-onset suicidal ideation after six months of follow-up in outpatients with major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2015</b> , 187, 183-7	6.6	16
101	Efficacy and safety of a form of cranial electrical stimulation (CES) as an add-on intervention for treatment-resistant major depressive disorder: A three week double blind pilot study. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 70, 98-105	5.2	7
100	Major depressive disorder with psychosis-like symptoms in Latinos: treatment with and without antipsychotic augmentation. <i>International Journal of Culture and Mental Health</i> , <b>2015</b> , 8, 137-149		1
99	THE AMERICAN SOCIETY OF CLINICAL PSYCHOPHARMACOLOGY SURVEY OF PSYCHOPHARMACOLOGISTS PRACTICE PATTERNS FOR THE TREATMENT OF MOOD DISORDERS. <i>Depression and Anxiety</i> , <b>2015</b> , 32, 605-13	8.4	25
98	Test-retest reliability of freesurfer measurements within and between sites: Effects of visual approval process. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 3472-85	5.9	94
97	Placebo non-response measure in sequential parallel comparison design studies. <i>Statistics in Medicine</i> , <b>2015</b> , 34, 2281-93	2.3	13
96	A double-blind placebo-controlled trial of maca root as treatment for antidepressant-induced sexual dysfunction in women. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2015</b> , 2015, 949036	2.3	23
95	Near-Infrared Transcranial Radiation for Major Depressive Disorder: Proof of Concept Study. <i>Psychiatry Journal</i> , <b>2015</b> , 2015, 352979	2.4	59
94	Celebrity suicides and their differential influence on suicides in the general population: a national population-based study in Korea. <i>Psychiatry Investigation</i> , <b>2015</b> , 12, 204-11	3.1	12
93	Changes in cognitive symptoms after a buspirone-melatonin combination treatment for Major Depressive Disorder. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 68, 392-6	5.2	19
92	A Novel Methodology to Estimate the Treatment Effect in Presence of Highly Variable Placebo Response. <i>Neuropsychopharmacology</i> , <b>2015</b> , 40, 2588-95	8.7	6
91	Illness progression, recent stress, and morphometry of hippocampal subfields and medial prefrontal cortex in major depression. <i>Biological Psychiatry</i> , <b>2015</b> , 77, 285-294	7.9	201
90	Illness beliefs of Chinese American immigrants with major depressive disorder in a primary care setting. <i>Asian Journal of Psychiatry</i> , <b>2015</b> , 13, 16-22	6.7	29
89	Accounting for Dynamic Fluctuations across Time when Examining fMRI Test-Retest Reliability: Analysis of a Reward Paradigm in the EMBARC Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0126326	3.7	17
88	Paraquat prohibition and change in the suicide rate and methods in South Korea. <i>PLoS ONE</i> , <b>2015</b> , 10, e0128980	3.7	40
87	A Naturalistic Study of the Effectiveness of Pharmacogenetic Testing to Guide Treatment in Psychiatric Patients With Mood and Anxiety Disorders. <i>primary care companion for CNS disorders, The</i> , <b>2015</b> , 17,	1.2	14
86	Review of Suicide Prevention Programs: Massachusetts, United States, in Comparison with Seoul. <i>Psychiatry Investigation</i> , <b>2015</b> , 12, 281-7	3.1	7

85	Fatigue across the CNS spectrum: a clinical review. <i>Fatigue: Biomedicine, Health and Behavior</i> , <b>2014</b> , 2, 231-246	2.3	1
84	Use of band-pass filter analysis to evaluate outcomes in an antidepressant trial for treatment resistant patients. <i>European Neuropsychopharmacology</i> , <b>2014</b> , 24, 1188-95	1.2	7
83	Methodological approaches and magnitude of the clinical unmet need associated with amotivation in mood disorders. <i>Journal of Affective Disorders</i> , <b>2014</b> , 168, 439-51	6.6	34
82	Serum lipids, recent suicide attempt and recent suicide status in patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2014</b> , 51, 113-8	5.5	51
81	Rare copy number variation in treatment-resistant major depressive disorder. <i>Biological Psychiatry</i> , <b>2014</b> , 76, 536-41	7.9	54
80	Feelings of worthlessness, traumatic experience, and their comorbidity in relation to lifetime suicide attempt in community adults with major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2014</b> , 166, 206-12	6.6	32
79	Sleep quality, posttraumatic stress, depression, and human errors in train drivers: a population-based nationwide study in South Korea. <i>Sleep</i> , <b>2014</b> , 37, 1969-75	1.1	11
78	Effectiveness of the relaxation response-based group intervention for treating depressed chinese american immigrants: a pilot study. <i>International Journal of Environmental Research and Public Health</i> , <b>2014</b> , 11, 9186-201	4.6	8
77	Clinical relevance of fatigue as a residual symptom in major depressive disorder. <i>Depression and Anxiety</i> , <b>2014</b> , 31, 250-7	8.4	83
76	Reliability and validity of the Symptoms of Depression Questionnaire (SDQ). <i>CNS Spectrums</i> , <b>2014</b> , 19, 535-46	1.8	21
75	An electronic health records study of long-term weight gain following antidepressant use. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 889-96	14.5	84
74	Thyroid stimulating hormone and serum, plasma, and platelet brain-derived neurotrophic factor during a 3-month follow-up in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2014</b> , 169, 112-7	6.6	16
73	Web-based depression screening and psychiatric consultation for college students: a feasibility and acceptability study. <i>International Journal of Telemedicine and Applications</i> , <b>2014</b> , 2014, 580786	2.6	23
72	S-adenosyl methionine (SAME) versus escitalopram and placebo in major depression RCT: efficacy and effects of histamine and carnitine as moderators of response. <i>Journal of Affective Disorders</i> , <b>2014</b> , 164, 76-81	6.6	41
71	Brief, unidimensional melancholia rating scales are highly sensitive to the effect of citalopram and may have biological validity: implications for the research domain criteria (RDoC). <i>Journal of Affective Disorders</i> , <b>2014</b> , 163, 18-24	6.6	30
70	A repeated measures model for analysis of continuous outcomes in sequential parallel comparison design studies. <i>Statistics in Medicine</i> , <b>2013</b> , 32, 2767-89	2.3	36
69	Massachusetts General Hospital SAFER criteria for clinical trials and research. <i>Harvard Review of Psychiatry</i> , <b>2013</b> , 21, 269-74	4.1	20
68	An exploratory study of combination buspirone and melatonin SR in major depressive disorder (MDD): a possible role for neurogenesis in drug discovery. <i>Journal of Psychiatric Research</i> , <b>2012</b> , 46, 1553-63	5.2	48



67	Using the Electronic Medical Record to Examine Racial and Ethnic Differences in Depression Diagnosis and Treatment in a Primary Care Population. <i>Primary Health Care: Open Access</i> , <b>2012</b> , 1, 1000106		
66	A double-blind, placebo-controlled study of aripiprazole adjunctive to antidepressant therapy among depressed outpatients with inadequate response to prior antidepressant therapy (ADAPT-A Study). <i>Psychotherapy and Psychosomatics</i> , <b>2012</b> , 81, 87-97	9.4	99
65	The Engagement Interview Protocol (EIP): improving the acceptance of mental health treatment among Chinese immigrants. <i>International Journal of Culture and Mental Health</i> , <b>2011</b> , 4, 91-105		12
64	A post hoc analysis of the effect of nightly administration of eszopiclone and a selective serotonin reuptake inhibitor in patients with insomnia and anxious depression. <i>Journal of Clinical Psychiatry</i> , <b>2011</b> , 72, 473-9	4.6	30
63	Improved insomnia symptoms and sleep-related next-day functioning in patients with comorbid major depressive disorder and insomnia following concomitant zolpidem extended-release 12.5 mg and escitalopram treatment: a randomized controlled trial. <i>Journal of Clinical Psychiatry</i> , <b>2011</b> , 72, 914-28	4.6	58
62	Effects of adjunctive aripiprazole on sexual functioning in patients with major depressive disorder and an inadequate response to standard antidepressant monotherapy: a post hoc analysis of 3 randomized, double-blind, placebo-controlled studies. <i>primary care companion for CNS disorders</i> , <b>2011</b> , 13,	1.2	9
61	Effectiveness Study of Venlafaxine-XR Combined with Aripiprazole for Chronic or Recurrent Major Depressive Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2009</b> , 43, 956-967	2.6	8
60	Reliability and validity of the Massachusetts general hospital cognitive and physical functioning questionnaire. <i>Psychotherapy and Psychosomatics</i> , <b>2009</b> , 78, 91-7	9.4	98
59	Predictors of relapse in a study of duloxetine treatment in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2009</b> , 113, 263-71	6.6	18
58	Metabolic assessment of aripiprazole as adjunctive therapy in major depressive disorder: a pooled analysis of 2 studies. <i>Journal of Clinical Psychopharmacology</i> , <b>2009</b> , 29, 362-7	1.7	14
57	Zolpidem extended-release improves sleep and next-day symptoms in comorbid insomnia and generalized anxiety disorder. <i>Journal of Clinical Psychopharmacology</i> , <b>2009</b> , 29, 222-30	1.7	57
56	Folate in depression: efficacy, safety, differences in formulations, and clinical issues. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70 Suppl 5, 12-7	4.6	147
55	Treatment of SSRI-resistant depression: a meta-analysis comparing within- versus across-class switches. <i>Biological Psychiatry</i> , <b>2008</b> , 63, 699-704	7.9	191
54	Difference in treatment outcome in outpatients with anxious versus nonanxious depression: a STAR*D report. <i>American Journal of Psychiatry</i> , <b>2008</b> , 165, 342-51	11.9	594
53	The efficacy and safety of aripiprazole as adjunctive therapy in major depressive disorder: a second multicenter, randomized, double-blind, placebo-controlled study. <i>Journal of Clinical Psychopharmacology</i> , <b>2008</b> , 28, 156-65	1.7	335
52	Redefining Affective Disorders: Relevance for Drug Development. <i>CNS Neuroscience and Therapeutics</i> , <b>2008</b> , 14, 2-9	6.8	31
51	Modafinil augmentation of selective serotonin reuptake inhibitor therapy in MDD partial responders with persistent fatigue and sleepiness. <i>Annals of Clinical Psychiatry</i> , <b>2007</b> , 19, 153-9	1.4	75
50	The efficacy and tolerability of duloxetine in the treatment of anxious versus non-anxious depression: a post-hoc analysis of an open-label outpatient study. <i>Annals of Clinical Psychiatry</i> , <b>2007</b> , 19, 187-95	1.4	19



49	Augmentation and combination strategies to treat the residual symptoms of major depressive disorder. <i>Psychiatry</i> , <b>2007</b> , 4, 16-8		1
48	Augmenting antidepressants with folate: a clinical perspective. <i>Journal of Clinical Psychiatry</i> , <b>2007</b> , 68 Suppl 10, 4-7	4.6	9
47	Management of depression relapse: re-initiation of duloxetine treatment or dose increase. <i>Journal of Psychiatric Research</i> , <b>2006</b> , 40, 328-36	5.2	18
46	Current status of augmentation and combination treatments for major depressive disorder: a literature review and a proposal for a novel approach to improve practice. <i>Psychotherapy and Psychosomatics</i> , <b>2006</b> , 75, 139-53	9.4	118
45	Pharmacological approaches to the treatment of residual symptoms. <i>Journal of Psychopharmacology</i> , <b>2006</b> , 20, 29-34	4.6	36
44	Evaluation of outcomes with citalopram for depression using measurement-based care in STAR*D: implications for clinical practice. <i>American Journal of Psychiatry</i> , <b>2006</b> , 163, 28-40	11.9	2607
43	Variation in the gene encoding the serotonin 2A receptor is associated with outcome of antidepressant treatment. <i>American Journal of Human Genetics</i> , <b>2006</b> , 78, 804-814	11	396
42	Eszopiclone co-administered with fluoxetine in patients with insomnia coexisting with major depressive disorder. <i>Biological Psychiatry</i> , <b>2006</b> , 59, 1052-60	7.9	369
41	What clinical and symptom features and comorbid disorders characterize outpatients with anxious major depressive disorder: a replication and extension. <i>Canadian Journal of Psychiatry</i> , <b>2006</b> , 51, 823-35	4.8	115
40	A comparison of mirtazapine and nortriptyline following two consecutive failed medication treatments for depressed outpatients: a STAR*D report. <i>American Journal of Psychiatry</i> , <b>2006</b> , 163, 1161-72	11.9	100
39	Efficacy and safety of sildenafil in men with serotonergic antidepressant-associated erectile dysfunction: results from a randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , <b>2006</b> , 67, 240-6	4.6	55
38	A cross-sectional study of the prevalence of cognitive and physical symptoms during long-term antidepressant treatment. <i>Journal of Clinical Psychiatry</i> , <b>2006</b> , 67, 1754-9	4.6	149
37	Prospective studies of adverse events related to antidepressant discontinuation. <i>Journal of Clinical Psychiatry</i> , <b>2006</b> , 67 Suppl 4, 14-21	4.6	9
36	Clinical consequences of initial duloxetine dosing strategies: Comparison of 30 and 60 mg QD starting doses. <i>Current Therapeutic Research</i> , <b>2005</b> , 66, 522-40	2.4	24
35	A Double-blind, randomized trial of St John's wort, fluoxetine, and placebo in major depressive disorder. <i>Journal of Clinical Psychopharmacology</i> , <b>2005</b> , 25, 441-7	1.7	96
34	A multicenter, placebo-controlled study of modafinil augmentation in partial responders to selective serotonin reuptake inhibitors with persistent fatigue and sleepiness. <i>Journal of Clinical Psychiatry</i> , <b>2005</b> , 66, 85-93	4.6	126
33	Clinical correlates and symptom patterns of anxious depression among patients with major depressive disorder in STAR*D. <i>Psychological Medicine</i> , <b>2004</b> , 34, 1299-308	6.9	261
32	The effect of duloxetine on painful physical symptoms in depressed patients: do improvements in these symptoms result in higher remission rates?. <i>Journal of Clinical Psychiatry</i> , <b>2004</b> , 65, 521-30	4.6	156

31	Daytime sleepiness and insomnia as correlates of depression. <i>Journal of Clinical Psychiatry</i> , <b>2004</b> , 65 Suppl 16, 27-32	4.6	56
30	The problem of the placebo response in clinical trials for psychiatric disorders: culprits, possible remedies, and a novel study design approach. <i>Psychotherapy and Psychosomatics</i> , <b>2003</b> , 72, 115-27	9.4	333
29	Switching to reboxetine: an efficacy and safety study in patients with major depressive disorder unresponsive to fluoxetine. <i>Journal of Clinical Psychopharmacology</i> , <b>2003</b> , 23, 365-9	1.7	22
28	Background and rationale for the sequenced treatment alternatives to relieve depression (STAR*D) study. <i>Psychiatric Clinics of North America</i> , <b>2003</b> , 26, 457-94, x	3.1	373
27	Diagnosis and definition of treatment-resistant depression. <i>Biological Psychiatry</i> , <b>2003</b> , 53, 649-59	7.9	888
26	Switching to bupropion in fluoxetine-resistant major depressive disorder. <i>Annals of Clinical Psychiatry</i> , <b>2003</b> , 15, 17-22	1.4	7
25	Depression with physical symptoms: treating to remission. <i>Journal of Clinical Psychiatry</i> , <b>2003</b> , 64 Suppl 7, 24-8	4.6	6
24	The role of the serotonergic and noradrenergic neurotransmitter systems in the treatment of psychological and physical symptoms of depression. <i>Journal of Clinical Psychiatry</i> , <b>2003</b> , 64 Suppl 13, 26-9	4.6	18
23	Double-blind study of high-dose fluoxetine versus lithium or desipramine augmentation of fluoxetine in partial responders and nonresponders to fluoxetine. <i>Journal of Clinical Psychopharmacology</i> , <b>2002</b> , 22, 379-87	1.7	95
22	Acute efficacy of fluoxetine versus sertraline and paroxetine in major depressive disorder including effects of baseline insomnia. <i>Journal of Clinical Psychopharmacology</i> , <b>2002</b> , 22, 137-47	1.7	58
21	Treatment approaches to major depressive disorder relapse. Part 2: reinitiation of antidepressant treatment. <i>Psychotherapy and Psychosomatics</i> , <b>2002</b> , 71, 195-9	9.4	24
20	Somatic symptoms, depression, and antidepressant treatment. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63, 305-7	4.6	65
19	Sexual functioning and SSRIs. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63 Suppl 5, 13-6; discussion 23-5	4.6	20
18	Severe depression: is there a best approach?. <i>CNS Drugs</i> , <b>2001</b> , 15, 765-76	6.7	58
17	Interruption of selective serotonin reuptake inhibitor treatment. Double-blind, placebo-controlled trial. <i>British Journal of Psychiatry</i> , <b>2000</b> , 176, 363-8	5.4	149
16	Strategies for managing depression refractory to selective serotonin reuptake inhibitor treatment: a survey of clinicians. <i>Canadian Journal of Psychiatry</i> , <b>2000</b> , 45, 476-81	4.8	60
15	Anger attacks in depression. <i>Depression and Anxiety</i> , <b>1998</b> , 8, 59-63	8.4	40
14	Anger attacks in depression <b>1998</b> , 8, 59		2

- |    |   |     |     |
|----|---|-----|-----|
| 13 | A cross-sectional study of private psychiatric practices under a single-payer health care system. <i>Canadian Journal of Psychiatry</i> , <b>1997</b> , 42, 395-401 | 4.8 | 2   |
| 12 | Are dependency and self-criticism risk factors for major depressive disorder?. <i>Canadian Journal of Psychiatry</i> , <b>1997</b> , 42, 291-7                      | 4.8 | 5   |
| 11 | Definition and epidemiology of treatment-resistant depression. <i>Psychiatric Clinics of North America</i> , <b>1996</b> , 19, 179-200                              | 3.1 | 524 |
| 10 | S-Adenosylmethionine (Ademetionine) in Psychiatric Disorders. <i>CNS Drugs</i> , <b>1996</b> , 6, 416-425   | 6.7 | 34  |
| 9  | Prolactin and stress. <i>Stress and Health</i> , <b>1987</b> , 3, 211-216   |     | 10  |
| 8  | Self-management of depression using meditation138-162   |     |     |
| 7  | Cultivating social support163-189   |     |     |
| 6  | The use of self-management for depression1-23   |     |     |
| 5  | Care management of depression: treatment of depression in primary care and the need for a multidisciplinary approach24-45   |     |     |
| 4  | Self-assessment instruments for depression46-67   |     |     |
| 3  | Self-help: the role of bibliotherapy and computerized psychotherapy in self-management for depression68-106   |     |     |
| 2  | Physical exercise as a form of self-management for depression107-137  |     |     |
| 1  | Putting it all together: applying self-management for depression in your practice190-198  |     |     |