

Paolo Boscolo Rizzo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4614941/paolo-boscolo-rizzo-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

2,675
citations

26
h-index

48
g-index

149
ext. papers

3,556
ext. citations

4.3
avg, IF

5.51
L-index

#	Paper	IF	Citations
128	The Effects of Persistent Olfactory and Gustatory Dysfunctions on Quality of Life in Long-COVID-19 Patients.. <i>Life</i> , 2022 , 12,	3	4
127	Comprehensive Chemosensory Psychophysical Evaluation of Self-reported Gustatory Dysfunction in Patients With Long-term COVID-19: A Cross-sectional Study.. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2022 ,	3.9	3
126	Different inflammatory blood markers correlate with specific outcomes in incident HPV-negative head and neck squamous cell carcinoma: a retrospective cohort study.. <i>BMC Cancer</i> , 2022 , 22, 243	4.8	1
125	Coronavirus disease 2019 (COVID-19)-related smell and taste impairment with widespread diffusion of severe acute respiratory syndrome-coronavirus-2 (SARS-CoV-2) Omicron variant.. <i>International Forum of Allergy and Rhinology</i> , 2022 ,	6.3	8
124	In Response to Clinical Features of Parosmia Associated with COVID-19 Infection.. <i>Laryngoscope</i> , 2022 ,	3.6	
123	The detection of smell disorder depends on the clinical tools.. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2022 , 103445	2.8	
122	ENT symptoms in acute COVID-19: a narrative review. <i>Acta Otorhinolaryngologica Italica</i> , 2022 , 42, S14-S19	1.9	
121	Prevalence of occult nodal metastases in squamous cell carcinoma of the temporal bone: a systematic review and meta-analysis.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	1
120	In Response to Smell and Taste Loss in COVID-19 After Complete Vaccination: Correspondence.. <i>Laryngoscope</i> , 2021 ,	3.6	1
119	Prognostic indicators in clinically node-negative malignant primary salivary tumours of the parotid: A multicentre experience. <i>Oral Oncology</i> , 2021 , 123, 105577	4.4	1
118	Prevalence of Persistent Olfactory Disorders in Patients With COVID-19: A Psychophysical Case-Control Study With 1-Year Follow-up. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 1945998211061511	5.5	11
117	Promoter Mutations and rs2853669 Polymorphism: Useful Markers for Clinical Outcome Stratification of Patients With Oral Cavity Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 782658	5.3	0
116	Prognostic Significance of PD-L1 Expression In Patients With Primary Oropharyngeal Squamous Cell Carcinoma: A Meta-Analysis.. <i>Frontiers in Oncology</i> , 2021 , 11, 787864	5.3	1
115	New Onset of Smell and Taste Loss Are Common Findings Also in Patients With Symptomatic COVID-19 After Complete Vaccination. <i>Laryngoscope</i> , 2021 ,	3.6	10
114	Discrepancies of SARS-CoV-2 testing results among patients with total laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	1
113	Risk management during COVID-19: safety procedures for otolaryngologists. <i>Acta Biomedica</i> , 2021 , 92, e2021105	3.2	13
112	The importance of early detection of ENT symptoms in mild-to-moderate COVID-19. <i>Acta Otorhinolaryngologica Italica</i> , 2021 , 41, 101-107	2.8	5

111	Post-operative outcomes of different surgical approaches to oropharyngeal squamous cell cancer: a case-matched study. <i>Journal of Laryngology and Otology</i> , 2021 , 135, 348-354	1.8	2
110	Six-month smell and taste recovery rates in coronavirus disease 2019 patients: a prospective psychophysical study. <i>Journal of Laryngology and Otology</i> , 2021 , 135, 436-441	1.8	24
109	The risk of recurrence in surgically treated head and neck squamous cell carcinomas: a conditional probability approach. <i>Acta Oncologica</i> , 2021 , 60, 942-947	3.2	1
108	Self-reported smell and taste recovery in coronavirus disease 2019 patients: a one-year prospective study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	23
107	Extranodal extension in head and neck squamous cell cancer: is there a role for further stratification?. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2021 , 59, 567-572	1.4	1
106	Sequelae in adults at 12 months after mild-to-moderate coronavirus disease 2019 (COVID-19). <i>International Forum of Allergy and Rhinology</i> , 2021 , 11, 1685-1688	6.3	19
105	Correct Execution of the Nasopharyngeal Swab: A Fundamental Method to Improve Diagnosis of SARS-CoV-2 Infection. <i>Journal of Doctoral Nursing Practice</i> , 2021 ,	0.2	2
104	COVID-19 in the tonsillectomised population. <i>Acta Otorhinolaryngologica Italica</i> , 2021 , 41, 197-205	2.8	2
103	Prognostic value of H-index in patients surgically treated for squamous cell carcinoma of the larynx. <i>Laryngoscope Investigative Otolaryngology</i> , 2021 , 6, 729-737	2.8	0
102	Analysis of the correlations between the severity of lung involvement and olfactory psychophysical scores in coronavirus disease 2019 (COVID-19) patients. <i>International Forum of Allergy and Rhinology</i> , 2021 ,	6.3	7
101	Pretreatment High MCV as Adverse Prognostic Marker in Nonanemic Patients with Head and Neck Cancer. <i>Laryngoscope</i> , 2021 , 131, E836-E845	3.6	4
100	Is oro/nasopharyngeal swab for SARS-CoV-2 detection a safe procedure? Complications observed among a case series of 4876 consecutive swabs. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 102758	2.8	24
99	Elective neck dissection in primary parotid carcinomas: A systematic review and meta-analysis. <i>Journal of Oral Pathology and Medicine</i> , 2021 , 50, 136-144	3.3	5
98	Detection of HPV16/18 E6 Oncoproteins in Head and Neck Squamous Cell Carcinoma Using a Protein Immunochromatographic Assay. <i>Laryngoscope</i> , 2021 , 131, 1042-1048	3.6	2
97	Giant Epidermoid Cyst of Posterior Fossa-Our Experience and Literature Review. <i>Dose-Response</i> , 2021 , 19, 15593258211002061	2.3	3
96	Six-Month Psychophysical Evaluation of Olfactory Dysfunction in Patients with COVID-19. <i>Chemical Senses</i> , 2021 , 46,	4.8	44
95	Understanding COVID-19-Related Olfactory Dysfunction-Reply. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2021 , 147, 109-110	3.9	2
94	Prognostic Significance of CD4+ and CD8+ Tumor-Infiltrating Lymphocytes in Head and Neck Squamous Cell Carcinoma: A Meta-Analysis. <i>Cancers</i> , 2021 , 13,	6.6	15

93	Accuracy of the Anatomage Table in detecting extranodal extension in head and neck cancer: a pilot study. <i>Journal of Medical Imaging</i> , 2021 , 8, 014502	2.6	6
92	A Severe Acute Respiratory Syndrome Coronavirus 2 detection method based on nasal and nasopharyngeal lavage fluid: A pilot feasibility study. <i>Laryngoscope Investigative Otolaryngology</i> , 2021 , 6, 646-649	2.8	2
91	Clinical implications of alpha, beta, and gamma HPV infection in juvenile onset recurrent respiratory papillomatosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	
90	Relevance of perimarginal nodes for head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	0
89	High prevalence of long-term olfactory, gustatory, and chemesthesis dysfunction in post-COVID-19 patients: a matched case-control study with one-year follow-up using a comprehensive psychophysical evaluation. <i>Rhinology</i> , 2021 , 59, 517-527	7	16
88	COVID-Q: Validation of the first COVID-19 questionnaire based on patient-rated symptom gravity. <i>International Journal of Clinical Practice</i> , 2021 , e14829	2.9	4
87	The CO waveguide laser with flexible fiber in transoral resection of oral and oropharyngeal cancers: a retrospective cohort study on postoperative and quality of life outcomes. <i>Lasers in Medical Science</i> , 2021 , 1	3.1	
86	Advanced lung cancer inflammation index and its prognostic value in HPV-negative head and neck squamous cell carcinoma: a multicentre study. <i>Supportive Care in Cancer</i> , 2021 , 29, 4683-4691	3.9	5
85	The Effect of Isotonic Saline Nasal Lavages in Improving Symptoms in SARS-CoV-2 Infection: A Case-Control Study.. <i>Frontiers in Neurology</i> , 2021 , 12, 794471	4.1	1
84	Beyond MicroRNAs: Emerging Role of Other Non-Coding RNAs in HPV-Driven Cancers. <i>Cancers</i> , 2020 , 12,	6.6	11
83	Age-independent increasing prevalence of Human Papillomavirus-driven oropharyngeal carcinomas in North-East Italy. <i>Scientific Reports</i> , 2020 , 10, 9320	4.9	10
82	Survival rates and quality of life of nasopharyngeal carcinoma patients 2020 , 255-276		0
81	Evolution of Altered Sense of Smell or Taste in Patients With Mildly Symptomatic COVID-19. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2020 , 146, 729-732	3.9	103
80	HCV infection and the risk of head and neck cancer: A meta-analysis. <i>Oral Oncology</i> , 2020 , 109, 104869	4.4	4
79	Challenges in interpreting the diagnostic performance of symptoms to predict COVID-19 status: The case of anosmia. <i>International Forum of Allergy and Rhinology</i> , 2020 , 10, 1113-1115	6.3	5
78	Self-reported alteration of sense of smell or taste in patients with COVID-19: a systematic review and meta-analysis on 3563 patients. <i>Rhinology</i> , 2020 , 58, 430-436	7	45
77	High prevalence of human papillomavirus infection in sinonasal inverted papilloma: a single-institution cohort of patients. <i>International Forum of Allergy and Rhinology</i> , 2020 , 10, 629-635	6.3	1
76	Disposable chlorine dioxide wipes for high-level disinfection in the ENT department: A systematic review. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020 , 41, 102415	2.8	1

75	The diagnostic value of cytology in parotid Warthin's tumors: International multicenter series. <i>Head and Neck</i> , 2020 , 42, 2215-2216	4.2	0
74	TERT promoter hotspot mutations and their relationship with TERT levels and telomere erosion in patients with head and neck squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 381-389	4.9	7
73	Beta human papillomaviruses infection and skin carcinogenesis. <i>Reviews in Medical Virology</i> , 2020 , 30, e2104	11.7	9
72	Jawbone fibrous dysplasia: retrospective evaluation in a cases series surgically treated and short review of the literature. <i>Acta Biomedica</i> , 2020 , 92, e2021018	3.2	
71	New onset of loss of smell or taste in household contacts of home-isolated SARS-CoV-2-positive subjects. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 2637-2640	3.5	44
70	Surgical Anatomy of the Marginal Mandibular Nerve: A Systematic Review and Meta-Analysis. <i>Clinical Anatomy</i> , 2020 , 33, 739-750	2.5	9
69	The diagnostic value of cytology in parotid Warthin's tumors: international multicenter series. <i>Head and Neck</i> , 2020 , 42, 522-529	4.2	6
68	Predominance of an altered sense of smell or taste among long-lasting symptoms in patients with mildly symptomatic COVID-19. <i>Rhinology</i> , 2020 , 58, 524-525	7	28
67	Smell and taste recovery in coronavirus disease 2019 patients: a 60-day objective and prospective study. <i>Journal of Laryngology and Otology</i> , 2020 , 134, 703-709	1.8	102
66	Topical Steroids in Rhinosinusitis and Intraoperative Bleeding: More Harm Than Good?. <i>Ear, Nose and Throat Journal</i> , 2020 , 99, 388-394	1	2
65	Alterations in Smell or Taste in Mildly Symptomatic Outpatients With SARS-CoV-2 Infection. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2089-2090	27.4	403
64	Primary hemangiopericytoma of the infratemporal fossa. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2020 , 34, 691-695	0.7	2
63	Antibody Responses to Cancer Antigens Identify Patients with a Poor Prognosis among HPV-Positive and HPV-Negative Head and Neck Squamous Cell Carcinoma Patients. <i>Clinical Cancer Research</i> , 2019 , 25, 7405-7412	12.9	7
62	Patterns of antibody responses to nonviral cancer antigens in head and neck squamous cell carcinoma patients differ by human papillomavirus status. <i>International Journal of Cancer</i> , 2019 , 145, 3436-3444	7.5	4
61	Absence of disruptive TP53 mutations in high-risk human papillomavirus-driven neck squamous cell carcinoma of unknown primary. <i>Head and Neck</i> , 2019 , 41, 3833-3841	4.2	0
60	Association between hepatitis C and B viruses and head and neck squamous cell carcinoma. <i>Journal of Clinical Virology</i> , 2019 , 121, 104209	14.5	2
59	HPV as a marker for molecular characterization in head and neck oncology: Looking for a standardization of clinical use and of detection method(s) in clinical practice. <i>Head and Neck</i> , 2019 , 41, 1104-1111	4.2	24
58	Predictive and prognostic significance of telomerase levels/telomere length in tissues and peripheral blood in head and neck squamous cell carcinoma. <i>Scientific Reports</i> , 2019 , 9, 17572	4.9	4

57	The evolution of the epidemiological landscape of head and neck cancer in Italy: Is there evidence for an increase in the incidence of potentially HPV-related carcinomas?. <i>PLoS ONE</i> , 2018 , 13, e0192621	3.7	36
56	Human papillomavirus as prognostic marker with rising prevalence in neck squamous cell carcinoma of unknown primary: A retrospective multicentre study. <i>European Journal of Cancer</i> , 2017 , 74, 73-81	7.5	47
55	The AJCC/UICC eighth edition for staging head and neck cancers: Is it wise to de-escalate treatment regimens in p16-positive oropharyngeal cancer patients?. <i>International Journal of Cancer</i> , 2017 , 141, 1490-1491 ⁹	7.5	19
54	Sensitivity and specificity of antibodies against HPV16 E6 and other early proteins for the detection of HPV16-driven oropharyngeal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2017 , 140, 2748-2757	7.5	68
53	Prevalence and Determinants of Oral Human Papillomavirus Infection in 500 Young Adults from Italy. <i>PLoS ONE</i> , 2017 , 12, e0170091	3.7	19
52	Novel insights into epigenetic drivers of oropharyngeal squamous cell carcinoma: role of HPV and lifestyle factors. <i>Clinical Epigenetics</i> , 2017 , 9, 124	7.7	21
51	Oncogenic DNA viruses found in salivary gland tumors. <i>Oral Oncology</i> , 2017 , 75, 106-110	4.4	13
50	Prognostic significance of LINE-1 hypomethylation in oropharyngeal squamous cell carcinoma. <i>Clinical Epigenetics</i> , 2017 , 9, 58	7.7	21
49	Beware of the dangers along the path towards the diagnosis of HPV-driven oropharyngeal squamous cell carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , 2017 , 37, 63-64	2.8	1
48	Head and Neck Extranodal Interdigitating Dendritic Cell Sarcoma: Case Report and Review of the Literature. <i>Head and Neck Pathology</i> , 2016 , 10, 145-51	3.3	15
47	Gene promoter methylation signature predicts survival of head and neck squamous cell carcinoma patients. <i>Epigenetics</i> , 2016 , 11, 61-73	5.7	24
46	Charcoal Suspension Tattoo: A New Technique for Intraoperative Detection of Small Tumors of the Parotid Gland. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2016 , 125, 529-35	2.1	4
45	From HPV-positive towards HPV-driven oropharyngeal squamous cell carcinomas. <i>Cancer Treatment Reviews</i> , 2016 , 42, 24-9	14.4	58
44	Targeting cellular and molecular drivers of head and neck squamous cell carcinoma: current options and emerging perspectives. <i>Cancer and Metastasis Reviews</i> , 2016 , 35, 413-26	9.6	32
43	Low prevalence of HPV-driven head and neck squamous cell carcinoma in North-East Italy. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016 , 2, 133-140	4.6	23
42	Telomeres and telomerase in head and neck squamous cell carcinoma: from pathogenesis to clinical implications. <i>Cancer and Metastasis Reviews</i> , 2016 , 35, 457-74	9.6	38
41	Telomere shortening in mucosa surrounding the tumor: biosensor of field cancerization and prognostic marker of mucosal failure in head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2015 , 51, 500-7	4.4	30
40	Non-endemic locoregionally advanced nasopharyngeal carcinoma: long-term outcome after induction plus concurrent chemoradiotherapy in everyday clinical practice. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 3491-8	3.5	9

39	The prevalence of human papillomavirus in squamous cell carcinoma of unknown primary site metastatic to neck lymph nodes: a systematic review. <i>Clinical and Experimental Metastasis</i> , 2015 , 32, 835-47	4.7	33
38	Investigating nasal cytology as a potential tool for diagnosing occupational rhinitis in woodworkers. <i>International Forum of Allergy and Rhinology</i> , 2015 , 5, 814-9	6.3	9
37	Health utilities lost and risk factors associated with HPV-induced diseases in men and women: the HPV Italian collaborative study group. <i>Clinical Therapeutics</i> , 2015 , 37, 156-167.e4	3.5	20
36	Conchomeatoplasty: a new technique. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 2975-8	3.5	
35	Evidence of the causal role of human papillomavirus type 58 in an oropharyngeal carcinoma. <i>Virology Journal</i> , 2013 , 10, 334	6.1	13
34	Is neck dissection necessary after induction plus concurrent chemoradiotherapy in complete responder head and neck cancer patients with pretherapy advanced nodal disease?. <i>Annals of Surgical Oncology</i> , 2013 , 20, 250-6	3.1	4
33	New insights into human papillomavirus-associated head and neck squamous cell carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , 2013 , 33, 77-87	2.8	68
32	Deep neck infections: a study of 365 cases highlighting recommendations for management and treatment. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012 , 269, 1241-9	3.5	78
31	Primary tumors and tumor-like lesions of the eustachian tube: a systematic review of an emerging entity. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012 , 269, 1723-32	3.5	14
30	Cochlear implant electrode array misplacement: a cautionary case report. <i>Journal of Laryngology and Otology</i> , 2012 , 126, 414-7	1.8	11
29	Non-sutured fixation of the internal receiver-stimulator in cochlear implantation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011 , 268, 961-5	3.5	14
28	Functional organ preservation after chemoradiotherapy in elderly patients with loco-regionally advanced head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011 , 268, 1349-55	3.5	15
27	Matched survival analysis in patients with locoregionally advanced resectable oropharyngeal carcinoma: platinum-based induction and concurrent chemoradiotherapy versus primary surgical resection. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 154-60	4	16
26	Functional organ preservation in patients with locoregionally advanced head and neck squamous cell carcinoma treated by platinum-based multidrug induction chemotherapy and concurrent chemoradiotherapy. <i>Annals of Oncology</i> , 2011 , 22, 1894-901	10.3	21
25	Early nutritional intervention improves treatment tolerance and outcomes in head and neck cancer patients undergoing concurrent chemoradiotherapy. <i>Supportive Care in Cancer</i> , 2010 , 18, 837-45	3.9	164
24	Pattern of lymph node metastases in squamous cell carcinoma of the tonsil: implication for selective neck dissection. <i>Oral Oncology</i> , 2009 , 45, 212-7	4.4	19
23	Long-term quality of life after treatment for locally advanced oropharyngeal carcinoma: surgery and postoperative radiotherapy versus concurrent chemoradiation. <i>Oral Oncology</i> , 2009 , 45, 953-7	4.4	53
22	HPV-16 E6 L83V variant in squamous cell carcinomas of the upper aerodigestive tract. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 559-66	4.9	32

21	p53 Mutation in histologically normal mucosa of the aero-digestive tract is not a marker of increased risk for second primary carcinoma in head and neck cancer patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009 , 266, 465-6	3.5	0
20	Submandibular space infection: a potentially lethal infection. <i>International Journal of Infectious Diseases</i> , 2009 , 13, 327-33	10.5	76
19	Long-term quality of life after total laryngectomy and postoperative radiotherapy versus concurrent chemoradiotherapy for laryngeal preservation. <i>Laryngoscope</i> , 2008 , 118, 300-6	3.6	97
18	Long-term results with tracheoesophageal voice prosthesis: primary versus secondary TEP. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008 , 265, 73-7	3.5	26
17	The impact of radiotherapy and GERD on in situ lifetime of indwelling voice prostheses. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008 , 265, 791-6	3.5	23
16	Multivariate analysis of risk factors for pharyngocutaneous fistula after total laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008 , 265, 929-36	3.5	77
15	Carcinoma metastatic to cervical lymph nodes from an occult primary tumor: the outcome after combined-modality therapy. <i>Annals of Surgical Oncology</i> , 2007 , 14, 1575-82	3.1	25
14	Cervical lymph node metastases from occult squamous cell carcinoma: analysis of 82 cases. <i>Orl</i> , 2006 , 68, 189-94	2	16
13	Deep neck infections: a constant challenge. <i>Orl</i> , 2006 , 68, 259-65	2	55
12	Conservative management of deep neck abscesses in adults: the importance of CECT findings. <i>Otolaryngology - Head and Neck Surgery</i> , 2006 , 135, 894-9	5.5	29
11	Transglottic acinic cell carcinoma. Case report and literature review. <i>Orl</i> , 2004 , 66, 286-9	2	13
10	Dermatomyositis and malignancy of the pharynx in Caucasian patients: report of two observations. <i>Rheumatology International</i> , 2003 , 23, 309-11	3.6	13
9	Systemic sclerosis in a patient with recent nasopharyngeal carcinoma: an unusual combination. <i>Joint Bone Spine</i> , 2003 , 70, 396-7	2.9	2
8	Sclérodémie systémique chez un patient ayant un carcinome nasopharyngien réent : une association inhabituelle. <i>Revue Du Rhumatisme (Edition Française)</i> , 2003 , 70, 779-780	0.1	
7	Laryngeal tuberculosis: an often forgotten diagnosis. <i>International Journal of Infectious Diseases</i> , 2003 , 7, 129-31	10.5	44
6	Paraganglioma of the Larynx. <i>Oto-rhino-laryngologia Nova</i> , 2002 , 12, 314-316		
5	New onset of loss of smell or taste in household contacts of home-isolated SARS-CoV-2 positive subjects		2
4	Self-reported smell and taste recovery in COVID-19 patients: a one-year prospective study		3

- 3 Long COVID In Adults at 12 Months After Mild-to-Moderate SARS-CoV-2 Infection 2
- 2 High prevalence of long-term psychophysical olfactory dysfunction in patients with COVID-19 2
- 1 COVID-19-related Smell and Taste Impairment with Widespread Diffusion of SARS-CoV-2 Omicron Variant 3