

Carlos Gustavo Wambier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4615255/publications.pdf>

Version: 2024-02-01

113
papers

1,909
citations

331670

21
h-index

315739

38
g-index

131
all docs

131
docs citations

131
times ranked

2347
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Scalp neuropathy in androgenetic alopecia. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 183-184. | 1.2 | 1 |
| 2 | SARS-CoV-2 infection in patients with thyroid disease: a cross-sectional study. <i>Annals of Thyroid</i> , 2022, 6, 7-7. | 1.0 | 6 |
| 3 | Novel cannabidiol aspartame combination treatment (JWâ€100) significantly reduces ISGA score in atopic dermatitis: Results from a randomized double-blind placebo-controlled interventional study. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 1647-1650. | 1.6 | 7 |
| 4 | Trichloroacetic acid peels for the treatment of acanthosis nigricans. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 203-204. | 1.2 | 3 |
| 5 | Comparative Genomics and Characterization of SARS-CoV-2 P.1 (Gamma) Variant of Concern From Amazonas, Brazil. <i>Frontiers in Medicine</i> , 2022, 9, 806611. | 2.6 | 10 |
| 6 | Re: Karin WelÃ©n, Ebba Rosendal, Magnus GisslÃ©n, et al. A Phase 2 Trial of the Effect of Antiandrogen Therapy on COVID-19 Outcome: No Evidence of Benefit, Supported by Epidemiology and In Vitro Data. <i>Eur Urol.</i> 2022;81:285â€93. <i>European Urology</i> , 2022, 81, e141-e142. | 1.9 | 2 |
| 7 | 815 Translational Research in Skin of Color Spontaneous Repigmentation of Post-Chemical Burn Leucoderma. <i>Journal of Burn Care and Research</i> , 2022, 43, S213-S214. | 0.4 | 0 |
| 8 | Circulation, sensation, and hair growth: A reply. <i>Journal of the American Academy of Dermatology</i> , 2022, , . | 1.2 | 0 |
| 9 | Combination tofacitinib and oral minoxidil treatment for severe alopecia areata. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 743-745. | 1.2 | 39 |
| 10 | Minoxidil Sulfotransferase Enzyme (SULT1A1) genetic variants predicts response to oral minoxidil treatment for female pattern hair loss. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e24-e26. | 2.4 | 8 |
| 11 | Antiandrogens may protect against severe COVIDâ€19 outcomes: results from a prospective cohort study of 77 hospitalized men. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e13-e15. | 2.4 | 54 |
| 12 | Clinical symptoms of hyperandrogenic women diagnosed with COVIDâ€19. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e101-e104. | 2.4 | 30 |
| 13 | Reply to comment on: The Gabrin sign. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, e149-e150. | 1.2 | 0 |
| 14 | Translational research on the role of formula stability in Hetter's phenolâ€croton oil peels: Analysis of chemical studies and clinical outcomes from a randomized, double-blinded, split-face controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 854-856. | 1.2 | 3 |
| 15 | Androgenetic alopecia may be associated with weaker COVID-19 cell immune response: An insight into a potential COVID-19 vaccine booster. <i>Medical Hypotheses</i> , 2021, 146, 110439. | 1.5 | 12 |
| 16 | Spirolactone in adolescent acne vulgaris. <i>Dermatologic Therapy</i> , 2021, 34, e14680. | 1.7 | 7 |
| 17 | 5â€alphaâ€reductase inhibitors are associated with reduced frequency of COVIDâ€19 symptoms in males with androgenetic alopecia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e243-e246. | 2.4 | 42 |
| 18 | Androgen receptor genetic variant predicts COVIDâ€19 disease severity: a prospective longitudinal study of hospitalized COVIDâ€19 male patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e15-e17. | 2.4 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Novel cannabidiol sunscreen protects keratinocytes and melanocytes against ultraviolet B radiation. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 1350-1352. | 1.6 | 10 |
| 20 | Reply to: "Comment on "Androgenetic alopecia present in the majority of patients hospitalized with COVID-19". <i>Journal of the American Academy of Dermatology</i> , 2021, 84, e53-e54. | 1.2 | 2 |
| 21 | Another beneficial effect of phototherapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 11-12. | 2.4 | 1 |
| 22 | Focus on clinical outcomes of "Hydroxychloroquine and azithromycin as a treatment of COVID-19: results of an open-label non-randomized clinical trial". <i>International Journal of Antimicrobial Agents</i> , 2021, 57, 106175. | 2.5 | 2 |
| 23 | The AndroCoV Clinical Scoring for COVID-19 Diagnosis: A Prompt, Feasible, Costless, and Highly Sensitive Diagnostic Tool for COVID-19 Based on a 1757-Patient Cohort. <i>Cureus</i> , 2021, 13, e12565. | 0.5 | 9 |
| 24 | Proxalutamide Significantly Accelerates Viral Clearance and Reduces Time to Clinical Remission in Patients with Mild to Moderate COVID-19: Results from a Randomized, Double-Blinded, Placebo-Controlled Trial. <i>Cureus</i> , 2021, 13, e13492. | 0.5 | 46 |
| 25 | Nonablative radiofrequency for the treatment of androgenetic alopecia: An open-label study. <i>Dermatological Reviews</i> , 2021, 2, 129-131. | 0.5 | 0 |
| 26 | Expression of concern: potential risk for developing severe COVID-19 disease among anabolic steroid users. <i>BMJ Case Reports</i> , 2021, 14, e241572. | 0.5 | 20 |
| 27 | Early Antiandrogen Therapy With Dutasteride Reduces Viral Shedding, Inflammatory Responses, and Time-to-Remission in Males With COVID-19: A Randomized, Double-Blind, Placebo-Controlled Interventional Trial (EAT-DUTA AndroCoV Trial "Biochemical). <i>Cureus</i> , 2021, 13, e13047. | 0.5 | 51 |
| 28 | Characterization of the Activity of Croton tiglium Oil in Hetter's Very Heavy Phenol "Croton Oil Chemical Peels. <i>Dermatologic Surgery</i> , 2021, Publish Ahead of Print, 944-946. | 0.8 | 4 |
| 29 | Surgical interventions for androgenetic alopecia. <i>Dermatological Reviews</i> , 2021, 2, 132-135. | 0.5 | 0 |
| 30 | Could diet and exercise reduce risk of COVID-19 syndemic?. <i>Medical Hypotheses</i> , 2021, 148, 110502. | 1.5 | 17 |
| 31 | Lucio's Phenomenon. <i>New England Journal of Medicine</i> , 2021, 384, 1646-1646. | 27.0 | 4 |
| 32 | Letter to the Editor on "COVID-19 Infection in Men on Testosterone Replacement Therapy". <i>Journal of Sexual Medicine</i> , 2021, 18, 1141-1142. | 0.6 | 1 |
| 33 | Letter to the Editor re: Baldassarri et al., 2021 "Shorter androgen receptor polyQ alleles protect against life-threatening COVID-19 disease in European males". <i>EBioMedicine</i> , 2021, 68, 103425. | 6.1 | 1 |
| 34 | Early COVID-19 therapy with azithromycin plus nitazoxanide, ivermectin or hydroxychloroquine in outpatient settings significantly improved COVID-19 outcomes compared to known outcomes in untreated patients. <i>New Microbes and New Infections</i> , 2021, 43, 100915. | 1.6 | 20 |
| 35 | Proxalutamide Reduces the Rate of Hospitalization for COVID-19 Male Outpatients: A Randomized Double-Blinded Placebo-Controlled Trial. <i>Frontiers in Medicine</i> , 2021, 8, 668698. | 2.6 | 43 |
| 36 | Response to "Microneedling with autologous platelet-rich plasma versus microneedling with topical insulin in the treatment of postacne atrophic scars: A simultaneous split-face comparative study". <i>Journal of the American Academy of Dermatology</i> , 2021, 85, e395-e396. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Electrocardiogram Findings in Patients with Alopecia Areata. <i>Dermatology and Therapy</i> , 2021, 11, 2217-2223. | 3.0 | 0 |
| 38 | Androgen Deprivation Therapy in Men with Prostate Cancer Does Not Affect Risk of Infection With SARS-CoV-2. Letter.. <i>Journal of Urology</i> , 2021, 206, 784-785. | 0.4 | 0 |
| 39 | Time of onset and duration of post-COVID-19 acute telogen effluvium. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 975-976. | 1.2 | 30 |
| 40 | COVID-19, androgens, and androgenic alopecia. <i>Dermatological Reviews</i> , 2021, 2, 146-153. | 0.5 | 7 |
| 41 | Influence of climate factors on pediatric alopecia areata flares in Philadelphia, Pennsylvania. <i>Scientific Reports</i> , 2021, 11, 21034. | 3.3 | 2 |
| 42 | Reply to early-onset effluvium secondary to COVID-19 and body hair effluvium. <i>Journal of the American Academy of Dermatology</i> , 2021, , . | 1.2 | 0 |
| 43 | Final Results of a Randomized, Placebo-Controlled, Two-Arm, Parallel Clinical Trial of Proxalutamide for Hospitalized COVID-19 Patients: A Multiregional, Joint Analysis of the Proxa-Rescue AndroCoV Trial. <i>Cureus</i> , 2021, 13, e20691. | 0.5 | 19 |
| 44 | Effect of injection solutions in the dispersion of syringe lubricant (silicone oil). <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 747-749. | 1.2 | 2 |
| 45 | Silicone Oil's Systemic Safety Data Still Pending. <i>Dermatologic Surgery</i> , 2020, 46, 1757-1758. | 0.8 | 2 |
| 46 | Depth Map for Face and Neck Deep Chemical Peel Resurfacing. <i>Dermatologic Surgery</i> , 2020, 46, 1204-1209. | 0.8 | 5 |
| 47 | Letter to the Editor:Environmental Effects on Reported Infections and Death Rates of COVID-19 Across 91 Major Brazilian Cities. <i>High Altitude Medicine and Biology</i> , 2020, 21, 431-433. | 0.9 | 4 |
| 48 | Are night shift workers at an increased risk for COVID-19?. <i>Medical Hypotheses</i> , 2020, 144, 110147. | 1.5 | 24 |
| 49 | Silicone-rich syringes can cause granuloma-rich reactions in platelet-rich plasma injections. <i>JAAD Case Reports</i> , 2020, 6, 751-752. | 0.8 | 5 |
| 50 | Pernio during the COVID-19 pandemic and review of inflammation patterns and mechanisms of hypercoagulability. <i>JAAD Case Reports</i> , 2020, 6, 898-899. | 0.8 | 1 |
| 51 | Spirolactone may provide protection from SARS-CoV-2: Targeting androgens, angiotensin converting enzyme 2 (ACE2), and renin-angiotensin-aldosterone system (RAAS). <i>Medical Hypotheses</i> , 2020, 143, 110112. | 1.5 | 45 |
| 52 | Male balding as a major risk factor for severe COVID-19: A possible role for targeting androgens and transmembrane protease serine 2 to protect vulnerable individuals. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e401-e402. | 1.2 | 6 |
| 53 | Androgenetic alopecia in COVID-19: Compared to age-matched epidemiologic studies and hospital outcomes with or without the Gabrin sign. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e453-e454. | 1.2 | 38 |
| 54 | Spirolactone: An Anti-androgenic and Anti-hypertensive Drug That May Provide Protection Against the Novel Coronavirus (SARS-CoV-2) Induced Acute Respiratory Distress Syndrome (ARDS) in COVID-19. <i>Frontiers in Medicine</i> , 2020, 7, 453. | 2.6 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Novel topical booster enhances follicular sulfotransferase activity in patients with androgenetic alopecia: a new strategy to improve minoxidil response. Journal of the European Academy of Dermatology and Venereology, 2020, 34, e799-e800. | 2.4 | 5 |
| 56 | Androgen sensitivity gateway to COVID-19 disease severity. Drug Development Research, 2020, 81, 771-776. | 2.9 | 126 |
| 57 | Reviving the call for weight by volume standardization of trichloroacetic acid peel solutions. Journal of the American Academy of Dermatology, 2020, 82, 1542-1544. | 1.2 | 4 |
| 58 | Depth of injury of Hetter's phenol-croton oil chemical peel formula using 2 different emulsifying agents. Journal of the American Academy of Dermatology, 2020, 82, 1544-1546. | 1.2 | 5 |
| 59 | What does androgenetic alopecia have to do with COVID-19? An insight into a potential new therapy. Dermatologic Therapy, 2020, 33, e13365. | 1.7 | 52 |
| 60 | Reply to: "Personal protective equipment recommendations based on COVID-19 route of transmission". Journal of the American Academy of Dermatology, 2020, 83, e47. | 1.2 | 2 |
| 61 | Cutaneous absorption of tretinoin in 0.05% cream and 5% chemical peel formulas. Journal of the American Academy of Dermatology, 2020, 83, 1483-1485. | 1.2 | 2 |
| 62 | Rational hand hygiene during the coronavirus 2019 (COVID-19) pandemic. Journal of the American Academy of Dermatology, 2020, 82, e211. | 1.2 | 70 |
| 63 | Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection is likely to be androgen mediated. Journal of the American Academy of Dermatology, 2020, 83, 308-309. | 1.2 | 182 |
| 64 | Racial variations in COVID-19 deaths may be due to androgen receptor genetic variants associated with prostate cancer and androgenetic alopecia. Are antiandrogens a potential treatment for COVID-19?. Journal of Cosmetic Dermatology, 2020, 19, 1542-1543. | 1.6 | 75 |
| 65 | A preliminary observation: Male pattern hair loss among hospitalized COVID-19 patients in Spain " A potential clue to the role of androgens in COVID-19 severity. Journal of Cosmetic Dermatology, 2020, 19, 1545-1547. | 1.6 | 149 |
| 66 | Androgenetic alopecia present in the majority of patients hospitalized with COVID-19: The "Gabrin sign". Journal of the American Academy of Dermatology, 2020, 83, 680-682. | 1.2 | 136 |
| 67 | Clock genes may drive seasonal variation in SARS-CoV-2 infectivity: are we due for a second wave of COVID-19 in the fall?. Journal of Biological Regulators and Homeostatic Agents, 2020, 34, 1455-1457. | 0.7 | 4 |
| 68 | Introduction: Classification of Peels. , 2020, , 3-13. | | 0 |
| 69 | Erupção cutânea pustulosa após injeção de preenchimento dérmico não deve ser interpretada como infecção por Herpes Simplex. Surgical and Cosmetic Dermatology, 2020, 12, . | 0.0 | 0 |
| 70 | Comentário sobre o peeling sequencial de Jessner + ATA 35% para o tratamento do campo cancerizável da face. Surgical and Cosmetic Dermatology, 2020, 12, . | 0.0 | 0 |
| 71 | Phenol-Croton Oil Peels. , 2020, , 99-105. | | 0 |
| 72 | Tratamento adjuvante com minoxidil oral para tratamento de alopecia areata refratária a inibidores de JAK. Surgical and Cosmetic Dermatology, 2020, 12, . | 0.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Microneedling improves minoxidil response in androgenetic alopecia patients by upregulating follicular sulfotransferase enzymes. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2020, 34, 659-661. | 0.7 | 4 |
| 74 | Rule of thumb: A simple tool to estimate 1% scalp surface area. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 630-631. | 1.2 | 6 |
| 75 | Basic chemical peeling: Superficial and medium-depth peels. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 313-324. | 1.2 | 70 |
| 76 | Advanced chemical peels: Phenol-croton oil peel. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 327-336. | 1.2 | 38 |
| 77 | Reply to: "Comment on "Rule of thumb: A simple tool to estimate 1% scalp surface area": Whose thumb is it anyway?" <i>Journal of the American Academy of Dermatology</i> , 2019, 81, e185. | 1.2 | 0 |
| 78 | Flush technique to minimize adverse reactions from syringe lubricant (silicone oil). <i>Journal of the American Academy of Dermatology</i> , 2019, 81, e169-e171. | 1.2 | 10 |
| 79 | IL-12/IL-23 neutralization is ineffective for alopecia areata in mice and humans. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1731-1734.e1. | 2.9 | 19 |
| 80 | Segmental phenol-Croton oil chemical peels for treatment of periorbital or perioral rhytides. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, e165-e166. | 1.2 | 11 |
| 81 | Comment on "Anti-aging effects of ingenol mebutate for patients with actinic keratosis" and phenol-croton oil peelings. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e185-e186. | 1.2 | 3 |
| 82 | Augmentation and eversion of lips without injections: The lip peel. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e119-e120. | 1.2 | 6 |
| 83 | Epidermal necrolysis: SCORTEN performance in AIDS and non-AIDS patients. <i>Anais Brasileiros De Dermatologia</i> , 2019, 94, 17-23. | 1.1 | 8 |
| 84 | Response to "Clinical and Histologic Evaluation of Ingenol Mebutate 0.015% Gel for the Cosmetic Improvement of Photoaged Skin". <i>Dermatologic Surgery</i> , 2019, 45, 857-859. | 0.8 | 1 |
| 85 | Sepsis assessment in SJS/TEN: an important point overlooked? Reply. <i>Anais Brasileiros De Dermatologia</i> , 2019, 94, 774. | 1.1 | 0 |
| 86 | Rethinking the classification of alopecia areata. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e45. | 1.2 | 13 |
| 87 | Comment on "Surgical smoke: Risk assessment and mitigation strategies" and chemical adsorption by activated carbon N95 masks. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e79-e80. | 1.2 | 9 |
| 88 | Injectable poly-L-lactic acid: Instant hydration in lukewarm water bath and use of a thin needle to filter particles. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, e3-e4. | 1.2 | 3 |
| 89 | Prolongation of rate-corrected QT interval during phenol-croton oil peels. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 810-812. | 1.2 | 8 |
| 90 | 5-Fluorouracil tattooing for idiopathic guttate hypomelanosis. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, e81-e82. | 1.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Air Safety and Personal Protective Equipment for Phenol-Croton Oil Peels. <i>Dermatologic Surgery</i> , 2018, 44, 1035-1037. | 0.8 | 6 |
| 92 | Th17 Response of Borderline-Lepromatous Leprosy Inhibits Rash Manifestation of Dapsone Hypersensitivity Syndrome: Case Report. <i>American Journal of Dermatopathology</i> , 2018, 40, 205-208. | 0.6 | 2 |
| 93 | Syringe lubricant and adverse reactions. <i>International Journal of Dermatology</i> , 2018, 57, 122-123. | 1.0 | 6 |
| 94 | Dermatologic treatments with microinfusion of drugs into the skin with tattoo equipment: Teaser series. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, AB103. | 1.2 | 0 |
| 95 | Comment on "Activation of melanocytes in idiopathic guttate hypomelanosis after 5-fluorouracil infusion using a tattoo machine: Preliminary analysis of a randomized, split-body, single blinded, placebo controlled clinical trial". <i>Journal of the American Academy of Dermatology</i> , 2018, 79, e79. | 1.2 | 1 |
| 96 | Pesquisa de opinião sobre eficácia, custos e cicatrizaçãode procedimentos de resurfacing para rugas estéticas faciais. <i>Surgical and Cosmetic Dermatology</i> , 2018, 10, . | 0.0 | 0 |
| 97 | Familial outbreak of eruptive pseudoangiomatosis with dermoscopic and histopathologic correlation. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, S12-S15. | 1.2 | 8 |
| 98 | Dermoscopic diagnosis of scurvy. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, S52-S54. | 1.2 | 7 |
| 99 | Image Gallery: A case of pemphigus vulgaris following <i>Simulium</i> spp. (Diptera) bites. <i>British Journal of Dermatology</i> , 2017, 176, e100-e100. | 1.5 | 5 |
| 100 | Combining Phenol-Croton Oil Peel. <i>Clinical Approaches and Procedures in Cosmetic Dermatology</i> , 2017, , 1-13. | 0.0 | 1 |
| 101 | Treatment of reaction to red tattoo ink with intralesional triamcinolone. <i>Anais Brasileiros De Dermatologia</i> , 2017, 92, 748-750. | 1.1 | 3 |
| 102 | Comments: Hemiface comparative study of two phenol peels (Baker-Gordon and Hetter formulas) for the correction of facial rhytids. <i>Surgical and Cosmetic Dermatology</i> , 2017, 9, . | 0.0 | 1 |
| 103 | Beard alopecia caused by deoxycholic acid for the treatment of submental fat. <i>Surgical and Cosmetic Dermatology</i> , 2017, 9, . | 0.0 | 0 |
| 104 | Combining Superficial Chemical Peels. <i>Clinical Approaches and Procedures in Cosmetic Dermatology</i> , 2017, , 1-10. | 0.0 | 0 |
| 105 | Factors associated with seropositivity for APGL-among household contacts of leprosy patients. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2016, 49, 83-89. | 0.9 | 6 |
| 106 | The common coffee stirrer as a perfect application tool for imiquimod. <i>Surgical and Cosmetic Dermatology</i> , 2015, 7, . | 0.0 | 0 |
| 107 | NF κ B activation in cutaneous lesions of leprosy is associated with development of multibacillary infection. <i>Journal of Inflammation Research</i> , 2014, 7, 133. | 3.5 | 5 |
| 108 | Gamasoidosis illustrated: from the nest to dermoscopy. <i>Anais Brasileiros De Dermatologia</i> , 2012, 87, 926-927. | 1.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Brazilian blood donation eligibility criteria for dermatologic patients. Anais Brasileiros De Dermatologia, 2012, 87, 590-595. | 1.1 | 3 |
| 110 | Clinical and immunological evaluation after BCG-id vaccine in leprosy patients in a 5-year follow-up study. Journal of Inflammation Research, 2012, 5, 125. | 3.5 | 6 |
| 111 | Generalized Serpiginous Eruption during Immunosuppressive Treatment for Leprosy Reactive Neuritis. PLoS Neglected Tropical Diseases, 2011, 5, e1357. | 3.0 | 7 |
| 112 | Severe hypoglycemia after initiation of anti-tumor necrosis factor therapy with etanercept in a patient with generalized pustular psoriasis and type 2 diabetes mellitus. Journal of the American Academy of Dermatology, 2009, 60, 883-885. | 1.2 | 13 |
| 113 | Efficacy of Proxalutamide (GT0918) in Hospitalized COVID-19 Patients. SSRN Electronic Journal, 0, , . | 0.4 | 0 |