

Pascale Crochet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4615909/publications.pdf>

Version: 2024-02-01

91
papers

3,623
citations

81743

39
h-index

143772

57
g-index

113
all docs

113
docs citations

113
times ranked

2701
citing authors

#	ARTICLE	IF	CITATIONS
1	Arene-ruthenium(II) and osmium(II) complexes as catalysts for nitrile hydration and aldoxime rearrangement reactions. <i>Inorganica Chimica Acta</i> , 2021, 517, 120180.	1.2	7
2	N-[(1R)-1-(4-Chlorophenyl)ethyl]-Cyanamide. <i>MolBank</i> , 2021, 2021, M1198.	0.2	0
3	Dichloro(1-6-p-cymene)(P,P-diphenyl-N-propyl-phosphinous amide-1P)ruthenium(II). <i>MolBank</i> , 2021, 2021, M1217.	0.2	1
4	Access to α - and β -Hydroxyamides and Ureas Through Metal-Catalyzed C \equiv N Bond Hydration and Transfer Hydration Reactions. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 3225-3238.	1.0	4
5	Arene-Osmium(II) Complexes in Homogeneous Catalysis. <i>Inorganics</i> , 2021, 9, 55.	1.2	3
6	Half-sandwich ruthenium(ii) complexes with tethered arene-phosphinite ligands: synthesis, structure and application in catalytic cross dehydrogenative coupling reactions of silanes and alcohols. <i>Dalton Transactions</i> , 2020, 49, 210-222.	1.6	16
7	Catalytic hydration of cyanamides with phosphinous acid-based ruthenium(II) and osmium(II) complexes: scope and mechanistic insights. <i>Catalysis Science and Technology</i> , 2020, 10, 4084-4098.	2.1	9
8	Half-Sandwich Arene-Osmium(II) Complexes with Phosphinite Ligands. <i>MolBank</i> , 2020, 2020, M1110.	0.2	1
9	Hydrophilic η^6 -Arene Ruthenium(II) Complexes with P(O)H Ligands as Catalysts for the Isomerization of Allylbenzenes and C-H Bond Arylation Reactions in Water. <i>Organometallics</i> , 2019, 38, 3696-3706.	1.1	9
10	Synthesis of β -hydroxyamides through ruthenium-catalyzed hydration/transfer hydrogenation of β -ketonitriles in water: Scope and limitations. <i>Journal of Organometallic Chemistry</i> , 2019, 896, 90-101.	0.8	6
11	The chemistry of Group 8 metal complexes with phosphinous acids and related P(O)H ligands. <i>Coordination Chemistry Reviews</i> , 2019, 387, 199-234.	9.5	27
12	Cymene-Osmium(II) Complexes with Amino-Phosphane Ligands as Precatalysts for Nitrile Hydration Reactions. <i>ChemistrySelect</i> , 2018, 3, 4324-4329.	0.7	14
13	Strengthening the Combination between Enzymes and Metals in Aqueous Medium: Concurrent Ruthenium-Catalyzed Nitrile Hydration and Asymmetric Ketone Bioreduction. <i>ChemCatChem</i> , 2018, 10, 4676-4682.	1.8	31
14	Ruthenium(II) Complexes with η^6 -Coordinated 3-Phenylpropanol and 2-Phenylethanol as Catalysts for the Tandem Isomerization/Claisen Rearrangement of Diallyl Ethers in Water. <i>Organometallics</i> , 2018, 37, 3465-3474.	1.1	11
15	Water-tolerant bis(allyl)-ruthenium(IV) catalysts: An account of their applications. <i>Inorganica Chimica Acta</i> , 2017, 455, 398-414.	1.2	13
16	Phosphinous Acid-Assisted Hydration of Nitriles: Understanding the Controversial Reactivity of Osmium and Ruthenium Catalysts. <i>Chemistry - A European Journal</i> , 2017, 23, 15210-15221.	1.7	44
17	Half-sandwich ruthenium(II) complexes with water-soluble Schiff base ligands: Synthesis and catalytic activity in transfer hydrogenation of carbonyl compounds. <i>Inorganica Chimica Acta</i> , 2017, 456, 142-148.	1.2	18
18	Half-Sandwich Guanidinate-Osmium(II) Complexes: Synthesis and Application in the Selective Dehydration of Aldoximes. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 393-402.	1.0	17

#	ARTICLE	IF	CITATIONS
19	Synthesis and catalytic applications of ruthenium(II) phosphino-oxime complexes. RSC Advances, 2016, 6, 39044-39052.	1.7	13
20	Ruthenium-Catalyzed Synthesis of β -Hydroxyamides from β -Ketonitriles in Water. Organic Letters, 2016, 18, 6164-6167.	2.4	19
21	Chlorophosphines as auxiliary ligands in ruthenium-catalyzed nitrile hydration reactions: application to the preparation of β -ketoamides. Catalysis Science and Technology, 2016, 6, 4398-4409.	2.1	29
22	Reactivity of the Dimer $[\{RuCl(\eta^4-C_6H_4-C_3H_3-C_6H_4)_2\}]_2$ ($C_6H_4 = 2,7$ -Dimethylocta-2,6-diene-1,8-diyl) toward Guanidines: Access to Ruthenium(IV) and Ruthenium(II) Guanidinate Complexes. Organometallics, 2015, 34, 2796-2809.	1.1	20
23	Palladium(II) complexes with a phosphino-oxime ligand: synthesis, structure and applications to the catalytic rearrangement and dehydration of aldoximes. Catalysis Science and Technology, 2015, 5, 3754-3761.	2.1	26
24	C-H versus O-H Bond Activation in Phosphino-alcohol Ligands: Synthesis of the β -Hydroxy-alkyl Ruthenium(II) Derivatives $[RuCl\{\eta^2-P,C\}-Ph_2PC_6H_4C(R)OH\}(\eta^6-arene)]$. Organometallics, 2015, 34, 3670-3677.	1.1	12
25	Catalytic synthesis of amides via aldoximes rearrangement. Chemical Communications, 2015, 51, 2495-2505.	2.2	77
26	Ruthenium-Catalyzed Amide-Bond Formation. Topics in Organometallic Chemistry, 2014, , 81-118.	0.7	22
27	Investigation of binap-based hydroxyphosphine arene-ruthenium(II) complexes as catalysts for nitrile hydration. RSC Advances, 2014, 4, 63466-63474.	1.7	31
28	Metal-catalyzed nitrile hydration reactions: The specific contribution of ruthenium. Journal of Organometallic Chemistry, 2014, 771, 93-104.	0.8	79
29	Tethered η^5 -Oxocyclohexadienyl Piano-Stool Ruthenium(II) Complexes: A New Class of Catalysts?. Organometallics, 2014, 33, 6294-6297.	1.1	18
30	Arene-ruthenium(II) complexes with hydrophilic P-donor ligands: versatile catalysts in aqueous media. Dalton Transactions, 2014, 43, 12447.	1.6	54
31	Exploring Rhodium(I) Complexes $[RhCl(COD)(PR_3)]$ (COD = 1,5-Cyclooctadiene) as Catalysts for Nitrile Hydration Reactions in Water: The Aminophosphines Make the Difference. ACS Catalysis, 2014, 4, 1901-1910.	5.5	52
32	Thiazolyl-phosphine hydrochloride salts: effective auxiliary ligands for ruthenium-catalyzed nitrile hydration reactions and related amide bond forming processes in water. Green Chemistry, 2013, 15, 2447.	4.6	65
33	Eugenol isomerization promoted by arene-ruthenium(II) complexes in aqueous media: influence of the pH on the catalytic activity. RSC Advances, 2013, 3, 19985.	1.7	7
34	Metal-catalyzed amide bond forming reactions in an environmentally friendly aqueous medium: nitrile hydrations and beyond. Green Chemistry, 2013, 15, 46-66.	4.6	207
35	Ruthenium-catalyzed one-pot synthesis of primary amides from aldehydes in water. RSC Advances, 2013, 3, 5889.	1.7	36
36	Functionalized arene-ruthenium(II) complexes: dangling vs. tethering side chain. Dalton Transactions, 2013, 42, 5412.	1.6	12

#	ARTICLE	IF	CITATIONS
37	Facile transmetalation of a pyridyl-phosphine ligand from ruthenium to gold and silver. <i>Journal of Organometallic Chemistry</i> , 2013, 727, 1-9.	0.8	18
38	Catalytic isomerization of allylic alcohols promoted by complexes [RuCl ₂ (η -6-arene)(PTA-Me)] under homogeneous conditions and supported on Montmorillonite K-10. <i>Journal of Molecular Catalysis A</i> , 2013, 366, 390-399.	4.8	24
39	A Catalytic System for the Estragole to Anethole Isomerization Based on [RuCl(η -6-arene)(PTA-Me)]. <i>Current Green Chemistry</i> , 2013, 1, 128-135.	0.7	5
40	Arene-Ruthenium(II) and Bis(allyl)-Ruthenium(IV) Complexes Containing 2-(Diphenylphosphanyl)pyridine Ligands: Potential Catalysts for Nitrile Hydration Reactions?. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 4218-4230.	1.0	40
41	Ruthenium(II) Arene Complexes with Asymmetrical Guanidinate Ligands: Synthesis, Characterization, and Application in the Base-Free Catalytic Isomerization of Allylic Alcohols. <i>Organometallics</i> , 2012, 31, 8301-8311.	1.1	40
42	Ruthenium-Catalyzed Rearrangement of Aldoximes to Primary Amides in Water. <i>Organometallics</i> , 2012, 31, 6482-6490.	1.1	53
43	A general route for the stereoselective synthesis of (E)-(1-propenyl)phenyl esters by catalytic CC bond isomerization. <i>Tetrahedron</i> , 2012, 68, 2611-2620.	1.0	16
44	Ruthenium(IV) catalysts for the selective estragole to trans-anethole isomerization in environmentally friendly media. <i>Green Chemistry</i> , 2011, 13, 307-313.	4.6	46
45	Ruthenium-catalyzed reduction of allylic alcohols using glycerol as solvent and hydrogen donor. <i>Catalysis Communications</i> , 2011, 13, 91-96.	1.6	46
46	Glycerol and derived solvents: new sustainable reaction media for organic synthesis. <i>Chemical Communications</i> , 2011, 47, 6208.	2.2	227
47	Arene-Ruthenium(II) Complexes Containing Inexpensive Tris(dimethylamino)phosphine: Highly Efficient Catalysts for the Selective Hydration of Nitriles into Amides. <i>Organometallics</i> , 2011, 30, 5442-5451.	1.1	73
48	Ibuprofenamide: a convenient method of synthesis by catalytic hydration of 2-(4-isobutylphenyl)propionitrile in pure aqueous medium. <i>Tetrahedron Letters</i> , 2011, 52, 4218-4220.	0.7	30
49	Iridium(I)-Catalyzed Coupling of <i>Z</i> -Alkynes with Activated Alkynes: A New Synthetic Route to β -Oxanorbornadienes. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 2427-2431.	2.1	7
50	Chapter 2. Metal-catalyzed Reactions in Water under MW Irradiation. <i>RSC Green Chemistry</i> , 2010, 10-54.	0.0	2
51	Metal-catalyzed transformations of propargylic alcohols into α,β -unsaturated carbonyl compounds: from the Meyer-Schuster and Rupe rearrangements to redox isomerizations. <i>Dalton Transactions</i> , 2010, 39, 4015.	1.6	155
52	Arene-Ruthenium(II) Complexes Containing Amino-Phosphine Ligands as Catalysts for Nitrile Hydration Reactions. <i>Organometallics</i> , 2010, 29, 3955-3965.	1.1	88
53	Ruthenium-catalyzed estragole isomerization: high trans-selective formation of anethole. <i>Green Chemistry</i> , 2010, 12, 1311.	4.6	33
54	Chiral phosphonite, phosphite and phosphoramidite η -6-arene-ruthenium(II) complexes: application to the kinetic resolution of allylic alcohols. <i>Dalton Transactions</i> , 2010, 39, 7780.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Highly water-soluble arene-ruthenium(II) complexes: application to catalytic isomerization of allylic alcohols in aqueous medium. <i>Green Chemistry</i> , 2009, 11, 1681.	4.6	61
56	Ruthenium-catalyzed redox isomerization/transfer hydrogenation in organic and aqueous media: A one-pot tandem process for the reduction of allylic alcohols. <i>Green Chemistry</i> , 2009, 11, 1992.	4.6	75
57	Developing the Kharasch Reaction in Aqueous Media: Dinuclear Group 8 and 9 Catalysts Containing the Bridging Cage Ligand Tris(1,2-dimethylhydrazino)diphosphane. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 786-794.	1.0	35
58	Ruthenium-Catalyzed Isomerizations of Allylic and Propargylic Alcohols in Aqueous and Organic Media: Applications in Synthesis. <i>Synlett</i> , 2008, 2008, 1105-1124.	1.0	38
59	Ruthenium-Catalyzed Furan- and Pyrrole-Ring Formation. <i>Current Organic Synthesis</i> , 2008, 5, 343-364.	0.7	60
60	Half-sandwich ruthenium(II) complexes containing a tricyclic $\hat{\text{I}}^2$ -iminophosphine ligand: Catalytic activity in Diels-Alder reactions. <i>Polyhedron</i> , 2007, 26, 933-940.	1.0	11
61	Octahedral ruthenium(II) complexes $\text{cis,cis-}[\text{RuX}_2(\text{CNR})(\text{CO})(\text{P}^{\wedge}\text{S}^{\wedge}\text{P})]$ and $\text{cis,cis,cis-}[\text{RuX}_2(\text{CO})_2(\text{P}^{\wedge}\text{S}^{\wedge}\text{P})]$ (X=Cl, Br) catalytic applications in transfer hydrogenation of acetophenone and cycloisomerization of (Z)-3-methylpent-2-en-4-yn-1-ol. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 5234-5244.	0.8	16
62	Imination reactions of free and coordinated 2-diphenylphosphino-1-phenyl-phospholane: Access to regioisomeric ruthenium(II) complexes containing novel iminophosphorane phosphine ligands. <i>New Journal of Chemistry</i> , 2006, 30, 1295-1306.	1.4	19
63	Efficient Redox Isomerization of Allylic Alcohols under Mild Conditions Catalyzed by Arene-Ruthenium(II) Complexes. <i>Organometallics</i> , 2006, 25, 4846-4849.	1.1	63
64	Catalytic Isomerization of Allylic Alcohols by ($\hat{\text{I}}^6$ -p-Cymene)-Ruthenium(II) Complexes in Organic and Aqueous Media: New Recyclable and Highly Efficient Catalysts in Water Containing Ammonium-Functionalized Ligands. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 93-100.	2.1	70
65	Water-Soluble Group 8 and 9 Transition Metal Complexes Containing a Trihydrazinophosphaadamantane Ligand: Catalytic Applications in Isomerization of Allylic Alcohols and Cycloisomerization of (Z)-Enynols in Aqueous Medium. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 1671-1679.	2.1	84
66	Bis(allyl)-Ruthenium(IV) Complexes: Promising Precursors for Catalytic Organic Synthesis. <i>Current Organic Chemistry</i> , 2006, 10, 165-183.	0.9	42
67	Efficient Transfer Hydrogenation of Ketones Catalyzed by the Bis(isocyanide)-Ruthenium(II) Complexes $\text{trans,cis,cis-}[\text{RuX}_2(\text{CNR})_2(\text{dppf})]$ (X = Cl, Br; $\text{dppf} = 1,1\text{-bis}(\text{diphenylphosphino})\text{ferrocene}$): Isolation of Active Mono- and Dihydride Intermediates. <i>Organometallics</i> , 2004, 23, 4836-4845.	1.1	64
68	Synthesis and Catalytic Activity of ($\hat{\text{I}}^6$ -p-Cymene)(phosphane)ruthenium(II) Complexes Supported on Poly(biphenoxyphosphazene) or Chiral Poly(binaphthoxyphosphazene) Copolymers. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 3668.	1.0	35
69	Water-soluble ruthenium(II) catalysts $[\text{RuCl}_2(\hat{\text{I}}^6\text{-arene})\{\text{P}(\text{CH}_2\text{OH})_3\}]$ for isomerization of allylic alcohols and alkyne hydration. <i>Dalton Transactions</i> , 2004, , 3635-3641.	1.6	81
70	Ruthenium(II) complexes containing 2-diphenylphosphinobenzaldehyde: synthesis and catalytic activity in transfer hydrogenation. <i>Inorganica Chimica Acta</i> , 2003, 356, 114-120.	1.2	30
71	Novel ruthenium(II) complexes containing imino- or aminophosphine ligands for catalytic transfer hydrogenation. <i>New Journal of Chemistry</i> , 2003, 27, 414-420.	1.4	43
72	An Easy Entry to Dimers $[\{\text{RuX}(\hat{\text{I}}^4\text{-X})(\text{CO})(\text{P}^{\wedge}\text{C}^{\wedge}\text{P})\}_2]$ (X = Cl, Br; $\text{P}^{\wedge}\text{C}^{\wedge}\text{P} = 1,1\text{-bis}(\text{diphenylphosphino})\text{ferrocene}$), Efficient Catalyst Precursors in Transfer Hydrogenation of Ketones. <i>Organometallics</i> , 2003, 22, 5226-5234.	1.1	42

#	ARTICLE	IF	CITATIONS
73	Ruthenium(II) and Ruthenium(IV) Complexes Containing η^1 -P-, η^2 -P,O-, and η^3 -P,N,O-Iminophosphorane-Phosphine Ligands $\text{Ph}_2\text{PCH}_2\text{P}\{\text{NP}(\text{O})(\text{OR})_2\}\text{Ph}_2$ (R = Et, Ph): Synthesis, Reactivity, Theoretical Studies, and Catalytic Activity in Transfer Hydrogenation of Cyclohexanone. <i>Inorganic Chemistry</i> , 2003, 42, 3293-3307.	1.9	49
74	Synthesis, reactivity and catalytic activity in transfer hydrogenation of ketones of ruthenium(II) and ruthenium(IV) complexes containing the novel N-thiophosphorylated iminophosphorane-phosphine ligands $\text{Ph}_2\text{PCH}_2\text{P}\{\text{r}\text{NP}(\text{rS})(\text{OR})_2\}\text{Ph}_2$ (R = Et, Ph). <i>Dalton Transactions</i> , 2003, , 3240-3249.	1.6	51
75	Two- and Four-Electron Alkyne Ligands in Osmium η^5 -Cyclopentadienyl Chemistry: Consequences of the σ - π Interaction. <i>Organometallics</i> , 2002, 21, 305-314.	1.1	54
76	Neutral and cationic (η^6 -arene)-ruthenium(II) complexes containing the iminophosphorane-phosphine ligand $\text{Ph}_2\text{PCH}_2\text{P}(\text{r}\dots\text{N-p-C}_5\text{F}_4\text{N})\text{Ph}_2$: influence of the arene ring in catalytic transfer hydrogenation of cyclohexanone. <i>Journal of Organometallic Chemistry</i> , 2002, 663, 32-39.	0.8	45
77	Generation of Functionally Substituted Cyclopentadienyl Ligands in Osmium(IV) Chemistry. <i>Organometallics</i> , 2001, 20, 240-253.	1.1	43
78	Five- and Six-Coordinate Ruthenium(II) Complexes Containing 2- $\text{Ph}_2\text{PC}_6\text{H}_4\text{CH}_2\text{NtBu}$ and 2- $\text{Ph}_2\text{PC}_6\text{H}_4\text{CH}_2\text{NtBu}$ as Chelate Ligands: Synthesis, Characterization, and Catalytic Activity in Transfer Hydrogenation of Ketones. <i>Organometallics</i> , 2001, 20, 4369-4377.	1.1	57
79	Formation of Cationic Half-Sandwich Osmium η^5 -Vinylidene Complexes from $[\text{Os}(\eta^5\text{-C}_5\text{H}_5)(\text{P}i\text{Pr}_3)_2]^+$ and Terminal Alkynes. <i>Organometallics</i> , 2001, 20, 4291-4294.	1.1	42
80	New fluoroionophores from aniline dimer derivatives: a variation of cation signalling mechanism with the number of amino groups. <i>Chemical Communications</i> , 2000, , 289-290.	2.2	20
81	Synthesis and Characterization of Hydride-Alkynyl, Allenylidene, Carbyne, and Functionalized-Alkynyl Complexes Containing the $[\text{Os}(\eta^5\text{-C}_5\text{H}_5)(\text{P}i\text{Pr}_3)_2]^+$ Fragment: The Complex $[\text{Os}(\eta^5\text{-C}_5\text{H}_5)(\text{CCCPH}_2)(\text{P}i\text{Pr}_3)_2]\text{PF}_6$, a New Type of Allenylidene Derivative from the Reactivity Point of View. <i>Organometallics</i> , 2000, 19, 2585-2596.	1.1	94
82	Oxidative Addition of HX (X = H, SiR ₃ , GeR ₃ , SnR ₃ , Cl) Molecules to the Complex $\text{Os}(\eta^5\text{-C}_5\text{H}_5)\text{Cl}(\text{P}i\text{Pr}_3)_2$. <i>Organometallics</i> , 1999, 18, 5034-5043.	1.1	50
83	New Cyclopentadienylosmium Compounds Containing Unsaturated Carbon Donor Coligands: Synthesis, Structure, and Reactivity of $\text{Os}(\eta^5\text{-C}_5\text{H}_5)\text{Cl}(\text{CCCPH}_2)(\text{P}i\text{Pr}_3)$. <i>Organometallics</i> , 1998, 17, 3479-3486.	1.1	73
84	Seven-Coordinate Dihydrido Complex $\text{OsH}_2(\eta^2\text{-O}_2\text{CCH}_3)\{\eta^1\text{-OC}(\text{O})\text{CH}_3\}(\text{P}i\text{Pr}_3)_2$ as Precursor of New Organometallic Compounds Containing Unsaturated η^1 -Carbon Ligands. <i>Organometallics</i> , 1998, 17, 4500-4509.	1.1	59
85	Unusual Activation of 1,1-Diphenyl-2-propyn-1-ol Mediated by the $\text{Os}(\eta^5\text{-C}_5\text{H}_5)$ Unit. <i>Organometallics</i> , 1998, 17, 3141-3142.	1.1	35
86	Intramolecular C-C Bond Formation from η^2 -Keto Phosphine and Allenylidene Ligands in Related Ruthenium(II) Cyclopentadienyl and Indenyl Complexes. X-ray Crystal Structure of $(\text{SRu,RC/RRu,SC})\text{-}[\text{Ru}(\eta^5\text{-C}_9\text{H}_7)(\text{PPh}_3)\{\eta^2(\text{P,O})\text{-Ph}_2\text{PCH}(\text{Me})\text{C}(\text{But})\text{O}\}]\text{PF}_6$ and $(\text{SRu,RC/RRu,SC})\text{-}[\text{Ru}\{\eta^2(\text{C,P})\text{-C}(\text{CCPh}_2)\text{CH}[\text{C}(\text{O})\text{But}]\text{PPh}_2\}(\eta^5\text{-C}_9\text{H}_7)(\text{PPh}_3)]$. <i>Organometallics</i> , 1997, 16, 5406-5415.	1.1	41
87	Reactivity of Diphenylphosphino Enolato Ligands in Ruthenium(II) Complexes and Related Processes Involving Easy Cleavage of a Phosphorus-Carbon Bond in Functionalized Phosphine Ligands. <i>Organometallics</i> , 1996, 15, 3048-3061.	1.1	37
88	Interference of Phosphino Enolato Ligands in the 1-Alkyne-to-Vinylidene Rearrangement: Syntheses of the Isomeric $\{(\text{mesitylene})\text{Ru}[\text{eta.3-CH:CHC}(\text{PPh}_2)(\text{Me})\text{C}(\text{But}):\text{O}]\}\text{PF}_6$ and $\{(\text{mesitylene})\text{Ru}[\text{eta.3-C}(\text{:CH}_2)\text{C}(\text{PPh}_2)(\text{Me})\text{C}(\text{But}):\text{O}]\}\text{PF}_6$ Ruthenium(II) Complexes. <i>Organometallics</i> , 1995, 14, 2173-2176.	1.1	12
89	The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6 -arene)ruthenium(II) centres. <i>Journal of Organometallic Chemistry</i> , 1994, 471, 229-239.	0.8	25
90	Chelating and Hemilabile Properties of β - and γ -Keto Phosphines: (η^6 -Arene)ruthenium(II) Derivatives from γ -Keto Phosphines, Synthesis and Reactivity of Bis(η^2 -keto) Tj ETQq0 0 0 rgBT /Overlock.10 Tf 50 57 Td (pho	1.1	57

#	ARTICLE	IF	CITATIONS
91	Preparation and Stoichiometric Reactivity of Metal Allenylidene Complexes. , 0, , 61-98.		5