

Michail N Elinson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4620514/publications.pdf>

Version: 2024-02-01

236
papers

3,676
citations

117625

34
h-index

223800

46
g-index

285
all docs

285
docs citations

285
times ranked

1561
citing authors

#	ARTICLE	IF	CITATIONS
1	Mediator oxidation systems in organic electrosynthesis. <i>Russian Chemical Reviews</i> , 2009, 78, 89-140.	6.5	131
2	Catalysis of Salicylaldehydes and Two Different <i>o</i> -Hydroxy Acids with Electricity: First Example of an Efficient Multicomponent Approach to the Design of Functionalized Medicinally Privileged 2-Amino-4-Chromene Scaffold. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 591-601.	4.3	120
3	Solvent-free cascade reaction: direct multicomponent assembling of 2-amino-4H-chromene scaffold from salicylaldehyde, malononitrile or cyanoacetate and nitroalkanes. <i>Tetrahedron</i> , 2010, 66, 4043-4048.	1.9	86
4	Electrocatalytic multicomponent transformation of cyclic 1,3-diketones, isatins, and malononitrile: facile and convenient way to functionalized spirocyclic (5,6,7,8-tetrahydro-4H-chromene)-4,3-oxindole system. <i>Tetrahedron</i> , 2007, 63, 10543-10548.	1.9	80
5	Electrochemical Transformation of Malononitrile and Carbonyl Compounds into Functionally Substituted Cyclopropanes: Electrocatalytic Variant of the Wideqvist Reaction. <i>Tetrahedron</i> , 2000, 56, 3063-3069.	1.9	70
6	Electrochemically induced chain transformation of salicylaldehydes and alkyl cyanoacetates into substituted 4H-chromenes. <i>Tetrahedron Letters</i> , 2006, 47, 7629-7633.	1.4	66
7	Facile and Convenient Synthesis of 4,4-(Arylmethylene)bis(<i>o</i> -pyrazol-5-ols) by Electrocatalytic Tandem Knoevenagel-Michael Reaction. <i>Synthesis</i> , 2008, 2008, 1933-1937.	2.3	66
8	Electrocatalytic multicomponent assembling of isatins, 3-methyl-2-pyrazolin-5-ones and malononitrile: facile and convenient way to functionalized spirocyclic [indole-3,4-pyrano[2,3-c]pyrazole] system. <i>Molecular Diversity</i> , 2009, 13, 47-52.	3.9	58
9	Pot, atom and step economic (PASE) synthesis of 5-isoxazolyl-5H-chromeno[2,3-b]pyridine scaffold. <i>Mendeleev Communications</i> , 2015, 25, 424-426.	1.6	52
10	On water™ Knoevenagel condensation of isatins with malononitrile. <i>Mendeleev Communications</i> , 2011, 21, 224-225.	1.6	49
11	Chemical and electrocatalytic cascade cyclization of salicylaldehyde with three molecules of malononitrile: one-pot™ simple and efficient way to the chromeno[2,3-b]pyridine scaffold. <i>Tetrahedron</i> , 2014, 70, 8559-8563.	1.9	48
12	Benzoin condensation in 1,3-dialkylimidazolium ionic liquids via electrochemical generation of N-heterocyclic carbene. <i>Electrochemistry Communications</i> , 2009, 11, 1013-1017.	4.7	46
13	General approach to spiroacenaphthylene pentacyclic systems: direct multicomponent assembling of acenaphthenequinone and cyclic carbonyl compounds with two molecules of malononitrile. <i>Tetrahedron</i> , 2013, 69, 7125-7130.	1.9	45
14	Electrocatalytic Haloform Reaction: Transformation of Methyl Ketones into Methyl Esters. <i>Angewandte Chemie International Edition in English</i> , 1988, 27, 1716-1717.	4.4	42
15	The Implication of Electrocatalysis in MCR Strategy: Electrocatalytic Multicomponent Transformation of Cyclic 1,3-Diketones, Aldehydes and Malononitrile into Substituted 5,6,7,8-Tetrahydro-4H-Chromenes. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 4335-4339.	2.4	42
16	Electrocatalytic multicomponent cyclization of an aldehyde, malononitrile and a malonate into 3-substituted-2,2-dicyanocyclopropane-1,1-dicarboxylate™ the first one-pot synthesis of a cyclopropane ring from three different molecules. <i>Tetrahedron Letters</i> , 2006, 47, 9129-9133.	1.4	41
17	Electrocatalytic and chemical methods in MHIRC reactions: the first example of the multicomponent assembly of medicinally relevant spirocyclopropylbarbiturates from three different molecules. <i>Tetrahedron</i> , 2013, 69, 1945-1952.	1.9	41
18	Electrochemical transformation of malononitrile and ketones into 3,3-disubstituted-1,1,2,2-tetracyanocyclopropanes. <i>Tetrahedron Letters</i> , 1991, 32, 2655-2656.	1.4	40

#	ARTICLE	IF	CITATIONS
19	Electrochemically induced Henry reaction of nitromethane and carbonyl compounds. <i>Tetrahedron</i> , 2008, 64, 5915-5919.	1.9	40
20	Stereoselective electrocatalytic transformation of malonate and alkylidenecyanoacetates into (E)-3-substituted 2-cyanocyclopropane-1,1,2-tricarboxylates. <i>Tetrahedron</i> , 2006, 62, 3989-3996.	1.9	39
21	The electrocatalytic cascade assembling of isatins, malononitrile and N-alkyl barbiturates: An efficient multicomponent approach to the spiro[indole-3,5- π^2 -pyrano[2,3-d]pyrimidine] framework. <i>Electrochimica Acta</i> , 2008, 53, 8346-8350.	5.2	39
22	Electrochemically induced multicomponent assembling of isatins, 4-hydroxyquinolin-2(1H)-one and malononitrile: a convenient and efficient way to functionalized spirocyclic [indole-3,4- π^2 -pyrano[3,2-c]quinoline] scaffold. <i>Molecular Diversity</i> , 2010, 14, 833-839.	3.9	39
23	General non-catalytic approach to spiroacenaphthylene heterocycles: multicomponent assembling of acenaphthenequinone, cyclic CH-acids and malononitrile. <i>Tetrahedron</i> , 2012, 68, 5833-5837.	1.9	39
24	Stereoselective electrochemical transformation of alkylidenecyanoacetates and malonate into (E)-3-substituted-2-cyanocyclopropane-1,1,2-tricarboxylates. <i>Tetrahedron Letters</i> , 2000, 41, 4937-4941.	1.4	38
25	Stereoselective electrocatalytic transformation of arylidene- or alkylidenemalononitriles and malonate into alkyl (1R,5R,6R)* 6-substituted 5-cyano-4,4-dialkoxy-2-oxo-3-azabicyclo[3.1.0]hexane-1-carboxylates. <i>Tetrahedron Letters</i> , 2005, 46, 6389-6393.	1.4	38
26	Electrocatalytic cascade multicomponent assembling: stereoselective one-pot synthesis of the substituted 3-azabicyclo[3.1.0]hexane-1-carboxylate system from aldehyde, malononitrile, malonate and methanol. <i>Tetrahedron</i> , 2008, 64, 9766-9770.	1.9	38
27	A new strategy of the chemical route to the cyclopropane structure: direct transformation of benzylidenemalononitriles and malononitrile into 1,1,2,2-tetracyanocyclopropanes. <i>Tetrahedron</i> , 2008, 64, 708-713.	1.9	37
28	Non-Catalytic Thermal Multicomponent Assembling of Isatin, Cyclic CH-Acids and Malononitrile: An Efficient Approach to Spirooxindole Scaffold. <i>Mendeleev Communications</i> , 2012, 22, 143-144.	1.6	37
29	Electrocatalysis in MIRC reaction strategy: facile stereoselective approach to medicinally relevant spirocyclopropylbarbiturates from barbituric acids and activated olefins. <i>RSC Advances</i> , 2012, 2, 4444.	3.6	37
30	Electrochemical synthesis of cyclopropanes. <i>Russian Chemical Reviews</i> , 2015, 84, 485-497.	6.5	37
31	Electrochemical transformation of malonate and alkylidenemalonates into 3-substituted cyclopropane-1,1,2,2-tetracarboxylates. <i>Mendeleev Communications</i> , 1998, 8, 15-16.	1.6	36
32	Solvent-free and on-water™ multicomponent assembling of salicylaldehydes, malononitrile and 3-methyl-2-pyrazolin-5-one: A fast and efficient route to the 2-amino-4-(1H-pyrazol-4-yl)-4H-chromene scaffold. <i>Comptes Rendus Chimie</i> , 2014, 17, 437-442.	0.5	36
33	Electrocatalytic stereoselective transformation of aldehydes and two molecules of pyrazolin-5-one into (R*,R*)-bis(spiro-2,4-dihydro-3H-pyrazol-3-one)cyclopropanes. <i>Catalysis Science and Technology</i> , 2015, 5, 2384-2387.	4.1	36
34	The first example of the cascade assembly of a spirocyclopropane structure: direct transformation of benzylidenemalononitriles and N,N-dialkylbarbituric acids into substituted 2-aryl-4,6,8-trioxo-5,7-diazaspiro[2.5]octane-1,1-dicarbonitriles. <i>Tetrahedron Letters</i> , 2010, 51, 428-431.	1.4	35
35	Electrocatalytic chain transformation of salicylaldehydes and malononitrile into substituted 4H-chromenes. <i>Electrochemistry Communications</i> , 2006, 8, 1567-1571.	4.7	33
36	Electrocatalytic tandem Knoevenagel-Michael addition of barbituric acids to isatins: Facile and efficient way to substituted 5,5- π^2 -(2-oxo-2,3-dihydro-1H-indole-3,3-diyl)bis(pyrimidine-2,4,6-(1H,3H,5H)-trione) scaffold. <i>Electrochimica Acta</i> , 2011, 56, 8219-8223.	5.2	33

#	ARTICLE	IF	CITATIONS
37	The double role of ionic liquids in organic electrosynthesis: Precursors of N-heterocyclic carbenes and green solvents. <i>Henry reaction. Electrochemistry Communications</i> , 2009, 11, 1523-1526.	4.7	32
38	Electrocatalytic and chemical assembling of N,N-dialkylbarbituric acids and aldehydes: efficient cascade approach to the spiro-[furo[2,3-d]pyrimidine-6,5-dicyano-pyrimidine]-2,2,4,4,6,6-(1H,3H,3aH)-pentone framework. <i>Tetrahedron</i> , 2012, 68, 1198-1206.		32
39	Cascade assembly of N,N-dialkylbarbituric acids and aldehydes: a simple and efficient one-pot approach to the substituted 1,5-dihydro-2H,2H-spiro(furo[2,3-d]pyrimidine-6,5-dicyano-pyrimidine)-2,2,4,4,6,6-(1H,3H,3aH)-pentone framework. <i>Tetrahedron Letters</i> , 2010, 51, 6598-6601.	1.4	31
40	Solvent-free cascade assembling of salicylic aldehydes and malononitrile: rapid and efficient approach to 2-amino-4H-chromene scaffold. <i>Mendeleev Communications</i> , 2013, 23, 94-95.	1.6	31
41	Catalysis of Cascade and Multicomponent Reactions of Carbonyl Compounds and C α -H Acids by Electricity. <i>Chemical Record</i> , 2016, 16, 1950-1964.	5.8	29
42	Stereoselective electrocatalytic transformation of arylidenemalononitriles and malononitrile into (1R,5S,6R)*-6-aryl-2-amino-4,4-dialkoxy-1,5-dicyano-3-azabicyclo[3.1.0]hex-2-enes. <i>Tetrahedron</i> , 2004, 60, 11743-11749.	1.9	28
43	Unexpected stereoselective sodium acetate catalyzed multicomponent cyclization of aryl aldehydes, malononitrile and acetone into cis-4-dicyanomethylene-2,6-diarylcyclohexane-1,1-dicarbonitriles. <i>Tetrahedron Letters</i> , 2007, 48, 6614-6619.	1.4	28
44	One-pot cascade assembling of 3-substituted tetracyanocyclopropanes from arylidenemalononitriles and malononitrile by the only bromine direct action. <i>Mendeleev Communications</i> , 2009, 19, 324-325.	1.6	28
45	Multicomponent assembling of salicylaldehydes, malononitrile, and 4-hydroxy-6-methyl-2H-pyran-2-one: A fast and efficient approach to medicinally relevant 2-amino-4H-chromene scaffold. <i>Comptes Rendus Chimie</i> , 2015, 18, 1344-1349.	0.5	28
46	Synthesis, structural, spectroscopic and docking studies of new 5C-substituted 2,4-diamino-5H-chromeno[2,3-b]pyridine-3-carbonitriles. <i>Journal of Molecular Structure</i> , 2017, 1146, 766-772.	3.6	28
47	Solvent-free and "on-water" multicomponent assembling of aldehydes, 3-methyl-2-pyrazoline-5-one, and malononitrile: fast and efficient approach to medicinally relevant pyrano[2,3-c]pyrazole scaffold. <i>Monatshefte für Chemie</i> , 2015, 146, 631-635.	1.8	27
48	PASE Pseudo-Four-Component Synthesis and Docking Studies of New 5-C-Substituted 2,4-Diamino-5H-Chromeno[2,3-b]pyridine-3-Carbonitriles. <i>ChemistrySelect</i> , 2017, 2, 4593-4597.	1.5	26
49	Electrochemical transformation of cyanoacetic ester and aldehydes into 3-substituted 1,2-dicyanocyclopropane-1,2-dicarboxylates. <i>Tetrahedron Letters</i> , 1993, 34, 5795-5798.	1.4	25
50	Electrocatalytic multicomponent assembling of aldehydes, N-alkyl barbiturates and malononitrile: an efficient approach to pyrano[2,3-d]pyrimidines. <i>Mendeleev Communications</i> , 2011, 21, 122-124.	1.6	25
51	Electrochemically induced chain reactions in organic synthesis. <i>Russian Chemical Reviews</i> , 2012, 81, 381-396.	6.5	25
52	Multicomponent design of chromeno[2,3-b]pyridine systems. <i>Russian Chemical Reviews</i> , 2021, 90, 94-115.	6.5	25
53	Stereoselective Electrocatalytic Oxidative Coupling of Phenylacetoneitriles: Facile and Convenient Way to trans-1,2-Dicyanostilbenes. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 3023-3027.	2.4	24
54	Potential Atom- and Step-Economic (PASE) Multicomponent Approach to the 5-(Dialkylphosphonate)-Substituted 2,4-Diamino-5H-Chromeno[2,3-b]pyridine Scaffold. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 4171-4178.	2.4	23

#	ARTICLE	IF	CITATIONS
55	Electrochemical oxidation of ketones in methanol in the presence of alkali metal bromides. <i>Tetrahedron</i> , 1991, 47, 895-905.	1.9	22
56	General approach to a spiro indole-3,1-naphthalene tetracyclic system: stereoselective pseudo four-component reaction of isatins and cyclic ketones with two molecules of malononitrile. <i>RSC Advances</i> , 2015, 5, 50421-50424.	3.6	22
57	Electrochemical Cyclotrimerization of Cyanoacetic Ester into trans-1,2,3-Tricyanocyclopropane-1,2,3-Tricarboxylate. <i>Mendeleev Communications</i> , 1993, 3, 192-193.	1.6	21
58	Indirect Electrochemical Oxidation of Aryl Alkyl Ketones Mediated by NaOH System: Facile and Effective Way to α -Hydroxyketals. <i>Tetrahedron</i> , 2000, 56, 9999-10003.	1.9	21
59	One-Pot α -Onsolvent™ Multicomponent Protocol for the Synthesis of Medicinally Relevant 4-Hydroxy-2-pyrano[3,2-c]quinoline Scaffold. <i>Helvetica Chimica Acta</i> , 2015, 98, 1104-1114.	1.6	21
60	The first electrocatalytic stereoselective multicomponent synthesis of cyclopropanecarboxylic acid derivatives. <i>RSC Advances</i> , 2015, 5, 98522-98526.	3.6	21
61	Electrochemical Synthesis of Heterocycles via Cascade Reactions. <i>Current Organic Chemistry</i> , 2017, 21, .	1.6	21
62	Indirect electrochemical oxidation of cyclic ketones: Influence of ring size, mediator and supporting electrolyte on the result of the reaction. <i>Tetrahedron</i> , 1997, 53, 4427-4436.	1.9	20
63	Electrocatalytic transformation of malononitrile and cycloalkylidenemalononitriles into spirotricyclic and spirotetracyclic compounds containing cyclopropane and pyrroline fragments. <i>Russian Chemical Bulletin</i> , 2003, 52, 2241-2246.	1.5	20
64	Stereoselective Electrocatalytic Cyclization of 4,4-(Arylmethylene)bis(1H-pyrazol-5-ols) to (5R*,6R*)-11-Aryl-4,10-dimethyl-2,8-diphenyl-2,3,8,9-tetraazadispiro[4.0.4.1]undeca-3,9-diene-1,7-diones. <i>Synthesis</i> , 2011, 2011, 3015-3019.	2.3	20
65	Chemical and electrocatalytic cascade cyclization of Guareschi imides: α -one-pot™ simple and efficient way to the 2,4-dioxo-3-azabicyclo[3.1.0]hexane scaffold. <i>Tetrahedron</i> , 2013, 69, 5234-5241.	1.9	20
66	A new type of cascade reaction: direct conversion of carbonyl compounds and malononitrile into substituted tetracyanocyclopropanes. <i>Tetrahedron</i> , 2009, 65, 6057-6062.	1.9	19
67	Electrochemically induced aldol reaction of cyclic 1,3-diketones with isatins. <i>Electrochimica Acta</i> , 2010, 55, 2129-2133.	5.2	19
68	C-C bond cleavage initiated by electron transfer: electroreduction of 9-fluorene. <i>Electrochimica Acta</i> , 2016, 191, 962-973.	5.2	19
69	Electrochemical cyclodimerization of alkylidenemalonates. <i>Tetrahedron</i> , 1995, 51, 5035-5046.	1.9	18
70	Electrocatalytic transformation of malononitrile and cycloalkylidenemalononitriles into spirobicyclic and spirotricyclic compounds containing 1,1,2,2-tetracyanocyclopropane fragment. <i>Russian Chemical Bulletin</i> , 2003, 52, 2235-2240.	1.5	18
71	Electrocatalytic tandem Knoevenagel-Michael reaction of 3-methyl-2-pyrazolin-5-ones, aryl aldehydes and cyano-functionalized C-H acids: Facile and convenient multicomponent way to substituted 3-(5-hydroxy-3-methylpyrazol-4-yl)-3-arylpropanonitriles. <i>Electrochimica Acta</i> , 2008, 53, 5033-5038.	5.2	18
72	Pot, atom and step-economic (PASE) synthesis of medicinally relevant spiro[oxindole-3,4-pyrano[4,3-b]pyran] scaffold. <i>Heterocyclic Communications</i> , 2016, 22, 11-15.	1.2	18

#	ARTICLE	IF	CITATIONS
73	Simple and facile electrocatalytic approach to medicinally relevant spirocyclopropylpyrazolones directly from pyrazoline-5-ones and activated olefins. <i>Research on Chemical Intermediates</i> , 2016, 42, 2191-2200.	2.7	18
74	Indirect electrochemical oxidation of piperidin-4-ones mediated by sodium halide-base system. <i>Tetrahedron</i> , 2006, 62, 8021-8028.	1.9	17
75	Solvent-free multicomponent assembling of aldehydes, <i>N,N</i> -dialkyl barbiturates and malononitrile: fast and efficient approach to pyrano[2,3- <i>d</i>]pyrimidines. <i>Heterocyclic Communications</i> , 2014, 20, 281-284.	1.2	17
76	Multicomponent assembling of isatins, malononitrile and 4-hydroxy-6-methylpyridin-2(1H)-ones: one-pot efficient approach to privileged spiro[indoline-3,4-pyrano[3,2- <i>c</i>]pyridine]-2,5(6H)-dione scaffold. <i>Mendeleev Communications</i> , 2016, 26, 399-401.	1.6	17
77	On-solvent new domino reaction of salicylaldehyde, malononitrile and 4-hydroxy-6-methylpyridin-2(1H)-one. <i>Mendeleev Communications</i> , 2017, 27, 559-561.	1.6	17
78	Electrocatalytic transformation of dialkyl malonates and arylidene- or alkylidenemalononitriles into dialkyl esters of 3-substituted 2,2-dicyanocyclopropane-1,1-dicarboxylic acids. <i>Russian Chemical Bulletin</i> , 2005, 54, 1593-1598.	1.5	16
79	Multicomponent assembling of salicylaldehydes, malononitrile and cyanoacetamides: A simple and efficient approach to medicinally relevant 2-amino-4H-chromene scaffold. <i>Comptes Rendus Chimie</i> , 2015, 18, 540-546.	0.5	16
80	Fast Efficient and General PASE Approach to Medicinally Relevant 4,5-dihydro-4H-pyrano[4,3- <i>b</i>]pyran-5-one and 4,6-dihydro-5H-pyrano[3,2- <i>a</i>]pyridine-5-one Scaffolds. <i>Helvetica Chimica Acta</i> , 2016, 99, 724-731.	1.6	16
81	PASE facile and efficient multicomponent approach to the new type of 5-C-substituted 2,4-diamino-5H-chromeno[2,3- <i>b</i>]pyridine scaffold. <i>Mendeleev Communications</i> , 2018, 28, 372-374.	1.6	16
82	Pseudo six-component stereoselective synthesis of 2,4,6-triaryl-3,3,5-tetracyanopiperidines. <i>Mendeleev Communications</i> , 2018, 28, 384-386.	1.6	16
83	Efficient Multicomponent Approach to the Medicinally Relevant 5-aryl-chromeno[2,3- <i>b</i>]pyridine Scaffold. <i>Polycyclic Aromatic Compounds</i> , 2020, 40, 108-115.	2.6	16
84	On water noncatalytic tandem Knoevenagel-Michael reaction of aldehydes, <i>N,N</i> -dimethylbarbituric acid and cyclohexane-1,3-diones. <i>Mendeleev Communications</i> , 2020, 30, 15-17.	1.6	16
85	Electrochemical cyclodimerization of alkylidenemalonates into 3,4-disubstituted cyclobutane-1,1,2,2-tetracarboxylates. <i>Tetrahedron Letters</i> , 1992, 33, 3223-3226.	1.4	15
86	Indirect electrochemical oxidation of aliphatic ketones mediated by the NaOH system: a facile way to unsaturated conjugated esters. <i>Electrochimica Acta</i> , 1998, 43, 973-976.	5.2	15
87	Solvent-free cascade assembling of salicylaldehydes and cyanoacetates: fast and efficient approach to medicinally relevant 2-amino-4H-chromene scaffold. <i>Monatshefte für Chemie</i> , 2014, 145, 605-610.	1.8	15
88	Sodium acetate catalyzed multicomponent approach to medicinally privileged 2-amino-4H-chromene scaffold from salicylaldehydes, malononitrile and cyanoacetates. <i>Mendeleev Communications</i> , 2014, 24, 170-172.	1.6	15
89	Indirect electrochemical oxidation of cyclic ketones: Strong influence of ring size on the result of the reaction. <i>Tetrahedron Letters</i> , 1996, 37, 5759-5762.	1.4	14
90	Electrocatalytic Fast and Efficient Multicomponent Approach to Medicinally Relevant (2-amino-4H-chromeno[4- <i>a</i>]) phosphonate Scaffold. <i>Heteroatom Chemistry</i> , 2013, 24, 398-403.	0.7	14

#	ARTICLE	IF	CITATIONS
91	Non-catalytic solvent-free synthesis of 5,6,7,8-tetrahydro-4H-chromenes from aldehydes, dimedone and malononitrile at ambient temperature. <i>Mendeleev Communications</i> , 2015, 25, 185-187.	1.6	14
92	Electrocatalytic cyclization of 3-(5-hydroxy-3-methylpyrazol-4-yl)-3-arylpropionitriles: a one-pot simple fast and efficient way to substituted spirocyclopropylpyrazolones. <i>Electrochimica Acta</i> , 2015, 165, 116-121.	5.2	14
93	Solvent-free multicomponent assembling of isatins, malononitrile, and dimedone: fast and efficient way to functionalized spirooxindole system. <i>Monatshefte für Chemie</i> , 2016, 147, 755-760.	1.8	14
94	Four-component stereoselective synthesis of tetracyano-substituted piperidines. <i>Research on Chemical Intermediates</i> , 2018, 44, 5623-5634.	2.7	14
95	Potassium fluoride catalysed multicomponent approach to medicinally privileged 5-[3-hydroxy-6-(hydroxymethyl)-4H-pyran-2-yl] substituted chromeno[2,3-b]pyridine scaffold. <i>Arkivoc</i> , 2020, 2019, 38-49.	0.5	14
96	Electrochemical oxidation of conjugated arylolefins to α -bromoketals. <i>Tetrahedron Letters</i> , 1988, 29, 1603-1604.	1.4	13
97	Electrochemical transformation of alkylidenemalonates into 2-alkyl-3,3-dimethoxyalkane-1,1-dicarboxylates via rearrangement. <i>Tetrahedron Letters</i> , 1991, 32, 799-800.	1.4	13
98	Stereoselective electrocatalytic transformations of malononitrile and aromatic aldehydes into (1R,5S,6R)-4,4-dialkoxy-2-amino-6-aryl-1,5-dicyano-3-azabicyclo[3.1.0]hex-2-enes. <i>Russian Chemical Bulletin</i> , 2005, 54, 673-677.	1.5	13
99	Electrocatalytic Efficient Multicomponent Approach to Medicinally Relevant Pyrano[4,3-b]pyran Scaffold. <i>Electrocatalysis</i> , 2013, 4, 56-60.	3.0	13
100	Green Approach to the Design of Functionalized Medicinally Privileged 4-(Aryl)-4,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile Scaffold. <i>Journal of Heterocyclic Chemistry</i> , 2014, 51, 523-526.	2.9	13
101	Stereoselective synthesis of medicinally relevant furo[2,3-d]pyrimidine framework by thermal rearrangement of spirocyclic barbiturates. <i>RSC Advances</i> , 2015, 5, 94986-94989.	3.6	13
102	Selective multicomponent one-pot approach to the new 5-(4-hydroxy-6-methyl-2-oxo-2H-pyran-3-yl)chromeno[2,3-b]pyridine scaffold in pyridine-ethanol catalyst/solvent system. <i>Monatshefte für Chemie</i> , 2019, 150, 1073-1078.	1.8	13
103	Stereoselective electrochemical transformation of 4-substituted cyclohexanones into cis-5-substituted-2,2-dimethoxycyclohexanols. <i>Tetrahedron Letters</i> , 2001, 42, 5557-5559.	1.4	12
104	Structures and photophysical properties of 3,4-diaryl-1H-pyrrol-2,5-diimines and 2,3-diarylmaleimides. <i>Journal of Molecular Structure</i> , 2017, 1146, 554-561.	3.6	12
105	A general survey on the anodic behaviour of aromatic thioethers in organic solvents of low nucleophilicity. <i>Journal of Electroanalytical Chemistry</i> , 1993, 350, 117-132.	3.8	11
106	Synthesis of new derivatives of a representative o-quinone scaffold by reduction at the electrode. <i>Tetrahedron</i> , 2012, 68, 5979-5983.	1.9	11
107	Electrocatalytic Fast and Efficient Multicomponent Approach to Medicinally Relevant Pyrano[3,2-c]quinolone Scaffold. <i>Journal of the Electrochemical Society</i> , 2013, 160, G3053-G3057.	2.9	11
108	Reductive electrochemical formation of 6H-dibenzo[b,d]pyran-6-one and 2-benzopyran-1(1H)-one. <i>Tetrahedron Letters</i> , 2014, 55, 82-85.	1.4	11

#	ARTICLE	IF	CITATIONS
109	Catalyst-free tandem Knoevenagel-Michael reaction of aldehydes and pyrazolin-5-one: fast and convenient approach to medicinally relevant 4,4-bis(arylmethylene)bis(pyrazol-5-ols). <i>Heterocyclic Communications</i> , 2015, 21, 97-101.	1.2	11
110	Stereoselective one-pot synthesis of polycyanosubstituted piperidines. <i>Monatshefte für Chemie</i> , 2018, 149, 1979-1989.	1.8	11
111	C,N-chelated diaminocarbene platinum(II) complexes derived from 3,4-diaryl-1H-pyrrol-2,5-diimines and cis-dichlorobis(isonitrile)platinum(II): Synthesis, cytotoxicity, and catalytic activity in hydrosilylation reactions. <i>Journal of Organometallic Chemistry</i> , 2020, 923, 121435.	1.8	11
112	Electrochemical dehydrotrimerization of dimethyl malonate to the hexamethyl ester of cyclopropanehexacarboxylic acid. <i>Bulletin of the Academy of Sciences of the USSR Division of Chemical Science</i> , 1986, 35, 1749-1749.	0.0	10
113	Electrochemical oxidation of aliphatic sulfides under very weakly nucleophilic conditions—the transient formation of a dicationic dimer. <i>Journal of Electroanalytical Chemistry</i> , 1992, 336, 363-367.	3.8	10
114	Sodium acetate catalyzed tandem Knoevenagel-Michael multicomponent reaction of aldehydes, 2-pyrazolin-5-ones, and cyano-functionalized C ^α H acids: Facile and efficient way to 3-(5-hydroxypyrazol-4-yl)-3-aryl-propionitriles. <i>Comptes Rendus Chimie</i> , 2013, 16, 789-794.	0.5	10
115	Non-catalytic multicomponent rapid and efficient approach to 10-(2,4,6-trioxohexahydropyrimidin-5-yl)-3,3-dimethyl-2,3,4,9-tetrahydro-1H-xanthen-1-ones from salicylaldehydes, dimedone, and barbituric acids. <i>Monatshefte für Chemie</i> , 2015, 146, 1689-1694.	1.8	10
116	A facile and efficient multicomponent approach to 5-[5-hydroxy-3-(trifluoromethyl)-1H-pyrazol-4-yl]-5H-chromeno[2,3-b]pyridines. <i>Journal of Fluorine Chemistry</i> , 2018, 213, 31-36.	1.7	10
117	One-pot five-component high diastereoselective synthesis of polysubstituted 2-piperidinones from aromatic aldehydes, nitriles, dialkyl malonates and ammonium acetate. <i>Molecular Diversity</i> , 2020, 24, 1327-1342.	3.9	10
118	Catalyst-Solvent System for PASE Approach to Hydroxyquinolinone-Substituted Chromeno[2,3-b]pyridines Its Quantum Chemical Study and Investigation of Reaction Mechanism. <i>Molecules</i> , 2020, 25, 2573.	3.8	10
119	Electrocatalytic Fast and Efficient Aldol Addition of Pyrazoline-5-ones to Isatine. <i>Journal of the Electrochemical Society</i> , 2014, 161, G48-G53.	2.9	9
120	Multicomponent assembling of salicylaldehydes, kojic acid and malonic acid derivatives. <i>Mendeleev Communications</i> , 2019, 29, 581-583.	1.6	9
121	Highly diastereoselective four-component synthesis of polysubstituted 2-piperidinones with three and four stereogenic centers. <i>Research on Chemical Intermediates</i> , 2020, 46, 1183-1199.	2.7	9
122	Electrochemical Transformation of Malononitrile and Aldehydes into 3-Substituted 1,1,2,2-Tetracyanocyclopropanes and Bicyclic Pyrrolines. <i>Mendeleev Communications</i> , 1993, 3, 191-192.	1.6	8
123	Stereoselective electrocatalytic cyclization of 3-substituted 2,2-dicyanocyclopropane-1,1-dicarboxylic acid esters to form 6-substituted (1R,5R,6R)*-4,4-dialkoxy-5-cyano-2-oxo-3-azabicyclo[3.1.0]hexane-1-carboxylic acid esters. <i>Russian Chemical Bulletin</i> , 2006, 55, 106-111.	1.5	8
124	Electrocatalytic Aldol Addition of Cyclic 1,3-Ketoesters to Isatins: Acetone as a Solvent for the Efficient and Facile Electrochemically Induced Way to 3-Substituted-3-Hydroxyindol-2-One Scaffold. <i>Journal of the Electrochemical Society</i> , 2012, 159, G123-G127.	2.9	8
125	Cascade Assembling of Isatins and Barbituric Acids: Facile and Efficient Way to 2,2-dispiro[indole-3,5-furo[2,3-d]pyrimidine-6,5-pyrimidine]-2,2,2,2-tetrakis(4-aryloxy)-4,4-dihydro-1H-pyrimidin-5-one Scaffolds. <i>Journal of Heterocyclic Chemistry</i> , 2013, 50, 1236-1241.		
126	Stereoselective Thermal Isomerization of Bis(spiropyrazolone)cyclopropanes into (4Z)-4-[(Pyrazol-4-yl)methylene]pyrazolones. <i>Synlett</i> , 2013, 24, 827-830.	1.8	8

#	ARTICLE	IF	CITATIONS
127	Electrocatalytic Cascade Reaction of Aldehydes and 4-Hydroxy-6-methyl-2H-pyran-2-one. <i>Electrocatalysis</i> , 2018, 9, 602-607.	3.0	8
128	Intermolecular interactions-photophysical properties relationships in phenanthrene-9,10-dicarbonitrile assemblies. <i>Journal of Molecular Structure</i> , 2020, 1199, 126789.	3.6	8
129	Electro-organic Reactions. Part 49. The Synthesis and Stereoselective Electrochemical Hydroxylation of 2,3-Dihydro-4H-furo[2,3-d]pyrido[1,2-a]pyrimidin-4-ones.. <i>Acta Chemica Scandinavica</i> , 1999, 53, 901-909.	0.7	8
130	Multicomponent Synthesis of 2-(2,4-Diamino-3-cyano-5H-chromeno[2,3-b]pyridin-5-yl)malonic Acids in DMSO. <i>Molecules</i> , 2021, 26, 6839.	3.8	8
131	Electrochemical cleavage of the double bond of 1-alkenylarenes. <i>Bulletin of the Academy of Sciences of the USSR Division of Chemical Science</i> , 1991, 40, 561-566.	0.0	7
132	Electrocatalytic Transformation of 1,1,2,2-Tetracyanocyclopropanes into Bicyclic Pyrrolines. <i>Mendeleev Communications</i> , 1993, 3, 157-159.	1.6	7
133	Electrochemical Oxidation of α -Bromoketones into Esters. <i>Mendeleev Communications</i> , 1995, 5, 186-187.	1.6	7
134	Electrochemical transformation of cyanoacetic ester and alkylidenecyanoacetic esters into 3-substituted 1,2-dicyanocyclopropane-1,2-dicarboxylates. <i>Russian Chemical Bulletin</i> , 1998, 47, 1133-1136.	1.5	7
135	Title is missing!. <i>Russian Chemical Bulletin</i> , 2003, 52, 998-1002.	1.5	7
136	Pseudo four-component reaction of salicylaldehydes and cyclic ketones with two molecules of malononitrile: A facile and efficient way to synthesize 4-[2-(dicyanomethylene)cyclic or heterocyclic]-2-amino-4H-chromenes. <i>Comptes Rendus Chimie</i> , 2016, 19, 293-298.	0.5	7
137	Multicomponent transformation of salicylaldehydes, 2-aminoprop-1-ene-1,1,3-tricarbonitrile, and pyrazolin-5-ones into substituted 2,4-diamino-5-(5-hydroxy-3-methyl-1H-pyrazol-4-yl)-5H-chromeno[2,3-b]pyridine-3-carbonitriles. <i>Russian Chemical Bulletin</i> , 2018, 67, 1695-1703.	1.5	7
138	CH_2 -free and non-solvent multicomponent reaction of isatins, malononitrile, and bicyclic CH-acids: fast and efficient way to medicinal privileged spirooxindole scaffold. <i>Arkivoc</i> , 2018, 2018, 276-285.	0.5	7
139	Pot, atom and step economic (PASE) assembly of salicylaldehydes, malononitrile dimer and 4-hydroxypyridine-2(1H)-ones into medicinally relevant 5H-chromeno[2,3-b]pyridine scaffold. <i>Molecular Diversity</i> , 2020, 24, 617-626.	3.9	7
140	Electrochemical transformations of alkylidenemalonates into substituted cyclopropanecarboxylates. <i>Mendeleev Communications</i> , 1999, 9, 20-22.	1.6	6
141	Title is missing!. <i>Russian Chemical Bulletin</i> , 2002, 51, 1478-1482.	1.5	6
142	Electrochemical dimerization of phenacyl bromides N-acylhydrazones—a new way to 1-N-acylamino-2,5-diaryl-pyrroles. <i>Tetrahedron</i> , 2004, 60, 10787-10792.	1.9	6
143	Electrocatalytic chain transformation of salicylaldehyde and CH acids into substituted 4H-chromenes. <i>Russian Chemical Bulletin</i> , 2008, 57, 595-600.	1.5	6
144	Electrocatalytic dimerization of diarylacetonitriles mediated by sodium halides. <i>Mendeleev Communications</i> , 2010, 20, 207-208.	1.6	6

#	ARTICLE	IF	CITATIONS
145	New Way to Substitute Tetracyanocyclopropanes: One-Pot Cascade Assembling of Carbonyls and Malononitrile by the Only Bromine Direct Action. <i>ISRN Organic Chemistry</i> , 2011, 2011, 1-5.	1.0	6
146	Cascade assembling of pyrazolin-5-ones and benzylidenemalononitriles: the facile and efficient approach to medicinally relevant spirocyclopropylpyrazolone scaffold. <i>Heterocyclic Communications</i> , 2015, 21, 355-360.	1.2	6
147	Diastereoselective multicomponent synthesis of (4 <i>RS</i> ,6 <i>SR</i>)-4,6-diaryl-5,5-dicyano-2-methyl-1,4,5,6-tetrahydropyridine-3-carboxylates. <i>Russian Chemical Bulletin</i> , 2018, 67, 2049-2053.	1.5	6
148	Green on-water multicomponent approach for the synthesis of pyrrolo[2,3- <i>d</i>]pyrimidines. <i>Tetrahedron Letters</i> , 2021, 81, 153336.	1.4	6
149	Highly diastereoselective four-component synthesis of polysubstituted 1,4,5,6-tetrahydropyridines. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 929-933.	1.2	6
150	Organogold complexes of ferrocene series. <i>Bulletin of the Academy of Sciences of the USSR Division of Chemical Science</i> , 1975, 24, 408-409.	0.0	5
151	Electrochemical oxidation of 1-alkenylarenes to give benzaldehyde dimethyl acetals. <i>Bulletin of the Academy of Sciences of the USSR Division of Chemical Science</i> , 1990, 39, 432-432.	0.0	5
152	Efficient non-catalytic synthesis of substituted 2,3,4,9-tetrahydro-1 <i>H</i> -xanthen-1-ones from salicylaldehydes and dimedone. <i>Mendeleev Communications</i> , 2015, 25, 19-20.	1.6	5
153	Stereoselective Michael Halogenation Initiated Ring Closure (MHIRC) Synthesis of Spirocyclopropanes from Benzylidenemalononitriles and 3-Arylisoxazol-5(4 <i>H</i>)-ones. <i>Synlett</i> , 2016, 27, 2489-2493.	1.8	5
154	High diastereoselective amine-catalyzed Knoevenagel-Michael-cyclization-ring-opening cascade between aldehydes, 3-arylisoxazol-5(4 <i>H</i>)-ones and 3-aminocyclohex-2-en-1-ones. <i>Molecular Diversity</i> , 2018, 22, 627-636.	3.9	5
155	Stereoselective multicomponent synthesis of (2 <i>RS</i> ,6 <i>SR</i>)-2,6-diaryl-3,3,5,5-tetracyanopiperidines. <i>Russian Chemical Bulletin</i> , 2018, 67, 1534-1537.	1.5	5
156	Electrochemically induced multicomponent "one-pot" assembling benzaldehydes, <i>N,N</i> -dimethylbarbituric acid, and kojic acid. <i>Monatshefte für Chemie</i> , 2020, 151, 567-573.	1.8	5
157	Pseudo-four-component synthesis of 5-(4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)-substituted 5 <i>H</i> -chromeno[2,3- <i>b</i>]pyridines and estimation of its affinity to sirtuin 2. <i>Arkivoc</i> , 2020, 2020, 193-208.	0.5	5
158	Quadruple Bond Forming Multicomponent Approach to 5-(3-chromenyl)-5 <i>H</i> -chromeno[2,3- <i>b</i>]pyridines and Its Interaction with the Neuropeptide Y1 Receptor. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 1560-1568.	1.2	5
159	Electrocatalytic one-pot multicomponent assembly of aldehydes, 2,4-dihydro-3 <i>H</i> -pyrazol-3-ones and kojic acid. <i>Mendeleev Communications</i> , 2020, 30, 223-225.	1.6	5
160	Multicomponent Electrocatalytic Selective Approach to Unsymmetrical Spiro[furo[3,2- <i>c</i>]pyran-2,5-pyrimidine] Scaffold under a Column Chromatography-Free Protocol at Room Temperature. <i>Chemistry</i> , 2022, 4, 615-629.	2.2	5
161	Electrochemical oxidation of malonic esters in acetonitrile in the presence of iodides as mediators. <i>Russian Chemical Bulletin</i> , 1997, 46, 599-602.	1.5	4
162	Electrochemically induced oxidative rearrangement of alkylidenemalonates. <i>Tetrahedron</i> , 1998, 54, 14529-14540.	1.9	4

#	ARTICLE	IF	CITATIONS
181	Direct and efficient electrocatalytic multicomponent assembling of arylaldehydes, malononitrile, and pyrazolin-5-ones into spirocyclopropyl pyrazolone scaffold. Monatshefte für Chemie, 2021, 152, 641-648.	1.8	3
182	Oxidative Cyclization of 5H-Chromeno[2,3-b]pyridines to Benzo[b]chromeno[4,3,2-de][1,6]naphthyridines, Their NMR Study and Computer Evaluation as Material for LED. Molecules, 2022, 27, 4156.	3.8	3
183	Selective electrochemical bromoalkoxylation of aryl olefins. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1988, 37, 1636-1641.	0.0	2
184	Electrochemical co-oxidation of C-H acids and methanol as a new route to functionalized cyclopropanes. Russian Chemical Bulletin, 1994, 43, 1739-1740.	1.5	2
185	Electrochemical conversions of alkyl alkylidenecyanoacetates into 3-substituted dialkyl 1,2-dicyanocyclopropane-1,2-dicarboxylates. Russian Chemical Bulletin, 1999, 48, 1526-1529.	1.5	2
186	A novel strategy of constructing the cyclohexane ring: stereoselective multicomponent cyclization of aromatic aldehydes, malononitrile, and acetone into cis-2,6-diaryl-4-dicyanomethylidenecyclohexane-1,1-dicarbonitriles. Russian Chemical Bulletin, 2008, 57, 585-590.	1.5	2
187	Electrocatalytic multicomponent cyclization of aromatic aldehydes, malononitrile, and malonates into 3-substituted 2,2-dicyanocyclopropane-1,1-dicarboxylates. Russian Chemical Bulletin, 2009, 58, 902-907.	1.5	2
188	Stereoselective cascade assembling of benzylidenecyanoacetates and 1,3-dimethylbarbituric acid into (1 <i>R</i> ,2 <i>S</i>)-1-cyano-5,7-dialkyl-4,6,8-trioxo-2-aryl-5,7-diazaspiro[2.5]octane-1-carboxylates. Heterocyclic Communications, 2017, 23, 85-90.	1.2	2
189	Electrocatalytic cascade approach to the synthesis of dihydro-2 <i>H</i> ,3 <i>H</i> -spiro[1-benzofuran-2,5'-pyrimidines]. Chemistry of Heterocyclic Compounds, 2021, 57, 672.	1.2	2
190	Oxygen-containing heterocycles from β , γ , δ -alkane-tetracarboxylates and electro-generated formaldehyde. Arkivoc, 2005, 2001, 31-36.	0.5	2
191	Four component tandem Knoevenagel-Michael strategy for the assembly of arylaldehydes, N,N'-dimethylbarbituric acid, 4-hydroxy-6-methyl-2 <i>H</i> -pyran-2-one and morpholine into unsymmetrical scaffold with three different heterocyclic rings. Mendelev Communications, 2021, 31, 698-700.	1.6	2
192	Kojic acid aldol adduct with isatin as inhibitors of pyruvate dehydrogenase kinase. Journal of Heterocyclic Chemistry, 2022, 59, 760-770.	2.6	2
193	Electrochemically induced tandem Knoevenagel-Michael assembling of aldehydes with kojic acid: direct and efficient arylbis[3-hydroxy-6-(hydroxymethyl)-4-oxo-4 <i>H</i> -pyran-2-yl]methanes formation. Arkivoc, 2021, 2020, 201-213.	0.5	2
194	1,3-Dimethyl-3,5-diphenyl-1,5-dihydro-2 <i>H</i> ,5 <i>H</i> -spiro[furo[2,3- <i>d</i>]pyrimidine-6,4-isoxazole]-2,4,5-(3 <i>H</i>)-trione. MolBank, 2022, 2022, M1317.	0.5	2
195	Four-component transformation of benzaldehydes, dimethylbarbituric acid, 4-hydroxy-6-methyl-2 <i>H</i> -pyran-2-one, and morpholine into the unsymmetrical ionic scaffold with three different heterocyclic rings. Russian Chemical Bulletin, 2022, 71, 464-473.	1.5	2
196	2,4-Diamino-5-(nitromethyl)-5 <i>H</i> -chromeno[2,3- <i>b</i>]pyridine-3-carbonitrile. MolBank, 2022, 2022, M1365.	0.5	2
197	2,4-Diamino-5-(5-amino-3-oxo-2,3-dihydro-1 <i>H</i> -pyrazol-4-yl)-5 <i>H</i> -chromeno[2,3- <i>b</i>]pyridine-3-carbonitrile. MolBank, 2022, 2022, M1399.	0.5	2
198	Electrochemical dehydrodimerization of malonate esters with double bond formation. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1984, 33, 1970-1970.	0.0	1

#	ARTICLE	IF	CITATIONS
199	Electrochemical methoxylation of allylbenzene. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1984, 33, 1753-1753.	0.0	1
200	Electrochemical oxidation of allylbenzene in methanol. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1987, 36, 1449-1455.	0.0	1
201	Electrochemical oxidation of conjugated arylelefins to α -bromoketals. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1988, 37, 411-411.	0.0	1
202	Electrochemical selective trimerization of malonic esters into esters of propane-1,1,2,2,3,3-hexacarboxylic acid in the presence of hydrobromic acid salts. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1989, 38, 301-304.	0.0	1
203	Electrochemical cyclization of tetramethyl esters of 2-substituted propane-1,1,3,3-tetracarboxylic acids in the presence of salts of hydrohalic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1990, 39, 2523-2529.	0.0	1
204	Anodic functionalization of olefins in alcohols in the presence of halide salts. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1990, 39, 112-118.	0.0	1
205	Stereoselective Electrocatalytic Transformation of Arylidene- or Alkylidenemalononitriles and Malonate into Alkyl (1R*,5R*,6R*) 6-Substituted 5-Cyano-4,4-dialkoxy-2-oxo-3-azabicyclo[3.1.0]hexane-1-carboxylates.. ChemInform, 2005, 36, no.	0.0	1
206	Stereoselective electrochemically induced cyclization of bicyclo[2.2.1]hept-5-ene-2,2,3,3-tetracarbonitriles to 3-amino-1,1-dimethoxy-4,7-dihydro-1H-4,7-methanoisindole-3a,7a-dicarbonitriles. Russian Chemical Bulletin, 2014, 63, 368-371.	1.5	1
207	Anodic dissolution of tin in alcohols. Russian Chemical Bulletin, 2016, 65, 840-843.	1.5	1
208	Electrochemical cascade assembling of heterocyclic ketones and two molecules of malononitrile: facile and efficient α -one-pot TM approach to 6-heterospiro[2.5]octane-1,1,2,2-tetracarbonitrile scaffold. Monatshefte für Chemie, 2018, 149, 1069-1074.	1.8	1
209	Direct four-component assembling of arylaldehydes, dimethylbarbituric acid, 4-hydroxycoumarine, and cyclic amines into complex scaffolds with three different heterocyclic rings. Monatshefte für Chemie, 2021, 152, 1327.	1.8	1
210	Dimethyl 2-(2,4-Diamino-3-cyano-5H-chromeno[2,3-b]pyridin-5-yl)malonate. MolBank, 2022, 2022, M1308.	0.5	1
211	Assignment of signals in NMR spectra of organogold derivatives of ferrocene. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1975, 24, 1990-1992.	0.0	0
212	Homolytic alkylation of succinic anhydride with 1-alkenes. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1976, 25, 2233-2235.	0.0	0
213	Homolytic reactions of dibutyl ether with dialkylmaleates. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1978, 27, 1624-1628.	0.0	0
214	Homolytic addition of malonic and succinic acid esters to alkyl maleates. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1979, 28, 512-518.	0.0	0
215	Free-radical addition of succinic anhydride to olefins and alkyl allyl ethers. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1979, 28, 1504-1506.	0.0	0
216	Homolytic addition of esters of alkanedicarboxylic acids to alkyl maleates. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1980, 29, 747-753.	0.0	0

#	ARTICLE	IF	CITATIONS
217	Free radical addition of alkanolic esters to alkyl maleates. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1980, 29, 1320-1329.	0.0	0
218	Free-radical addition of esters to esters of citraconic, itaconic, and acetylenedicarboxylic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1981, 30, 1054-1059.	0.0	0
219	Radical additive cyclization in the reaction of dialkyl maleates and dialkyl fumarates with dibenzoyl peroxide. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1985, 34, 1990-1992.	0.0	0
220	Electrochemical cyclization of esters of propane-1,1,3,3-tetracarboxylic acids to give esters of substituted cyclopropane-1,1,2,2-tetracarboxylic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1987, 36, 206-208.	0.0	0
221	Electrochemical oxidation of esters of ethane-1,1,2,2-tetracarboxylic acid in the presence of electron carrier catalysts. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1988, 37, 86-90.	0.0	0
222	Electrochemically induced Favorskii rearrangement. The conversion of benzyl ketones to esters of 3-phenylpropionic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1989, 38, 1100-1100.	0.0	0
223	Crystal and molecular structure of hexacarbomethoxycyclopropane. Journal of Structural Chemistry, 1989, 30, 512-514.	1.0	0
224	Electrocatalytic haloform reaction - conversion of methyl ketones to methyl esters of carboxylic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1991, 40, 106-109.	0.0	0
225	Electrochemical oxidative dimerization of acetoacetic and benzoylacetic esters in the presence of metal halides. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1991, 40, 2213-2216.	0.0	0
226	Electrochemical Dimerization of Phenacyl Bromides N-Acylhydrazones ? A New Way to 1-N-Acylamino-2,5-diaryl-pyrroles.. ChemInform, 2005, 36, no.	0.0	0
227	Stereoselective Electrocatalytic Transformation of Arylidenemalononitriles and Malononitrile into (1R,5S,6R)*-6-Aryl-2-amino-4,4-dialkoxy-1,5-dicyano-3-azabicyclo [3.1.0]hex-2-enes.. ChemInform, 2005, 36, no.	0.0	0
228	A fast and efficient ϵ -on-solvent ϵ ™ cascade assembling of salicylaldehydes and dimethylbarbituric acid into 5-(1,3-dimethyl-2,4-dioxo-1,3,4,5-tetrahydro-2H<i>-chromeno[2,3- <i>d< 2018,="" 24,="" 79-83.<="" communications,="" i>,<="" i>3-heterocyclic="" i>]<="" i>pyrimidin-5-yl)-1,3-dimethylpyrimidin-2,4,6(1<i>-h<="" td=""> <td>1.2</td> <td>0</td> </i>d<>	1.2	0
229	Structural data of phenanthrene-9,10-dicarbonitriles. Data in Brief, 2019, 27, 104605.	1.0	0
230	3-(4-Bromophenyl)-4-[[3-hydroxy-6-(hydroxymethyl)-4-oxo-4H-pyran-2-yl](m-tolyl)methyl]isoxazol-5(2H)-one. MolBank, 2020, 2020, M1135.	0.5	0
231	Pyridinium bromide as a mediator in electrochemical reactions: the preparation of cyclopropane-1,1-dicarbonitriles. Arkivoc, 2020, 2019, 325-335.	0.5	0
232	Efficient Electrocatalytic Approach to Spiro[Furo[3,2-b]pyran-2,5ϵ-pyrimidine] Scaffold as Inhibitor of Aldose Reductase. Electrochem, 2021, 2, 295-310.	3.3	0
233	Selective and efficient electrocatalytic way to spirobarbituric dihydrofurans. Mendeleev Communications, 2021, 31, 347-349.	1.6	0
234	Selective and efficient electrocatalytic way to spirobarbituric dihydrofurans. Mendeleev Communications, 2021, 31, 347-349.	1.6	0

#	ARTICLE	IF	CITATIONS
235	Stereoselective domino assembling of five molecules: one-pot approach to $(2^{\prime}R,3S,4^{\prime}R)$ Tj ETQq1 1 0.784314 rgBT /Ole β -spiro[indoline- $3,3^{\prime}$ -pyridines]. , 2020, 23, 159-168.	0.784314	0
236	6-Amino-5,7-dibromo-2-oxo-3-(trifluoromethyl)-1H-spiro[indoline-3,4-pyrano[2,3-c]pyrazole]-5-carbonitrile. MolBank, 2022, 2022, M1309.	0.5	0