

Michail N Elinson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4620514/publications.pdf>

Version: 2024-02-01

236
papers

3,676
citations

117625

34
h-index

223800

46
g-index

285
all docs

285
docs citations

285
times ranked

1561
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of the molecular structure on aggregation and solid state luminescence of 2,3-diarylfumarionitriles. <i>Journal of Molecular Structure</i> , 2022, 1248, 131503.	3.6	4
2	Kojic acid aldol adduct with isatin as inhibitors of pyruvate dehydrogenase kinase. <i>Journal of Heterocyclic Chemistry</i> , 2022, 59, 760-770.	2.6	2
3	1,3-Dimethyl-3-(5-diphenyl-1,5-dihydro-2H,5H-spiro[furo[2,3-d]pyrimidine-6,4-isoxazole]-2,4,5-(3H)-trione. <i>MolBank</i> , 2022, 2022, M1317.	0.5	2
4	Dimethyl 2-(2,4-Diamino-3-cyano-5H-chromeno[2,3-b]pyridin-5-yl)malonate. <i>MolBank</i> , 2022, 2022, M1308.	0.5	1
5	6-Amino-5,7-dibromo-2-oxo-3-(trifluoromethyl)-1H-spiro[indoline-3,4-pyrano[2,3-c]pyrazole]-5-carbonitrile. <i>MolBank</i> , 2022, 2022, M1309.	0.5	0
6	Four-component transformation of benzaldehydes, dimethylbarbituric acid, 4-hydroxy-6-methyl-2H-pyran-2-one, and morpholine into the unsymmetrical ionic scaffold with three different heterocyclic rings. <i>Russian Chemical Bulletin</i> , 2022, 71, 464-473.	1.5	2
7	2,4-Diamino-5-(nitromethyl)-5H-chromeno[2,3-b]pyridine-3-carbonitrile. <i>MolBank</i> , 2022, 2022, M1365.	0.5	2
8	Multicomponent Electrocatalytic Selective Approach to Unsymmetrical Spiro[furo[3,2-c]pyran-2,5-pyrimidine] Scaffold under a Column Chromatography-Free Protocol at Room Temperature. <i>Chemistry</i> , 2022, 4, 615-629.	2.2	5
9	Oxidative Cyclization of 5H-Chromeno[2,3-b]pyridines to Benzo[b]chromeno[4,3,2-de][1,6]naphthyridines, Their NMR Study and Computer Evaluation as Material for LED. <i>Molecules</i> , 2022, 27, 4156.	3.8	3
10	2,4-Diamino-5-(5-amino-3-oxo-2,3-dihydro-1H-pyrazol-4-yl)-5H-chromeno[2,3-b]pyridine-3-carbonitrile. <i>MolBank</i> , 2022, 2022, M1399.	0.5	2
11	Multicomponent design of chromeno[2,3-b]pyridine systems. <i>Russian Chemical Reviews</i> , 2021, 90, 94-115.	6.5	25
12	Pseudo-four-component synthesis and in silico studies of 5-(5-hydroxy-3-methyl-1H-pyrazol-4-yl)-substituted 5H-chromeno[2,3-b]pyridines. <i>Journal of Heterocyclic Chemistry</i> , 2021, 58, 793-804.	2.6	3
13	Electrocatalytic tandem assembly of aldehydes with 2-thiobarbituric acid into 5,5'-(arylmethylene)bis(1,3-diethyl-2-thiobarbituric acids) and evaluation of their interaction with catalases. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 274-283.	1.2	4
14	Electrocatalytic multicomponent one-pot approach to tetrahydro-2,5-spiro[benzofuran-2,5-pyrimidine] scaffold. <i>Journal of Heterocyclic Chemistry</i> , 2021, 58, 1484-1495.	2.6	3
15	Efficient Electrocatalytic Approach to Spiro[Furo[3,2-b]pyran-2,5-pyrimidine] Scaffold as Inhibitor of Aldose Reductase. <i>Electrochem</i> , 2021, 2, 295-310.	3.3	0
16	Selective and efficient electrocatalytic way to spirobarbituric dihydrofurans. <i>Mendeleev Communications</i> , 2021, 31, 347-349.	1.6	0
17	Ammonium Salts of 5-(3-Chromenyl)-5H-chromeno[2,3-b]pyridines. <i>MolBank</i> , 2021, 2021, M1219.	0.5	3
18	Selective and efficient electrocatalytic way to spirobarbituric dihydrofurans. <i>Mendeleev Communications</i> , 2021, 31, 347-349.	1.6	0

#	ARTICLE	IF	CITATIONS
19	Direct and efficient electrocatalytic multicomponent assembling of arylaldehydes, malononitrile, and pyrazolin-5-ones into spirocyclopropyl pyrazolone scaffold. <i>Monatshefte für Chemie</i> , 2021, 152, 641-648.	1.8	3
20	Electrocatalytic cascade approach to the synthesis of dihydro-2'H,3H-spiro[1-benzofuran-2,5'-pyrimidines]. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 672.	1.2	2
21	Green on-water multicomponent approach for the synthesis of pyrrolo[2,3-d]pyrimidines. <i>Tetrahedron Letters</i> , 2021, 81, 153336.	1.4	6
22	Direct four-component assembling of arylaldehydes, dimethylbarbituric acid, 4-hydroxycoumarine, and cyclic amines into complex scaffolds with three different heterocyclic rings. <i>Monatshefte für Chemie</i> , 2021, 152, 1327.	1.8	1
23	Highly diastereoselective four-component synthesis of polysubstituted 1,4,5,6-tetrahydropyridines. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 929-933.	1.2	6
24	Four component tandem Knoevenagel-Michael strategy for the assembly of arylaldehydes, N,N'-dimethylbarbituric acid, 4-hydroxy-6-methyl-2H-pyran-2-one and morpholine into unsymmetrical scaffold with three different heterocyclic rings. <i>Mendeleev Communications</i> , 2021, 31, 698-700.	1.6	2
25	Multicomponent Synthesis of 2-(2,4-Diamino-3-cyano-5H-chromeno[2,3-b]pyridin-5-yl)malonic Acids in DMSO. <i>Molecules</i> , 2021, 26, 6839.	3.8	8
26	Electrochemically induced tandem Knoevenagel-Michael assembling of aldehydes with kojic acid: direct and efficient arylbis[3-hydroxy-6-(hydroxymethyl)-4-oxo-4H-pyran-2-yl]methanes formation. <i>Arkivoc</i> , 2021, 2020, 201-213.	0.5	2
27	Efficient Multicomponent Approach to the Medicinally Relevant 5-aryl-chromeno[2,3-b]pyridine Scaffold. <i>Polycyclic Aromatic Compounds</i> , 2020, 40, 108-115.	2.6	16
28	Pot, atom and step economic (PASE) assembly of salicylaldehydes, malononitrile dimer and 4-hydroxypyridine-2(1H)-ones into medicinally relevant 5H-chromeno[2,3-b]pyridine scaffold. <i>Molecular Diversity</i> , 2020, 24, 617-626.	3.9	7
29	Intermolecular interactions-photophysical properties relationships in phenanthrene-9,10-dicarbonitrile assemblies. <i>Journal of Molecular Structure</i> , 2020, 1199, 126789.	3.6	8
30	One-pot five-component high diastereoselective synthesis of polysubstituted 2-piperidinones from aromatic aldehydes, nitriles, dialkyl malonates and ammonium acetate. <i>Molecular Diversity</i> , 2020, 24, 1327-1342.	3.9	10
31	Highly diastereoselective four-component synthesis of polysubstituted 2-piperidinones with three and four stereogenic centers. <i>Research on Chemical Intermediates</i> , 2020, 46, 1183-1199.	2.7	9
32	Potassium fluoride catalysed multicomponent approach to medicinally privileged 5-[3-hydroxy-6-(hydroxymethyl)-4H-pyran-2-yl] substituted chromeno[2,3-b]pyridine scaffold. <i>Arkivoc</i> , 2020, 2019, 38-49.	0.5	14
33	C,N-chelated diaminocarbene platinum(II) complexes derived from 3,4-diaryl-1H-pyrrol-2,5-diimines and cis-dichlorobis(isonitrile)platinum(II): Synthesis, cytotoxicity, and catalytic activity in hydrosilylation reactions. <i>Journal of Organometallic Chemistry</i> , 2020, 923, 121435.	1.8	11
34	Electrochemically induced multicomponent one-pot assembling benzaldehydes, N,N'-dimethylbarbituric acid, and kojic acid. <i>Monatshefte für Chemie</i> , 2020, 151, 567-573.	1.8	5
35	Electrochemically Induced Facile and Efficient Multicomponent Approach to Medicinally Relevant 4-oxo-5-(4-oxo-1,2-dihydropyridin-3-yl)-6-(aryl)methylisoxazol-5(2H)-one Scaffold. <i>ChemistrySelect</i> , 2020, 5, 5981-5986.		4
36	Pseudo-four-component synthesis of 5-(4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)-substituted 5H-chromeno[2,3-b]pyridines and estimation of its affinity to sirtuin 2. <i>Arkivoc</i> , 2020, 2020, 193-208.	0.5	5

#	ARTICLE	IF	CITATIONS
55	Four-component stereoselective synthesis of tetracyano-substituted piperidines. <i>Research on Chemical Intermediates</i> , 2018, 44, 5623-5634.	2.7	14
56	High diastereoselective amine-catalyzed Knoevenagel–Michael-cyclization–ring-opening cascade between aldehydes, 3-arylisoxazol-5(4H)-ones and 3-aminocyclohex-2-en-1-ones. <i>Molecular Diversity</i> , 2018, 22, 627-636.	3.9	5
57	PASE facile and efficient multicomponent approach to the new type of 5-C-substituted 2,4-diamino-5H-chromeno[2,3-b]pyridine scaffold. <i>Mendeleev Communications</i> , 2018, 28, 372-374.	1.6	16
58	Pseudo six-component stereoselective synthesis of 2,4,6-triaryl-3,3,5,5-tetracyanopiperidines. <i>Mendeleev Communications</i> , 2018, 28, 384-386.	1.6	16
59	Multicomponent transformation of salicylaldehydes, 2-aminoprop-1-ene-1,1,3-tricarbonitrile, and pyrazolin-5-ones into substituted 2,4-diamino-5-(5-hydroxy-3-methyl-1H-pyrazol-4-yl)-5H-chromeno[2,3-b]pyridine-3-carbonitriles. <i>Russian Chemical Bulletin</i> , 2018, 67, 1695-1703.	1.5	7
60	Diastereoselective multicomponent synthesis of (4 <i>RS</i> ,6 <i>SR</i>)-4,6-diaryl-5,5-dicyano-2-methyl-1,4,5,6-tetrahydropyridine-3-carboxylates. <i>Russian Chemical Bulletin</i> , 2018, 67, 2049-2053.	1.5	6
61	Stereoselective multicomponent synthesis of (2 <i>RS</i> ,6 <i>SR</i>)-2,6-diaryl-3,3,5,5-tetracyanopiperidines. <i>Russian Chemical Bulletin</i> , 2018, 67, 1534-1537.	1.5	5
62	–Solvent-free™ and –on-solvent™ multicomponent reaction of isatins, malononitrile, and bicyclic CH-acids: fast and efficient way to medicinal privileged spirooxindole scaffold. <i>Arkivoc</i> , 2018, 2018, 276-285.	0.5	7
63	Stereoselective one-pot synthesis of polycyanosubstituted piperidines. <i>Monatshefte für Chemie</i> , 2018, 149, 1979-1989.	1.8	11
64	A facile and efficient multicomponent approach to 5-[5-hydroxy-3-(trifluoromethyl)-1H-pyrazol-4-yl]-5H-chromeno[2,3-b]pyridines. <i>Journal of Fluorine Chemistry</i> , 2018, 213, 31-36.	1.7	10
65	Synthesis, structural, spectroscopic and docking studies of new 5C-substituted 2,4-diamino-5H-chromeno[2,3-b]pyridine-3-carbonitriles. <i>Journal of Molecular Structure</i> , 2017, 1146, 766-772.	3.6	28
66	PASE Pseudo-Four-Component Synthesis and Docking Studies of New 5-C-Substituted 2,4-Diamino-5H-Chromeno[2,3-b]pyridine-3-Carbonitriles. <i>ChemistrySelect</i> , 2017, 2, 4593-4597.	1.5	26
67	Structures and photophysical properties of 3,4-diaryl-1H-pyrrol-2,5-diimines and 2,3-diarylmaleimides. <i>Journal of Molecular Structure</i> , 2017, 1146, 554-561.	3.6	12
68	Stereoselective cascade assembling of benzylidenecyanoacetates and 1,3-dimethylbarbituric acid into (1 <i>R</i> ,2 <i>S</i>)-1-cyano-5,7-dialkyl-4,6,8-trioxo-2-aryl-5,7-diazaspiro[2.5]octane-1-carboxylates. <i>Heterocyclic Communications</i> , 2017, 23, 85-90.	1.2	2
69	–on-solvent™ new domino reaction of salicylaldehyde, malononitrile and 4-hydroxy-6-methylpyridin-2(1H)-one. <i>Mendeleev Communications</i> , 2017, 27, 559-561.	1.6	17
70	Fast highly efficient 'on-solvent' non catalytic cascade transformation of benzaldehydes and 4-hydroxycoumarin into bis(4-hydroxycoumarinyl)arylmethanes. <i>Arkivoc</i> , 2017, 2017, 121-129.	0.5	3
71	Electrochemical Synthesis of Heterocycles via Cascade Reactions. <i>Current Organic Chemistry</i> , 2017, 21, .	1.6	21
72	Catalysis of Cascade and Multicomponent Reactions of Carbonyl Compounds and C α H Acids by Electricity. <i>Chemical Record</i> , 2016, 16, 1950-1964.	5.8	29

#	ARTICLE	IF	CITATIONS
73	Anodic dissolution of tin in alcohols. <i>Russian Chemical Bulletin</i> , 2016, 65, 840-843.	1.5	1
74	Multicomponent assembling of isatins, malononitrile and 4-hydroxy-6-methylpyridin-2(1H)-ones: one-pot efficient approach to privileged spiro[indoline-3,4 TM -pyrano[3,2-c]pyridine]-2,5 TM (6 TM H)-dione scaffold. <i>Mendeleev Communications</i> , 2016, 26, 399-401.	1.6	17
75	Fast Efficient and General PASE Approach to Medicinally Relevant 4 <i>H</i> ,5 <i>H</i> -Pyrano[4,3 <i>b</i>]pyran-5-one and 4,6-Dihydro-5 <i>H</i> -pyrano[3,2 <i>c</i>]pyridine-5-one Scaffolds. <i>Helvetica Chimica Acta</i> , 2016, 99, 724-731.	1.6	16
76	Stereoselective Michael Halogenation Initiated Ring Closure (MHIRC) Synthesis of Spirocyclopropanes from Benzylidenemalononitriles and 3-Arylisoxazol-5(4H)-ones. <i>Synlett</i> , 2016, 27, 2489-2493.	1.8	5
77	Pot, atom and step-economic (PASE) synthesis of medicinally relevant spiro[oxindole-3,4 ² -pyrano[4,3- <i>b</i>]pyran] scaffold. <i>Heterocyclic Communications</i> , 2016, 22, 11-15.	1.2	18
78	Highly efficient one-pot cascade cyclization of 3-(5-hydroxy-3-methylpyrazol-4-yl)-3-arylpropionitriles into spirocyclopropyl pyrazolones. <i>Mendeleev Communications</i> , 2016, 26, 19-20.	1.6	4
79	Đ-ĐĐ-bond cleavage initiated by electron transfer: electroreduction of 9-fluorenol. <i>Electrochimica Acta</i> , 2016, 191, 962-973.	5.2	19
80	Solvent-free multicomponent assembling of isatins, malononitrile, and dimedone: fast and efficient way to functionalized spirooxindole system. <i>Monatshefte für Chemie</i> , 2016, 147, 755-760.	1.8	14
81	Pseudo four-component reaction of salicylaldehydes and cyclic ketones with two molecules of malononitrile: A facile and efficient way to synthesize 4-[2-(dicyanomethylene)cyclic or heterocyclic]-2-amino-4H-chromenes. <i>Comptes Rendus Chimie</i> , 2016, 19, 293-298.	0.5	7
82	Simple and facile electrocatalytic approach to medicinally relevant spirocyclopropylpyrazolones directly from pyrazoline-5-ones and activated olefins. <i>Research on Chemical Intermediates</i> , 2016, 42, 2191-2200.	2.7	18
83	One-Pot TM Solvent TM Multicomponent Protocol for the Synthesis of Medicinally Relevant 4 <i>H</i> -Pyrano[3,2 <i>c</i>]quinoline Scaffold. <i>Helvetica Chimica Acta</i> , 2015, 98, 1104-1114.	1.6	21
84	General approach to a spiro indole-3,1 ² -naphthalene tetracyclic system: stereoselective pseudo four-component reaction of isatins and cyclic ketones with two molecules of malononitrile. <i>RSC Advances</i> , 2015, 5, 50421-50424.	3.6	22
85	Electrochemical synthesis of cyclopropanes. <i>Russian Chemical Reviews</i> , 2015, 84, 485-497.	6.5	37
86	Non-catalytic solvent-free synthesis of 5,6,7,8-tetrahydro-4H-chromenes from aldehydes, dimedone and malononitrile at ambient temperature. <i>Mendeleev Communications</i> , 2015, 25, 185-187.	1.6	14
87	Catalyst-free tandem Knoevenagel-Michael reaction of aldehydes and pyrazolin-5-one: fast and convenient approach to medicinally relevant 4,4 ² -(arylmethylene)bis(1 <i>H</i> -pyrazol-5-ol)s. <i>Heterocyclic Communications</i> , 2015, 21, 97-101.	1.2	11
88	Multicomponent assembling of salicylaldehydes, malononitrile, and 4-hydroxy-6-methyl-2H-pyran-2-one: A fast and efficient approach to medicinally relevant 2-amino-4H-chromene scaffold. <i>Comptes Rendus Chimie</i> , 2015, 18, 1344-1349.	0.5	28
89	The first electrocatalytic stereoselective multicomponent synthesis of cyclopropanecarboxylic acid derivatives. <i>RSC Advances</i> , 2015, 5, 98522-98526.	3.6	21
90	Pot, atom and step economic (PASE) synthesis of 5-isoxazolyl-5H-chromeno[2,3- <i>b</i>]pyridine scaffold. <i>Mendeleev Communications</i> , 2015, 25, 424-426.	1.6	52

#	ARTICLE	IF	CITATIONS
91	Efficient non-catalytic synthesis of substituted 2,3,4,9-tetrahydro-1H-xanthen-1-ones from salicylaldehydes and dimedone. <i>Mendeleev Communications</i> , 2015, 25, 19-20.	1.6	5
92	Solvent-free and H_2O -on-water H_2O ™ multicomponent assembling of aldehydes, 3-methyl-2-pyrazoline-5-one, and malononitrile: fast and efficient approach to medicinally relevant pyrano[2,3-c]pyrazole scaffold. <i>Monatshefte für Chemie</i> , 2015, 146, 631-635.	1.8	27
93	Non-catalytic multicomponent rapid and efficient approach to 10-(2,4,6-trioxohexahydropyrimidin-5-yl)-3,3-dimethyl-2,3,4,9-tetrahydro-1H-xanthen-1-ones from salicylaldehydes, dimedone, and barbituric acids. <i>Monatshefte für Chemie</i> , 2015, 146, 1689-1694.	1.8	10
94	Multicomponent assembling of salicylaldehydes, malononitrile and cyanoacetamides: A simple and efficient approach to medicinally relevant 2-amino-4H-chromene scaffold. <i>Comptes Rendus Chimie</i> , 2015, 18, 540-546.	0.5	16
95	Electrocatalytic cyclization of 3-(5-hydroxy-3-methylpyrazol-4-yl)-3-arylpropionitriles: H_2O -on-water H_2O ™ simple fast and efficient way to substituted spirocyclopropylpyrazolones. <i>Electrochimica Acta</i> , 2015, 165, 116-121.	5.2	14
96	Electrocatalytic stereoselective transformation of aldehydes and two molecules of pyrazolin-5-one into (R*,R*)-bis(spiro-2,4-dihydro-3H-pyrazol-3-one)cyclopropanes. <i>Catalysis Science and Technology</i> , 2015, 5, 2384-2387.	4.1	36
97	Direct electrochemical synthesis of germanium alkoxides. <i>Russian Chemical Bulletin</i> , 2015, 64, 464-465.	1.5	3
98	Stereoselective synthesis of medicinally relevant furo[2,3-d]pyrimidine framework by thermal rearrangement of spirocyclic barbiturates. <i>RSC Advances</i> , 2015, 5, 94986-94989.	3.6	13
99	Cascade assembling of pyrazolin-5-ones and benzylidenemalononitriles: the facile and efficient approach to medicinally relevant spirocyclopropylpyrazolone scaffold. <i>Heterocyclic Communications</i> , 2015, 21, 355-360.	1.2	6
100	Stereoselective electrochemically induced cyclization of bicyclo[2.2.1]hept-5-ene-2,2,3,3-tetracarbonitriles to 3-amino-1,1-dimethoxy-4,7-dihydro-1H-4,7-methanoisindole-3a,7a-dicarbonitriles. <i>Russian Chemical Bulletin</i> , 2014, 63, 368-371.	1.5	1
101	Green Approach to the Design of Functionalized Medicinally Privileged 4-aryl-4,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile Scaffold. <i>Journal of Heterocyclic Chemistry</i> , 2014, 51, 523-526.	1.2	13
102	Solvent-free cascade assembling of salicylaldehydes and cyanoacetates: fast and efficient approach to medicinally relevant 2-amino-4H-chromene scaffold. <i>Monatshefte für Chemie</i> , 2014, 145, 605-610.	1.8	15
103	Electrocatalytic Fast and Efficient Aldol Addition of Pyrazoline-5-ones to Isatine. <i>Journal of the Electrochemical Society</i> , 2014, 161, G48-G53.	2.9	9
104	Solvent-free and H_2O -on-water H_2O ™ multicomponent assembling of salicylaldehydes, malononitrile and 3-methyl-2-pyrazolin-5-one: A fast and efficient route to the 2-amino-4-(1H-pyrazol-4-yl)-4H-chromene scaffold. <i>Comptes Rendus Chimie</i> , 2014, 17, 437-442.	0.5	36
105	Chemical and electrocatalytic cascade cyclization of salicylaldehyde with three molecules of malononitrile: H_2O -on-water H_2O ™ simple and efficient way to the chromeno[2,3-b]pyridine scaffold. <i>Tetrahedron</i> , 2014, 70, 8559-8563.	1.9	48
106	Solvent-free multicomponent assembling of aldehydes, N,N-dialkyl barbiturates and malononitrile: fast and efficient approach to pyrano[2,3-d]pyrimidines. <i>Heterocyclic Communications</i> , 2014, 20, 281-284.	1.2	17
107	Sodium acetate catalyzed multicomponent approach to medicinally privileged 2-amino-4H-chromene scaffold from salicylaldehydes, malononitrile and cyanoacetates. <i>Mendeleev Communications</i> , 2014, 24, 170-172.	1.6	15
108	Reductive electrochemical formation of 6H-dibenzo[b,d]pyran-6-one and 2-benzopyran-1(1H)-one. <i>Tetrahedron Letters</i> , 2014, 55, 82-85.	1.4	11

#	ARTICLE	IF	CITATIONS
109	Electrocatalytic Fast and Efficient Multicomponent Approach to Medicinally Relevant (2-aminophenyl) phosphonate Scaffold. <i>Heteroatom Chemistry</i> , 2013, 24, 398-403.	0.7	14
110	Cascade Assembling of Isatins and Barbituric Acids: Facile and Efficient Way to Spiro[indole-3,5-furo[2,3-d]pyrimidine-6,5-pyrimidine]-2,2,4,4-tetraone Scaffold. <i>Journal of Heterocyclic Chemistry</i> , 2013, 50, 1236-1241.	2.2	31
111	Electrocatalytic and chemical methods in MIRC reactions: the first example of the multicomponent assembly of medicinally relevant spirocyclopropylbarbiturates from three different molecules. <i>Tetrahedron</i> , 2013, 69, 1945-1952.	1.9	41
112	Solvent-free cascade assembling of salicylic aldehydes and malononitrile: rapid and efficient approach to 2-amino-4H-chromene scaffold. <i>Mendeleev Communications</i> , 2013, 23, 94-95.	1.6	31
113	General approach to spiroacenaphthylene pentacyclic systems: direct multicomponent assembling of acenaphthenequinone and cyclic carbonyl compounds with two molecules of malononitrile. <i>Tetrahedron</i> , 2013, 69, 7125-7130.	1.9	45
114	Sodium acetate catalyzed tandem Knoevenagel-Michael multicomponent reaction of aldehydes, 2-pyrazolin-5-ones, and cyano-functionalized C ^α H acids: Facile and efficient way to 3-(5-hydroxypyrazol-4-yl)-3-aryl-propionitriles. <i>Comptes Rendus Chimie</i> , 2013, 16, 789-794.	0.5	10
115	Electrocatalytic Efficient Multicomponent Approach to Medicinally Relevant Pyrano[4,3-b]pyran Scaffold. <i>Electrocatalysis</i> , 2013, 4, 56-60.	3.0	13
116	Chemical and electrocatalytic cascade cyclization of Guareschi imides: one-pot simple and efficient way to the 2,4-dioxo-3-azabicyclo[3.1.0]hexane scaffold. <i>Tetrahedron</i> , 2013, 69, 5234-5241.	1.9	20
117	Stereoselective Thermal Isomerization of Bis(spiropyrazolone)cyclopropanes into (4Z)-4-[(Pyrazol-4-yl)methylene]pyrazolones. <i>Synlett</i> , 2013, 24, 827-830.	1.8	8
118	Electrocatalytic Fast and Efficient Multicomponent Approach to Medicinally Relevant Pyrano[3,2-c]quinolone Scaffold. <i>Journal of the Electrochemical Society</i> , 2013, 160, G3053-G3057.	2.9	11
119	Electrocatalytic Aldol Addition of Cyclic 1,3-Ketoesters to Isatins: Acetone as a Solvent for the Efficient and Facile Electrochemically Induced Way to 3-Substituted-3-Hydroxyindol-2-One Scaffold. <i>Journal of the Electrochemical Society</i> , 2012, 159, G123-G127.	2.9	8
120	General non-catalytic approach to spiroacenaphthylene heterocycles: multicomponent assembling of acenaphthenequinone, cyclic CH-acids and malononitrile. <i>Tetrahedron</i> , 2012, 68, 5833-5837.	1.9	39
121	Synthesis of new derivatives of a representative o-quinone scaffold by reduction at the electrode. <i>Tetrahedron</i> , 2012, 68, 5979-5983.	1.9	11
122	Non-Catalytic Thermal Multicomponent Assembling of Isatin, Cyclic CH-Acids and Malononitrile: An Efficient Approach to Spirooxindole Scaffold. <i>Mendeleev Communications</i> , 2012, 22, 143-144.	1.6	37
123	Electrocatalysis in MIRC reaction strategy: facile stereoselective approach to medicinally relevant spirocyclopropylbarbiturates from barbituric acids and activated olefins. <i>RSC Advances</i> , 2012, 2, 4444.	3.6	37
124	Electrocatalytic trimerization of N,N-dialkylbarbituric acids: facile and efficient way to 2,5,5-terpyrimidine-2,2,4,4,6,6-(1H,1,3H,3H,3H,5H,5H)-nonone framework. <i>Molecular Catalysis A</i> , 2012, 363-364, 69-73.	1.5	4
125	Electrochemically induced chain reactions in organic synthesis. <i>Russian Chemical Reviews</i> , 2012, 81, 381-396.	6.5	25
126	Electrocatalytic and chemical assembling of N,N-dialkylbarbituric acids and aldehydes: efficient cascade approach to the spiro-[furo[2,3-d]pyrimidine-6,5-pyrimidine]-2,2,4,4,6,6-(1,3H,3H,3H,5H,5H)-nonone framework. <i>Tetrahedron</i> , 2012, 68, 1198-1206.	1.5	32

#	ARTICLE	IF	CITATIONS
127	“On water”™ Knoevenagel condensation of isatins with malononitrile. <i>Mendeleev Communications</i> , 2011, 21, 224-225.	1.6	49
128	Electrocatalytic tandem Knoevenagel–Michael addition of barbituric acids to isatins: Facile and efficient way to substituted 5,5â€²-(2-oxo-2,3-dihydro-1H-indole-3,3-diyl)bis(pyrimidine-2,4,6-(1H,3H,5H)-trione) scaffold. <i>Electrochimica Acta</i> , 2011, 56, 8219-8223.	5.2	33
129	Electrocatalytic multicomponent assembling of aldehydes, N-alkyl barbiturates and malononitrile: an efficient approach to pyrano[2,3-d]pyrimidines. <i>Mendeleev Communications</i> , 2011, 21, 122-124.	1.6	25
130	Stereoselective Electrocatalytic Cyclization of 4,4â€²-(Arylmethylene)bis(1H-pyrazol-5-ols) to (5R*,6R*)-11-Aryl-4,10-dimethyl-2,8-diphenyl-2,3,8,9-tetraazadispiro[4.0.4.1]undeca-3,9-diene-1,7-diones. <i>Synthesis</i> , 2011, 2011, 3015-3019.	2.3	20
131	New Way to Substitute Tetracyanocyclopropanes: One-Pot Cascade Assembling of Carbonyls and Malononitrile by the Only Bromine Direct Action. <i>ISRN Organic Chemistry</i> , 2011, 2011, 1-5.	1.0	6
132	Electrochemically induced aldol reaction of cyclic 1,3-diketones with isatins. <i>Electrochimica Acta</i> , 2010, 55, 2129-2133.	5.2	19
133	Electrochemically induced multicomponent assembling of isatins, 4-hydroxyquinolin-2(1H)-one and malononitrile: a convenient and efficient way to functionalized spirocyclic [indole-3,4â€²-pyrano[3,2-c]quinoline] scaffold. <i>Molecular Diversity</i> , 2010, 14, 833-839.	3.9	39
134	Electrocatalytic dimerization of diarylacetonitriles mediated by sodium halides. <i>Mendeleev Communications</i> , 2010, 20, 207-208.	1.6	6
135	Solvent-free cascade reaction: direct multicomponent assembling of 2-amino-4H-chromene scaffold from salicylaldehyde, malononitrile or cyanoacetate and nitroalkanes. <i>Tetrahedron</i> , 2010, 66, 4043-4048.	1.9	86
136	The first example of the cascade assembly of a spirocyclopropane structure: direct transformation of benzylidenemalononitriles and N,Nâ€²-dialkylbarbituric acids into substituted 2-aryl-4,6,8-trioxo-5,7-diazaspiro[2.5]octane-1,1-dicarbonitriles. <i>Tetrahedron Letters</i> , 2010, 51, 428-431.	1.4	35
137	Cascade assembly of N,Nâ€²-dialkylbarbituric acids and aldehydes: a simple and efficient one-pot approach to the substituted 1,5-dihydro-2H,2â€²H-spiro(furo[2,3-d]pyrimidine-6,5â€²-pyrimidine)-2,2â€²,4,4â€²,6â€²(1â€²H,3H,3â€²H)-pento ^{ne} framework. <i>Tetrahedron Letters</i> , 2010, 51, 6598-6601.	1.4	31
138	Electrocatalytic multicomponent assembling of isatins, 3-methyl-2-pyrazolin-5-ones and malononitrile: facile and convenient way to functionalized spirocyclic [indole-3,4â€²-pyrano[2,3-c]pyrazole] system. <i>Molecular Diversity</i> , 2009, 13, 47-52.	3.9	58
139	Electrocatalytic multicomponent cyclization of aromatic aldehydes, malononitrile, and malonates into 3-substituted 2,2-dicyanocyclopropane-1,1-dicarboxylates. <i>Russian Chemical Bulletin</i> , 2009, 58, 902-907.	1.5	2
140	One-pot cascade assembling of 3-substituted tetracyanocyclopropanes from alkylidenemalononitriles and malononitrile by the only bromine direct action. <i>Mendeleev Communications</i> , 2009, 19, 324-325.	1.6	28
141	A new type of cascade reaction: direct conversion of carbonyl compounds and malononitrile into substituted tetracyanocyclopropanes. <i>Tetrahedron</i> , 2009, 65, 6057-6062.	1.9	19
142	Benzoin condensation in 1,3-dialkylimidazolium ionic liquids via electrochemical generation of N-heterocyclic carbene. <i>Electrochemistry Communications</i> , 2009, 11, 1013-1017.	4.7	46
143	The double role of ionic liquids in organic electrosynthesis: Precursors of N-heterocyclic carbenes and green solvents. Henry reaction. <i>Electrochemistry Communications</i> , 2009, 11, 1523-1526.	4.7	32
144	Mediator oxidation systems in organic electrosynthesis. <i>Russian Chemical Reviews</i> , 2009, 78, 89-140.	6.5	131

#	ARTICLE	IF	CITATIONS
145	A novel strategy of constructing the cyclohexane ring: stereoselective multicomponent cyclization of aromatic aldehydes, malononitrile, and acetone into cis-2,6-diaryl-4-dicyanomethylidencyclohexane-1,1-dicarbonitriles. Russian Chemical Bulletin, 2008, 57, 585-590.	1.5	2
146	Electrocatalytic chain transformation of salicylaldehyde and CH acids into substituted 4H-chromenes. Russian Chemical Bulletin, 2008, 57, 595-600.	1.5	6
147	Catalysis of Salicylaldehydes and Two Different α,β -Unsaturated Aldehydes with Electricity: First Example of an Efficient Multicomponent Approach to the Design of Functionalized Medicinally Privileged 2-Amino-4-Hydroxy-2-Chromene Scaffold. Advanced Synthesis and Catalysis, 2008, 350, 591-601.	4.3	120
148	A new strategy of the chemical route to the cyclopropane structure: direct transformation of benzylidenemalononitriles and malononitrile into 1,1,2,2-tetracyanocyclopropanes. Tetrahedron, 2008, 64, 708-713.	1.9	37
149	Electrochemically induced Henry reaction of nitromethane and carbonyl compounds. Tetrahedron, 2008, 64, 5915-5919.	1.9	40
150	Electrocatalytic cascade multicomponent assembling: stereoselective one-pot synthesis of the substituted 3-azabicyclo[3.1.0]hexane-1-carboxylate system from aldehyde, malononitrile, malonate and methanol. Tetrahedron, 2008, 64, 9766-9770.	1.9	38
151	Electrocatalytic tandem Knoevenagel-Michael reaction of 3-methyl-2-pyrazolin-5-ones, aryl aldehydes and cyano-functionalized α,β -Unsaturated Aldehydes: Facile and convenient multicomponent way to substituted 3-(5-hydroxy-3-methylpyrazol-4-yl)-3-arylpropionitriles. Electrochimica Acta, 2008, 53, 5033-5038.	5.2	18
152	The electrocatalytic cascade assembling of isatins, malononitrile and N-alkyl barbiturates: An efficient multicomponent approach to the spiro[indole-3,5-pyrano[2,3-d]pyrimidine] framework. Electrochimica Acta, 2008, 53, 8346-8350.	5.2	39
153	Facile and Convenient Synthesis of 4,4-(Arylmethylene)bis(1-Hydroxy-2-pyrazol-5-ols) by Electrocatalytic Tandem Knoevenagel-Michael Reaction. Synthesis, 2008, 2008, 1933-1937.	2.3	66
154	Stereoselective Electrocatalytic Oxidative Coupling of Phenylacetoneitriles: Facile and Convenient Way to trans-1,2-Dicyanostilbenes. European Journal of Organic Chemistry, 2007, 2007, 3023-3027.	2.4	24
155	Electrocatalytic multicomponent transformation of cyclic 1,3-diketones, isatins, and malononitrile: facile and convenient way to functionalized spirocyclic (5,6,7,8-tetrahydro-4H-chromene)-4,3-oxindole system. Tetrahedron, 2007, 63, 10543-10548.	1.9	80
156	Unexpected stereoselective sodium acetate catalyzed multicomponent cyclization of aryl aldehydes, malononitrile and acetone into cis-4-dicyanomethylene-2,6-diarylcyclohexane-1,1-dicarbonitriles. Tetrahedron Letters, 2007, 48, 6614-6619.	1.4	28
157	Electrocatalytic chain transformation of salicylaldehydes and malononitrile into substituted 4H-chromenes. Electrochemistry Communications, 2006, 8, 1567-1571.	4.7	33
158	Stereoselective electrocatalytic transformation of malonate and alkylidenecyanoacetates into (E)-3-substituted 2-cyanocyclopropane-1,1,2-tricarboxylates. Tetrahedron, 2006, 62, 3989-3996.	1.9	39
159	Indirect electrochemical oxidation of piperidin-4-ones mediated by sodium halide-base system. Tetrahedron, 2006, 62, 8021-8028.	1.9	17
160	Electrochemically induced chain transformation of salicylaldehydes and alkyl cyanoacetates into substituted 4H-chromenes. Tetrahedron Letters, 2006, 47, 7629-7633.	1.4	66
161	Electrocatalytic multicomponent cyclization of an aldehyde, malononitrile and a malonate into 3-substituted-2,2-dicyanocyclopropane-1,1-dicarboxylate—the first one-pot synthesis of a cyclopropane ring from three different molecules. Tetrahedron Letters, 2006, 47, 9129-9133.	1.4	41
162	Stereoselective electrocatalytic cyclization of 3-substituted 2,2-dicyanocyclopropane-1,1-dicarboxylic acid esters to form 6-substituted (1R,5R,6R)-4,4-dialkoxy-5-cyano-2-oxo-3-azabicyclo[3.1.0]hexane-1-carboxylic acid esters. Russian Chemical Bulletin, 2006, 55, 106-111.	1.5	8

#	ARTICLE	IF	CITATIONS
163	The Implication of Electrocatalysis in MCR Strategy: Electrocatalytic Multicomponent Transformation of Cyclic 1,3-Diketones, Aldehydes and Malononitrile into Substituted 5,6,7,8-Tetrahydro-4H-Chromenes. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 4335-4339.	2.4	42
164	Stereoselective electrocatalytic transformation of arylidene- or alkylidenemalononitriles and malonate into alkyl (1R,5R,6R)* 6-substituted 5-cyano-4,4-dialkoxy-2-oxo-3-azabicyclo[3.1.0]hexane-1-carboxylates. <i>Tetrahedron Letters</i> , 2005, 46, 6389-6393.	1.4	38
165	Electrochemical Dimerization of Phenacyl Bromides N-Acylhydrazones ? A New Way to 1-N-Acylamino-2,5-diaryl-pyrroles.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
166	Stereoselective Electrocatalytic Transformation of Arylidenemalononitriles and Malononitrile into (1R,5S,6R)*-6-Aryl-2-amino-4,4-dialkoxy-1,5-dicyano-3-azabicyclo [3.1.0]hex-2-enes.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
167	Stereoselective Electrocatalytic Transformation of Arylidene- or Alkylidenemalononitriles and Malonate into Alkyl (1R*,5R*,6R*) 6-Substituted 5-Cyano-4,4-dialkoxy-2-oxo-3-azabicyclo[3.1.0]hexane-1-carboxylates.. <i>ChemInform</i> , 2005, 36, no.	0.0	1
168	Stereoselective electrocatalytic transformations of malononitrile and aromatic aldehydes into (1R,5S,6R)*-4,4-dialkoxy-2-amino-6-aryl-1,5-dicyano-3-azabicyclo[3.1.0]hex-2-enes. <i>Russian Chemical Bulletin</i> , 2005, 54, 673-677.	1.5	13
169	Electrocatalytic transformation of dialkyl malonates and arylidene- or alkylidenemalononitriles into dialkyl esters of 3-substituted 2,2-dicyanocyclopropane-1,1-dicarboxylic acids. <i>Russian Chemical Bulletin</i> , 2005, 54, 1593-1598.	1.5	16
170	Oxygen-containing heterocycles from Ĩf, Ĩf, Ĩ%, Ĩ%-alkane-tetracarboxylates and electro-generated formaldehyde. <i>Arkivoc</i> , 2005, 2001, 31-36.	0.5	2
171	Electrochemical dimerization of phenacyl bromides N-acylhydrazonesâ€”a new way to 1-N-acylamino-2,5-diaryl-pyrroles. <i>Tetrahedron</i> , 2004, 60, 10787-10792.	1.9	6
172	Stereoselective electrocatalytic transformation of arylidenemalononitriles and malononitrile into (1R,5S,6R)*-6-aryl-2-amino-4,4-dialkoxy-1,5-dicyano-3-azabicyclo[3.1.0]hex-2-enes. <i>Tetrahedron</i> , 2004, 60, 11743-11749.	1.9	28
173	Title is missing!. <i>Russian Chemical Bulletin</i> , 2003, 52, 998-1002.	1.5	7
174	Electrocatalytic transformation of malononitrile and cycloalkylidenemalononitriles into spirobicyclic and spirotricyclic compounds containing 1,1,2,2-tetracyanocyclopropane fragment. <i>Russian Chemical Bulletin</i> , 2003, 52, 2235-2240.	1.5	18
175	Electrocatalytic transformation of malononitrile and cycloalkylidenemalononitriles into spirotricyclic and spirotetracyclic compounds containing cyclopropane and pyrroline fragments. <i>Russian Chemical Bulletin</i> , 2003, 52, 2241-2246.	1.5	20
176	Electrochemically induced Favorsky rearrangement of alkyl benzyl ketones. <i>Russian Chemical Bulletin</i> , 2003, 52, 228-231.	1.5	4
177	Title is missing!. <i>Russian Chemical Bulletin</i> , 2002, 51, 1478-1482.	1.5	6
178	Stereoselective electrochemical transformation of 4-substituted cyclohexanones into cis-5-substituted-2,2-dimethoxycyclohexanols. <i>Tetrahedron Letters</i> , 2001, 42, 5557-5559.	1.4	12
179	Electrochemical Transformation of Malononitrile and Carbonyl Compounds into Functionally Substituted Cyclopropanes: Electrocatalytic Variant of the Wideqvist Reaction. <i>Tetrahedron</i> , 2000, 56, 3063-3069.	1.9	70
180	Indirect Electrochemical Oxidation of Aryl Alkyl Ketones Mediated by NaIâ€”NaOH System: Facile and Effective Way to Ĩ±-Hydroxyketals. <i>Tetrahedron</i> , 2000, 56, 9999-10003.	1.9	21

#	ARTICLE	IF	CITATIONS
181	Stereoselective electrochemical transformation of alkylidenecyanoacetates and malonate into (E)-3-substituted-2-cyanocyclopropane-1,1,2-tricarboxylates. <i>Tetrahedron Letters</i> , 2000, 41, 4937-4941.	1.4	38
182	Electrochemical transformations of alkylidenemalonates into substituted cyclopropanecarboxylates. <i>Mendeleev Communications</i> , 1999, 9, 20-22.	1.6	6
183	Electrochemical conversions of alkyl alkylidenecyanoacetates into 3-substituted dialkyl 1,2-dicyanocyclopropane-1,2-dicarboxylates. <i>Russian Chemical Bulletin</i> , 1999, 48, 1526-1529.	1.5	2
184	Electro-organic Reactions. Part 49. The Synthesis and Stereoselective Electrochemical Hydroxylation of 2,3-Dihydro-4H-furo[2,3-d]pyrido[1,2-a]pyrimidin-4-ones.. <i>Acta Chemica Scandinavica</i> , 1999, 53, 901-909.	0.7	8
185	Indirect electrochemical oxidation of aliphatic ketones mediated by the NaI/NaOH system: a facile way to unsaturated conjugated esters. <i>Electrochimica Acta</i> , 1998, 43, 973-976.	5.2	15
186	Electrochemical transformation of malonate and alkylidenemalonates into 3-substituted cyclopropane-1,1,2,2-tetracarboxylates. <i>Mendeleev Communications</i> , 1998, 8, 15-16.	1.6	36
187	Electrochemically induced oxidative rearrangement of alkylidenemalonates. <i>Tetrahedron</i> , 1998, 54, 14529-14540.	1.9	4
188	Electrochemical transformation of cyanoacetic ester and alkylidenecyanoacetic esters into 3-substituted 1,2-dicyanocyclopropane-1,2-dicarboxylates. <i>Russian Chemical Bulletin</i> , 1998, 47, 1133-1136.	1.5	7
189	Electrochemical oxidation of malonic esters in acetonitrile in the presence of iodides as mediators. <i>Russian Chemical Bulletin</i> , 1997, 46, 599-602.	1.5	4
190	Indirect electrochemical oxidation of cyclic ketones: Influence of ring size, mediator and supporting electrolyte on the result of the reaction. <i>Tetrahedron</i> , 1997, 53, 4427-4436.	1.9	20
191	Indirect electrochemical oxidation of cyclic ketones: Strong influence of ring size on the result of the reaction. <i>Tetrahedron Letters</i> , 1996, 37, 5759-5762.	1.4	14
192	Electrochemical cyclodimerization of alkylidenemalonates. <i>Tetrahedron</i> , 1995, 51, 5035-5046.	1.9	18
193	Electrochemical Oxidation of α -Bromoketones into Esters. <i>Mendeleev Communications</i> , 1995, 5, 186-187.	1.6	7
194	Electrochemical co-oxidation of C-H acids and methanol as a new route to functionalized cyclopropanes. <i>Russian Chemical Bulletin</i> , 1994, 43, 1739-1740.	1.5	2
195	A general survey on the anodic behaviour of aromatic thioethers in organic solvents of low nucleophilicity. <i>Journal of Electroanalytical Chemistry</i> , 1993, 350, 117-132.	3.8	11
196	Electrochemical transformation of cyanoacetic ester and aldehydes into 3-substituted 1,2-dicyanocyclopropane-1,2-dicarboxylates. <i>Tetrahedron Letters</i> , 1993, 34, 5795-5798.	1.4	25
197	Electrocatalytic Transformation of 1,1,2,2-Tetracyanocyclopropanes into Bicyclic Pyrrolines. <i>Mendeleev Communications</i> , 1993, 3, 157-159.	1.6	7
198	Electrochemical Transformation of Malononitrile and Aldehydes into 3-Substituted 1,1,2,2-Tetracyanocyclopropanes and Bicyclic Pyrrolines. <i>Mendeleev Communications</i> , 1993, 3, 191-192.	1.6	8

#	ARTICLE	IF	CITATIONS
199	Electrochemical Cyclotrimerization of Cyanoacetic Ester into trans-1,2,3-Tricyanocyclopropane-1,2,3-Tricarboxylate. Mendeleev Communications, 1993, 3, 192-193.	1.6	21
200	Electrochemical cyclodimerization of alkylidenemalonates into 3,4-disubstituted cyclobutane-1,1,2,2-tetracarboxylates. Tetrahedron Letters, 1992, 33, 3223-3226.	1.4	15
201	Electrochemical oxidation of aliphatic sulfides under very weakly nucleophilic conditions—the transient formation of a dicationic dimer. Journal of Electroanalytical Chemistry, 1992, 336, 363-367.	3.8	10
202	Electrochemical oxidation of 1,3-diketones in the presence of hydrohalic acid salts. Bulletin of the Russian Academy of Sciences Division of Chemical Science, 1992, 41, 123-126.	0.0	3
203	Electrochemical cleavage of the double bond of 1-alkenylarenes. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1991, 40, 561-566.	0.0	7
204	Electrocatalytic haloform reaction - conversion of methyl ketones to methyl esters of carboxylic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1991, 40, 106-109.	0.0	0
205	Electrochemical oxidative dimerization of acetoacetic and benzoylacetic esters in the presence of metal halides. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1991, 40, 2213-2216.	0.0	0
206	Electrochemical transformation of alkylidenemalonates into 2-alkyl-3,3-dimethoxyalkane-1,1-dicarboxylates via rearrangement. Tetrahedron Letters, 1991, 32, 799-800.	1.4	13
207	Electrochemical transformation of malononitrile and ketones into 3,3-disubstituted-1,1,2,2-tetracyanocyclopropanes. Tetrahedron Letters, 1991, 32, 2655-2656.	1.4	40
208	Electrochemical oxidation of ketones in methanol in the presence of alkali metal bromides. Tetrahedron, 1991, 47, 895-905.	1.9	22
209	Electrochemical cyclization of tetramethyl esters of 2-substituted propane-1,1,3,3-tetracarboxylic acids in the presence of salts of hydrohalic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1990, 39, 2523-2529.	0.0	1
210	Electrochemical oxidation of 1-alkenylarenes to give benzaldehyde dimethyl acetals. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1990, 39, 432-432.	0.0	5
211	Anodic functionalization of olefins in alcohols in the presence of halide salts. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1990, 39, 112-118.	0.0	1
212	Electrochemical selective trimerization of malonic esters into esters of propane-1,1,2,2,3,3-hexacarboxylic acid in the presence of hydrobromic acid salts. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1989, 38, 301-304.	0.0	1
213	Electrochemically induced Favorskii rearrangement. The conversion of benzyl ketones to esters of 3-phenylpropionic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1989, 38, 1100-1100.	0.0	0
214	Electrochemical cyclization of the tetramethyl ester of propane-1,1,3,3-tetracarboxylic acid in the presence of salts of hydrogen halides. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1989, 38, 1467-1471.	0.0	3
215	Crystal and molecular structure of hexacarbomethoxycyclopropane. Journal of Structural Chemistry, 1989, 30, 512-514.	1.0	0
216	Electrocatalytic Haloform Reaction: Transformation of Methyl Ketones into Methyl Esters. Angewandte Chemie International Edition in English, 1988, 27, 1716-1717.	4.4	42

#	ARTICLE	IF	CITATIONS
217	Electrochemical oxidation of conjugated arylelefins to α -bromoketals. Tetrahedron Letters, 1988, 29, 1603-1604.	1.4	13
218	Electrochemical oxidation of conjugated arylelefins to β -bromoketals. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1988, 37, 411-411.	0.0	1
219	Electrochemical oxidation of malonic esters in the presence of catalyst carriers β salts of hydriodic acid. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1988, 37, 2285-2289.	0.0	3
220	Selective electrochemical bromoalkoxylation of aryl olefins. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1988, 37, 1636-1641.	0.0	2
221	Electrochemical oxidation of esters of ethane-1,1,2,2-tetracarboxylic acid in the presence of electron carrier catalysts. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1988, 37, 86-90.	0.0	0
222	Electrochemical cyclization of esters of propane-1,1,3,3-tetracarboxylic acids to give esters of substituted cyclopropane-1,1,2,2-tetracarboxylic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1987, 36, 206-208.	0.0	0
223	Electrochemical oxidation of allylbenzene in methanol. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1987, 36, 1449-1455.	0.0	1
224	Electrochemical dehydrotrimerization of dimethyl malonate to the hexamethyl ester of cyclopropanehexacarboxylic acid. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1986, 35, 1749-1749.	0.0	10
225	Radical additive cyclization in the reaction of dialkyl maleates and dialkyl fumarates with dibenzoyl peroxide. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1985, 34, 1990-1992.	0.0	0
226	Electrochemical dehydrodimerization of malonate esters with double bond formation. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1984, 33, 1970-1970.	0.0	1
227	Electrochemical methoxylation of allylbenzene. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1984, 33, 1753-1753.	0.0	1
228	Free-radical addition of esters to esters of citraconic, itaconic, and acetylenedicarboxylic acids. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1981, 30, 1054-1059.	0.0	0
229	Homolytic addition of esters of alkanedicarboxylic acids to alkyl maleates. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1980, 29, 747-753.	0.0	0
230	Free radical addition of alkanolic esters to alkyl maleates. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1980, 29, 1320-1329.	0.0	0
231	Homolytic addition of malonic and succinic acid esters to alkyl maleates. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1979, 28, 512-518.	0.0	0
232	Free-radical addition of succinic anhydride to olefins and alkyl allyl ethers. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1979, 28, 1504-1506.	0.0	0
233	Homolytic reactions of dibutyl ether with dialkylmaleates. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1978, 27, 1624-1628.	0.0	0
234	Homolytic alkylation of succinic anhydride with 1-alkenes. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1976, 25, 2233-2235.	0.0	0

#	ARTICLE	IF	CITATIONS
235	Organogold complexes of ferrocene series. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1975, 24, 408-409.	0.0	5
236	Assignment of signals in NMR spectra of organogold derivatives of ferrocene. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1975, 24, 1990-1992.	0.0	0