

Jie Gao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4621114/jie-gao-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

340
citations

10
h-index

18
g-index

31
ext. papers

435
ext. citations

4.7
avg, IF

2.84
L-index

#	Paper	IF	Citations
27	Ubiquitin-specific peptidase 2 inhibits epithelial-mesenchymal transition in clear cell renal cell carcinoma metastasis by downregulating the NF- κ B pathway.. <i>Bioengineered</i> , 2022 , 13, 4455-4467	5.7	
26	Clotrimazole Inhibits HCC Migration and Invasion by Modulating the ERK-p65 Signaling Pathway.. <i>Drug Design, Development and Therapy</i> , 2022 , 16, 863-871	4.4	
25	LINC00958: A promising long non-coding RNA related to cancer.. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 151, 113087	7.5	2
24	Interaction analysis of FADS2 gene variants with chronic hepatitis B infection in Chinese patients.. <i>Infection, Genetics and Evolution</i> , 2022 , 105289	4.5	0
23	Interaction analysis of gene variants related to one-carbon metabolism with chronic hepatitis B infection in Chinese patients. <i>Journal of Gene Medicine</i> , 2021 , 23, e3347	3.5	1
22	Propofol suppresses lung cancer tumorigenesis by modulating the circ-ERBB2/miR-7-5p/FOXM1 axis. <i>Thoracic Cancer</i> , 2021 , 12, 824-834	3.2	8
21	Functional and Clinical Characteristics of Cell Adhesion Molecule CADM1 in Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 714298	5.7	0
20	An Integrated Fibrosis Signature for Predicting Survival and Immunotherapy Efficacy of Patients With Hepatocellular Carcinoma.. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 766609	5.6	0
19	Synaptopodin-2 promotes hepatocellular carcinoma metastasis via calcineurin-induced nuclear-cytoplasmic translocation. <i>Cancer Letters</i> , 2020 , 482, 8-18	9.9	2
18	CYP3A4/5 Activity Probed with Testosterone and Midazolam: Correlation between Two Substrates at the Microsomal and Enzyme Levels. <i>Molecular Pharmaceutics</i> , 2019 , 16, 382-392	5.6	7
17	Inhibitory effect of chlormethiazole on the toxicokinetics of diethylnitrosamine in normal and hepatofibrotic rats. <i>Drug and Chemical Toxicology</i> , 2019 , 42, 600-607	2.3	3
16	Higher CYP2E1 Activity Correlates with Hepatocarcinogenesis Induced by Diethylnitrosamine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018 , 365, 398-407	4.7	18
15	From hepatofibrosis to hepatocarcinogenesis: Higher cytochrome P450 2E1 activity is a potential risk factor. <i>Molecular Carcinogenesis</i> , 2018 , 57, 1371-1382	5	10
14	Intraindividual Variation and Correlation of Cytochrome P450 Activities in Human Liver Microsomes. <i>Molecular Pharmaceutics</i> , 2018 , 15, 5312-5318	5.6	7
13	Higher Activity of Alcohol Dehydrogenase Is Correlated with Hepatic Fibrogenesis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018 , 367, 473-482	4.7	6
12	Content and Activities of UGT2B7 in Human Liver In Vitro and Predicted In Vivo: A Bottom-Up Approach. <i>Drug Metabolism and Disposition</i> , 2018 , 46, 1351-1359	4	3
11	From Genotype to Phenotype: Cytochrome P450 2D6-Mediated Drug Clearance in Humans. <i>Molecular Pharmaceutics</i> , 2017 , 14, 649-657	5.6	10

10	Prediction of cytochrome P450-mediated drug clearance in humans based on the measured activities of selected CYPs. <i>Bioscience Reports</i> , 2017 , 37,	4.1	9
9	Prolonged methylprednisolone therapy after the pulse treatment for patients with moderate-to-severe paraquat poisoning: A retrospective analysis. <i>Medicine (United States)</i> , 2017 , 96, e7244	1.8	10
8	High CYP2E1 activity correlates with hepatofibrogenesis induced by nitrosamines. <i>Oncotarget</i> , 2017 , 8, 112199-112210	3.3	9
7	Correlation of Cytochrome P450 Oxidoreductase Expression with the Expression of 10 Isoforms of Cytochrome P450 in Human Liver. <i>Drug Metabolism and Disposition</i> , 2016 , 44, 1193-200	4	23
6	Gene polymorphisms and contents of cytochrome P450s have only limited effects on metabolic activities in human liver microsomes. <i>European Journal of Pharmaceutical Sciences</i> , 2016 , 92, 86-97	5.1	29
5	Changes in cytochrome P450s-mediated drug clearance in patients with hepatocellular carcinoma in vitro and in vivo: a bottom-up approach. <i>Oncotarget</i> , 2016 , 7, 28612-23	3.3	29
4	Significant change of cytochrome P450s activities in patients with hepatocellular carcinoma. <i>Oncotarget</i> , 2016 , 7, 50612-50623	3.3	39
3	Physiological Content and Intrinsic Activities of 10 Cytochrome P450 Isoforms in Human Normal Liver Microsomes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 358, 83-93	4.7	51
2	Content and activity of human liver microsomal protein and prediction of individual hepatic clearance in vivo. <i>Scientific Reports</i> , 2015 , 5, 17671	4.9	49
1	Contribution of baicalin on the plasma protein binding displacement and CYP3A activity inhibition to the pharmacokinetic changes of nifedipine in rats in vivo and in vitro. <i>PLoS ONE</i> , 2014 , 9, e87234	3.7	15