

Evandro da Silva Freire Coutinho

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/4621566/evandro-da-silva-freire-coutinho-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

3,976
citations

31
h-index

56
g-index

163
ext. papers

4,822
ext. citations

3.7
avg, IF

5.15
L-index

#	Paper	IF	Citations
129	Rescuers at risk: a systematic review and meta-regression analysis of the worldwide current prevalence and correlates of PTSD in rescue workers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1001-11	4.5	339
128	Exercise and mental health: many reasons to move. <i>Neuropsychobiology</i> , 2009 , 59, 191-8	4	280
127	Brazilian multicentric study of psychiatric morbidity. Methodological features and prevalence estimates. <i>British Journal of Psychiatry</i> , 1997 , 171, 524-9	5.4	188
126	Physical exercise and clinically depressed patients: a systematic review and meta-analysis. <i>Neuropsychobiology</i> , 2013 , 67, 61-8	4	156
125	Efficacy of virtual reality exposure therapy in the treatment of PTSD: a systematic review. <i>PLoS ONE</i> , 2012 , 7, e48469	3.7	118
124	Post-traumatic stress symptoms in an elite unit of Brazilian police officers: prevalence and impact on psychosocial functioning and on physical and mental health. <i>Journal of Affective Disorders</i> , 2007 , 97, 241-5	6.6	112
123	The impact of epidemic violence on the prevalence of psychiatric disorders in Sao Paulo and Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2013 , 8, e63545	3.7	83
122	Building resilience for future adversity: a systematic review of interventions in non-clinical samples of adults. <i>BMC Psychiatry</i> , 2014 , 14, 227	4.2	81
121	Does D-cycloserine enhance exposure therapy for anxiety disorders in humans? A meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e93519	3.7	81
120	Impact and Effectiveness of 10 and 13-Valent Pneumococcal Conjugate Vaccines on Hospitalization and Mortality in Children Aged Less than 5 Years in Latin American Countries: A Systematic Review. <i>PLoS ONE</i> , 2016 , 11, e0166736	3.7	79
119	Income inequality and mental illness-related morbidity and resilience: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 554-562	23.3	74
118	Posttraumatic stress disorder in parents of children with chronic illnesses: a meta-analysis. <i>Health Psychology</i> , 2009 , 28, 379-88	5	66
117	Abnormal serum lipid profile in Brazilian police officers with post-traumatic stress disorder. <i>Journal of Affective Disorders</i> , 2008 , 107, 259-63	6.6	66
116	Poverty, violence and depression during pregnancy: a survey of mothers attending a public hospital in Brazil. <i>Psychological Medicine</i> , 2005 , 35, 1485-92	6.9	65
115	Prevalence of hysteroscopic findings and histologic diagnoses in patients with abnormal uterine bleeding. <i>Fertility and Sterility</i> , 2008 , 89, 1803-7	4.8	64
114	The costs of overweight and obesity-related diseases in the Brazilian public health system: cross-sectional study. <i>BMC Public Health</i> , 2012 , 12, 440	4.1	62
113	Peritraumatic tonic immobility predicts a poor response to pharmacological treatment in victims of urban violence with PTSD. <i>Journal of Affective Disorders</i> , 2008 , 107, 193-7	6.6	58

112	Is there tonic immobility in humans? Biological evidence from victims of traumatic stress. <i>Biological Psychology</i> , 2011 , 88, 13-9	3.2	57
111	Is tonic immobility the core sign among conventional peritraumatic signs and symptoms listed for PTSD?. <i>Journal of Affective Disorders</i> , 2009 , 115, 269-73	6.6	54
110	The impact of tonic immobility reaction on the prognosis of posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2010 , 44, 224-8	5.2	48
109	The impact of posttraumatic symptoms and comorbid mental disorders on the health-related quality of life in treatment-seeking PTSD patients. <i>Comprehensive Psychiatry</i> , 2015 , 58, 68-73	7.3	46
108	The mental health care gap among children and adolescents: data from an epidemiological survey from four Brazilian regions. <i>PLoS ONE</i> , 2014 , 9, e88241	3.7	46
107	Comparison of strength training, aerobic training, and additional physical therapy as supplementary treatments for Parkinson's disease: pilot study. <i>Clinical Interventions in Aging</i> , 2015 , 10, 183-91	4	45
106	They know their trauma by heart: an assessment of psychophysiological failure to recover in PTSD. <i>Journal of Affective Disorders</i> , 2013 , 150, 136-41	6.6	43
105	The epidemiology of psychotropic use in the city of S ^o Paulo. <i>Psychological Medicine</i> , 1993 , 23, 467-74	6.9	42
104	Factors associated with the use of physical restraints for agitated patients in psychiatric emergency rooms. <i>General Hospital Psychiatry</i> , 2008 , 30, 263-8	5.6	39
103	Validation of hysteroscopic view in cases of endometrial hyperplasia and cancer in patients with abnormal uterine bleeding. <i>Journal of Minimally Invasive Gynecology</i> , 2006 , 13, 409-12	2.2	37
102	Current practices in managing acutely disturbed patients at three hospitals in Rio de Janeiro-Brazil: a prevalence study. <i>BMC Psychiatry</i> , 2002 , 2, 4	4.2	37
101	Association between home posture habits and low back pain in high school adolescents. <i>European Spine Journal</i> , 2015 , 24, 425-33	2.7	34
100	Validation of Montgomery-Åsberg Rating Scale and Cornell Scale for Depression in Dementia in Brazilian elderly patients. <i>International Psychogeriatrics</i> , 2012 , 24, 1291-8	3.4	34
99	Physical restraints versus seclusion room for management of people with acute aggression or agitation due to psychotic illness (TREC-SAVE): a randomized trial. <i>Psychological Medicine</i> , 2012 , 42, 2265-73	6.9	31
98	Conditional risk for posttraumatic stress disorder in an epidemiological study of a Brazilian urban population. <i>Journal of Psychiatric Research</i> , 2016 , 72, 51-7	5.2	27
97	Is ADHD a risk factor independent of conduct disorder for illicit substance use? A meta-analysis and metaregression investigation. <i>Journal of Attention Disorders</i> , 2013 , 17, 459-69	3.7	27
96	Risk factors for abdominal scar endometriosis after obstetric hysterotomies: a case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007 , 86, 73-80	3.8	27
95	Tobacco use among the elderly: a systematic review and meta-analysis. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2213-33	3.2	26

94	Reliability of self-reported weight and height among state bank employees. <i>Revista De Saude Publica</i> , 1999 , 33, 16-23	2.4	25
93	Institutional h-index: The performance of a new metric in the evaluation of Brazilian Psychiatric Post-graduation Programs. <i>Scientometrics</i> , 2008 , 77, 361-368	3	24
92	Systematic review of the efficacy of cognitive-behavior therapy related treatments for victims of natural disasters: a worldwide problem. <i>PLoS ONE</i> , 2014 , 9, e109013	3.7	23
91	The worldwide incidence of neonaticide: a systematic review. <i>Archives of Women's Mental Health</i> , 2017 , 20, 249-256	5	22
90	Is weight regain after bariatric surgery associated with psychiatric comorbidity? A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2019 , 20, 1413-1425	10.6	22
89	The increasing internationalization of mainstream posttraumatic stress disorder research: a bibliometric study. <i>Journal of Traumatic Stress</i> , 2007 , 20, 89-95	3.8	22
88	Sexual trauma is more strongly associated with tonic immobility than other types of trauma - A population based study. <i>Journal of Affective Disorders</i> , 2017 , 215, 71-76	6.6	20
87	Locus of control and coping strategies in older persons with and without depression. <i>Aging and Mental Health</i> , 2016 , 20, 831-9	3.5	20
86	Prevalence of arterial hypertension among Brazilian adolescents: systematic review and meta-analysis. <i>BMC Public Health</i> , 2013 , 13, 833	4.1	19
85	Peritraumatic tonic immobility is associated with PTSD symptom severity in Brazilian police officers: a prospective study. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 49-54	2.6	19
84	One-year mortality among elderly people after hospitalization due to fall-related fractures: comparison with a control group of matched elderly. <i>Cadernos De Saude Publica</i> , 2012 , 28, 801-5	3.2	19
83	Epidemiology of psychotropic drug use in Rio de Janeiro, Brazil: gaps in mental illness treatments. <i>PLoS ONE</i> , 2013 , 8, e62270	3.7	19
82	The influence of smokers' degree of dependence on the effectiveness of message framing for capturing smokers for a Quitline. <i>Addictive Behaviors</i> , 2010 , 35, 620-4	4.2	18
81	Mental illness in an adult sample admitted to public hostels in the Rio de Janeiro metropolitan area, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 493-8	4.5	18
80	ERICA: patterns of alcohol consumption in Brazilian adolescents. <i>Revista De Saude Publica</i> , 2016 , 50 Suppl 1, 8s	2.4	18
79	Cerebrospinal fluid biomarkers in Alzheimer's disease and geriatric depression: preliminary findings from Brazil. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 524-9	6.8	17
78	Comorbid depressive symptoms in treatment-seeking PTSD outpatients affect multiple domains of quality of life. <i>Comprehensive Psychiatry</i> , 2014 , 55, 56-63	7.3	17
77	Prevalence of psychiatric disorders among children and adolescents from four Brazilian regions. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 178-9	2.6	17

76	Diagnosing dementia in lower educated older persons: validation of a Brazilian Portuguese version of the Rowland Universal Dementia Assessment Scale (RUDAS). <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 264-269	2.6	17
75	Predictors of PTSD symptoms in Brazilian police officers: the synergy of negative affect and peritraumatic dissociation. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 362-6	2.6	16
74	Second-generation antidepressants in social anxiety disorder: meta-analysis of controlled clinical trials. <i>Psychopharmacology</i> , 2011 , 215, 1-11	4.7	16
73	PTSD criterion A1 events: a literature-based categorization. <i>Journal of Traumatic Stress</i> , 2011 , 24, 243-513.8	3.8	16
72	Negative affect predicts posttraumatic stress symptoms in Brazilian volunteer United Nations peacekeepers in Haiti. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 852-5	1.8	16
71	Molecular and phenotypic analysis of a working seed lot of yellow fever virus 17DD vaccine strain produced from the secondary seed lot 102/84 with an additional passage in chicken embryos. <i>Biologicals</i> , 2006 , 34, 191-7	1.8	16
70	Attenuation of recombinant yellow fever 17D viruses expressing foreign protein epitopes at the surface. <i>Journal of Virology</i> , 2005 , 79, 8602-13	6.6	16
69	Early scars are forever: Childhood abuse in patients with adult-onset PTSD is associated with increased prevalence and severity of psychiatric comorbidity. <i>Psychiatry Research</i> , 2018 , 267, 1-6	9.9	16
68	Peritraumatic tonic immobility in a large representative sample of the general population: association with posttraumatic stress disorder and female gender. <i>Comprehensive Psychiatry</i> , 2015 , 60, 68-72	7.3	15
67	Listening to the heart: A meta-analysis of cognitive behavior therapy impact on the heart rate of patients with anxiety disorders. <i>Journal of Affective Disorders</i> , 2015 , 172, 231-40	6.6	15
66	Senses of body image in adolescents in elementary school. <i>Revista De Saude Publica</i> , 2014 , 48, 438-44	2.4	15
65	Peritraumatic tonic immobility is associated with posttraumatic stress symptoms in undergraduate Brazilian students. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 60-5	2.6	15
64	Patterns of neuropsychiatric sub-syndromes in Brazilian and Norwegian patients with dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 228-35	3.4	15
63	The quality of life of people with schizophrenia living in community in Rio de Janeiro, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 347-56	4.5	15
62	Zuclopenthixol acetate in psychiatric emergencies: looking for evidence from clinical trials. <i>Schizophrenia Research</i> , 2000 , 46, 111-8	3.6	15
61	Psychotropic Drug Use in São Paulo, Brazil--An Epidemiological Survey. <i>PLoS ONE</i> , 2015 , 10, e0135059	3.7	15
60	Verbal fluency in Alzheimer's disease, Parkinson's disease, and major depression. <i>Clinics</i> , 2011 , 66, 623-7.2.3	2.3	13
59	Education does not equally influence all the Mini Mental State Examination subscales and items: inferences from a Brazilian community sample. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 223-30	2.6	13

58	The REAL study: a nationwide prospective study of rheumatoid arthritis in Brazil. <i>Advances in Rheumatology</i> , 2018 , 58, 9	3	12
57	Prevalence and Correlates of Elder Abuse in São Paulo and Rio de Janeiro. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2634-2638	5.6	12
56	Blunted cardiac reactivity to psychological stress associated with higher trait anxiety: a study in peacekeepers. <i>BMC Neuroscience</i> , 2015 , 16, 81	3.2	12
55	Detection of antibodies against hepatitis A virus in eluates of blood spotted on filter-paper: a pilot study in Rio de Janeiro, Brazil. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1999 , 93, 401-4	2	12
54	Reappraising the dimensional structure of the PTSD Checklist: lessons from the DSM-IV-based PCL-C. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 154-162	2.6	11
53	Impaired cognition in depression and Alzheimer (AD): a gradient from depression to depression in AD. <i>Arquivos De Neuro-Psiquiatria</i> , 2014 , 72, 671-9	1.6	11
52	Characteristics and circumstances of falls leading to severe fractures in elderly people in Rio de Janeiro, Brazil. <i>Cadernos De Saude Publica</i> , 2009 , 25, 455-9	3.2	11
51	Depression subtypes and obesity in adults: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2020 , 21, e12966	10.6	11
50	Violence and child mental health in Brazil: The Itaboraí Youth Study methods and findings. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1605	4.3	10
49	Meta-analysis of the prevalence of physical inactivity among Brazilian adolescents. <i>Cadernos De Saude Publica</i> , 2012 , 28, 1019-32	3.2	10
48	Adaptao transcultural para o portuguol do instrumento Peritraumatic Dissociative Experiences Questionnaire, Verso Auto-Applicativa. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2005 , 27, 151-158		10
47	Is Strength Training as Effective as Aerobic Training for Depression in Older Adults? A Randomized Controlled Trial. <i>Neuropsychobiology</i> , 2020 , 79, 141-149	4	10
46	Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. <i>Journal of Affective Disorders</i> , 2015 , 188, 173-8	6.6	9
45	Resilience to trauma in the two largest cities of Brazil: a cross-sectional study. <i>BMC Psychiatry</i> , 2014 , 14, 257	4.2	9
44	Exploratory factor analysis of the Brazilian version of the Post-Traumatic Stress Disorder Checklist - Civilian Version (PCL-C). <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 155-161	2.6	9
43	School attainment in childhood is an independent risk factor of dementia in late life: results from a Brazilian sample. <i>International Psychogeriatrics</i> , 2012 , 24, 55-61	3.4	9
42	Structural validity of the tonic immobility scale in a population exposed to trauma: evidence from two large Brazilian samples. <i>PLoS ONE</i> , 2014 , 9, e94367	3.7	9
41	Association between home posture habits and neck pain in High School adolescents. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2017 , 30, 467-475	1.4	8

40	Postpartum posttraumatic stress disorder in a fetal high-risk maternity hospital in the city of Rio de Janeiro, Brazil. <i>Cadernos De Saude Publica</i> , 2015 , 31, 2523-34	3.2	8
39	Posttraumatic stress disorder in peacekeepers: a meta-analysis. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 309-12	1.8	8
38	Cochrane Schizophrenia Group. <i>Schizophrenia Bulletin</i> , 2008 , 34, 259-65	1.3	8
37	Adaptaçã transcultural para o portuguê do Social Phobia Inventory (SPIN) para utilizaçã entre estudantes adolescentes. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2006 , 28, 40-48		8
36	Exploratory factor analysis of the Brazilian version of the Post-Traumatic Stress Disorder Checklist: civilian version (PCL-C). <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 155-61	2.6	8
35	Factors associated with microalbuminuria in resistant hypertension. <i>International Journal of Cardiology</i> , 2007 , 121, 86-7	3.2	7
34	Risk factors for breast cancer: a systematic review of studies with female samples among the general population in Brazil. <i>Cadernos De Saude Publica</i> , 2005 , 21, 351-60	3.2	7
33	A cross-cultural comparison of the phenotype of depression as measured by the Cornell Scale and the MADRS in two elderly outpatient populations. <i>Journal of Affective Disorders</i> , 2013 , 144, 34-41	6.6	6
32	Gender and minor psychiatric morbidity: results of a case-control study in a developing country. <i>International Journal of Psychiatry in Medicine</i> , 1999 , 29, 197-208	1	6
31	Adherence to the 2012 American College of Rheumatology (ACR) Guidelines for Management of Gout: A Survey of Brazilian Rheumatologists. <i>PLoS ONE</i> , 2015 , 10, e0135805	3.7	6
30	Brazilian version of the European Cross-Cultural Neuropsychological Test Battery (CNTB-BR): diagnostic accuracy across schooling levels. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 286-294	2.6	6
29	Potenciais biomarcadores da terapia cognitivo-comportamental para o transtorno de estresse pã-traumãtico: uma revisã sistemãtica. <i>Revista De Psiquiatria Clinica</i> , 2011 , 38, 155-160	0.8	5
28	Inquãrito sobre o uso de contenã fãisica em um hospital psiquiãtrico de grande porte no Rio de Janeiro. <i>Jornal Brasileiro De Psiquiatria</i> , 2010 , 59, 94-98	0.5	5
27	Effectiveness of immunonutrient-enriched diets in the decrease of infections and mortality in the critically ill. <i>Nutrition</i> , 2013 , 29, 485-90	4.8	4
26	Lower mortality rate in people with dementia is associated with better cognitive and functional performance in an outpatient cohort. <i>Arquivos De Neuro-Psiquiatria</i> , 2014 , 72, 278-82	1.6	4
25	Social disablement among residents of hostels for the homeless in Rio de Janeiro, Brazil. <i>International Journal of Social Psychiatry</i> , 2002 , 48, 279-89	8.5	4
24	Caracterãsticas biolãgicas e evitabilidade de ãbitos perinatais em uma localidade na cidade do Rio de Janeiro, 1999 a 2003. <i>Revista Brasileira De Saude Materno Infantil</i> , 2008 , 8, 171-178	0.3	4
23	Comorbidity in post-traumatic stress disorder: A population-based study from the two largest cities in Brazil. <i>Journal of Affective Disorders</i> , 2020 , 263, 715-721	6.6	4

22	Effects of Blood Pressure Lowering Agents on Cardiovascular Outcomes in Weight Excess Patients: A Systematic Review and Meta-analysis. <i>American Journal of Cardiovascular Drugs</i> , 2020 , 20, 447-470	4	4
21	Clinical stability, diagnosis and catchment area: the patients of a university-based psychiatric outpatient clinic. <i>Jornal Brasileiro De Psiquiatria</i> , 2018 , 67, 213-222	0.5	4
20	Is there a gender gap in authorship of the main Brazilian psychiatric journals at the beginning of the 21st century?. <i>Scientometrics</i> , 2011 , 86, 27-37	3	3
19	Gains of stopping smoking: portraits of the dialogue between public health promotion, art and design. <i>International Journal of Epidemiology</i> , 2009 , 38, 1459-63	7.8	3
18	Vulnerability and self-perceived health status among light and heavy smokers: the relationship to short-term fear appeal tobacco control messages. <i>Cadernos De Saude Publica</i> , 2009 , 25, 1534-42	3.2	3
17	Does CBT have lasting effects in the treatment of PTSD after one year of follow-up? A systematic review of randomized controlled trials. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 352-359	2.3	3
16	Gout treatment: survey of Brazilian rheumatology residents. <i>Clinical Rheumatology</i> , 2017 , 36, 1179-1188	3.9	2
15	Early vulnerabilities for psychiatric disorders in elementary schoolchildren from four Brazilian regions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 477-486	4.5	2
14	A pragmatic trial in the Rio de Janeiro subway to capture smokers for a quitline: methodological challenges and opportunities. <i>Journal of Health Communication</i> , 2012 , 17, 899-914	2.5	2
13	Confiabilidade de instrumentos diagnósticos: estudo do inventário de sintomas psiquiátricos do DSM-III aplicado em amostra populacional. <i>Cadernos De Saude Publica</i> , 2001 , 17, 1393-1402	3.2	2
12	Cost of diseases related to alcohol consumption in the Brazilian Unified Health System. <i>Revista De Saude Publica</i> , 2016 , 50,	2.4	2
11	Peritraumatic tonic immobility is associated with posttraumatic stress symptoms in undergraduate Brazilian students. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 60-65	2.6	1
10	'Consent rituals' in evaluation of coercive care. <i>Evidence-Based Mental Health</i> , 2013 , 16, 32-3	11.1	1
9	Pattern evolution of antidepressants and benzodiazepines use in a cohort. <i>Revista De Saude Publica</i> , 2020 , 54, 40	2.4	1
8	Psychological care for disaster victims: are we doing well?. <i>Cadernos De Saude Publica</i> , 2013 , 29, 1488-90	3.2	1
7	To BDZ or not to BDZ? That is the question! Is there reliable scientific evidence for or against using benzodiazepines in the aftermath of potentially traumatic events for the prevention of PTSD? A systematic review and meta-analysis.. <i>Journal of Psychopharmacology</i> , 2022 , 2698811221080464	4.6	0
6	Aggregation of behavioral risk factors to noncommunicable chronic diseases: A national school-based study with Brazilian adolescents. <i>Preventive Medicine</i> , 2020 , 137, 106128	4.3	
5	Re. More research needed in quality, quantity and timing of enteral formulas for the acutely ill. <i>Nutrition</i> , 2014 , 30, 240-1	4.8	

- 4 Adaptao transcultural da escala Locus of Control of Behaviour para o portugu: verso para idosos. *Jornal Brasileiro De Psiquiatria*, **2014**, 63, 227-231 0.5
- 3 Validade de medidas autorrelatadas de peso corporal e estatura em participantes do estudo Sõ Paulo Megacity. *Cadernos Saude Coletiva*, **2019**, 27, 225-233 0.3
- 2 Exposure to stressful events during a peacekeeping mission may have a price: The impact on trait of negative and positive affect and mental health. *Journal of Health Psychology*, **2020**, 25, 1285-1291 3.1
- 1 Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan Sõ Paulo, Brazil. *Social Psychiatry and Psychiatric Epidemiology*, **2021**, 56, 687-694 4.5