

Evandro da Silva Freire Coutinho

List of Publications by Year in Descending Order

Source:

<https://exaly.com/author-pdf/4621566/evandro-da-silva-freire-coutinho-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

3,976
citations

31
h-index

56
g-index

163
ext. papers

4,822
ext. citations

3.7
avg, IF

5.15
L-index

#	Paper	IF	Citations
129	To BDZ or not to BDZ? That is the question! Is there reliable scientific evidence for or against using benzodiazepines in the aftermath of potentially traumatic events for the prevention of PTSD? A systematic review and meta-analysis.. <i>Journal of Psychopharmacology</i> , 2022 , 2698811221080464	4.6	0
128	Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan São Paulo, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 687-694	4.5	
127	Aggregation of behavioral risk factors to noncommunicable chronic diseases: A national school-based study with Brazilian adolescents. <i>Preventive Medicine</i> , 2020 , 137, 106128	4.3	
126	Brazilian version of the European Cross-Cultural Neuropsychological Test Battery (CNTB-BR): diagnostic accuracy across schooling levels. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 286-294	2.6	6
125	Is Strength Training as Effective as Aerobic Training for Depression in Older Adults? A Randomized Controlled Trial. <i>Neuropsychobiology</i> , 2020 , 79, 141-149	4	10
124	Depression subtypes and obesity in adults: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2020 , 21, e12966	10.6	11
123	Comorbidity in post-traumatic stress disorder: A population-based study from the two largest cities in Brazil. <i>Journal of Affective Disorders</i> , 2020 , 263, 715-721	6.6	4
122	Effects of Blood Pressure Lowering Agents on Cardiovascular Outcomes in Weight Excess Patients: A Systematic Review and Meta-analysis. <i>American Journal of Cardiovascular Drugs</i> , 2020 , 20, 447-470	4	4
121	Pattern evolution of antidepressants and benzodiazepines use in a cohort. <i>Revista De Saude Publica</i> , 2020 , 54, 40	2.4	1
120	Exposure to stressful events during a peacekeeping mission may have a price: The impact on trait of negative and positive affect and mental health. <i>Journal of Health Psychology</i> , 2020 , 25, 1285-1291	3.1	
119	Is weight regain after bariatric surgery associated with psychiatric comorbidity? A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2019 , 20, 1413-1425	10.6	22
118	Validade de medidas autorrelatadas de peso corporal e estatura em participantes do estudo São Paulo Megacity. <i>Cadernos Saude Coletiva</i> , 2019 , 27, 225-233	0.3	
117	Early vulnerabilities for psychiatric disorders in elementary schoolchildren from four Brazilian regions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 477-486	4.5	2
116	Violence and child mental health in Brazil: The Itaboraí Youth Study methods and findings. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1605	4.3	10
115	The REAL study: a nationwide prospective study of rheumatoid arthritis in Brazil. <i>Advances in Rheumatology</i> , 2018 , 58, 9	3	12
114	Reappraising the dimensional structure of the PTSD Checklist: lessons from the DSM-IV-based PCL-C. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 154-162	2.6	11
113	Does CBT have lasting effects in the treatment of PTSD after one year of follow-up? A systematic review of randomized controlled trials. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 352-359	2.3	3

112	Clinical stability, diagnosis and catchment area: the patients of a university-based psychiatric outpatient clinic. <i>Jornal Brasileiro De Psiquiatria</i> , 2018 , 67, 213-222	0.5	4
111	Diagnosing dementia in lower educated older persons: validation of a Brazilian Portuguese version of the Rowland Universal Dementia Assessment Scale (RUDAS). <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 264-269	2.6	17
110	Early scars are forever: Childhood abuse in patients with adult-onset PTSD is associated with increased prevalence and severity of psychiatric comorbidity. <i>Psychiatry Research</i> , 2018 , 267, 1-6	9.9	16
109	The worldwide incidence of neonaticide: a systematic review. <i>Archives of Women's Mental Health</i> , 2017 , 20, 249-256	5	22
108	Gout treatment: survey of Brazilian rheumatology residents. <i>Clinical Rheumatology</i> , 2017 , 36, 1179-1188	3.9	2
107	Sexual trauma is more strongly associated with tonic immobility than other types of trauma - A population based study. <i>Journal of Affective Disorders</i> , 2017 , 215, 71-76	6.6	20
106	Income inequality and mental illness-related morbidity and resilience: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 554-562	23.3	74
105	Association between home posture habits and neck pain in High School adolescents. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2017 , 30, 467-475	1.4	8
104	Prevalence and Correlates of Elder Abuse in São Paulo and Rio de Janeiro. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2634-2638	5.6	12
103	Locus of control and coping strategies in older persons with and without depression. <i>Aging and Mental Health</i> , 2016 , 20, 831-9	3.5	20
102	Conditional risk for posttraumatic stress disorder in an epidemiological study of a Brazilian urban population. <i>Journal of Psychiatric Research</i> , 2016 , 72, 51-7	5.2	27
101	Cost of diseases related to alcohol consumption in the Brazilian Unified Health System. <i>Revista De Saude Publica</i> , 2016 , 50,	2.4	2
100	ERICA: patterns of alcohol consumption in Brazilian adolescents. <i>Revista De Saude Publica</i> , 2016 , 50 Suppl 1, 8s	2.4	18
99	Impact and Effectiveness of 10 and 13-Valent Pneumococcal Conjugate Vaccines on Hospitalization and Mortality in Children Aged Less than 5 Years in Latin American Countries: A Systematic Review. <i>PLoS ONE</i> , 2016 , 11, e0166736	3.7	79
98	Association between home posture habits and low back pain in high school adolescents. <i>European Spine Journal</i> , 2015 , 24, 425-33	2.7	34
97	Peritraumatic tonic immobility in a large representative sample of the general population: association with posttraumatic stress disorder and female gender. <i>Comprehensive Psychiatry</i> , 2015 , 60, 68-72	7.3	15
96	The impact of posttraumatic symptoms and comorbid mental disorders on the health-related quality of life in treatment-seeking PTSD patients. <i>Comprehensive Psychiatry</i> , 2015 , 58, 68-73	7.3	46
95	Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. <i>Journal of Affective Disorders</i> , 2015 , 188, 173-8	6.6	9

94	Listening to the heart: A meta-analysis of cognitive behavior therapy impact on the heart rate of patients with anxiety disorders. <i>Journal of Affective Disorders</i> , 2015 , 172, 231-40	6.6	15
93	Blunted cardiac reactivity to psychological stress associated with higher trait anxiety: a study in peacekeepers. <i>BMC Neuroscience</i> , 2015 , 16, 81	3.2	12
92	Peritraumatic tonic immobility is associated with PTSD symptom severity in Brazilian police officers: a prospective study. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 49-54	2.6	19
91	Comparison of strength training, aerobic training, and additional physical therapy as supplementary treatments for Parkinson's disease: pilot study. <i>Clinical Interventions in Aging</i> , 2015 , 10, 183-91	4	45
90	Postpartum posttraumatic stress disorder in a fetal high-risk maternity hospital in the city of Rio de Janeiro, Brazil. <i>Cadernos De Saude Publica</i> , 2015 , 31, 2523-34	3.2	8
89	Psychotropic Drug Use in Sã Paulo, Brazil--An Epidemiological Survey. <i>PLoS ONE</i> , 2015 , 10, e0135059	3.7	15
88	Adherence to the 2012 American College of Rheumatology (ACR) Guidelines for Management of Gout: A Survey of Brazilian Rheumatologists. <i>PLoS ONE</i> , 2015 , 10, e0135805	3.7	6
87	Prevalence of psychiatric disorders among children and adolescents from four Brazilian regions. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 178-9	2.6	17
86	Building resilience for future adversity: a systematic review of interventions in non-clinical samples of adults. <i>BMC Psychiatry</i> , 2014 , 14, 227	4.2	81
85	Re. More research needed in quality, quantity and timing of enteral formulas for the acutely ill. <i>Nutrition</i> , 2014 , 30, 240-1	4.8	
84	Senses of body image in adolescents in elementary school. <i>Revista De Saude Publica</i> , 2014 , 48, 438-44	2.4	15
83	Does D-cycloserine enhance exposure therapy for anxiety disorders in humans? A meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e93519	3.7	81
82	The mental health care gap among children and adolescents: data from an epidemiological survey from four Brazilian regions. <i>PLoS ONE</i> , 2014 , 9, e88241	3.7	46
81	Systematic review of the efficacy of cognitive-behavior therapy related treatments for victims of natural disasters: a worldwide problem. <i>PLoS ONE</i> , 2014 , 9, e109013	3.7	23
80	Impaired cognition in depression and Alzheimer (AD): a gradient from depression to depression in AD. <i>Arquivos De Neuro-Psiquiatria</i> , 2014 , 72, 671-9	1.6	11
79	Lower mortality rate in people with dementia is associated with better cognitive and functional performance in an outpatient cohort. <i>Arquivos De Neuro-Psiquiatria</i> , 2014 , 72, 278-82	1.6	4
78	Adaptaõ transcultural da escala Locus of Control of Behaviour para o portuguẽ: versõ para idosos. <i>Jornal Brasileiro De Psiquiatria</i> , 2014 , 63, 227-231	0.5	
77	Resilience to trauma in the two largest cities of Brazil: a cross-sectional study. <i>BMC Psychiatry</i> , 2014 , 14, 257	4.2	9

76	Comorbid depressive symptoms in treatment-seeking PTSD outpatients affect multiple domains of quality of life. <i>Comprehensive Psychiatry</i> , 2014 , 55, 56-63	7.3	17
75	Structural validity of the tonic immobility scale in a population exposed to trauma: evidence from two large Brazilian samples. <i>PLoS ONE</i> , 2014 , 9, e94367	3.7	9
74	Prevalence of arterial hypertension among Brazilian adolescents: systematic review and meta-analysis. <i>BMC Public Health</i> , 2013 , 13, 833	4.1	19
73	They know their trauma by heart: an assessment of psychophysiological failure to recover in PTSD. <i>Journal of Affective Disorders</i> , 2013 , 150, 136-41	6.6	43
72	A cross-cultural comparison of the phenotype of depression as measured by the Cornell Scale and the MADRS in two elderly outpatient populations. <i>Journal of Affective Disorders</i> , 2013 , 144, 34-41	6.6	6
71	Effectiveness of immunonutrient-enriched diets in the decrease of infections and mortality in the critically ill. <i>Nutrition</i> , 2013 , 29, 485-90	4.8	4
70	Physical exercise and clinically depressed patients: a systematic review and meta-analysis. <i>Neuropsychobiology</i> , 2013 , 67, 61-8	4	156
69	'Consent rituals' in evaluation of coercive care. <i>Evidence-Based Mental Health</i> , 2013 , 16, 32-3	11.1	1
68	Is ADHD a risk factor independent of conduct disorder for illicit substance use? A meta-analysis and metaregression investigation. <i>Journal of Attention Disorders</i> , 2013 , 17, 459-69	3.7	27
67	Patterns of neuropsychiatric sub-syndromes in Brazilian and Norwegian patients with dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 228-35	3.4	15
66	Epidemiology of psychotropic drug use in Rio de Janeiro, Brazil: gaps in mental illness treatments. <i>PLoS ONE</i> , 2013 , 8, e62270	3.7	19
65	The impact of epidemic violence on the prevalence of psychiatric disorders in Sao Paulo and Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2013 , 8, e63545	3.7	83
64	Psychological care for disaster victims: are we doing well?. <i>Cadernos De Saude Publica</i> , 2013 , 29, 1488-90	3.2	1
63	Cerebrospinal fluid biomarkers in Alzheimer's disease and geriatric depression: preliminary findings from Brazil. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 524-9	6.8	17
62	Exploratory factor analysis of the Brazilian version of the Post-Traumatic Stress Disorder Checklist - Civilian Version (PCL-C). <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 155-161	2.6	9
61	A pragmatic trial in the Rio de Janeiro subway to capture smokers for a quitline: methodological challenges and opportunities. <i>Journal of Health Communication</i> , 2012 , 17, 899-914	2.5	2
60	The costs of overweight and obesity-related diseases in the Brazilian public health system: cross-sectional study. <i>BMC Public Health</i> , 2012 , 12, 440	4.1	62
59	Peritraumatic tonic immobility is associated with posttraumatic stress symptoms in undergraduate Brazilian students. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 60-65	2.6	1

58	Efficacy of virtual reality exposure therapy in the treatment of PTSD: a systematic review. <i>PLoS ONE</i> , 2012 , 7, e48469	3.7	118
57	Meta-analysis of the prevalence of physical inactivity among Brazilian adolescents. <i>Cadernos De Saude Publica</i> , 2012 , 28, 1019-32	3.2	10
56	Peritraumatic tonic immobility is associated with posttraumatic stress symptoms in undergraduate Brazilian students. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 60-5	2.6	15
55	One-year mortality among elderly people after hospitalization due to fall-related fractures: comparison with a control group of matched elderly. <i>Cadernos De Saude Publica</i> , 2012 , 28, 801-5	3.2	19
54	Rescuers at risk: a systematic review and meta-regression analysis of the worldwide current prevalence and correlates of PTSD in rescue workers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1001-11	4.5	339
53	Physical restraints versus seclusion room for management of people with acute aggression or agitation due to psychotic illness (TREC-SAVE): a randomized trial. <i>Psychological Medicine</i> , 2012 , 42, 2265-73	6.9	31
52	School attainment in childhood is an independent risk factor of dementia in late life: results from a Brazilian sample. <i>International Psychogeriatrics</i> , 2012 , 24, 55-61	3.4	9
51	Validation of Montgomery-Åsberg Rating Scale and Cornell Scale for Depression in Dementia in Brazilian elderly patients. <i>International Psychogeriatrics</i> , 2012 , 24, 1291-8	3.4	34
50	Exploratory factor analysis of the Brazilian version of the Post-Traumatic Stress Disorder Checklist: civilian version (PCL-C). <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 155-61	2.6	8
49	Is there tonic immobility in humans? Biological evidence from victims of traumatic stress. <i>Biological Psychology</i> , 2011 , 88, 13-9	3.2	57
48	Verbal fluency in Alzheimer's disease, Parkinson's disease, and major depression. <i>Clinics</i> , 2011 , 66, 623-7	2.3	13
47	Predictors of PTSD symptoms in Brazilian police officers: the synergy of negative affect and peritraumatic dissociation. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 362-6	2.6	16
46	Potenciais biomarcadores da terapia cognitivo-comportamental para o transtorno de estresse pós-traumático: uma revisão sistemática. <i>Revista De Psiquiatria Clinica</i> , 2011 , 38, 155-160	0.8	5
45	Posttraumatic stress disorder in peacekeepers: a meta-analysis. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 309-12	1.8	8
44	Is there a gender gap in authorship of the main Brazilian psychiatric journals at the beginning of the 21st century?. <i>Scientometrics</i> , 2011 , 86, 27-37	3	3
43	Second-generation antidepressants in social anxiety disorder: meta-analysis of controlled clinical trials. <i>Psychopharmacology</i> , 2011 , 215, 1-11	4.7	16
42	PTSD criterion A1 events: a literature-based categorization. <i>Journal of Traumatic Stress</i> , 2011 , 24, 243-51	3.8	16
41	Education does not equally influence all the Mini Mental State Examination subscales and items: inferences from a Brazilian community sample. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 223-30	2.6	13

40	Tobacco use among the elderly: a systematic review and meta-analysis. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2213-33	3.2	26
39	The influence of smokers' degree of dependence on the effectiveness of message framing for capturing smokers for a Quitline. <i>Addictive Behaviors</i> , 2010 , 35, 620-4	4.2	18
38	The impact of tonic immobility reaction on the prognosis of posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2010 , 44, 224-8	5.2	48
37	Inquérito sobre o uso de contenção física em um hospital psiquiátrico de grande porte no Rio de Janeiro. <i>Jornal Brasileiro De Psiquiatria</i> , 2010 , 59, 94-98	0.5	5
36	Gains of stopping smoking: portraits of the dialogue between public health promotion, art and design. <i>International Journal of Epidemiology</i> , 2009 , 38, 1459-63	7.8	3
35	Is tonic immobility the core sign among conventional peritraumatic signs and symptoms listed for PTSD?. <i>Journal of Affective Disorders</i> , 2009 , 115, 269-73	6.6	54
34	Exercise and mental health: many reasons to move. <i>Neuropsychobiology</i> , 2009 , 59, 191-8	4	280
33	Posttraumatic stress disorder in parents of children with chronic illnesses: a meta-analysis. <i>Health Psychology</i> , 2009 , 28, 379-88	5	66
32	Vulnerability and self-perceived health status among light and heavy smokers: the relationship to short-term fear appeal tobacco control messages. <i>Cadernos De Saude Publica</i> , 2009 , 25, 1534-42	3.2	3
31	Characteristics and circumstances of falls leading to severe fractures in elderly people in Rio de Janeiro, Brazil. <i>Cadernos De Saude Publica</i> , 2009 , 25, 455-9	3.2	11
30	Factors associated with the use of physical restraints for agitated patients in psychiatric emergency rooms. <i>General Hospital Psychiatry</i> , 2008 , 30, 263-8	5.6	39
29	Peritraumatic tonic immobility predicts a poor response to pharmacological treatment in victims of urban violence with PTSD. <i>Journal of Affective Disorders</i> , 2008 , 107, 193-7	6.6	58
28	Abnormal serum lipid profile in Brazilian police officers with post-traumatic stress disorder. <i>Journal of Affective Disorders</i> , 2008 , 107, 259-63	6.6	66
27	Prevalence of hysteroscopic findings and histologic diagnoses in patients with abnormal uterine bleeding. <i>Fertility and Sterility</i> , 2008 , 89, 1803-7	4.8	64
26	Negative affect predicts posttraumatic stress symptoms in Brazilian volunteer United Nations peacekeepers in Haiti. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 852-5	1.8	16
25	Institutional h-index: The performance of a new metric in the evaluation of Brazilian Psychiatric Post-graduation Programs. <i>Scientometrics</i> , 2008 , 77, 361-368	3	24
24	Cochrane Schizophrenia Group. <i>Schizophrenia Bulletin</i> , 2008 , 34, 259-65	1.3	8
23	Características biológicas e evitabilidade de Bitos perinatais em uma localidade na cidade do Rio de Janeiro, 1999 a 2003. <i>Revista Brasileira De Saude Materno Infantil</i> , 2008 , 8, 171-178	0.3	4

22	The increasing internationalization of mainstream posttraumatic stress disorder research: a bibliometric study. <i>Journal of Traumatic Stress</i> , 2007 , 20, 89-95	3.8	22
21	Post-traumatic stress symptoms in an elite unit of Brazilian police officers: prevalence and impact on psychosocial functioning and on physical and mental health. <i>Journal of Affective Disorders</i> , 2007 , 97, 241-5	6.6	112
20	Risk factors for abdominal scar endometriosis after obstetric hysterotomies: a case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007 , 86, 73-80	3.8	27
19	Factors associated with microalbuminuria in resistant hypertension. <i>International Journal of Cardiology</i> , 2007 , 121, 86-7	3.2	7
18	Molecular and phenotypic analysis of a working seed lot of yellow fever virus 17DD vaccine strain produced from the secondary seed lot 102/84 with an additional passage in chicken embryos. <i>Biologicals</i> , 2006 , 34, 191-7	1.8	16
17	Validation of hysteroscopic view in cases of endometrial hyperplasia and cancer in patients with abnormal uterine bleeding. <i>Journal of Minimally Invasive Gynecology</i> , 2006 , 13, 409-12	2.2	37
16	Adaptaço transcultural para o portugus do Social Phobia Inventory (SPIN) para utilizaço entre estudantes adolescentes. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2006 , 28, 40-48		8
15	The quality of life of people with schizophrenia living in community in Rio de Janeiro, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 347-56	4.5	15
14	Poverty, violence and depression during pregnancy: a survey of mothers attending a public hospital in Brazil. <i>Psychological Medicine</i> , 2005 , 35, 1485-92	6.9	65
13	Risk factors for breast cancer: a systematic review of studies with female samples among the general population in Brazil. <i>Cadernos De Saude Publica</i> , 2005 , 21, 351-60	3.2	7
12	Adaptaço transcultural para o portugus do instrumento Peritraumatic Dissociative Experiences Questionnaire, Verso Auto-Applicativa. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2005 , 27, 151-158		10
11	Attenuation of recombinant yellow fever 17D viruses expressing foreign protein epitopes at the surface. <i>Journal of Virology</i> , 2005 , 79, 8602-13	6.6	16
10	Mental illness in an adult sample admitted to public hostels in the Rio de Janeiro metropolitan area, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 493-8	4.5	18
9	Current practices in managing acutely disturbed patients at three hospitals in Rio de Janeiro-Brazil: a prevalence study. <i>BMC Psychiatry</i> , 2002 , 2, 4	4.2	37
8	Social disablement among residents of hostels for the homeless in Rio de Janeiro, Brazil. <i>International Journal of Social Psychiatry</i> , 2002 , 48, 279-89	8.5	4
7	Confiabilidade de instrumentos diagnsticos: estudo do inventrio de sintomas psiquitricos do DSM-III aplicado em amostra populacional. <i>Cadernos De Saude Publica</i> , 2001 , 17, 1393-1402	3.2	2
6	Zuclopenthixol acetate in psychiatric emergencies: looking for evidence from clinical trials. <i>Schizophrenia Research</i> , 2000 , 46, 111-8	3.6	15
5	Reliability of self-reported weight and height among state bank employees. <i>Revista De Saude Publica</i> , 1999 , 33, 16-23	2.4	25

4	Detection of antibodies against hepatitis A virus in eluates of blood spotted on filter-paper: a pilot study in Rio de Janeiro, Brazil. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1999 , 93, 401-4	2	12
3	Gender and minor psychiatric morbidity: results of a case-control study in a developing country. <i>International Journal of Psychiatry in Medicine</i> , 1999 , 29, 197-208	1	6
2	Brazilian multicentric study of psychiatric morbidity. Methodological features and prevalence estimates. <i>British Journal of Psychiatry</i> , 1997 , 171, 524-9	5.4	188
1	The epidemiology of psychotropic use in the city of S̃ Paulo. <i>Psychological Medicine</i> , 1993 , 23, 467-74	6.9	42