Qiang Han

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4627729/qiang-han-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36 19 41 1,324 h-index g-index citations papers 4.61 1,500 42 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
41	Tunable Assembly of Organic-Inorganic Molecules into Hierarchical Superstructures as Ligase Mimics for Enhancing Tumor Photothermal Therapy <i>Small</i> , 2022 , e2105304	11	2
40	Effective separation of ⊞sarone and ⊞sarone in TCM by covalent organic framework modified by magnetic solid phase extraction. <i>Microchemical Journal</i> , 2021 , 175, 107015	4.8	1
39	A facile method to synthesize magnetic nanoparticles chelated with Copper(II) for selective adsorption of bovine hemoglobin. <i>Korean Journal of Chemical Engineering</i> , 2020 , 37, 1097-1106	2.8	3
38	Efficient water-mediated synthesis of bismuth oxylodide with several distinct morphologies. CrystEngComm, 2020 , 22, 1754-1761	3.3	1
37	Designed Fabrication of Polymer-Mediated MOF-Derived Magnetic Hollow Carbon Nanocages for Specific Isolation of Bovine Hemoglobin. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 1387-1396	5.5	10
36	Selective separation of bovine hemoglobin using magnetic mesoporous rare-earth silicate microspheres. <i>Talanta</i> , 2019 , 204, 792-801	6.2	14
35	Fabrication of Yb-Immobilized Hydrophilic Phytic-Acid-Coated Magnetic Nanocomposites for the Selective Separation of Bovine Hemoglobin from Bovine Serum. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 2740-2749	5.5	15
34	Polymer-Assisted Hierarchically Bulky Imprinted Microparticles for Enhancing the Selective Enrichment of Proteins <i>ACS Applied Bio Materials</i> , 2019 , 2, 388-396	4.1	3
33	A magnetic, luminescent and mesoporous nanocomposite as protein drug Carrier. <i>Microporous and Mesoporous Materials</i> , 2019 , 277, 261-266	5.3	1
32	In-syringe solid-phase extraction for on-site sampling of pyrethroids in environmental water samples. <i>Analytica Chimica Acta</i> , 2018 , 1009, 48-55	6.6	30
31	Metal-organic framework based in-syringe solid-phase extraction for the on-site sampling of polycyclic aromatic hydrocarbons from environmental water samples. <i>Journal of Separation Science</i> , 2018 , 41, 1856-1863	3.4	14
30	Metallo-supramolecular polymer engineered porous carbon framework encapsulated stable ultra-small nanoparticles: a general approach to construct highly dispersed catalysts. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 16680-16689	13	20
29	Preparation of magnetic microspheres functionalized by lanthanide oxides for selective isolation of bovine hemoglobin. <i>Talanta</i> , 2018 , 190, 210-218	6.2	19
28	A porous graphene sorbent coated with titanium(IV)-functionalized polydopamine for selective lab-in-syringe extraction of phosphoproteins and phosphopeptides. <i>Mikrochimica Acta</i> , 2018 , 185, 316	5.8	36
27	A novel solvent-free strategy for the synthesis of bismuth oxyhalides. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13005-13011	13	24
26	Impact of Pore Geometry and Water Saturation on Gas Effective Diffusion Coefficient in Soil. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 2097	2.6	8
25	Three-dimensional hierarchical porous graphene aerogel for efficient adsorption and preconcentration of chemical warfare agents. <i>Carbon</i> , 2017 , 122, 556-563	10.4	44

(2013-2017)

24	Ultrathin TiO(B) Nanosheets as the Inductive Agent for Transfrering HO into Superoxide Radicals. <i>ACS Applied Materials & Discourse (Control of Act Act Act Act Act Act Act Act Act Act</i>	9.5	37
23	Amino acid-modified graphene oxide magnetic nanocomposite for the magnetic separation of proteins. <i>RSC Advances</i> , 2017 , 7, 30109-30117	3.7	22
22	Evaluation of Graphene Aerogel Monolith-Based Solid-Phase Extraction for the Separation of Pyrethroids from Water Samples. <i>Chromatographia</i> , 2017 , 80, 1781-1787	2.1	8
21	Self-made microextraction by packed sorbent device for the cleanup of polychlorinated biphenyls from bovine serum. <i>Journal of Separation Science</i> , 2016 , 39, 1518-23	3.4	6
20	Preparation and retention mechanism exploration of mesostructured cellular foam silica as stationary phase for high performance liquid chromatography. <i>Talanta</i> , 2016 , 149, 187-193	6.2	6
19	Graphene aerogel based monolith for effective solid-phase extraction of trace environmental pollutants from water samples. <i>Journal of Chromatography A</i> , 2016 , 1447, 39-46	4.5	49
18	Metal-organic frameworks@graphene hybrid aerogels for solid-phase extraction of non-steroidal anti-inflammatory drugs and selective enrichment of proteins. <i>Analyst, The</i> , 2016 , 141, 4219-26	5	70
17	One-step synthesis of sub-2 th vinyl functionalized silica sphere as stationary phase for liquid chromatography. <i>Talanta</i> , 2015 , 134, 425-434	6.2	4
16	One-step synthesis of magnetic graphene oxide nanocomposite and its application in magnetic solid phase extraction of heavy metal ions from biological samples. <i>Talanta</i> , 2015 , 132, 557-63	6.2	147
15	Research on the interaction of hydrogen-bond acidic polymer sensitive sensor materials with chemical warfare agents simulants by inverse gas chromatography. <i>Sensors</i> , 2015 , 15, 12884-90	3.8	O
14	One-pot synthesis of UiO-66@SiO2 shelllore microspheres as stationary phase for high performance liquid chromatography. <i>RSC Advances</i> , 2015 , 5, 1043-1050	3.7	71
13	Selective enrichment of proteins for MALDI-TOF MS analysis based on molecular imprinting. <i>Chemical Communications</i> , 2015 , 51, 3541-4	5.8	38
12	Application of graphene for the SPE clean-up of organophosphorus pesticides residues from apple juices. <i>Journal of Separation Science</i> , 2014 , 37, 99-105	3.4	52
11	Synthesis and characterization of hydrogen-bond acidic functionalized graphene. <i>Functional Materials Letters</i> , 2014 , 07, 1450043	1.2	2
10	Portable solid phase micro-extraction coupled with ion mobility spectrometry system for on-site analysis of chemical warfare agents and simulants in water samples. <i>Sensors</i> , 2014 , 14, 20963-74	3.8	11
9	Synthesis of large-pore mesostructured cellular foam silica spheres for the adsorption of biomolecules. <i>Journal of Separation Science</i> , 2014 , 37, 2411-7	3.4	8
8	Determination of benzoic acid in milk by solid-phase extraction and ion chromatography with conductivity detection. <i>Chinese Chemical Letters</i> , 2013 , 24, 243-245	8.1	21
7	Graphene as an efficient sorbent for the SPE of organochlorine pesticides in water samples coupled with GC-MS. <i>Journal of Separation Science</i> , 2013 , 36, 3586-91	3.4	35

6	Preparation and retention mechanism study of graphene and graphene oxide bonded silica microspheres as stationary phases for high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2013 , 1307, 135-43	4.5	63
5	Multi-walled carbon nanotube as a solid phase extraction adsorbent for analysis of indole-3-butyric acid and 1-naphthylacetic acid in plant samples. <i>Chinese Chemical Letters</i> , 2013 , 24, 588-592	8.1	23
4	A Novel Method for Bisphenol A Analysis in Dairy Products Using Graphene as an Adsorbent for Solid Phase Extraction Followed by Ion Chromatography. <i>Food Analytical Methods</i> , 2013 , 6, 1537-1543	3.4	15
3	Graphene-based solid-phase extraction disk for fast separation and preconcentration of trace polycyclic aromatic hydrocarbons from environmental water samples. <i>Journal of Separation Science</i> , 2013 , 36, 1834-42	3.4	83
2	Facile and tunable fabrication of Fe3O4/graphene oxide nanocomposites and their application in the magnetic solid-phase extraction of polycyclic aromatic hydrocarbons from environmental water samples. <i>Talanta</i> , 2012 , 101, 388-95	6.2	297
1	Synthesis of highly dispersed mesostructured cellular foam silica sphere and its application in high-performance liquid chromatography. <i>Talanta</i> , 2012 , 101, 396-404	6.2	10