

Cova Pevida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4627834/publications.pdf>

Version: 2024-02-01

145
papers

10,658
citations

34493

54
h-index

38517

99
g-index

146
all docs

146
docs citations

146
times ranked

9384
citing authors

#	ARTICLE	IF	CITATIONS
1	Modeling a biogas upgrading PSA unit with a sustainable activated carbon derived from pine sawdust. Sensitivity analysis on the adsorption of CO ₂ and CH ₄ mixtures. Chemical Engineering Journal, 2022, 428, 132564.	6.6	30
2	Blends of bio-oil/biogas model compounds for high-purity H ₂ production by sorption enhanced steam reforming (SESR): Experimental study and energy analysis. Chemical Engineering Journal, 2022, 432, 134396.	6.6	16
3	Experimental Study on the Kinetics of CO ₂ and H ₂ O Adsorption on Honeycomb Carbon Monoliths under Cement Flue Gas Conditions. ACS Sustainable Chemistry and Engineering, 2022, 10, 2107-2124.	3.2	11
4	Theoretical and experimental study on the fluidity performance of hard-to-fluidize carbon nanotubes-based CO ₂ capture sorbents. Frontiers of Chemical Science and Engineering, 2022, 16, 1460-1475.	2.3	23
5	Renewable hydrogen production from biogas by sorption enhanced steam reforming (SESR): A parametric study. Energy, 2021, 218, 119491.	4.5	33
6	Improved CO ₂ adsorption capacity and fluidization behavior of silica-coated amine-functionalized multi-walled carbon nanotubes. Journal of Environmental Chemical Engineering, 2021, 9, 105786.	3.3	19
7	Residual pyrolysis biochar as additive to enhance wood pellets quality. Renewable Energy, 2021, 180, 850-859.	4.3	13
8	Thermodynamic Analysis of Biomass Gasification Using Aspen Plus: Comparison of Stoichiometric and Non-Stoichiometric Models. Energies, 2021, 14, 189.	1.6	27
9	CO ₂ capture activity of a novel CaO adsorbent stabilized with (ZrO ₂ +Al ₂ O ₃ +CeO ₂)-based additive under mild and realistic calcium looping conditions. Journal of CO ₂ Utilization, 2021, 53, 101747.	3.3	76
10	Co-pelletization of pine sawdust and refused derived fuel (RDF) to high-quality waste-derived pellets. Journal of Cleaner Production, 2021, 328, 129635.	4.6	25
11	Vacuum swing CO ₂ adsorption cycles in Waste-to-Energy plants. Chemical Engineering Journal, 2020, 382, 122841.	6.6	21
12	Pelletization of torrefied biomass with solid and liquid bio-additives. Renewable Energy, 2020, 151, 175-183.	4.3	26
13	On the effect of biogas composition on the H ₂ production by sorption enhanced steam reforming (SESR). Renewable Energy, 2020, 160, 575-583.	4.3	43
14	Measuring heat capacity of activated carbons for CO ₂ capture. Journal of CO ₂ Utilization, 2019, 33, 148-156.	3.3	17
15	Biomass Pelletization: Contribution to Renewable Power Generation Scenarios. Biofuels and Biorefineries, 2019, , 269-294.	0.5	1
16	Pelletization of wood and alternative residual biomass blends for producing industrial quality pellets. Fuel, 2019, 251, 739-753.	3.4	94
17	Assessing the influence of biomass properties on the gasification process using multivariate data analysis. Energy Conversion and Management, 2019, 184, 649-660.	4.4	39
18	Current status of CO ₂ capture from coal facilities. , 2019, , 31-58.		8

#	ARTICLE	IF	CITATIONS
19	Enhanced capacity to CO ₂ sorption in humid conditions with a K-doped biocarbon. Journal of Energy Chemistry, 2019, 34, 208-219.	7.1	10
20	CO ₂ Adsorption on Activated Carbon Based Olive Stone: A Comparison of Langmuir and Freundlich Models. Advances in Science, Technology and Innovation, 2018, , 1099-1100.	0.2	1
21	Unconventional biomass fuels for steam gasification: Kinetic analysis and effect of ash composition on reactivity. Energy, 2018, 155, 426-437.	4.5	48
22	Standing out the key role of ultramicroporosity to tailor biomass-derived carbons for CO ₂ capture. Journal of CO ₂ Utilization, 2018, 26, 1-7.	3.3	31
23	Pelletization properties of raw and torrefied pine sawdust: Effect of co-pelletization, temperature, moisture content and glycerol addition. Fuel, 2018, 215, 290-297.	3.4	41
24	Sustainable coffee-based CO ₂ adsorbents: toward a greener production via hydrothermal carbonization. , 2018, 8, 309-323.		15
25	Preparation and Evaluation of a Coconut Shell-Based Activated Carbon for CO ₂ /CH ₄ Separation. Energies, 2018, 11, 1748.	1.6	32
26	Simplistic approach for preliminary screening of potential carbon adsorbents for CO ₂ separation from biogas. Journal of CO ₂ Utilization, 2018, 28, 207-215.	3.3	17
27	Comparison of the gasification performance of multiple biomass types in a bubbling fluidized bed. Energy Conversion and Management, 2018, 176, 309-323.	4.4	66
28	Decarbonisation of the electricity sector? CCUS still imperative. , 2018, 8, 396-397.		1
29	Biogas purification by means of adsorption on pine sawdust-based activated carbon: Impact of water vapor. Chemical Engineering Journal, 2018, 353, 197-207.	6.6	58
30	Winery wastes as precursors of sustainable porous carbons for environmental applications. Journal of Cleaner Production, 2018, 193, 614-624.	4.6	46
31	Microalgae: Potential precursors of CO ₂ adsorbents. Journal of CO ₂ Utilization, 2018, 26, 454-464.	3.3	37
32	Toward sustainable hydrogen storage and carbon dioxide capture in post-combustion conditions. Journal of Environmental Chemical Engineering, 2017, 5, 1628-1637.	3.3	19
33	Adsorption-based Process Modelling for Post-combustion CO ₂ Capture. Energy Procedia, 2017, 114, 2353-2361.	1.8	10
34	Carbon Monoliths in Adsorption-based Post-combustion CO ₂ Capture. Energy Procedia, 2017, 114, 2341-2352.	1.8	19
35	Evaluating the Feasibility of a TSA Process Based on Steam Stripping in Combination with Structured Carbon Adsorbents To Capture CO ₂ from a Coal Power Plant. Energy & Fuels, 2017, 31, 9760-9775.	2.5	35
36	Adsorption Performance Indicator to Screen Carbon Adsorbents for Post-combustion CO ₂ Capture. Energy Procedia, 2017, 114, 2362-2371.	1.8	8

#	ARTICLE	IF	CITATIONS
37	Kinetics of CO ₂ adsorption on cherry stone-based carbons in CO ₂ /CH ₄ separations. Chemical Engineering Journal, 2017, 307, 249-257.	6.6	148
38	Separation of CO ₂ in a Solid Waste Management Incineration Facility Using Activated Carbon Derived from Pine Sawdust. Energies, 2017, 10, 827.	1.6	19
39	Optimization of a Bubbling Fluidized Bed Plant for Low-Temperature Gasification of Biomass. Energies, 2017, 10, 306.	1.6	28
40	Phenol-Formaldehyde Resin-Based Carbons for CO ₂ Separation at Sub-Atmospheric Pressures. Energies, 2016, 9, 189.	1.6	11
41	Water Vapor Adsorption on Biomass Based Carbons under Post-Combustion CO ₂ Capture Conditions: Effect of Post-Treatment. Materials, 2016, 9, 359.	1.3	25
42	Experimental and Simulation Study of Adsorption in Postcombustion Conditions Using a Microporous Biochar. 2. H ₂ O, CO ₂ , and N ₂ Adsorption. Industrial & Engineering Chemistry Research, 2016, 55, 6854-6865.	1.8	32
43	Effect of operating conditions on the sorption enhanced steam reforming of blends of acetic acid and acetone as bio-oil model compounds. Applied Energy, 2016, 177, 579-590.	5.1	52
44	Dynamic Performance of Biomass-Based Carbons for CO ₂ /CH ₄ Separation. Approximation to a Pressure Swing Adsorption Process for Biogas Upgrading. Energy & Fuels, 2016, 30, 5005-5015.	2.5	53
45	Production of fuel-cell grade H ₂ by sorption enhanced steam reforming of acetic acid as a model compound of biomass-derived bio-oil. Applied Catalysis B: Environmental, 2016, 184, 64-76.	10.8	81
46	Experimental and Simulation Study of Adsorption in Postcombustion Conditions Using a Microporous Biochar. 1. CO ₂ and N ₂ Adsorption. Industrial & Engineering Chemistry Research, 2016, 55, 3097-3112.	1.8	43
47	Adsorption performance indicators for the CO ₂ /CH ₄ separation: Application to biomass-based activated carbons. Fuel Processing Technology, 2016, 142, 361-369.	3.7	81
48	Cherry-stones-based activated carbons as potential adsorbents for CO ₂ /CH ₄ separation: effect of the activation parameters. , 2015, 5, 812-825.		27
49	Carbon adsorbents for CO ₂ capture from bio-hydrogen and biogas streams: Breakthrough adsorption study. Chemical Engineering Journal, 2015, 269, 148-158.	6.6	71
50	Water vapour adsorption by a coffee-based microporous carbon: effect on CO ₂ capture. Journal of Chemical Technology and Biotechnology, 2015, 90, 1592-1600.	1.6	21
51	Green coffee based CO ₂ adsorbent with high performance in postcombustion conditions. Fuel, 2015, 140, 633-648.	3.4	37
52	CO ₂ adsorbent pellets produced from pine sawdust: Effect of coal tar pitch addition. Applied Energy, 2015, 144, 182-192.	5.1	35
53	Grindability and combustion behavior of coal and torrefied biomass blends. Bioresource Technology, 2015, 191, 205-212.	4.8	101
54	Biomass devolatilization at high temperature under N ₂ and CO ₂ : Char morphology and reactivity. Energy, 2015, 91, 655-662.	4.5	109

#	ARTICLE	IF	CITATIONS
55	HiPerCap: A New FP7 Project for Development and Assessment of Novel and Emerging Post-combustion CO ₂ Capture Technologies. Energy Procedia, 2014, 63, 6166-6172.	1.8	10
56	H ₂ production by steam reforming with in situ CO ₂ capture of biomass-derived bio-oil. Energy Procedia, 2014, 63, 6815-6823.	1.8	7
57	Evaluation of Microporous Biochars Produced by Single-step Oxidation for Postcombustion CO ₂ Capture under Humid Conditions. Energy Procedia, 2014, 63, 693-702.	1.8	15
58	Towards Bio-upgrading of Biogas: Biomass Waste-based Adsorbents. Energy Procedia, 2014, 63, 6527-6533.	1.8	29
59	Biomass co-firing under oxy-fuel conditions: A computational fluid dynamics modelling study and experimental validation. Fuel Processing Technology, 2014, 120, 22-33.	3.7	65
60	Single particle ignition and combustion of anthracite, semi-anthracite and bituminous coals in air and simulated oxy-fuel conditions. Combustion and Flame, 2014, 161, 1096-1108.	2.8	174
61	Combustion of single biomass particles in air and in oxy-fuel conditions. Biomass and Bioenergy, 2014, 64, 162-174.	2.9	138
62	Production of microporous biochars by single-step oxidation: Effect of activation conditions on CO ₂ capture. Applied Energy, 2014, 114, 551-562.	5.1	181
63	Influence of Water Vapor on CO ₂ Adsorption Using a Biomass-Based Carbon. Industrial & Engineering Chemistry Research, 2014, 53, 15488-15499.	1.8	31
64	Cyclic operation of a fixed-bed pressure and temperature swing process for CO ₂ capture: Experimental and statistical analysis. International Journal of Greenhouse Gas Control, 2013, 12, 35-43.	2.3	31
65	CFD modeling of oxy-coal combustion: Prediction of burnout, volatile and NO precursors release. Applied Energy, 2013, 104, 653-665.	5.1	59
66	Oxy-coal combustion in an entrained flow reactor: Application of specific char and volatile combustion and radiation models for oxy-firing conditions. Energy, 2013, 62, 255-268.	4.5	44
67	Dynamic cyclic performance of phenol-formaldehyde resin-derived carbons for pre-combustion CO ₂ capture: An experimental study. Energy Procedia, 2013, 37, 127-133.	1.8	4
68	Influence of the operation conditions on CO ₂ capture by CaO-derived sorbents prepared from synthetic CaCO ₃ . Chemosphere, 2013, 93, 2148-2158.	4.2	15
69	Ignition and NO Emissions of Coal and Biomass Blends under Different Oxy-fuel Atmospheres. Energy Procedia, 2013, 37, 1405-1412.	1.8	19
70	Sustainable biomass-based carbon adsorbents for post-combustion CO ₂ capture. Chemical Engineering Journal, 2013, 230, 456-465.	6.6	211
71	Post-combustion CO ₂ capture adsorbents from spent coffee grounds. Energy Procedia, 2013, 37, 134-141.	1.8	36
72	Influence of morphology, porosity and crystal structure of CaCO ₃ precursors on the CO ₂ capture performance of CaO-derived sorbents. Chemical Engineering Journal, 2013, 217, 71-81.	6.6	42

#	ARTICLE	IF	CITATIONS
73	Influence of oxidation upon the CO ₂ capture performance of a phenolic-resin-derived carbon. Fuel Processing Technology, 2013, 110, 53-60.	3.7	40
74	Predicting Mixed-Gas Adsorption Equilibria on Activated Carbon for Precombustion CO ₂ Capture. Langmuir, 2013, 29, 6042-6052.	1.6	74
75	Response surface methodology as an efficient tool for optimizing carbon adsorbents for CO ₂ capture. Fuel Processing Technology, 2013, 106, 55-61.	3.7	50
76	Progress in pilot, large-scale projects as an inducement for CCUS deployment. , 2013, 3, 97-98.		2
77	Ignition behavior of coal and biomass blends under oxy-firing conditions with steam additions. , 2013, 3, 397-414.		14
78	Hydrogen production from food wastes and gas post-treatment by CO ₂ adsorption. Waste Management, 2012, 32, 60-66.	3.7	49
79	Valorisation of spent coffee grounds as CO ₂ adsorbents for postcombustion capture applications. Applied Energy, 2012, 99, 272-279.	5.1	243
80	Kinetic models for the oxy-fuel combustion of coal and coal/biomass blend chars obtained in N ₂ and CO ₂ atmospheres. Energy, 2012, 48, 510-518.	4.5	86
81	Precombustion CO ₂ capture by means of phenol-formaldehyde resin-derived carbons: From equilibrium to dynamic conditions. Separation and Purification Technology, 2012, 98, 531-538.	3.9	20
82	Effect of coal gasification of biomass and petroleum coke with coal on the production of gases. , 2012, 2, 304-313.		10
83	A study of oxy-coal combustion with steam addition and biomass blending by thermogravimetric analysis. Journal of Thermal Analysis and Calorimetry, 2012, 109, 49-55.	2.0	56
84	Numerical investigation of NO emissions from an entrained flow reactor under oxy-coal conditions. Fuel Processing Technology, 2012, 93, 53-64.	3.7	17
85	Oxy-fuel combustion kinetics and morphology of coal chars obtained in N ₂ and CO ₂ atmospheres in an entrained flow reactor. Applied Energy, 2012, 91, 67-74.	5.1	97
86	Oxy-fuel combustion of coal and biomass blends. Energy, 2012, 41, 429-435.	4.5	144
87	Kinetic Parameters and Reactivity for the Steam Gasification of Coal Chars Obtained under Different Pyrolysis Temperatures and Pressures. Energy & Fuels, 2011, 25, 3574-3580.	2.5	20
88	Raw Materials, Selection, Preparation and Characterization. Green Energy and Technology, 2011, , 11-22.	0.4	0
89	Hypercrosslinked organic polymer networks as potential adsorbents for pre-combustion CO ₂ capture. Journal of Materials Chemistry, 2011, 21, 5475.	6.7	302
90	The influence of the precursor and synthesis method on the CO ₂ capture capacity of carpet waste-based sorbents. Journal of Environmental Management, 2011, 92, 2810-2817.	3.8	30

#	ARTICLE	IF	CITATIONS
91	Effect of oxy-fuel combustion with steam addition on coal ignition and burnout in an entrained flow reactor. <i>Energy</i> , 2011, 36, 5314-5319.	4.5	105
92	NO emissions in oxy-coal combustion with the addition of steam in an entrained flow reactor. , 2011, 1, 180-190.		38
93	CFD modelling of oxy-coal combustion in an entrained flow reactor. <i>Fuel Processing Technology</i> , 2011, 92, 1489-1497.	3.7	56
94	Breakthrough adsorption study of a commercial activated carbon for pre-combustion CO ₂ capture. <i>Chemical Engineering Journal</i> , 2011, 171, 549-556.	6.6	129
95	Evaluation of ammonia modified and conventionally activated biomass based carbons as CO ₂ adsorbents in postcombustion conditions. <i>Separation and Purification Technology</i> , 2011, 80, 96-104.	3.9	93
96	Doped phenol-formaldehyde resins as precursors for precombustion CO ₂ capture adsorbents. <i>Energy Procedia</i> , 2011, 4, 1222-1227.	1.8	5
97	Evaluation of the cyclic capacity of low-cost carbon adsorbents for post-combustion CO ₂ capture. <i>Energy Procedia</i> , 2011, 4, 1228-1234.	1.8	29
98	Microporous phenol-formaldehyde resin-based adsorbents for pre-combustion CO ₂ capture. <i>Fuel</i> , 2011, 90, 2064-2072.	3.4	52
99	Heterogeneous reaction mechanisms of the reduction of nitric oxide on carbon surfaces: a theoretical analysis. <i>Theoretical Chemistry Accounts</i> , 2010, 127, 95-108.	0.5	21
100	Influence of storage time on the quality and combustion behaviour of pine woodchips. <i>Energy</i> , 2010, 35, 3066-3071.	4.5	47
101	Developing almond shell-derived activated carbons as CO ₂ adsorbents. <i>Separation and Purification Technology</i> , 2010, 71, 102-106.	3.9	185
102	On the limits of CO ₂ capture capacity of carbons. <i>Separation and Purification Technology</i> , 2010, 74, 225-229.	3.9	117
103	Intrinsic char reactivity of plastic waste (PET) during CO ₂ gasification. <i>Fuel Processing Technology</i> , 2010, 91, 1776-1781.	3.7	29
104	Application of response surface methodology to assess the combined effect of operating variables on high-pressure coal gasification for H ₂ -rich gas production. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 1191-1204.	3.8	72
105	Thermal behaviour and kinetics of coal/biomass blends during co-combustion. <i>Bioresource Technology</i> , 2010, 101, 5601-5608.	4.8	445
106	Ammoxidation of carbon materials for CO ₂ capture. <i>Applied Surface Science</i> , 2010, 256, 6843-6849.	3.1	86
107	Kinetic models comparison for non-isothermal steam gasification of coal-biomass blend chars. <i>Chemical Engineering Journal</i> , 2010, 161, 276-284.	6.6	108
108	Post-combustion CO ₂ capture with a commercial activated carbon: Comparison of different regeneration strategies. <i>Chemical Engineering Journal</i> , 2010, 163, 41-47.	6.6	292

#	ARTICLE	IF	CITATIONS
109	The importance of thermal behaviour and petrographic composition for understanding the characteristics of a Portuguese perhydrous Jurassic coal. <i>International Journal of Coal Geology</i> , 2010, 84, 237-247.	1.9	11
110	Co-gasification of different rank coals with biomass and petroleum coke in a high-pressure reactor for H ₂ -rich gas production. <i>Bioresource Technology</i> , 2010, 101, 3230-3235.	4.8	131
111	Mechanical durability and combustion characteristics of pellets from biomass blends. <i>Bioresource Technology</i> , 2010, 101, 8859-8867.	4.8	186
112	Effect of the Pressure and Temperature of Devolatilization on the Morphology and Steam Gasification Reactivity of Coal Chars. <i>Energy & Fuels</i> , 2010, 24, 5586-5595.	2.5	29
113	Development of low-cost biomass-based adsorbents for postcombustion CO ₂ capture. <i>Fuel</i> , 2009, 88, 2442-2447.	3.4	187
114	High-pressure co-gasification of coal with biomass and petroleum coke. <i>Fuel Processing Technology</i> , 2009, 90, 926-932.	3.7	173
115	High-pressure gasification reactivity of biomass chars produced at different temperatures. <i>Journal of Analytical and Applied Pyrolysis</i> , 2009, 85, 287-293.	2.6	108
116	Developing activated carbon adsorbents for pre-combustion CO ₂ capture. <i>Energy Procedia</i> , 2009, 1, 599-605.	1.8	44
117	Templated polymeric materials as adsorbents for the postcombustion capture of CO ₂ . <i>Energy Procedia</i> , 2009, 1, 869-874.	1.8	12
118	Development of adsorbent technologies for post-combustion CO ₂ capture. <i>Energy Procedia</i> , 2009, 1, 881-884.	1.8	53
119	A comparison of two methods for producing CO ₂ capture adsorbents. <i>Energy Procedia</i> , 2009, 1, 1107-1113.	1.8	65
120	Evaluation of Activated Carbon Adsorbents for CO ₂ Capture in Gasification. <i>Energy & Fuels</i> , 2009, 23, 2790-2796.	2.5	166
121	Different Approaches for the Development of Low-Cost CO ₂ Adsorbents. <i>Journal of Environmental Engineering, ASCE</i> , 2009, 135, 426-432.	0.7	125
122	Application of thermogravimetric analysis to the evaluation of aminated solid sorbents for CO ₂ capture. <i>Journal of Thermal Analysis and Calorimetry</i> , 2008, 92, 601-606.	2.0	143
123	Kinetic models comparison for steam gasification of different nature fuel chars. <i>Journal of Thermal Analysis and Calorimetry</i> , 2008, 91, 779-786.	2.0	117
124	Surface modification of activated carbons for CO ₂ capture. <i>Applied Surface Science</i> , 2008, 254, 7165-7172.	3.1	417
125	Physicochemical properties of debris ejected from C/C brakes with different structural orders. <i>Carbon</i> , 2008, 46, 994-1002.	5.4	14
126	Silica-templated melamine-formaldehyde resin derived adsorbents for CO ₂ capture. <i>Carbon</i> , 2008, 46, 1464-1474.	5.4	307

#	ARTICLE	IF	CITATIONS
127	Effect of biomass blending on coal ignition and burnout during oxy-fuel combustion. <i>Fuel</i> , 2008, 87, 2753-2759.	3.4	141
128	Influence of torrefaction on the grindability and reactivity of woody biomass. <i>Fuel Processing Technology</i> , 2008, 89, 169-175.	3.7	634
129	Removal of naphthalene from aqueous solution on chemically modified activated carbons. <i>Water Research</i> , 2007, 41, 333-340.	5.3	76
130	Effects of activated carbon properties on the adsorption of naphthalene from aqueous solutions. <i>Applied Surface Science</i> , 2007, 253, 5741-5746.	3.1	58
131	Synthetic coal chars for the elucidation of NO heterogeneous reduction mechanisms. <i>Fuel</i> , 2007, 86, 41-49.	3.4	45
132	Preparation of carbon dioxide adsorbents from the chemical activation of urea-formaldehyde and melamine-formaldehyde resins. <i>Fuel</i> , 2007, 86, 22-31.	3.4	233
133	CO ₂ capture by adsorption with nitrogen enriched carbons. <i>Fuel</i> , 2007, 86, 2204-2212.	3.4	451
134	Changes in coal char reactivity and texture during combustion in an entrained flow reactor. <i>Journal of Thermal Analysis and Calorimetry</i> , 2007, 90, 859-863.	2.0	8
135	Heterogeneous reduction of nitric oxide on synthetic coal chars. <i>Fuel</i> , 2005, 84, 2275-2279.	3.4	31
136	Pyrolysis of activated carbons exhausted with organic compounds. <i>Journal of Analytical and Applied Pyrolysis</i> , 2005, 74, 518-524.	2.6	36
137	STUDY OF THE EVOLUTION OF NITROGEN COMPOUNDS DURING COAL DEVOLATILIZATION. <i>Clean Air</i> , 2005, 6, 393-408.	0.0	1
138	Relationship between structure and reactivity of carbonaceous materials. <i>Journal of Thermal Analysis and Calorimetry</i> , 2004, 76, 593-602.	2.0	39
139	Characterisation of model compounds and a synthetic coal by TG/MS/FTIR to represent the pyrolysis behaviour of coal. <i>Journal of Analytical and Applied Pyrolysis</i> , 2004, 71, 747-763.	2.6	105
140	Surface characterisation of synthetic coal chars made from model compounds. <i>Carbon</i> , 2004, 42, 1345-1350.	5.4	15
141	Comparison between the reactivity of coal and synthetic coal models†. <i>Fuel</i> , 2003, 82, 2001-2006.	3.4	26
142	Thermogravimetric-mass spectrometric study on the evolution of nitrogen compounds during coal devolatilisation. <i>Journal of Analytical and Applied Pyrolysis</i> , 2002, 65, 57-70.	2.6	14
143	Coal structure and reactivity changes induced by chemical demineralisation. <i>Fuel Processing Technology</i> , 2002, 79, 273-279.	3.7	72
144	A comparison of different methods for predicting coal devolatilisation kinetics. <i>Journal of Analytical and Applied Pyrolysis</i> , 2001, 58-59, 685-701.	2.6	119

#	ARTICLE	IF	CITATIONS
145	Olive stones based carbon foam: synthesis, characterization and application on post-combustion CO2 adsorption. Journal of Porous Materials, 0, , 1.	1.3	0