

Susana Fiorentino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4628425/publications.pdf>

Version: 2024-02-01

40
papers

1,059
citations

430442

18
h-index

433756

31
g-index

45
all docs

45
docs citations

45
times ranked

1206
citing authors

#	ARTICLE	IF	CITATIONS
1	Immunosuppressive role of semaphorin-3A on T cell proliferation is mediated by inhibition of actin cytoskeleton reorganization. <i>European Journal of Immunology</i> , 2006, 36, 1782-1793.	1.6	157
2	Stress-induced release of HSC70 from human tumors. <i>Cellular Immunology</i> , 2003, 222, 97-104.	1.4	124
3	<i>Petiveria alliacea</i> extracts uses multiple mechanisms to inhibit growth of human and mouse tumoral cells. <i>BMC Complementary and Alternative Medicine</i> , 2008, 8, 60.	3.7	55
4	Gallotannin-rich <i>Caesalpinia spinosa</i> fraction decreases the primary tumor and factors associated with poor prognosis in a murine breast cancer model. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 74.	3.7	47
5	Immune-system-dependent anti-tumor activity of a plant-derived polyphenol rich fraction in a melanoma mouse model. <i>Cell Death and Disease</i> , 2016, 7, e2243-e2243.	2.7	47
6	A gallotannin-rich fraction from <i>Caesalpinia spinosa</i> (Molina) Kuntze displays cytotoxic activity and raises sensitivity to doxorubicin in a leukemia cell line. <i>BMC Complementary and Alternative Medicine</i> , 2012, 12, 38.	3.7	41
7	A <i>Petiveria alliacea</i> standardized fraction induces breast adenocarcinoma cell death by modulating glycolytic metabolism. <i>Journal of Ethnopharmacology</i> , 2014, 153, 641-649.	2.0	40
8	Altered <i>in vivo</i> balance between CD28 ⁺ and CD28 ^{hi} cells within HIV-specific CD8 ⁺ T _H 1 cells of HIV-seropositive patients. <i>European Journal of Immunology</i> , 1999, 29, 38-44.	1.6	39
9	Standardized Extract from <i>Caesalpinia spinosa</i> is Cytotoxic Over Cancer Stem Cells and Enhance Anticancer Activity of Doxorubicin. <i>The American Journal of Chinese Medicine</i> , 2016, 44, 1693-1717.	1.5	38
10	Galactomannan from <i>Caesalpinia spinosa</i> induces phenotypic and functional maturation of human dendritic cells. <i>International Immunopharmacology</i> , 2011, 11, 652-660.	1.7	36
11	Apoptosome-independent Pathway for Apoptosis. <i>Journal of Biological Chemistry</i> , 2003, 278, 29571-29580.	1.6	34
12	Immune and histopathologic examination of flea bite-induced papular urticaria. <i>Annals of Allergy, Asthma and Immunology</i> , 2004, 92, 446-452.	0.5	32
13	Polyphenol-rich extract induces apoptosis with immunogenic markers in melanoma cells through the ER stress-associated kinase PERK. <i>Cell Death Discovery</i> , 2019, 5, 134.	2.0	30
14	Multifunctional T Lymphocytes Generated After Therapy With an Antitumor Gallotannin-Rich Normalized Fraction Are Related to Primary Tumor Size Reduction in a Breast Cancer Model. <i>Integrative Cancer Therapies</i> , 2015, 14, 468-483.	0.8	29
15	Delayed Virus-Specific CD8 ⁺ Cytotoxic T Lymphocyte Activity in an HIV-Infected Individual with High CD4 ⁺ Cell Counts: Correlations with Various Parameters of Disease Progression*. <i>AIDS Research and Human Retroviruses</i> , 1996, 12, 497-506.	0.5	28
16	Loss of T-Cell Multifunctionality and TCR-V β 2 Repertoire Against Epstein-Barr Virus Is Associated With Worse Prognosis and Clinical Parameters in HIV+ Patients. <i>Frontiers in Immunology</i> , 2018, 9, 2291.	2.2	28
17	Prophylactic vs. Therapeutic Treatment With P2Et Polyphenol-Rich Extract Has Opposite Effects on Tumor Growth. <i>Frontiers in Oncology</i> , 2018, 8, 356.	1.3	24
18	Epstein-Barr virus-specific CD8 ⁺ T lymphocytes from diffuse large B cell lymphoma patients are functionally impaired. <i>Clinical and Experimental Immunology</i> , 2015, 182, 173-183.	1.1	23

#	ARTICLE	IF	CITATIONS
19	An Immunomodulatory Gallotanin-Rich Fraction From <i>Caesalpinia spinosa</i> Enhances the Therapeutic Effect of Anti-PD-L1 in Melanoma. <i>Frontiers in Immunology</i> , 2020, 11, 584959.	2.2	21
20	Breast Tumor Cells Highly Resistant to Drugs Are Controlled Only by the Immune Response Induced in an Immunocompetent Mouse Model. <i>Integrative Cancer Therapies</i> , 2019, 18, 153473541984804.	0.8	19
21	Immunomodulatory Effects of Aqueous and Organic Fractions from <i>Petiveria alliacea</i> on Human Dendritic Cells. <i>The American Journal of Chinese Medicine</i> , 2012, 40, 833-844.	1.5	18
22	Microbial diversity of saline environments: searching for cytotoxic activities. <i>AMB Express</i> , 2017, 7, 223.	1.4	17
23	Design of a HIV-1-derived HLA-B07.02-restricted polyepitope construct. <i>Aids</i> , 2009, 23, 1945-1954.	1.0	16
24	A cytotoxic <i>Petiveria alliacea</i> dry extract induces ATP depletion and decreases \hat{I}^2 -F1-ATPase expression in breast cancer cells and promotes survival in tumor-bearing mice. <i>Revista Brasileira De Farmacognosia</i> , 2017, 27, 306-314.	0.6	16
25	Age-associated Epstein-Barr virus-specific T cell responses in seropositive healthy adults. <i>Clinical and Experimental Immunology</i> , 2014, 177, 320-332.	1.1	13
26	A fraction from <i>Petiveria alliacea</i> induces apoptosis via a mitochondria-dependent pathway and regulates HSP70 expression. <i>Universitas Scientiarum</i> , 2013, 14, 125.	0.2	12
27	Evaluation of chemotherapy and P2Et extract combination in ex-vivo derived tumor mammospheres from breast cancer patients. <i>Scientific Reports</i> , 2020, 10, 19639.	1.6	11
28	The delay in cell death caused by the induction of autophagy by P2Et extract is essential for the generation of immunogenic signals in melanoma cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2020, 25, 875-888.	2.2	11
29	Cyclooxygenase inhibitors are potent sensitizers of prostate tumours to hyperthermia and radiation. <i>International Journal of Hyperthermia</i> , 2001, 17, 401-414.	1.1	10
30	Phyto-Immunotherapy, a Complementary Therapeutic Option to Decrease Metastasis and Attack Breast Cancer Stem Cells. <i>Frontiers in Oncology</i> , 2020, 10, 1334.	1.3	9
31	Preferential Activity of <i>Petiveria alliacea</i> Extract on Primary Myeloid Leukemic Blast. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-14.	0.5	7
32	Safety Evaluation in Healthy Colombian Volunteers of P2Et Extract Obtained from <i>Caesalpinia spinosa</i> : Design 3+3 Phase I Clinical Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-11.	0.5	6
33	Influence of Dose Intensity in Consolidation with HIDAC and Other Clinical and Biological Parameters in the Survival of AML. <i>Journal of Cancer Epidemiology</i> , 2020, 2020, 1-7.	0.5	4
34	Anti-glucuronoxylomannan IgG1 specific antibodies production in <i>Cryptococcus neoformans</i> resistant mice. <i>Biomedica</i> , 2005, 25, 110-9.	0.3	4
35	Bioactive Potential of Extracts of <i>Labrenzia aggregata</i> Strain USBA 371, a Halophilic Bacterium Isolated from a Terrestrial Source. <i>Molecules</i> , 2020, 25, 2546.	1.7	3
36	Immune system activation through immunogenic cell death and tumor recruitment of dendritic cells is required for anti-tumor activity of a plant-derived polyphenol rich fraction. , 2015, 3, .		2

#	ARTICLE	IF	CITATIONS
37	TPEN Exerts Antitumor Efficacy in Murine Mammary Adenocarcinoma Through an H2O2 Signaling Mechanism Dependent on Caspase-3. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019, 18, 1617-1628.	0.9	2
38	Anti-Tumor Response and Heat Shock Proteins (HSP): A friend or Foe relationship?. , 2007, , 321-336.		1
39	Study of body fluid samples using flow cytometry: Six years of experience at the Hospital Universitario San Ignacio - Pontificia Universidad Javeriana Bogota - Colombia. <i>Universitas Scientiarum</i> , 2017, 22, 123.	0.2	1
40	Evaluaci3n de la actividad citot3xica de extractos y fracciones de las especies <i>Conyza trihecatactis</i> y <i>Ageratina vacciniaefolia</i> . <i>Revista Facultad De Ciencias B3sicas</i> , 2016, 12, 212-227.	0.2	0