Susana Fiorentino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4628425/publications.pdf

Version: 2024-02-01

40 papers

1,059 citations

18 h-index 433756 31 g-index

45 all docs

45 docs citations

45 times ranked

1206 citing authors

#	Article	IF	Citations
1	Safety Evaluation in Healthy Colombian Volunteers of P2Et Extract Obtained from Caesalpinia spinosa: Design 3+3 Phase I Clinical Trial. Evidence-based Complementary and Alternative Medicine, 2022, 2022, 1-11.	0.5	6
2	Evaluation of chemotherapy and P2Et extract combination in ex-vivo derived tumor mammospheres from breast cancer patients. Scientific Reports, 2020, 10, 19639.	1.6	11
3	Phyto-Immunotherapy, a Complementary Therapeutic Option to Decrease Metastasis and Attack Breast Cancer Stem Cells. Frontiers in Oncology, 2020, 10, 1334.	1.3	9
4	Preferential Activity of Petiveria alliacea Extract on Primary Myeloid Leukemic Blast. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-14.	0.5	7
5	An Immunomodulatory Gallotanin-Rich Fraction From Caesalpinia spinosa Enhances the Therapeutic Effect of Anti-PD-L1 in Melanoma. Frontiers in Immunology, 2020, 11, 584959.	2.2	21
6	The delay in cell death caused by the induction of autophagy by P2Et extract is essential for the generation of immunogenic signals in melanoma cells. Apoptosis: an International Journal on Programmed Cell Death, 2020, 25, 875-888.	2.2	11
7	Bioactive Potential of Extracts of Labrenzia aggregata Strain USBA 371, a Halophilic Bacterium Isolated from a Terrestrial Source. Molecules, 2020, 25, 2546.	1.7	3
8	Influence of Dose Intensity in Consolidation with HIDAC and Other Clinical and Biological Parameters in the Survival of AML. Journal of Cancer Epidemiology, 2020, 2020, 1-7.	0.5	4
9	Polyphenol-rich extract induces apoptosis with immunogenic markers in melanoma cells through the ER stress-associated kinase PERK. Cell Death Discovery, 2019, 5, 134.	2.0	30
10	Breast Tumor Cells Highly Resistant to Drugs Are Controlled Only by the Immune Response Induced in an Immunocompetent Mouse Model. Integrative Cancer Therapies, 2019, 18, 153473541984804.	0.8	19
11	TPEN Exerts Antitumor Efficacy in Murine Mammary Adenocarcinoma Through an H2O2 Signaling Mechanism Dependent on Caspase-3. Anti-Cancer Agents in Medicinal Chemistry, 2019, 18, 1617-1628.	0.9	2
12	Loss of T-Cell Multifunctionality and TCR-VÎ ² Repertoire Against Epstein-Barr Virus Is Associated With Worse Prognosis and Clinical Parameters in HIV+ Patients. Frontiers in Immunology, 2018, 9, 2291.	2.2	28
13	Prophylactic vs. Therapeutic Treatment With P2Et Polyphenol-Rich Extract Has Opposite Effects on Tumor Growth. Frontiers in Oncology, 2018, 8, 356.	1.3	24
14	A cytotoxic Petiveria alliacea dry extract induces ATP depletion and decreases \hat{l}^2 -F1-ATPase expression in breast cancer cells and promotes survival in tumor-bearing mice. Revista Brasileira De Farmacognosia, 2017, 27, 306-314.	0.6	16
15	Microbial diversity of saline environments: searching for cytotoxic activities. AMB Express, 2017, 7, 223.	1.4	17
16	Study of body fluid samples using flow cytometry: Six years of experience at the Hospital Universitario San Ignacio - Pontificia Universidad Javeriana Bogota - Colombia. Universitas Scientiarum, 2017, 22, 123.	0.2	1
17	Standardized Extract from <i>Caesalpinia spinosa</i> is Cytotoxic Over Cancer Stem Cells and Enhance Anticancer Activity of Doxorubicin. The American Journal of Chinese Medicine, 2016, 44, 1693-1717.	1.5	38
18	Immune-system-dependent anti-tumor activity of a plant-derived polyphenol rich fraction in a melanoma mouse model. Cell Death and Disease, 2016, 7, e2243-e2243.	2.7	47

#	Article	lF	Citations
19	Evaluaci \tilde{A}^3 n de la actividad citot \tilde{A}^3 xica de extractos y fracciones de las especies Conyza trihecatactis y Ageratina vacciniaefolia. Revista Facultad De Ciencias B \tilde{A}_1 sicas, 2016, 12, 212-227.	0.2	0
20	Epstein–Barr virus-specific CD8+ T lymphocytes from diffuse large B cell lymphoma patients are functionally impaired. Clinical and Experimental Immunology, 2015, 182, 173-183.	1.1	23
21	Immune system activation through immunogenic cell death and tumor recruitment of dendritic cells is required for anti-tumor activity of a plant-derived polyphenol rich fraction. , 2015, 3, .		2
22	Multifunctional T Lymphocytes Generated After Therapy With an Antitumor Gallotanin-Rich Normalized Fraction Are Related to Primary Tumor Size Reduction in a Breast Cancer Model. Integrative Cancer Therapies, 2015, 14, 468-483.	0.8	29
23	Age-associated Epstein-Barr virus-specific T cell responses in seropositive healthy adults. Clinical and Experimental Immunology, 2014, 177, 320-332.	1.1	13
24	A Petiveria alliacea standardized fraction induces breast adenocarcinoma cell death by modulating glycolytic metabolism. Journal of Ethnopharmacology, 2014, 153, 641-649.	2.0	40
25	Gallotannin-rich Caesalpinia spinosa fraction decreases the primary tumor and factors associated with poor prognosis in a murine breast cancer model. BMC Complementary and Alternative Medicine, 2013, 13, 74.	3.7	47
26	A fraction from Petiveria alliacea induces apoptosis via a mitochondria-dependent pathway and regulates HSP70 expression. Universitas Scientiarum, 2013, 14, 125.	0.2	12
27	Immunomodulatory Effects of Aqueous and Organic Fractions from Petiveria alliacea on Human Dendritic Cells. The American Journal of Chinese Medicine, 2012, 40, 833-844.	1.5	18
28	A gallotannin-rich fraction from Caesalpinia spinosa (Molina) Kuntze displays cytotoxic activity and raises sensitivity to doxorubicin in a leukemia cell line. BMC Complementary and Alternative Medicine, 2012, 12, 38.	3.7	41
29	Galactomannan from Caesalpinia spinosa induces phenotypic and functional maturation of human dendritic cells. International Immunopharmacology, 2011, 11, 652-660.	1.7	36
30	Design of a HIV-1-derived HLA-B07.02-restricted polyepitope construct. Aids, 2009, 23, 1945-1954.	1.0	16
31	Petiveria alliacea extracts uses multiple mechanisms to inhibit growth of human and mouse tumoral cells. BMC Complementary and Alternative Medicine, 2008, 8, 60.	3.7	55
32	Anti-Tumor Response and Heat Shock Proteins (HSP): A friend or Foe relationship?., 2007,, 321-336.		1
33	Immunosuppressive role of semaphorin-3A on T cell proliferation is mediated by inhibition of actin cytoskeleton reorganization. European Journal of Immunology, 2006, 36, 1782-1793.	1.6	157
34	Anti-glucuronoxylomannan lgG1 specific antibodies production in Cryptococcus neoformans resistant mice. Biomedica, 2005, 25, 110-9.	0.3	4
35	Immune and histopathologic examination of flea bite—induced papular urticaria. Annals of Allergy, Asthma and Immunology, 2004, 92, 446-452.	0.5	32
36	Stress-induced release of HSC70 from human tumors. Cellular Immunology, 2003, 222, 97-104.	1.4	124

#	Article	IF	CITATIONS
37	Apoptosome-independent Pathway for Apoptosis. Journal of Biological Chemistry, 2003, 278, 29571-29580.	1.6	34
38	Cyclooxygenase inhibitors are potent sensitizers of prostate tumours to hyperthermia and radiation. International Journal of Hyperthermia, 2001, 17, 401-414.	1.1	10
39	Alteredex vivo balance between CD28+ and CD28Ⱐcells within HIV-specific CD8+ T cells of HIV-seropositive patients. European Journal of Immunology, 1999, 29, 38-44.	1.6	39
40	Delayed Virus-Specific CD8 ⁺ Cytotoxic T Lymphocyte Activity in an HIV-Infected Individual with High CD4 ⁺ Cell Counts: Correlations with Various Parameters of Disease Progression*. AIDS Research and Human Retroviruses, 1996, 12, 497-506.	0.5	28