

Mitchell D Creinin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/463228/publications.pdf>

Version: 2024-02-01

345
papers

8,261
citations

50566

48
h-index

93651

72
g-index

355
all docs

355
docs citations

355
times ranked

3755
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Mifepristone prior to osmotic dilators for dilation and evacuation cervical preparation: A randomized, double-blind, placebo-controlled pilot study. <i>Contraception</i> , 2022, 107, 23-28. | 0.8 | 1 |
| 2 | Society of Family Planning Committee statement on IUD nomenclature. <i>Contraception</i> , 2022, 106, 1-2. | 0.8 | 4 |
| 3 | Profile of estetrol, a promising native estrogen for oral contraception and the relief of climacteric symptoms of menopause. <i>Expert Review of Clinical Pharmacology</i> , 2022, 15, 121-137. | 1.3 | 33 |
| 4 | Mechanism of action of a 0.075 mg norgestrel progestogen-only pill 2. Effect on cervical mucus and theoretical risk of conception. <i>Contraception</i> , 2022, 112, 43-47. | 0.8 | 5 |
| 5 | Mechanism of action of norgestrel 0.075 mg a progestogen-only pill. I. Effect on ovarian activity. <i>Contraception</i> , 2022, 112, 37-42. | 0.8 | 5 |
| 6 | Future Pregnancy Considerations after Premature Birth of an Infant Requiring Intensive Care: A Qualitative Study. <i>Women's Health Issues</i> , 2022, 32, 484-489. | 0.9 | 1 |
| 7 | Levonorgestrel 52 mg intrauterine system efficacy and safety through 8 years of use. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 871.e1-871.e7. | 0.7 | 12 |
| 8 | Recommendations for standardization of bleeding data analyses in contraceptive studies. <i>Contraception</i> , 2022, 112, 14-22. | 0.8 | 9 |
| 9 | Management of Cesarean Scar Ectopic Pregnancies at an Academic Referral Center [A82]. <i>Obstetrics and Gynecology</i> , 2022, 139, 24S-25S. | 1.2 | 0 |
| 10 | Twelve-month prescribing of contraceptive pill, patch, and ring before and after a standardized electronic medical record order change. <i>Contraception</i> , 2021, 103, 60-63. | 0.8 | 4 |
| 11 | Conception rates in women desiring pregnancy after levonorgestrel 52Âmg intrauterine system (LilettaÂ®) discontinuation. <i>Contraception</i> , 2021, 103, 26-31. | 0.8 | 8 |
| 12 | Medication Abortion With Pharmacist Dispensing of Mifepristone. <i>Obstetrics and Gynecology</i> , 2021, 137, 613-622. | 1.2 | 22 |
| 13 | Pharmacistsâ€™ knowledge, perspectives, and experiences with mifepristone dispensing for medication abortion. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2021, 61, 785-794.e1. | 0.7 | 7 |
| 14 | Relationship of parity and prior cesarean delivery to levonorgestrel 52 mg intrauterine system expulsion over 6 years. <i>Contraception</i> , 2021, 103, 444-449. | 0.8 | 7 |
| 15 | Assessing the Pregnancy Protective Impact of Scheduled Nonadherence to a Novel Progestin-Only Pill: Protocol for a Prospective, Multicenter, Randomized, Crossover Study. <i>JMIR Research Protocols</i> , 2021, 10, e29208. | 0.5 | 3 |
| 16 | US referral center experience removing nonpalpable and difficult contraceptive implants with in-office ultrasonography: A case series. <i>Contraception</i> , 2021, 103, 428-430. | 0.8 | 6 |
| 17 | Coronavirus disease 2019 impact on abortion care at a Northern California tertiary family planning program. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 94-95. | 0.7 | 3 |
| 18 | Standardizing abortion research outcomes (STAR): Results from an international consensus development study. <i>Contraception</i> , 2021, 104, 484-491. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Ethinyl estradiol and levonorgestrel patch phase 3 data clarification. <i>Contraception</i> , 2021, 104, 216. | 0.8 | 0 |
| 20 | SATISFACTION WITH THE SEGESTERONE ACETATE AND ETHINYL ESTRADIOL CONTRACEPTIVE VAGINAL SYSTEM AMONG PREVIOUS ORAL CONTRACEPTIVE OR CONTRACEPTIVE VAGINAL RING USERS. <i>Fertility and Sterility</i> , 2021, 116, e290. | 0.5 | 0 |
| 21 | Estetrol-drospirenone combination oral contraceptive: North American phase 3 efficacy and safety results. <i>Contraception</i> , 2021, 104, 222-228. | 0.8 | 36 |
| 22 | Contraceptive plans before pre-operative assessment and at procedure in surgical abortion patients. <i>Contraception</i> , 2021, , . | 0.8 | 0 |
| 23 | Comparing preoperative dating and postoperative dating for second-trimester surgical abortions. <i>Contraception</i> , 2020, 101, 5-9. | 0.8 | 2 |
| 24 | Bleeding changes after levonorgestrel 52-mg intrauterine system insertion for contraception in women with self-reported heavy menstrual bleeding. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, S888.e1-S888.e6. | 0.7 | 14 |
| 25 | Mifepristone Antagonization With Progesterone to Prevent Medical Abortion. <i>Obstetrics and Gynecology</i> , 2020, 135, 158-165. | 1.2 | 28 |
| 26 | Six-year contraceptive efficacy and continued safety of a levonorgestrel 52-mg intrauterine system. <i>Contraception</i> , 2020, 101, 159-161. | 0.8 | 11 |
| 27 | How to combine dual aims of reducing population growth and a rights-based noncoercive approach - In reply. <i>Contraception</i> , 2020, 102, 141. | 0.8 | 0 |
| 28 | Progestin-only pill use over 6 months postpartum. <i>Contraception</i> , 2020, 102, 251-253. | 0.8 | 2 |
| 29 | In Reply. <i>Obstetrics and Gynecology</i> , 2020, 135, 970-971. | 1.2 | 0 |
| 30 | Oral contraceptive generations - Time to stop using a marketing myth to define nomenclature. <i>Contraception</i> , 2020, 102, 143-144. | 0.8 | 10 |
| 31 | Contraception across the transmasculine spectrum. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 945-946. | 0.7 | 1 |
| 32 | Best Practices for Counseling Adolescents about the Etonogestrel Implant. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2020, 33, 448-454. | 0.3 | 19 |
| 33 | Family planning, population growth, and the environment. <i>Contraception</i> , 2020, 101, 145-147. | 0.8 | 8 |
| 34 | Gabapentin for pain management after osmotic dilator insertion and prior to dilation and evacuation: A randomized controlled trial. <i>Contraception</i> , 2020, 101, 167-173. | 0.8 | 7 |
| 35 | Management of early pregnancy loss with mifepristone and misoprostol: clinical predictors of treatment success from a randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 551.e1-551.e7. | 0.7 | 22 |
| 36 | Commentary: No-test medication abortion: A sample protocol for increasing access during a pandemic and beyond. <i>Contraception</i> , 2020, 101, 361-366. | 0.8 | 113 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Dose-finding study of a 90-day contraceptive vaginal ring releasing estradiol and segesterone acetate. <i>Contraception</i> , 2020, 102, 168-173. | 0.8 | 6 |
| 38 | Misoprostol before to first-trimester surgical abortion: do not jump on the bandwagon, not all evidence is created equal. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2020, 2, 100244. | 1.3 | 0 |
| 39 | Can initial vaginal bleeding patterns in etonogestrel implant users predict subsequent bleeding in the first 2 years of use?. <i>Contraception</i> , 2019, 100, 264-268. | 0.8 | 15 |
| 40 | Bleeding patterns and endometrial safety with a 1-year, segesterone acetate/ethinyl estradiol contraceptive vaginal system. <i>Fertility and Sterility</i> , 2019, 112, e10-e11. | 0.5 | 0 |
| 41 | Pre-removal plasma levonorgestrel level and return of fertility after levonorgestrel 52 mg intrauterine system discontinuation. <i>Fertility and Sterility</i> , 2019, 112, e306. | 0.5 | 1 |
| 42 | Medical abortion with mifepristone and vaginal misoprostol between 64 and 70 days' gestation. <i>Contraception</i> , 2019, 100, 178-181. | 0.8 | 20 |
| 43 | Comparing bleeding patterns for the levonorgestrel 52 mg, 19.5 mg, and 13.5 mg intrauterine systems. <i>Contraception</i> , 2019, 100, 128-131. | 0.8 | 29 |
| 44 | Five-Year Contraceptive Efficacy and Safety of a Levonorgestrel 52-mg Intrauterine System. <i>Obstetrics and Gynecology</i> , 2019, 133, 63-70. | 1.2 | 34 |
| 45 | Segesterone acetate/ethinyl estradiol 12-month contraceptive vaginal system safety evaluation. <i>Contraception</i> , 2019, 99, 323-328. | 0.8 | 30 |
| 46 | Prospective quantification of fetomaternal hemorrhage with dilation and evacuation procedures. <i>Contraception</i> , 2019, 99, 281-284. | 0.8 | 4 |
| 47 | Persistent free-floating pelvic trophoblastic cysts following an interstitial ectopic pregnancy. <i>BMJ Case Reports</i> , 2019, 12, e229732. | 0.2 | 0 |
| 48 | Mifepristone antagonization requires real studies to evaluate safety and efficacy. <i>Contraception</i> , 2019, 100, 427-429. | 0.8 | 5 |
| 49 | Management of early pregnancy loss with mifepristone and misoprostol: clinical predictors of success from a randomized trial. <i>Fertility and Sterility</i> , 2019, 112, e403. | 0.5 | 2 |
| 50 | Endometrial Safety With a 1-Year Segesterone Acetate/Ethinyl Estradiol Contraceptive Vaginal System [5M]. <i>Obstetrics and Gynecology</i> , 2019, 133, 141S-141S. | 1.2 | 0 |
| 51 | Adherence in a Phase 3 Trial of a Multipurpose Vaginal pH-Regulator vs Nonoxynol-9 [2M]. <i>Obstetrics and Gynecology</i> , 2019, 133, 140S-140S. | 1.2 | 0 |
| 52 | Postpartum Care for Mothers of Preterm Infants Requiring Intensive Care: A Qualitative Study [26E]. <i>Obstetrics and Gynecology</i> , 2019, 133, 58S-58S. | 1.2 | 0 |
| 53 | Referral Center Experience With Nonpalpable Contraceptive Implant Removals. <i>Obstetrics and Gynecology</i> , 2019, 134, 801-806. | 1.2 | 17 |
| 54 | Segesterone Acetate/Ethinyl Estradiol 1-Year Contraceptive Vaginal System Safety Evaluation [12M]. <i>Obstetrics and Gynecology</i> , 2019, 133, 143S-143S. | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Comparing Postpartum Visit Attendance with a Scheduled 2- to 3-Week or 6-Week Visit after Delivery. <i>American Journal of Perinatology</i> , 2019, 36, 936-942. | 0.6 | 13 |
| 56 | Women's preferences for permanent contraception method and willingness to be randomized for a hypothetical trial. <i>Contraception</i> , 2019, 99, 56-60. | 0.8 | 11 |
| 57 | Etonogestrel implant use in women primarily choosing a combined oral contraceptive pill: A proof-of-concept trial. <i>Contraception</i> , 2018, 97, 533-537. | 0.8 | 5 |
| 58 | More clarity needed for contraceptive mobile app Pearl Index calculations. <i>Contraception</i> , 2018, 97, 456. | 0.8 | 8 |
| 59 | Bleeding patterns for the Liletta [®] levonorgestrel 52µg intrauterine system. <i>European Journal of Contraception and Reproductive Health Care</i> , 2018, 23, 116-120. | 0.6 | 19 |
| 60 | Amenorrhea rates and predictors during 1 year of levonorgestrel 52 mg intrauterine system use. <i>Contraception</i> , 2018, 97, 210-214. | 0.8 | 21 |
| 61 | Manual Compared With Electric Vacuum Aspiration for Treatment of Molar Pregnancy. <i>Obstetrics and Gynecology</i> , 2018, 132, 217-218. | 1.2 | 1 |
| 62 | Return of fertility in nulliparous and parous women after levonorgestrel 52 mg intrauterine system discontinuation. <i>Fertility and Sterility</i> , 2018, 110, e46. | 0.5 | 2 |
| 63 | A strategic action framework for multipurpose prevention technologies combining contraceptive hormones and antiretroviral drugs to prevent pregnancy and HIV. <i>European Journal of Contraception and Reproductive Health Care</i> , 2018, 23, 326-334. | 0.6 | 16 |
| 64 | Change in bleeding patterns after Liletta insertion for women with subjective baseline heavy menstrual bleeding. <i>Contraception</i> , 2018, 98, 350-351. | 0.8 | 0 |
| 65 | Do women want to talk about birth control at the time of a first-trimester abortion?. <i>Contraception</i> , 2018, 98, 535-540. | 0.8 | 15 |
| 66 | Five-Year Efficacy and Safety of the Liletta [®] Levonorgestrel Intrauterine System [13F]. <i>Obstetrics and Gynecology</i> , 2018, 131, 66S-67S. | 1.2 | 2 |
| 67 | Successful completion of total and partial salpingectomy at the time of cesarean delivery. <i>Contraception</i> , 2018, 98, 232-236. | 0.8 | 13 |
| 68 | Controversies in family planning: persistently elevated serum human chorionic gonadotropin levels after aspiration abortion. <i>Contraception</i> , 2018, 98, 541-543. | 0.8 | 0 |
| 69 | Mifepristone Pretreatment for the Medical Management of Early Pregnancy Loss. <i>New England Journal of Medicine</i> , 2018, 378, 2161-2170. | 13.9 | 135 |
| 70 | Interpregnancy Interval After Termination of Pregnancy and the Risks of Adverse Outcomes in Subsequent Birth. <i>Obstetrics and Gynecology</i> , 2017, 129, 943-944. | 1.2 | 1 |
| 71 | Naproxen Sodium for Pain Control With Intrauterine Device Insertion: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2017, 129, 1135-1136. | 1.2 | 0 |
| 72 | Standardizing abortion research outcomes (STAR): a protocol for developing, disseminating and implementing a core outcome set for medical and surgical abortion. <i>Contraception</i> , 2017, 95, 437-441. | 0.8 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Safety outcomes of female sterilization by salpingectomy and tubal occlusion. <i>Contraception</i> , 2017, 95, 505-508. | 0.8 | 19 |
| 74 | Women's preferences for method of sterilization and willingness to be randomized for a theoretical trial. <i>Contraception</i> , 2017, 96, 303-304. | 0.8 | 0 |
| 75 | Long-Acting Reversible Contraception Initiation With a 2- to 3-Week Compared With a 6-Week Postpartum Visit. <i>Obstetrics and Gynecology</i> , 2017, 130, 788-794. | 1.2 | 13 |
| 76 | Quality Improvement: Changing Patterns of Antibiotic Prophylaxis for Surgical Abortion. <i>Journal for Healthcare Quality: Official Publication of the National Association for Healthcare Quality</i> , 2017, 39, e79-e83. | 0.3 | 0 |
| 77 | Four-Year Efficacy and Safety of the Liletta® Levonorgestrel Intrauterine System [11A]. <i>Obstetrics and Gynecology</i> , 2017, 129, 11S-12S. | 1.2 | 0 |
| 78 | Management of Severe Range Blood Pressures During Obstetrical Care: A Quality Improvement Project [3L]. <i>Obstetrics and Gynecology</i> , 2017, 129, 122S-122S. | 1.2 | 0 |
| 79 | The US etonogestrel implant mandatory clinical training and active monitoring programs: 6-year experience. <i>Contraception</i> , 2017, 95, 205-210. | 0.8 | 29 |
| 80 | An updated assessment of postpartum sterilization fulfillment after vaginal delivery. <i>Contraception</i> , 2017, 96, 41-46. | 0.8 | 24 |
| 81 | Integrated Neurology and Family Planning Clinic to Address Gynecologic Needs of Women With Epilepsy [11N]. <i>Obstetrics and Gynecology</i> , 2016, 127, 117S. | 1.2 | 0 |
| 82 | Recent Trends in Incidence of Different Permanent Female Sterilization Methods [15O]. <i>Obstetrics and Gynecology</i> , 2016, 127, 127S. | 1.2 | 0 |
| 83 | Quality Improvement. <i>Obstetrics and Gynecology</i> , 2016, 127, 9S. | 1.2 | 0 |
| 84 | Comparing office and telephone follow-up after medical abortion. <i>Contraception</i> , 2016, 94, 122-126. | 0.8 | 23 |
| 85 | Medical abortion reporting of efficacy: the MARE guidelines. <i>Contraception</i> , 2016, 94, 97-103. | 0.8 | 30 |
| 86 | Intrauterine Contraception. <i>Seminars in Reproductive Medicine</i> , 2016, 34, 175-182. | 0.5 | 26 |
| 87 | A prospective assessment of pelvic infection risk following same-day sexually transmitted infection testing and levonorgestrel intrauterine system placement. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 599.e1-599.e6. | 0.7 | 18 |
| 88 | Combined oral contraceptive treatment for bleeding complaints with the etonogestrel contraceptive implant: a randomised controlled trial. <i>European Journal of Contraception and Reproductive Health Care</i> , 2016, 21, 361-366. | 0.6 | 22 |
| 89 | Levonorgestrel release rates over 5 years with the Liletta® 52-mg intrauterine system. <i>Contraception</i> , 2016, 94, 353-356. | 0.8 | 29 |
| 90 | Factors influencing women's satisfaction with surgical abortion – reply. <i>Contraception</i> , 2016, 93, 373. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Return of Spontaneous Menses and Fertility After Removal of the Liletta Levonorgestrel Intrauterine System [40]. <i>Obstetrics and Gynecology</i> , 2016, 127, 123S-124S. | 1.2 | 1 |
| 92 | Factors influencing women's satisfaction with surgical abortion. <i>Contraception</i> , 2016, 93, 164-169. | 0.8 | 17 |
| 93 | Predictors of uterine evacuation following early medical abortion with mifepristone and misoprostol. <i>Contraception</i> , 2016, 93, 119-125. | 0.8 | 9 |
| 94 | Hysteroscopic Essure Inserts for Permanent Contraception: Extended Follow-Up Results of a Phase III Multicenter International Study. <i>Journal of Minimally Invasive Gynecology</i> , 2016, 23, 137-138. | 0.3 | 4 |
| 95 | Rate of abnormal vaginal bleeding and contraception counseling in women undergoing chemotherapy. <i>Journal of Community and Supportive Oncology</i> , 2016, , 337-341. | 0.1 | 1 |
| 96 | Mifepristone With Buccal Misoprostol for Medical Abortion. <i>Obstetrics and Gynecology</i> , 2015, 126, 12-21. | 1.2 | 151 |
| 97 | In Reply. <i>Obstetrics and Gynecology</i> , 2015, 126, 1107-1108. | 1.2 | 0 |
| 98 | Removal of a Nonpalpable Etonogestrel Implant With Preprocedure Ultrasonography and Modified Vasectomy Clamp. <i>Obstetrics and Gynecology</i> , 2015, 126, 935-938. | 1.2 | 20 |
| 99 | Effects of a One Year Reusable Contraceptive Vaginal Ring on Vaginal Microflora and the Risk of Vaginal Infection: An Open-Label Prospective Evaluation. <i>PLoS ONE</i> , 2015, 10, e0134460. | 1.1 | 34 |
| 100 | Three-year efficacy and safety of a new 52-mg levonorgestrel-releasing intrauterine system. <i>Contraception</i> , 2015, 92, 10-16. | 0.8 | 80 |
| 101 | Laparoscopic Hysterectomy for Failed Labor Induction Abortion Is Neither Frugal nor Innovative. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 918. | 0.3 | 0 |
| 102 | Comparative analysis of the effects of norgestrel acetate/17 β -estradiol and drospirenone/ethinylestradiol on premenstrual and menstrual symptoms and dysmenorrhea. <i>European Journal of Contraception and Reproductive Health Care</i> , 2015, 20, 296-307. | 0.6 | 24 |
| 103 | Probability of pregnancy after sterilization: a comparison of hysteroscopic versus laparoscopic sterilization. <i>Contraception</i> , 2015, 91, 521. | 0.8 | 13 |
| 104 | LARC utilization based on type of medical abortion follow-up at an academic center. <i>Contraception</i> , 2015, 91, 403-405. | 0.8 | 2 |
| 105 | Prophylactic ibuprofen does not improve pain with IUD insertion: a randomized trial. <i>Contraception</i> , 2015, 91, 193-197. | 0.8 | 49 |
| 106 | Contraceptive Efficacy, Safety, Fit, and Acceptability of a Single-Size Diaphragm Developed With End-User Input. <i>Obstetrics and Gynecology</i> , 2015, 125, 895-903. | 1.2 | 30 |
| 107 | Acceptability of randomization to levonorgestrel versus copper intrauterine device among women requesting IUD insertion for contraception. <i>Contraception</i> , 2015, 92, 572-574. | 0.8 | 3 |
| 108 | Office versus telephone follow-up after medical abortion. <i>Contraception</i> , 2015, 92, 363. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Tenth anniversary of the Society of Family Planning. <i>Contraception</i> , 2015, 92, 279-281. | 0.8 | 1 |
| 110 | Bleeding patterns in women using Liletta®, a new 52 mg levonorgestrel-releasing intrauterine system, for up to 2 years. <i>Contraception</i> , 2015, 92, 361-362. | 0.8 | 1 |
| 111 | Primary care physician familiarity with U.S. medical eligibility for contraceptive use. <i>Family Medicine</i> , 2015, 47, 15-21. | 0.3 | 8 |
| 112 | Female Tubal Sterilization. <i>Obstetrics and Gynecology</i> , 2014, 124, 596-599. | 1.2 | 34 |
| 113 | Understanding women's desires for contraceptive counseling at the time of first-trimester surgical abortion. <i>Contraception</i> , 2014, 89, 36-41. | 0.8 | 38 |
| 114 | Probability of pregnancy after sterilization: a comparison of hysteroscopic versus laparoscopic sterilization. <i>Contraception</i> , 2014, 90, 174-181. | 0.8 | 34 |
| 115 | Medical management of first-trimester abortion. <i>Contraception</i> , 2014, 89, 148-161. | 0.8 | 49 |
| 116 | Global fee prohibits postpartum provision of the most effective reversible contraceptives. <i>Contraception</i> , 2014, 90, 466-467. | 0.8 | 41 |
| 117 | Knowledge and practices of ulipristal acetate among faculty and residents at an academic medical center. <i>Contraception</i> , 2014, 90, 337. | 0.8 | 1 |
| 118 | Adherence with prescription antibiotic prophylaxis for abortions performed in the operating room. <i>Contraception</i> , 2014, 90, 310. | 0.8 | 1 |
| 119 | Extended use of the intrauterine device: a literature review and recommendations for clinical practice. <i>Contraception</i> , 2014, 90, 104. | 0.8 | 4 |
| 120 | Changes in genital tract immune cell populations after initiation of intrauterine contraception. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 489.e1-489.e9. | 0.7 | 28 |
| 121 | Transcervical sterilization: Population sterilization rates overestimated. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 180, 196-197. | 0.5 | 0 |
| 122 | In Reply. <i>Obstetrics and Gynecology</i> , 2014, 124, 1033-1034. | 1.2 | 0 |
| 123 | Effects of Age, Parity, and Device Type on Complications and Discontinuation of Intrauterine Devices. <i>Obstetrics and Gynecology</i> , 2014, 123, 1356. | 1.2 | 0 |
| 124 | Nomegestrol Acetate and 17 β -Estradiol Reduces Menstrual Symptoms, Pain, and Cramps Compared With Drospirenone and Ethinylestradiol. <i>Obstetrics and Gynecology</i> , 2014, 123, 105S. | 1.2 | 1 |
| 125 | Statement on combined hormonal contraceptives containing third- or fourth-generation progestogens or cyproterone acetate, and the associated risk of thromboembolism. <i>Journal of Family Planning and Reproductive Health Care</i> , 2013, 39, 156-159. | 0.9 | 19 |
| 126 | A statement on abortion by 100 professors of obstetrics: 40 years later. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 193-199. | 0.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Types of combined oral contraceptives used by US women. <i>Contraception</i> , 2013, 88, 192-193. | 0.8 | 2 |
| 128 | Mifepristone vs. osmotic dilator insertion for cervical preparation prior to surgical abortion at 14-16 weeks: a randomized trial. <i>Contraception</i> , 2013, 87, 507-508. | 0.8 | 1 |
| 129 | Transvaginal administration of intraamniotic digoxin prior to dilation and evacuation. <i>Contraception</i> , 2013, 87, 76-80. | 0.8 | 14 |
| 130 | Significant Adverse Events and Outcomes After Medical Abortion. <i>Obstetrics and Gynecology</i> , 2013, 121, 166-171. | 1.2 | 87 |
| 131 | Toward Early Safety Alert Endpoints: Exploring Biomarkers Suggestive of Microbicide Failure. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 1475-1486. | 0.5 | 16 |
| 132 | Statement on combined hormonal contraceptives containing third- or fourth-generation progestogens or cyproterone acetate, and the associated risk of thromboembolism. <i>European Journal of Contraception and Reproductive Health Care</i> , 2013, 18, 143-147. | 0.6 | 18 |
| 133 | Abortion, Pregnancy, and Public Health. <i>Obstetrics and Gynecology</i> , 2012, 119, 1273. | 1.2 | 0 |
| 134 | Abortion, Pregnancy, and Public Health. <i>Obstetrics and Gynecology</i> , 2012, 119, 212-214. | 1.2 | 6 |
| 135 | Federally Funded Sterilization: Time to Rethink Policy?. <i>American Journal of Public Health</i> , 2012, 102, 1822-1825. | 1.5 | 27 |
| 136 | Immediate versus delayed insertion of the levonorgestrel-releasing intrauterine device following dilation and evacuation: a randomized controlled trial. <i>Contraception</i> , 2012, 85, 240-245. | 0.8 | 38 |
| 137 | Comparison of medical abortion follow-up with serum human chorionic gonadotropin testing and in-office assessment. <i>Contraception</i> , 2012, 85, 402-407. | 0.8 | 17 |
| 138 | Antiabortion violence in the United States. <i>Contraception</i> , 2012, 86, 562-566. | 0.8 | 8 |
| 139 | Use of the CDC US medical eligibility criteria for contraceptive use among primary care physicians. <i>Contraception</i> , 2012, 86, 305-306. | 0.8 | 0 |
| 140 | Randomizing women to intrauterine device type: a pilot study experience. <i>Contraception</i> , 2012, 86, 318-319. | 0.8 | 0 |
| 141 | The combined oral contraceptive pill containing drospirenone and ethinyl estradiol plus levomefolate calcium. <i>Expert Opinion on Pharmacotherapy</i> , 2011, 12, 2403-2410. | 0.9 | 4 |
| 142 | Cervical preparation for surgical abortion between 12 and 18 weeks of gestation using vaginal misoprostol and Dilapan-S. <i>Contraception</i> , 2011, 83, 511-516. | 0.8 | 19 |
| 143 | Ovulation resumption after medical abortion with mifepristone and misoprostol. <i>Contraception</i> , 2011, 84, 230-233. | 0.8 | 74 |
| 144 | Postplacental or delayed levonorgestrel intrauterine device insertion and breast-feeding duration. <i>Contraception</i> , 2011, 84, 499-504. | 0.8 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Outcomes of medical abortion through 63 days in women with twin gestations. <i>Contraception</i> , 2011, 84, 505-507. | 0.8 | 10 |
| 146 | The impact of out-of-pocket expense on IUD utilization among women with private insurance. <i>Contraception</i> , 2011, 84, e39-e42. | 0.8 | 56 |
| 147 | Racial variation in tubal sterilization rates: role of patient-level factors. <i>Fertility and Sterility</i> , 2011, 95, 17-22. | 0.5 | 65 |
| 148 | Immediate Versus Delayed Intrauterine Device Insertion After Uterine Aspiration. <i>Obstetrical and Gynecological Survey</i> , 2011, 66, 624-625. | 0.2 | 0 |
| 149 | Reliability of Laparoscopic Compared With Hysteroscopic Sterilization at 1 Year. <i>Obstetrics and Gynecology</i> , 2011, 118, 273-279. | 1.2 | 27 |
| 150 | Mifepristone and misoprostol for early pregnancy failure: a cohort analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 386.e1-386.e6. | 0.7 | 25 |
| 151 | Immediate versus Delayed IUD Insertion after Uterine Aspiration. <i>New England Journal of Medicine</i> , 2011, 364, 2208-2217. | 13.9 | 146 |
| 152 | A Multi-Compartment, Single and Multiple Dose Pharmacokinetic Study of the Vaginal Candidate Microbicide 1% Tenofovir Gel. <i>PLoS ONE</i> , 2011, 6, e25974. | 1.1 | 89 |
| 153 | Postplacental or Delayed Insertion of the Levonorgestrel Intrauterine Device After Vaginal Delivery. <i>Obstetrics and Gynecology</i> , 2010, 116, 1079-1087. | 1.2 | 150 |
| 154 | Unintended Pregnancy Influences Racial Disparity in Tubal Sterilization Rates. <i>Journal of General Internal Medicine</i> , 2010, 25, 122-128. | 1.3 | 39 |
| 155 | Low Rates of Vasectomy Among Minorities: A Result of Differential Receipt of Counseling?. <i>American Journal of Men's Health</i> , 2010, 4, 243-249. | 0.7 | 13 |
| 156 | Contraceptive Efficacy, Acceptability, and Safety of C31G and Nonoxynol-9 Spermicidal Gels. <i>Obstetrics and Gynecology</i> , 2010, 116, 1265-1273. | 1.2 | 30 |
| 157 | Effect of a Brief Educational Intervention on the Attitudes of Young Women Toward the Intrauterine Device. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2010, 23, 116-120. | 0.3 | 38 |
| 158 | Feasibility of telephone follow-up after medical abortion. <i>Contraception</i> , 2010, 81, 143-149. | 0.8 | 94 |
| 159 | A comparison of transabdominal and transvaginal ultrasonography for determination of gestational age and clinical outcomes in women undergoing early medical abortion. <i>Contraception</i> , 2010, 81, 240-244. | 0.8 | 18 |
| 160 | Forgettable contraception. <i>Contraception</i> , 2010, 81, 552-553. | 0.8 | 0 |
| 161 | Complication rates and utility of intravenous access for surgical abortion procedures from 12 to 18 weeks of gestation. <i>Contraception</i> , 2010, 82, 286-290. | 0.8 | 3 |
| 162 | Pain Following Post-Aspiration IUD Insertion. <i>Contraception</i> , 2010, 82, 189-190. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Sexual function in first-time contraceptive ring and contraceptive patch users. <i>Fertility and Sterility</i> , 2010, 93, 21-28. | 0.5 | 40 |
| 164 | The Impact of Race and Ethnicity on Receipt of Family Planning Services in the United States. <i>Journal of Women's Health</i> , 2009, 18, 91-96. | 1.5 | 78 |
| 165 | “Everything I Know I Learned from My Mother...or Not”: Perspectives of African-American and White Women on Decisions About Tubal Sterilization. <i>Journal of General Internal Medicine</i> , 2009, 24, 312-319. | 1.3 | 48 |
| 166 | ORIGINAL ARTICLE: Safety Analysis of the Diaphragm in Combination with Lubricant or Acidifying Microbicide Gels: Effects on Markers of Inflammation and Innate Immunity in Cervicovaginal Fluid. <i>American Journal of Reproductive Immunology</i> , 2009, 61, 121-129. | 1.2 | 19 |
| 167 | Incarcerated Women and Abortion Provision: A Survey of Correctional Health Providers. <i>Perspectives on Sexual and Reproductive Health</i> , 2009, 41, 6-11. | 0.9 | 30 |
| 168 | Low-dose fentanyl and midazolam in outpatient surgical abortion up to 18 weeks of gestation. <i>Contraception</i> , 2009, 79, 122-128. | 0.8 | 22 |
| 169 | Doxycycline serum levels at the time of dilation and evacuation with two dosing regimens. <i>Contraception</i> , 2009, 79, 129-133. | 0.8 | 10 |
| 170 | Women's motivation to participate in contraceptive efficacy trials. <i>Contraception</i> , 2009, 80, 270-275. | 0.8 | 3 |
| 171 | Breastfeeding continuation among women using the levonorgestrel-releasing intrauterine device after vaginal delivery. <i>Contraception</i> , 2009, 80, 204-205. | 0.8 | 1 |
| 172 | Trends in tubal sterilization and intrauterine device uptake at an urban academic medical center. <i>Contraception</i> , 2009, 80, 205-206. | 0.8 | 7 |
| 173 | Contraception services for incarcerated women: a national survey of correctional health providers. <i>Contraception</i> , 2009, 80, 561-565. | 0.8 | 38 |
| 174 | Does vasectomy explain the difference in tubal sterilization rates between black and white women?. <i>Fertility and Sterility</i> , 2009, 91, 1642-1645. | 0.5 | 17 |
| 175 | Can We Communicate Gravidity and Parity Better?. <i>Obstetrics and Gynecology</i> , 2009, 113, 709-711. | 1.2 | 20 |
| 176 | Interest in Intrauterine Contraception Among Seekers of Emergency Contraception and Pregnancy Testing. <i>Obstetrics and Gynecology</i> , 2009, 113, 833-839. | 1.2 | 46 |
| 177 | Incarcerated women and abortion provision: a survey of correctional health providers. <i>Perspectives on Sexual and Reproductive Health</i> , 2009, 41, 6-11. | 0.9 | 5 |
| 178 | Cervicovaginal colposcopic lesions associated with 5 nonoxynol-9 vaginal spermicide formulations. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 32.e1-32.e7. | 0.7 | 7 |
| 179 | Misoprostol for treatment of early pregnancy failure in women with previous uterine surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 626.e1-626.e5. | 0.7 | 25 |
| 180 | Race, insurance status, and desire for tubal sterilization reversal. <i>Fertility and Sterility</i> , 2008, 90, 272-277. | 0.5 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Effect of "observed start" vs. traditional "Sunday start" on hormonal contraceptive continuation rates after medical abortion. <i>Contraception</i> , 2008, 78, 26-30. | 0.8 | 10 |
| 182 | The prevalence of domestic violence in volunteers for abortion and contraceptive research studies. <i>Contraception</i> , 2008, 78, 79-83. | 0.8 | 13 |
| 183 | Baseline colposcopic findings in women entering studies on female vaginal products. <i>Contraception</i> , 2008, 78, 162-166. | 0.8 | 14 |
| 184 | Outcomes of medical abortion through 63 days in women with twin gestations. <i>Contraception</i> , 2008, 78, 168-169. | 0.8 | 3 |
| 185 | SILCS diaphragm: postcoital testing of a new single-size contraceptive device. <i>Contraception</i> , 2008, 78, 237-244. | 0.8 | 42 |
| 186 | Adolescent and young adult women's knowledge of and attitudes toward the intrauterine device. <i>Contraception</i> , 2008, 78, 211-217. | 0.8 | 139 |
| 187 | Medical abortion outcomes after a second dose of misoprostol for persistent gestational sac. <i>Contraception</i> , 2008, 78, 332-335. | 0.8 | 21 |
| 188 | Comparative crossover study of the PATH Woman's Condom and the FC Female Condom®. <i>Contraception</i> , 2008, 78, 465-473. | 0.8 | 41 |
| 189 | Multicenter Comparison of the Contraceptive Ring and Patch. <i>Obstetrics and Gynecology</i> , 2008, 111, 267-277. | 1.2 | 84 |
| 190 | Ultrasonographic Endometrial Thickness After Medical and Surgical Management of Early Pregnancy Failure. <i>Obstetrics and Gynecology</i> , 2008, 111, 106-112. | 1.2 | 35 |
| 191 | Medical Management of Early Pregnancy Failure: Efficacy. <i>Seminars in Reproductive Medicine</i> , 2008, 26, 411-422. | 0.5 | 20 |
| 192 | Two Distinct Oral Routes of Misoprostol in Mifepristone Medical Abortion. <i>Obstetrics and Gynecology</i> , 2008, 112, 1303-1310. | 1.2 | 91 |
| 193 | Six-Day Randomized Safety Trial of Intravaginal Lime Juice. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 49, 243-250. | 0.9 | 24 |
| 194 | Mifepristone and Misoprostol Administered Simultaneously Versus 24 Hours Apart for Abortion. <i>Obstetrics and Gynecology</i> , 2007, 109, 885-894. | 1.2 | 88 |
| 195 | Psychiatric outcomes following medical and surgical abortion. <i>Human Reproduction</i> , 2007, 22, 878-884. | 0.4 | 26 |
| 196 | Contemporary Management of Early Pregnancy Failure. <i>Clinical Obstetrics and Gynecology</i> , 2007, 50, 67-88. | 0.6 | 71 |
| 197 | The Contraceptive Implant. <i>Clinical Obstetrics and Gynecology</i> , 2007, 50, 907-917. | 0.6 | 57 |
| 198 | Phase I Safety Trial of Two Vaginal Microbicide Gels (Acidform or BufferGel) Used With a Diaphragm Compared to KY Jelly Used With a Diaphragm. <i>Sexually Transmitted Diseases</i> , 2007, 34, 977-984. | 0.8 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Contraceptive Effectiveness of Immediate Compared With Delayed Insertion of Intrauterine Devices After Abortion. <i>Obstetrics and Gynecology</i> , 2007, 109, 1286-1294. | 1.2 | 41 |
| 200 | Race, Insurance Status, and Tubal Sterilization. <i>Obstetrics and Gynecology</i> , 2007, 109, 94-100. | 1.2 | 75 |
| 201 | Contraceptive Efficacy of a Novel Spermicidal Microbicide Used With a Diaphragm. <i>Obstetrics and Gynecology</i> , 2007, 110, 577-586. | 1.2 | 57 |
| 202 | Medical management of early pregnancy failure in a patient with coronary artery disease. <i>Fertility and Sterility</i> , 2007, 88, 212.e1-212.e3. | 0.5 | 5 |
| 203 | Clinical utility of urine pregnancy assays to determine medical abortion outcome is limited. <i>Contraception</i> , 2007, 75, 378-382. | 0.8 | 35 |
| 204 | An open-label, randomized, multi-center trial to evaluate continuation rates, side effects and acceptability of the contraceptive ring vs. the contraceptive patch in women previously using combined oral contraceptives. <i>Contraception</i> , 2007, 76, 157-158. | 0.8 | 1 |
| 205 | The potential of two non-vaginal routes of misoprostol administration following mifepristone for medical abortion up to 63 days gestation. <i>Contraception</i> , 2007, 76, 161-162. | 0.8 | 1 |
| 206 | Ability of endometrial thickness following medical abortion to predict subsequent surgical Intervention. <i>Contraception</i> , 2007, 76, 162. | 0.8 | 0 |
| 207 | Serum levels of doxycycline at the time of dilation and evacuation with two dosing regimens. <i>Contraception</i> , 2007, 76, 162. | 0.8 | 0 |
| 208 | Accuracy of abdominal ultrasonography in determining gestational age and outcomes in early medical abortion. <i>Contraception</i> , 2007, 76, 162. | 0.8 | 0 |
| 209 | Medical abortion outcomes after a second-dose of misoprostol: is the presence of cardiac motion on follow-up ultrasonography predictive of failure?. <i>Contraception</i> , 2007, 76, 162-163. | 0.8 | 0 |
| 210 | Outcome of medical abortion through 63 days in women with prior cesarean section. <i>Contraception</i> , 2007, 76, 163. | 0.8 | 0 |
| 211 | Misoprostol for treatment of early pregnancy failure in women with prior uterine surgery. <i>Contraception</i> , 2007, 76, 163. | 0.8 | 0 |
| 212 | Predictors of pain and bleeding in medical abortion. <i>Contraception</i> , 2007, 76, 163. | 0.8 | 0 |
| 213 | Predictors of dilation and curettage after medical abortion through 63 days gestation. <i>Contraception</i> , 2007, 76, 163-164. | 0.8 | 0 |
| 214 | Eliciting women's preferences in medical abortion treatment using willingness to pay. <i>Contraception</i> , 2007, 76, 164. | 0.8 | 1 |
| 215 | Incarcerated women and abortion provision: a survey of services in correctional health facilities. <i>Contraception</i> , 2007, 76, 165. | 0.8 | 0 |
| 216 | The prevalence of domestic violence in women who volunteer for gynecologic research studies. <i>Contraception</i> , 2007, 76, 168-169. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Does vasectomy explain the difference in tubal sterilization rates between black and white women?. <i>Contraception</i> , 2007, 76, 173. | 0.8 | 0 |
| 218 | Race and desire for tubal sterilization reversal. <i>Contraception</i> , 2007, 76, 173. | 0.8 | 2 |
| 219 | Oral mifepristone and buccal misoprostol administered simultaneously for abortion: a pilot study. <i>Contraception</i> , 2007, 76, 215-220. | 0.8 | 15 |
| 220 | From American Idol to Plan B: a call for a shift in priorities. <i>Contraception</i> , 2007, 76, 337-338. | 0.8 | 2 |
| 221 | Adolescent and Young Women's Knowledge and Attitudes Toward Using Intrauterine Contraceptive Devices (IUDs). <i>Journal of Pediatric and Adolescent Gynecology</i> , 2007, 20, S115-S116. | 0.3 | 2 |
| 222 | Clinical indicators for success of misoprostol treatment after early pregnancy failure. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 99, 46-51. | 1.0 | 27 |
| 223 | Enzymatic removal of asparagine-linked carbohydrate chains from heterodimer human chorionic gonadotrophin and effect on bioactivity. <i>Reproduction, Fertility and Development</i> , 2007, 19, 933. | 0.1 | 3 |
| 224 | Bleeding patterns after misoprostol vs surgical treatment of early pregnancy failure: results from a randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 31.e1-31.e7. | 0.7 | 35 |
| 225 | FemCap [®] , [®] with removal strap: ease of removal, safety and acceptability. <i>Contraception</i> , 2006, 73, 59-64. | 0.8 | 17 |
| 226 | Surrogate markers, emboldened and boxed warnings, and an expanding culture of misinformation. <i>Contraception</i> , 2006, 73, 440-442. | 0.8 | 7 |
| 227 | Training and attitudes about contraceptive management across primary care specialties: a survey of graduating residents. <i>Contraception</i> , 2006, 73, 618-622. | 0.8 | 53 |
| 228 | Fourteen-day safety and acceptability study of 6% cellulose sulfate gel: a randomized double-blind Phase I safety study. <i>Contraception</i> , 2006, 74, 133-140. | 0.8 | 84 |
| 229 | Mifepristone and misoprostol for the treatment of early pregnancy failure: a pilot clinical trial. <i>Contraception</i> , 2006, 74, 458-462. | 0.8 | 25 |
| 230 | SOGC Clinical Practice Guidelines: Ultrasound Evaluation of First Trimester Pregnancy Complications. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2006, 28, 581. | 0.3 | 1 |
| 231 | Factors Related to Successful Misoprostol Treatment for Early Pregnancy Failure*. <i>Obstetrics and Gynecology</i> , 2006, 107, 73S. | 1.2 | 0 |
| 232 | Early Abortion in Ontario: Options and Costs. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2006, 28, 504. | 0.3 | 0 |
| 233 | SILCS Diaphragm. <i>Obstetrics and Gynecology</i> , 2006, 107, 12S. | 1.2 | 5 |
| 234 | Progesterone Receptor Modulator for Emergency Contraception. <i>Obstetrics and Gynecology</i> , 2006, 108, 1089-1097. | 1.2 | 213 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | A Comparison of Medical Management with Misoprostol and Surgical Management for Early Pregnancy Failure. <i>Obstetrical and Gynecological Survey</i> , 2006, 61, 110-111. | 0.2 | 1 |
| 236 | Effects of Long-Term Use of Nonoxynol-9 on VaginalFlora. <i>Obstetrics and Gynecology</i> , 2006, 107, 136-143. | 1.2 | 35 |
| 237 | Factors Related to Successful Misoprostol Treatment for Early Pregnancy Failure. <i>Obstetrics and Gynecology</i> , 2006, 107, 901-907. | 1.2 | 61 |
| 238 | Post-Procedural Upper Genital Tract Infection. , 2006, , 125-139. | | 0 |
| 239 | Mortality associated with mifepristone-misoprostol medical abortion. <i>MedGenMed: Medscape General Medicine</i> , 2006, 8, 26. | 0.2 | 2 |
| 240 | Oral contraceptives and breakthrough bleeding: what patients need to know. <i>Journal of Family Practice</i> , 2006, 55, 872-80. | 0.2 | 4 |
| 241 | Body Mass Index, Weight, and Oral Contraceptive Failure Risk. <i>Obstetrics and Gynecology</i> , 2005, 105, 1492. | 1.2 | 7 |
| 242 | Mifepristone in Abortion Care. <i>Seminars in Reproductive Medicine</i> , 2005, 23, 82-91. | 0.5 | 13 |
| 243 | The challenges of analyzing cost-effectiveness with a computer model. <i>Fertility and Sterility</i> , 2005, 84, 543. | 0.5 | 0 |
| 244 | The true cost differential between mifepristone and misoprostol and misoprostol-alone regimens for medical abortion. <i>Contraception</i> , 2005, 71, 26-30. | 0.8 | 21 |
| 245 | A pilot study of mifepristone and misoprostol administered at the same time for abortion up to 49 days gestation. <i>Contraception</i> , 2005, 71, 333-336. | 0.8 | 23 |
| 246 | A pilot study of mifepristone and misoprostol administered at the same time for abortion in women with gestation from 50 to 63 days. <i>Contraception</i> , 2005, 71, 447-450. | 0.8 | 25 |
| 247 | Acceptability of five nonoxynol-9 spermicides. <i>Contraception</i> , 2005, 71, 438-442. | 0.8 | 26 |
| 248 | Lea's Shield®: colposcopic and microbiological testing during 8 weeks of use. <i>Contraception</i> , 2005, 72, 53-59. | 0.8 | 2 |
| 249 | How do we ensure "high quality" clinical research?. <i>Contraception</i> , 2005, 72, 83-84. | 0.8 | 0 |
| 250 | Same-day initiation of the transdermal hormonal delivery system (contraceptive patch) versus traditional initiation methods. <i>Contraception</i> , 2005, 72, 333-336. | 0.8 | 34 |
| 251 | A Comparison of Medical Management with Misoprostol and Surgical Management for Early Pregnancy Failure. <i>New England Journal of Medicine</i> , 2005, 353, 761-769. | 13.9 | 273 |
| 252 | Late Sequelae of Induced Abortion. <i>Annals of Internal Medicine</i> , 2004, 141, 161. | 2.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Participant characteristics associated with withdrawal from a large randomized trial of spermicide effectiveness. <i>BMC Medical Research Methodology</i> , 2004, 4, 23. | 1.4 | 11 |
| 254 | A randomized trial of saline solutionâ€œmoistened misoprostol versus dry misoprostol for first-trimester pregnancy failure. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 389-394. | 0.7 | 33 |
| 255 | Prospective randomized, controlled study of postoperative pain after titanium silicone rubber clip or Silastic ring tubal occlusion. <i>Contraception</i> , 2004, 69, 145-150. | 0.8 | 7 |
| 256 | A phase I comparative postcoital testing study of three concentrations of C31G. <i>Contraception</i> , 2004, 70, 227-231. | 0.8 | 29 |
| 257 | Single and multiple exposure tolerance study of polystyrene sulfonate gel: a phase I safety and colposcopy study. <i>Contraception</i> , 2004, 70, 77-83. | 0.8 | 27 |
| 258 | Ability of the clinician and patient to predict the outcome of mifepristone and misoprostol medical abortion. <i>Contraception</i> , 2004, 70, 313-317. | 0.8 | 36 |
| 259 | A randomized Phase I vaginal safety study of three concentrations of C31G vs. Extra Strength Gynol II. <i>Contraception</i> , 2004, 70, 233-240. | 0.8 | 43 |
| 260 | How regular is regular? An analysis of menstrual cycle regularity. <i>Contraception</i> , 2004, 70, 289-292. | 0.8 | 128 |
| 261 | Endometrial thickness after misoprostol use for early pregnancy failure. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 86, 22-26. | 1.0 | 66 |
| 262 | A Randomized Comparison of Misoprostol 6 to 8 Hours Versus 24 Hours After Mifepristone for Abortion. <i>Obstetrics and Gynecology</i> , 2004, 103, 851-859. | 1.2 | 93 |
| 263 | Induced Abortion: An Overview for Internists. <i>Annals of Internal Medicine</i> , 2004, 140, 620. | 2.0 | 34 |
| 264 | Mifepristone and misoprostol and methotrexate/misoprostol in clinical practice for abortion. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 664-669. | 0.7 | 35 |
| 265 | Miscommunication between healthcare providers and patients may result in unplanned pregnancies. <i>Contraception</i> , 2003, 68, 373-376. | 0.8 | 48 |
| 266 | Feasibility study of the use of a daily electronic mail reminder to improve oral contraceptive compliance. <i>Contraception</i> , 2003, 68, 365-371. | 0.8 | 25 |
| 267 | Pharmacoeconomics of medical abortion: a review of cost in the United States, Europe and Asia. <i>Expert Opinion on Pharmacotherapy</i> , 2003, 4, 503-513. | 0.9 | 12 |
| 268 | Current medical abortion care. <i>Current Women's Health Reports</i> , 2003, 3, 461-9. | 0.2 | 2 |
| 269 | Does Digital Vaginal Examination Using Lubricant Have an Impact on Testing for Chlamydia trachomatis by Polymerase Chain Reaction?. <i>Sexually Transmitted Diseases</i> , 2002, 29, 112-113. | 0.8 | 3 |
| 270 | Prospective Randomized Controlled Study of Postoperative Pain after Filshie Clip or Falope Ring. <i>Obstetrics and Gynecology</i> , 2002, 99, 25S-26S. | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | The effect of extending the pill-free interval on follicular activity. <i>Contraception</i> , 2002, 66, 147-152. | 0.8 | 41 |
| 272 | Mifepristone and vaginal misoprostol on the same day for abortion from 50 to 63 daysâ€™ gestation. <i>Contraception</i> , 2002, 66, 225-229. | 0.8 | 19 |
| 273 | Predicting risk of ovulation in new start oral contraceptive users. <i>Obstetrics and Gynecology</i> , 2002, 99, 177-182. | 1.2 | 32 |
| 274 | Medical management of missed abortion: a randomized clinical trial. <i>Obstetrics and Gynecology</i> , 2002, 100, 382-383. | 1.2 | 1 |
| 275 | Abortion occurred more quickly with mifepristone than methotrexate, although final success rates were similar. <i>Evidence-Based Obstetrics and Gynecology</i> , 2002, 4, 181-182. | 0.3 | 0 |
| 276 | Efficacy of mifepristone followed on the same day by misoprostol for early termination of pregnancy: report of a randomised trial. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 469-473. | 0.9 | 38 |
| 277 | Mifepristone followed on the same day by vaginal misoprostol for early abortion. <i>Contraception</i> , 2001, 64, 87-92. | 0.8 | 44 |
| 278 | Single and multiple exposure tolerance study of cellulose sulfate gel: a Phase I safety and colposcopy study. <i>Contraception</i> , 2001, 64, 383-391. | 0.8 | 81 |
| 279 | Mifepristone 100 mg in abortion regimens. <i>Obstetrics and Gynecology</i> , 2001, 98, 434-439. | 1.2 | 26 |
| 280 | Toxic shock syndrome after laminaria insertion1. <i>Obstetrics and Gynecology</i> , 2001, 98, 959-961. | 1.2 | 14 |
| 281 | Mifepristone 100 mg in Abortion Regimens. <i>Obstetrics and Gynecology</i> , 2001, 98, 434-439. | 1.2 | 16 |
| 282 | Early Pregnancy Failureâ€™ Current Management Concepts. <i>Obstetrical and Gynecological Survey</i> , 2001, 56, 105-113. | 0.2 | 62 |
| 283 | Toxic Shock Syndrome After Laminaria Insertion. <i>Obstetrics and Gynecology</i> , 2001, 98, 959-961. | 1.2 | 6 |
| 284 | Efficacy of mifepristone followed on the same day by misoprostol for early termination of pregnancy: report of a randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 469-473. | 1.1 | 19 |
| 285 | Accuracy of serum β -human chorionic gonadotropin cutoff values at 42 and 49 days' gestation. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 185, 966-969. | 0.7 | 7 |
| 286 | The Risks of Oral Contraceptive Pills. <i>Seminars in Reproductive Medicine</i> , 2001, 19, 305-312. | 0.5 | 18 |
| 287 | Management of side effects and complications in medical abortion. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, S65-S75. | 0.7 | 51 |
| 288 | Medical abortion regimens: Historical context and overview. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, S3-S9. | 0.7 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Alternatives to mifepristone regimens for medical abortion. American Journal of Obstetrics and Gynecology, 2000, 183, S54-S64. | 0.7 | 20 |
| 290 | Meclizine for prevention of nausea associated with use of emergency contraceptive pills: a randomized trial. Obstetrics and Gynecology, 2000, 95, 271-277. | 1.2 | 51 |
| 291 | Randomized comparison of efficacy, acceptability and cost of medical versus surgical abortion. Contraception, 2000, 62, 117-124. | 0.8 | 77 |
| 292 | The efficacy of medical abortion: a meta-analysis. Contraception, 2000, 61, 29-40. | 0.8 | 106 |
| 293 | Success rates and estimation of gestational age for medical abortion vary with transvaginal ultrasonographic criteria. American Journal of Obstetrics and Gynecology, 1999, 180, 35-41. | 0.7 | 13 |
| 294 | Use of various ultrasonographic criteria to evaluate the efficacy of mifepristone and misoprostol for medical abortion. American Journal of Obstetrics and Gynecology, 1999, 181, 1419-1424. | 0.7 | 25 |
| 295 | A randomized trial of the effect of moistening misoprostol before vaginal administration when used with methotrexate for abortion. Contraception, 1999, 59, 11-16. | 0.8 | 60 |
| 296 | “pop-out” method of levonorgestrel implant removal. Contraception, 1999, 59, 383-387. | 0.8 | 18 |
| 297 | The trimonthly combination oral contraceptive regimen: is it cost effective?. Contraception, 1999, 60, 263-267. | 0.8 | 24 |
| 298 | Screening for factor V leiden mutation before prescribing combination oral contraceptives. Fertility and Sterility, 1999, 72, 646-651. | 0.5 | 71 |
| 299 | Methotrexate effects on trophoblast and the corpus luteum in early pregnancy. American Journal of Obstetrics and Gynecology, 1998, 179, 604-609. | 0.7 | 13 |
| 300 | Delayed retained products of conception after second-trimester abortion. Obstetrics and Gynecology, 1998, 92, 710. | 1.2 | 0 |
| 301 | Medical Abortion With Oral Methotrexate and Vaginal Misoprostol. Obstetrical and Gynecological Survey, 1998, 53, 25-26. | 0.2 | 0 |
| 302 | Medical treatment of ectopic pregnancy with methotrexate. Fertility and Sterility, 1997, 68, 727-730. | 0.5 | 42 |
| 303 | Effect of nonsteroidal anti-inflammatory drugs on the action of misoprostol in a regimen for early abortion. Contraception, 1997, 56, 165-168. | 0.8 | 43 |
| 304 | Medical abortion with methotrexate 75 mg intramuscularly and vaginal misoprostol. Contraception, 1997, 56, 367-371. | 0.8 | 31 |
| 305 | Medical Abortion With Oral Methotrexate and Vaginal Misoprostol. Obstetrics and Gynecology, 1997, 90, 611-616. | 1.2 | 56 |
| 306 | Misoprostol for Medical Evacuation of Early Pregnancy Failure. Obstetrics and Gynecology, 1997, 89, 768-772. | 1.2 | 101 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Methotrexate pharmacokinetics and effects in women receiving methotrexate 50 mg and 60 mg per square meter for early abortion. American Journal of Obstetrics and Gynecology, 1997, 177, 1444-1449. | 0.7 | 24 |
| 308 | Laparoscopic salpingostomy versus methotrexate injections. American Journal of Obstetrics and Gynecology, 1997, 176, 949. | 0.7 | 0 |
| 309 | Methotrexate and misoprostol for early abortion: A multicenter trial. I. Safety and efficacy. Contraception, 1996, 53, 321-327. | 0.8 | 121 |
| 310 | Oral methotrexate and vaginal misoprostol for early abortion. Contraception, 1996, 54, 15-18. | 0.8 | 31 |
| 311 | Methotrexate and misoprostol for early abortion: A multicenter trial. Acceptability. Contraception, 1996, 54, 19-22. | 0.8 | 43 |
| 312 | Laboratory criteria for menopause in women using oral contraceptives. Fertility and Sterility, 1996, 66, 101-104. | 0.5 | 22 |
| 313 | Medically induced abortion in a woman with a large myomatous uterus. American Journal of Obstetrics and Gynecology, 1996, 175, 1379-1380. | 0.7 | 14 |
| 314 | Change in serum Î²-human chorionic gonadotropin after abortion with methotrexate and misoprostol. American Journal of Obstetrics and Gynecology, 1996, 174, 776-778. | 0.7 | 39 |
| 315 | Acceptability of medical abortion with methotrexate and misoprostol. Contraception, 1995, 52, 41-44. | 0.8 | 36 |
| 316 | Removal of levonorgestrel capsules from the biceps muscle. International Journal of Gynecology and Obstetrics, 1995, 50, 189-191. | 1.0 | 6 |
| 317 | Laminaria versus Dilapan osmotic cervical dilators for second-trimester abortion. American Journal of Obstetrics and Gynecology, 1995, 173, 354-355. | 0.7 | 1 |
| 318 | A randomized trial comparing misoprostol three and seven days after methotrexate for early abortion. American Journal of Obstetrics and Gynecology, 1995, 173, 1578-1584. | 0.7 | 94 |
| 319 | Methotrexate and Misoprostol vs Misoprostol Alone for Early Abortion. JAMA - Journal of the American Medical Association, 1994, 272, 1190. | 3.8 | 64 |
| 320 | Methotrexate and misoprostol for abortion at 57â€“63 days gestation. Contraception, 1994, 50, 511-515. | 0.8 | 30 |
| 321 | Methotrexate and misoprostol for early abortion. Contraception, 1993, 48, 339-348. | 0.8 | 115 |
| 322 | Methotrexate for abortion at 42 days gestation. Contraception, 1993, 48, 519-525. | 0.8 | 36 |
| 323 | Cost of ectopic pregnancy management: surgery versus methotrexate*â€•Supported by grant number HS07373â€•01 from the Agency for Health Care Policy and Research.â€•Reprints not available.. Fertility and Sterility, 1993, 60, 963-969. | 0.5 | 68 |
| 324 | Comparison of endometrial biopsy and urinary pregnanediol glucuronide concentration in the diagnosis of luteal phase defect**Presented in part at the 35th Annual Meeting of the Society for Gynecologic Investigation, Baltimore, Maryland, March 17 to 20, 1988.. Fertility and Sterility, 1990, 54, 1008-1011. | 0.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | The Northwestern University triplet study. American Journal of Obstetrics and Gynecology, 1988, 159, 1140-1143. | 0.7 | 0 |
| 326 | Contraception and Surgical Abortion Aftercare. , 0, , 208-223. | | 1 |
| 327 | Ensuring Quality Care in Abortion Services. , 0, , 335-351. | | 0 |
| 328 | Multifetal Pregnancy Reduction and Selective Termination. , 0, , 312-318. | | 5 |
| 329 | Unintended Pregnancy and Abortion in the USA: Epidemiology and Public Health Impact. , 0, , 24-35. | | 3 |
| 330 | Pregnancy Loss. , 0, , 264-279. | | 1 |
| 331 | Abortion for Fetal Abnormalities or Maternal Conditions. , 0, , 302-311. | | 2 |
| 332 | Providing Abortion in Low-Resource Settings. , 0, , 319-334. | | 1 |
| 333 | Abortion Law and Policy in the USA. , 0, , 36-47. | | 1 |
| 334 | Medical Evaluation and Management. , 0, , 78-89. | | 2 |
| 335 | Clinical Assessment and Ultrasound in Early Pregnancy. , 0, , 63-77. | | 1 |
| 336 | The Challenging Abortion. , 0, , 193-207. | | 4 |
| 337 | Unsafe Abortion: The Global Public Health Challenge. , 0, , 10-23. | | 1 |
| 338 | Abortion and Medicine: A Sociopolitical History. , 0, , 1-9. | | 8 |
| 339 | Answering Questions About Long-Term Outcomes. , 0, , 252-263. | | 0 |
| 340 | Surgical Complications: Prevention and Management. , 0, , 224-251. | | 5 |
| 341 | Medical Methods to Induce Abortion in the Second Trimester. , 0, , 178-192. | | 6 |
| 342 | First-Trimester Aspiration Abortion. , 0, , 135-156. | | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 343 | Medical Abortion in Early Pregnancy. , 0, , 111-134. | | 10 |
| 344 | Appendix: Resources for Abortion Providers. , 0, , 352-368. | | 1 |
| 345 | Dilation and Evacuation. , 0, , 157-177. | | 8 |