

Allard J Van Der Beek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4632659/allard-j-van-der-beek-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

341
papers

9,982
citations

51
h-index

83
g-index

352
ext. papers

11,755
ext. citations

3.7
avg, IF

6.35
L-index

#	Paper	IF	Citations
341	The Working Informal Caregiver Model: A Mixed Methods Approach to Explore Future Informal Caregiving by Working Caregivers. <i>Sustainability</i> , 2022 , 14, 3519	3.6	1
340	Barriers and facilitators influencing the implementation of the occupational health intervention 'Dynamic Work': a qualitative study.. <i>BMC Public Health</i> , 2022 , 22, 947	4.1	
339	Supporting participation in paid work of cancer survivors and their partners in the Netherlands: protocol of the SusTained Employability in cancer Patients and their partnerS (STEPS) multi-centre randomized controlled trial and cohort study. <i>BMC Public Health</i> , 2021 , 21, 1844	4.1	0
338	"": A Qualitative Study of the Support Needs of Working Caregivers Taking Care of Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
337	Combining paid work and family care for a patient at the end of life at home: insights from a qualitative study among caregivers in the Netherlands. <i>BMC Palliative Care</i> , 2021 , 20, 93	3	1
336	Psychosocial work characteristics associated with distress and intention to leave nursing education among students; A one-year follow-up study. <i>Nurse Education Today</i> , 2021 , 101, 104853	3.7	3
335	Preferences regarding the way of use and design of a work ability prognosis support tool: a focus group study among professionals. <i>Disability and Rehabilitation</i> , 2021 , 43, 2031-2037	2.4	3
334	Cancer survivors' experiences with conversations about work-related issues in the hospital setting. <i>Psycho-Oncology</i> , 2021 , 30, 27-34	3.9	4
333	Associations of sustained smoking and smoking cessation with work-related outcomes: a longitudinal analysis. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 529-537 ^{3.2}		
332	Cross-cultural translation and adaptation of the Readiness for Return To Work questionnaire for Dutch cancer survivors. <i>European Journal of Cancer Care</i> , 2021 , 30, e13383	2.4	2
331	Work-related physical and psychosocial risk factors cluster with obesity, smoking and physical inactivity. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 741-750	3.2	1
330	Effects of changes in early retirement policies on labor force participation: the differential effects for vulnerable groups. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 224-232	4.3	0
329	Effects of an active break and postural shift intervention on preventing neck and low-back pain among high-risk office workers: a 3-arm cluster-randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 306-317	4.3	4
328	Factors associated with caregiver burden among adult (19-64 years) informal caregivers - An analysis from Dutch Municipal Health Service data. <i>Health and Social Care in the Community</i> , 2020 , 28, 1578-1589	2.6	8
327	Natural Patterns of Sitting, Standing and Stepping During and Outside Work-Differences between Habitual Users and Non-Users of Sit-Stand Workstations. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
326	Improving mental health of student and novice nurses to prevent dropout: A systematic review. <i>Journal of Advanced Nursing</i> , 2020 , 76, 2494-2509	3.1	9
325	Proposal to extend the PROMIS [®] item bank v2.0 'Ability to Participate in Social Roles and Activities': item generation and content validity. <i>Quality of Life Research</i> , 2020 , 29, 2851-2861	3.7	2

324	Effectiveness of the multi-component dynamic work intervention to reduce sitting time in office workers - Results from a pragmatic cluster randomised controlled trial. <i>Applied Ergonomics</i> , 2020 , 84, 103027	4.2	9
323	Towards a better understanding of the 'physical activity paradox': the need for a research agenda. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1055-1057	10.3	16
322	Correction of bias in self-reported sitting time among office workers - a study based on compositional data analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 32-42	4.3	8
321	Shift work and its relation with meal and snack patterns among healthcare workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 143-151	4.3	4
320	Predicting future changes in the work ability of individuals receiving a work disability benefit: weighted analysis of longitudinal data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 168-176	4.3	2
319	Smoking and sickness absence: a systematic review and meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 5-18	4.3	15
318	Multimorbidity is common among young workers and related to increased work absenteeism and presenteeism: results from the population-based Raine Study cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 218-227	4.3	9
317	The effect of training for a participatory ergonomic intervention on physical exertion and musculoskeletal pain among childcare workers (the TOY project) - a wait-list cluster-randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 429-436	4.3	6
316	The mediating role of sleep, physical activity, and diet in the association between shift work and respiratory infections. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 516-524	4.3	6
315	Predicting Long-Term Sickness Absence and Identifying Subgroups Among Individuals Without an Employment Contract. <i>Journal of Occupational Rehabilitation</i> , 2020 , 30, 371-380	3.6	2
314	Determinants of voluntary early retirement for older workers with and without chronic diseases: A Danish prospective study. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 190-199	3	4
313	Cancer-related cognitive problems at work: experiences of survivors and professionals. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 168-178	5.1	15
312	Occupational Exposures Associated with Life Expectancy without and with Disability. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
311	Cost-Effectiveness and Return-on-Investment of the Dynamic Work Intervention Compared With Usual Practice to Reduce Sedentary Behavior. <i>Journal of Occupational and Environmental Medicine</i> , 2020 , 62, e449-e456	2	3
310	Sickness absenteeism, work performance, and healthcare use due to respiratory infections for shift and non-shift workers. <i>Chronobiology International</i> , 2020 , 37, 1325-1334	3.6	1
309	How does occupational physical activity influence health? An umbrella review of 23 health outcomes across 158 observational studies. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1474-1481	10.3	26
308	Perceived musculoskeletal discomfort and its association with postural shifts during 4-h prolonged sitting in office workers. <i>Applied Ergonomics</i> , 2020 , 89, 103225	4.2	16
307	Socio-economic inequalities in the effectiveness of workplace health promotion programmes on body mass index: An individual participant data meta-analysis. <i>Obesity Reviews</i> , 2020 , 21, e13101	10.6	6

306	Internet-based cognitive rehabilitation for WORKing Cancer survivors (i-WORC): study protocol of a randomized controlled trial. <i>Trials</i> , 2020 , 21, 664	2.8	1
305	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations. <i>PLoS ONE</i> , 2020 , 15, e0236582	3.7	4
304	Adapting Citizen Science to Improve Health in an Occupational Setting: Preliminary Results of a Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
303	Socioeconomic inequalities in effectiveness of and compliance to workplace health promotion programs: an individual participant data (IPD) meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 112	8.4	4
302	Sick leave assessments of workers with subjective health complaints: a cross-sectional study on differences among physicians working in occupational health care. <i>Disability and Rehabilitation</i> , 2020 , 42, 967-974	2.4	4
301	Implementing interventions to reduce work-related stress among health-care workers: an investment appraisal from the employer's perspective. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 123-132	3.2	4
300	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
299	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
298	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
297	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
296	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
295	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
294	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
293	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
292	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
291	The user and non-user perspective: Experiences of office workers with long-term access to sit-stand workstations 2020 , 15, e0236582		
290	Calibration of Self-Reported Time Spent Sitting, Standing and Walking among Office Workers: A Compositional Data Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	9
289	Does self-perceived health correlate with physician-assessed functional limitations in medical work disability assessments?. <i>Journal of Psychosomatic Research</i> , 2019 , 125, 109792	4.1	2

288	The role of personal characteristics, work environment and context in working beyond retirement: a mixed-methods study. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 535-549	3.3	14
287	Factors associated with an adverse work outcome in breast cancer survivors 5-10 years after diagnosis: a cross-sectional study. <i>Journal of Cancer Survivorship</i> , 2019 , 13, 108-116	5.1	10
286	Associations of screen work with neck and upper extremity symptoms: a systematic review with meta-analysis. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 502-509	2.1	16
285	Physical workload and obesity have a synergistic effect on work ability among construction workers. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 855-864	3.2	15
284	The Dynamic Work study: study protocol of a cluster randomized controlled trial of an occupational health intervention aimed at reducing sitting time in office workers. <i>BMC Public Health</i> , 2019 , 19, 188	4.1	8
283	The association between exposure to different aspects of shift work and metabolic risk factors in health care workers, and the role of chronotype. <i>PLoS ONE</i> , 2019 , 14, e0211557	3.7	12
282	Socioeconomic inequalities in reach, compliance and effectiveness of lifestyle interventions among workers: protocol for an individual participant data meta-analysis and equity-specific reanalysis. <i>BMJ Open</i> , 2019 , 9, e025463	3	4
281	Societal participation of individuals aged 55-64 years with and without chronic disease. <i>European Journal of Public Health</i> , 2019 , 29, 93-98	2.1	3
280	Shift work, chronotype and the risk of cardiometabolic risk factors. <i>European Journal of Public Health</i> , 2019 , 29, 128-134	2.1	16
279	Poor health, physical workload and occupational social class as determinants of health-related job loss: results from a prospective cohort study in the UK. <i>BMJ Open</i> , 2019 , 9, e026423	3	2
278	A qualitative study investigating the meaning of participation to improve the measurement of this construct. <i>Quality of Life Research</i> , 2019 , 28, 2233-2246	3.7	4
277	Late dropout from nursing education: An interview study of nursing students' experiences and reasons. <i>Nurse Education in Practice</i> , 2019 , 39, 17-25	3.2	19
276	Health differences between multiple and single job holders in precarious employment in the Netherlands: A cross-sectional study among Dutch workers. <i>PLoS ONE</i> , 2019 , 14, e0222217	3.7	4
275	Sedentary and Physical Activity Behavior in "Blue-Collar" Workers: A Systematic Review of Accelerometer Studies. <i>Journal of Physical Activity and Health</i> , 2019 , 16, 1060-1069	2.5	16
274	The contribution of work and lifestyle factors to socioeconomic inequalities in self-rated health - a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 114-125	4.3	22
273	Multiple-job holding is not a type of precarious employment. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 98-99	4.3	5
272	Health and prolonging working lives: an advisory report of the Health Council of The Netherlands. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 514-519	4.3	10
271	Response to "Development and implementation of interventions managing work-related musculoskeletal disorders: Inadequacy of prevalent research framework and future opportunities". <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 218-319	4.3	

270	Educational inequalities in the impact of chronic diseases on exit from paid employment among older workers: a 7-year prospective study in the Netherlands. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 718-725	2.1	8
269	Home care for terminally ill patients: the experiences of family caregivers with and without paid work. <i>BMJ Supportive and Palliative Care</i> , 2019 ,	2.2	2
268	Effects of Early Retirement Policy Changes on Working until Retirement: Natural Experiment. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
267	Immunological effects of shift work in healthcare workers. <i>Scientific Reports</i> , 2019 , 9, 18220	4.9	28
266	Influence of chronic diseases on societal participation in paid work, volunteering and informal caregiving in Europe: a 12-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 136-141	5.1	7
265	Distinguishing groups and exploring health differences among multiple job holders aged 45 years and older. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 67-79	3.2	6
264	Shift work, sleep disturbances and social jetlag in healthcare workers. <i>Journal of Sleep Research</i> , 2019 , 28, e12802	5.8	31
263	Shift Work and Respiratory Infections in Health-Care Workers. <i>American Journal of Epidemiology</i> , 2019 , 188, 509-517	3.8	29
262	The mediating role of coping between self-reported health complaints and functional limitations, self-assessed work ability and work status of long-term sick-listed cancer survivors. <i>European Journal of Cancer Care</i> , 2019 , 28, e12928	2.4	2
261	One-year Predictors of Presenteeism in Workers with Rheumatoid Arthritis: Disease-related Factors and Characteristics of General Health and Work. <i>Journal of Rheumatology</i> , 2018 , 45, 766-770	4.1	6
260	The association between exposure to psychosocial work factors and mental health in older employees, a 3-year follow-up study. <i>International Archives of Occupational and Environmental Health</i> , 2018 , 91, 57-66	3.2	8
259	Recovery from nonspecific neck pain in office workers. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2018 , 31, 727-734	1.4	3
258	Shift work is associated with reduced heart rate variability among men but not women. <i>International Journal of Cardiology</i> , 2018 , 258, 109-114	3.2	11
257	Differences in heart rate reserve of similar physical activities during work and in leisure time - A study among Danish blue-collar workers. <i>Physiology and Behavior</i> , 2018 , 186, 45-51	3.5	13
256	Predictors of working beyond retirement in older workers with and without a chronic disease - results from data linkage of Dutch questionnaire and registry data. <i>BMC Public Health</i> , 2018 , 18, 265	4.1	13
255	Do Work Characteristics Predict Health Deterioration Among Employees with Chronic Diseases?. <i>Journal of Occupational Rehabilitation</i> , 2018 , 28, 289-297	3.6	1
254	Effectiveness of a Worksite Intervention for Male Construction Workers on Dietary and Physical Activity Behaviors, Body Mass Index, and Health Outcomes: Results of a Randomized Controlled Trial. <i>American Journal of Health Promotion</i> , 2018 , 32, 795-805	2.5	29
253	Determinants of working until retirement compared to a transition to early retirement among older workers with and without chronic diseases: Results from a Dutch prospective cohort study. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 400-408	3	8

252	Work stress prevention needs of employees and supervisors. <i>BMC Public Health</i> , 2018 , 18, 642	4.1	16
251	Physical and mental determinants of dropout and retention among nursing students: protocol of the SPRING cohort study. <i>BMC Nursing</i> , 2018 , 17, 27	3.2	15
250	Strategies of employees in the construction industry to increase their sustainable employability. <i>Work</i> , 2018 , 59, 249-258	1.6	3
249	Characteristics of individuals receiving disability benefits in the Netherlands and predictors of leaving the disability benefit scheme: a retrospective cohort study with five-year follow-up. <i>BMC Public Health</i> , 2018 , 18, 157	4.1	14
248	A health behavior screening tool for non-specific neck pain in office workers: a 1-year prospective cohort study. <i>Journal of Occupational Health</i> , 2018 , 60, 410-418	2.3	2
247	Improving work for the body - a participatory ergonomic intervention aiming at reducing physical exertion and musculoskeletal pain among childcare workers (the TOY-project): study protocol for a wait-list cluster-randomized controlled trial. <i>Trials</i> , 2018 , 19, 411	2.8	6
246	Objectively measured physical activity of hospital shift workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 265-273	4.3	17
245	Effectiveness of a digital platform-based implementation strategy to prevent work stress in a healthcare organization: a 12-month follow-up controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 613-621	4.3	8
244	Differences in self-rated health and work ability between self-employed workers and employees: Results from a prospective cohort study in the Netherlands. <i>PLoS ONE</i> , 2018 , 13, e0206618	3.7	2
243	Long-Term Access to Sit-Stand Workstations in a Large Office Population: User Profiles Reveal Differences in Sitting Time and Perceptions. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	8
242	Can socioeconomic health differences be explained by physical activity at work and during leisure time? Rationale and protocol of the active worker individual participant meta-analysis. <i>BMJ Open</i> , 2018 , 8, e023379	3	5
241	Domains and determinants of retirement timing: A systematic review of longitudinal studies. <i>BMC Public Health</i> , 2018 , 18, 1083	4.1	28
240	Process Evaluation of a Digital Platform-Based Implementation Strategy Aimed at Work Stress Prevention in a Health Care Organization. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, e484-e491	2	5
239	Do highly physically active workers die early? A systematic review with meta-analysis of data from 193 696 participants. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1320-1326	10.3	140
238	Cumulative exposure to shift work and sickness absence: associations in a five-year historic cohort. <i>BMC Public Health</i> , 2017 , 17, 67	4.1	17
237	Sustained employability and health-related quality of life in cancer survivors up to four years after diagnosis. <i>Acta Oncologica</i> , 2017 , 56, 174-182	3.2	39
236	Influence of obesity and physical workload on disability benefits among construction workers followed up for 37 years. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 621-627	2.1	11
235	Work characteristics predict the development of multi-site musculoskeletal pain. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 653-661	3.2	19

234	The role of autonomy and social support in the relation between psychosocial safety climate and stress in health care workers. <i>BMC Public Health</i> , 2017 , 17, 558	4.1	17
233	Cancer and heart attack survivors' expectations of employment status: results from the English Longitudinal Study of Ageing. <i>BMC Public Health</i> , 2017 , 17, 640	4.1	3
232	Why older workers work beyond the retirement age: a qualitative study. <i>BMC Public Health</i> , 2017 , 17, 672	4.1	43
231	'The End of Sitting' in a public space: observations of spontaneous visitors. <i>BMC Public Health</i> , 2017 , 17, 937	4.1	3
230	An active transition from offshore work to family life: Activities that may impact recovery. <i>Work</i> , 2017 , 58, 371-381	1.6	1
229	Predicting Forearm Physical Exposures During Computer Work Using Self-Reports, Software-Recorded Computer Usage Patterns, and Anthropometric and Workstation Measurements. <i>Annals of Work Exposures and Health</i> , 2017 , 62, 124-137	2.4	4
228	Stress Prevention@Work: a study protocol for the evaluation of a multifaceted integral stress prevention strategy to prevent employee stress in a healthcare organization: a cluster controlled trial. <i>BMC Public Health</i> , 2017 , 18, 26	4.1	7
227	Predictors of transitions from single to multiple job holding: Results of a longitudinal study among employees aged 45-64 in the Netherlands. <i>American Journal of Industrial Medicine</i> , 2017 , 60, 696-710	2.7	8
226	The longitudinal association between multiple job holding and long-term sickness absence among Danish employees: an explorative study using register-based data. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 799-807	3.2	7
225	The Employer Perspective on Sustainable Employability in the Construction Industry. <i>Journal of Occupational and Environmental Medicine</i> , 2017 , 59, 85-91	2	9
224	Cancer-related cognitive impairment and patients' ability to work: a current perspective. <i>Current Opinion in Supportive and Palliative Care</i> , 2017 , 11, 19-23	2.6	19
223	The effect of an organizational level participatory intervention in secondary vocational education on work-related health outcomes: results of a controlled trial. <i>BMC Public Health</i> , 2017 , 17, 141	4.1	15
222	Non-occupational physical activity levels of shift workers compared with non-shift workers. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 328-335	2.1	12
221	A 30-month worksite-based lifestyle program to promote cardiovascular health in middle-aged bank employees: Design of the TANSNIP-PESA randomized controlled trial. <i>American Heart Journal</i> , 2017 , 184, 121-132	4.9	14
220	Cancer survivors' perspectives and experiences regarding behavioral determinants of return to work and continuation of work. <i>Disability and Rehabilitation</i> , 2017 , 39, 2164-2172	2.4	34
219	Risk factors for fatigue among airline pilots. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 39-47	3.2	16
218	"Mental retirement?" Trajectories of work engagement preceding retirement among older workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 34-41	4.3	9
217	Shift workers have similar leisure-time physical activity levels as day workers but are more sedentary at work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 127-135	4.3	17

216	Predicting working beyond retirement in the Netherlands: an interdisciplinary approach involving occupational epidemiology and economics. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 326-336	4.3	10
215	A research framework for the development and implementation of interventions preventing work-related musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 526-539	4.3	48
214	A life course perspective on working beyond retirement-results from a longitudinal study in the Netherlands. <i>BMC Public Health</i> , 2016 , 16, 499	4.1	30
213	Process evaluation of a tailored mobile health intervention aiming to reduce fatigue in airline pilots. <i>BMC Public Health</i> , 2016 , 16, 894	4.1	7
212	Evaluating the implementation process of a participatory organizational level occupational health intervention in schools. <i>BMC Public Health</i> , 2016 , 16, 1212	4.1	17
211	Long-Term Cost-Effectiveness and Return-on-Investment of a Mindfulness-Based Worksite Intervention: Results of a Randomized Controlled Trial. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, 550-60	2	18
210	Factors associated with (non-)participation of cancer survivors with job loss in a supportive return to work program. <i>Supportive Care in Cancer</i> , 2016 , 24, 3175-84	3.9	6
209	The Relationship Between Shift Work and Metabolic Risk Factors: A Systematic Review of Longitudinal Studies. <i>American Journal of Preventive Medicine</i> , 2016 , 50, e147-e157	6.1	118
208	The prevalence of implementation of mental health measures in companies and its association with sickness absence. <i>Public Health</i> , 2016 , 132, 79-85	4	1
207	Effect of education on non-specific neck and low back pain: A meta-analysis of randomized controlled trials. <i>Manual Therapy</i> , 2016 , 22, 31-41		25
206	Factors Important for Work Participation Among Older Workers with Depression, Cardiovascular Disease, and Osteoarthritis: A Mixed Method Study. <i>Journal of Occupational Rehabilitation</i> , 2016 , 26, 160-72	3.6	13
205	Objectively Measured Total and Occupational Sedentary Time in Three Work Settings. <i>PLoS ONE</i> , 2016 , 11, e0149951	3.7	31
204	Process variables in organizational stress management intervention evaluation research: a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 371-381	4.3	39
203	Shift workers have a similar diet quality but higher energy intake than day workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 459-468	4.3	23
202	Process Evaluation of the Nationwide Implementation of a Lifestyle Intervention in the Construction Industry. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, e6-14	2	2
201	The Relationship Between Job Satisfaction and Productivity-Related Costs: A Longitudinal Analysis. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, 874-9	2	9
200	Klokwerk + study protocol: An observational study to the effects of night-shift work on body weight and infection susceptibility and the mechanisms underlying these health effects. <i>BMC Public Health</i> , 2016 , 16, 692	4.1	13
199	Response to Letter to the Editor Re: "Effect of education on non-specific neck and low back pain: A meta-analysis of randomized controlled trials". <i>Manual Therapy</i> , 2016 , 23, e5-6		1

198	Is Sitting Too Much Bad for Your Health?. <i>Ergonomics in Design</i> , 2015 , 23, 4-8	1.4	5
197	Neuroendocrine recovery after 2-week 12-h day and night shifts: an 11-day follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 247-57	3.2	14
196	Return to work in sick-listed cancer survivors with job loss: design of a randomised controlled trial. <i>BMC Cancer</i> , 2015 , 15, 63	4.8	13
195	Development of a Vitality Scan related to workers' sustainable employability: a study assessing its internal consistency and construct validity. <i>BMC Public Health</i> , 2015 , 15, 551	4.1	9
194	The effect of a health promotion intervention for construction workers on work-related outcomes: results from a randomized controlled trial. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 789-98	3.2	21
193	Office workers with high effort-reward imbalance and overcommitment have greater decreases in heart rate variability over a 2-h working period. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 565-75	3.2	15
192	Associations of work-related factors and work engagement with mental and physical health: a 1-year follow-up study among older workers. <i>Journal of Occupational Rehabilitation</i> , 2015 , 25, 86-95	3.6	50
191	Cross-cultural adaptation of the Individual Work Performance Questionnaire. <i>Work</i> , 2015 , 53, 609-19	1.6	19
190	Temporal changes in occupational sitting time in the Danish workforce and associations with all-cause mortality: results from the Danish work environment cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 71	8.4	24
189	Back pain: Prevention and management in the workplace. <i>Best Practice and Research in Clinical Rheumatology</i> , 2015 , 29, 483-94	5.3	29
188	The influence of chronic health problems and work-related factors on loss of paid employment among older workers. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 1058-65	5.1	62
187	Nonstandard working schedules and health: the systematic search for a comprehensive model. <i>BMC Public Health</i> , 2015 , 15, 1084	4.1	13
186	Self-Reported Recovery from 2-Week 12-Hour Shift Work Schedules: A 14-Day Follow-Up. <i>Safety and Health at Work</i> , 2015 , 6, 240-8	4	13
185	The role of ability, motivation, and opportunity to work in the transition from work to early retirement--testing and optimizing the Early Retirement Model. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 24-35	4.3	22
184	Evaluation of occupational health interventions using a randomized controlled trial: challenges and alternative research designs. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 491-503	4.3	57
183	Differences in predictors for return to work following musculoskeletal injury between workers with and without somatic comorbidities. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 871-9	3.2	13
182	Effectiveness of a worksite mindfulness-based multi-component intervention on lifestyle behaviors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 9	8.4	40
181	Job satisfaction of occupational physicians in commercial and other delivery settings: a comparative and explorative study. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2014 , 27, 672-82	1.5	4

180	Predictive factors of postpartum fatigue: a prospective cohort study among working women. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 385-90	4.1	15
179	The effect of lifting during work on low back pain: a health impact assessment based on a meta-analysis. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 871-7	2.1	146
178	Office workers' computer use patterns are associated with workplace stressors. <i>Applied Ergonomics</i> , 2014 , 45, 1660-7	4.2	15
177	Factors associated with work disability in employed cancer survivors at 24-month sick leave. <i>BMC Cancer</i> , 2014 , 14, 236	4.8	19
176	Ethical considerations of worksite health promotion: an exploration of stakeholders' views. <i>BMC Public Health</i> , 2014 , 14, 458	4.1	11
175	Responsiveness of the individual work performance questionnaire. <i>BMC Public Health</i> , 2014 , 14, 513	4.1	10
174	Correlation between pedometer and the Global Physical Activity Questionnaire on physical activity measurement in office workers. <i>BMC Research Notes</i> , 2014 , 7, 280	2.3	19
173	Development and validation of a physical and psychosocial job-exposure matrix in older and retired workers. <i>Annals of Occupational Hygiene</i> , 2014 , 58, 152-70		23
172	Predictors of having paid work in older workers with and without chronic disease: a 3-year prospective cohort study. <i>Journal of Occupational Rehabilitation</i> , 2014 , 24, 563-72	3.6	29
171	Effectiveness of a worksite mindfulness-related multi-component health promotion intervention on work engagement and mental health: results of a randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e84118	3.7	57
170	Prevention of disability: the opinion of claimants applying for a disability benefit. <i>Work</i> , 2014 , 49, 335-41	1.6	5
169	Prediction of trapezius muscle activity and shoulder, head, neck, and torso postures during computer use: results of a field study. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 292	2.8	7
168	Physical and psychosocial problems in cancer survivors beyond return to work: a systematic review. <i>Psycho-Oncology</i> , 2014 , 23, 481-92	3.9	192
167	Process evaluation of a multifaceted health program aiming to improve physical activity levels and dietary patterns among construction workers. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 1210-7	2	10
166	Workers' knowledge and beliefs about cardiometabolic health risk. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 92-100	2	12
165	Trial-based economic evaluations in occupational health: principles, methods, and recommendations. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 563-72	2	44
164	Construct validity of the individual work performance questionnaire. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 331-7	2	55
163	The influence of psychosocial work characteristics on the need for recovery from work: a prospective study among computer workers. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 241-8	3.2	12

162	Measuring individual work performance: identifying and selecting indicators. <i>Work</i> , 2014 , 48, 229-38	1.6	27
161	Health, job characteristics, skills, and social and financial factors in relation to early retirement--results from a longitudinal study in the Netherlands. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 186-94	4.3	56
160	The influence of chronic health problems on work ability and productivity at work: a longitudinal study among older employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 473-82	4.3	60
159	Evaluation of an mHealth intervention aiming to improve health-related behavior and sleep and reduce fatigue among airline pilots. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 557-68	4.3	58
158	Bridging the gap between the economic evaluation literature and daily practice in occupational health: a qualitative study among decision-makers in the healthcare sector. <i>Implementation Science</i> , 2013 , 8, 57	8.4	17
157	Work adjustments in a representative sample of employees with a chronic disease in the Netherlands. <i>Journal of Occupational Rehabilitation</i> , 2013 , 23, 200-8	3.6	29
156	Changes in insurance physicians' attitudes, self-efficacy, intention, and knowledge and skills regarding the guidelines for depression, following an implementation strategy. <i>Journal of Occupational Rehabilitation</i> , 2013 , 23, 148-56	3.6	15
155	An exploratory study of associations of physical activity with mental health and work engagement. <i>BMC Public Health</i> , 2013 , 13, 558	4.1	12
154	'All those things together made me retire': qualitative study on early retirement among Dutch employees. <i>BMC Public Health</i> , 2013 , 13, 516	4.1	24
153	Pathways through which health influences early retirement: a qualitative study. <i>BMC Public Health</i> , 2013 , 13, 292	4.1	48
152	Prognostic factors of work disability in sick-listed cancer survivors. <i>Journal of Cancer Survivorship</i> , 2013 , 7, 582-91	5.1	19
151	Relationships between the intention to use guidelines, behaviour of insurance physicians and their determinants. <i>BMC Health Services Research</i> , 2013 , 13, 400	2.9	6
150	Development and evaluation of an intervention aiming to reduce fatigue in airline pilots: design of a randomised controlled trial. <i>BMC Public Health</i> , 2013 , 13, 776	4.1	10
149	Design of the Bottom-up Innovation project--a participatory, primary preventive, organizational level intervention on work-related stress and well-being for workers in Dutch vocational education. <i>BMC Public Health</i> , 2013 , 13, 760	4.1	16
148	The relation between body mass index and musculoskeletal symptoms in the working population. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 238	2.8	88
147	Efficient assessment of exposure to manual lifting using company data. <i>Applied Ergonomics</i> , 2013 , 44, 360-5	4.2	8
146	The effect of over-commitment and reward on trapezius muscle activity and shoulder, head, neck, and torso postures during computer use in the field. <i>American Journal of Industrial Medicine</i> , 2013 , 56, 1190-200	2.7	20
145	Physical conditioning as part of a return to work strategy to reduce sickness absence for workers with back pain. <i>The Cochrane Library</i> , 2013 , CD001822	5.2	50

144	Process evaluation of a workplace health promotion intervention aimed at improving work engagement and energy balance. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 19-26	2	77
143	Differential effects of mental and physical health and coping style on work ability: a 1-year follow-up study among aging workers. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 1238-43	2	24
142	Flight schedules and occupational accidents among cabin crew: a longitudinal study. <i>Aviation, Space, and Environmental Medicine</i> , 2013 , 84, 1281-5		1
141	A cost-effectiveness and return-on-investment analysis of a worksite vitality intervention among older hospital workers: results of a randomized controlled trial. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 337-46	2	17
140	Effectiveness of a worksite lifestyle intervention on vitality, work engagement, productivity, and sick leave: results of a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 66-75	4.3	62
139	Economic evaluation of a participatory return-to-work intervention for temporary agency and unemployed workers sick-listed due to musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 46-56	4.3	17
138	The effect of overcommitment and reward on muscle activity, posture, and forces in the arm-wrist-hand region—a field study among computer workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 379-89	4.3	14
137	The effectiveness of a construction worksite prevention program on work ability, health, and sick leave: results from a cluster randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 456-67	4.3	31
136	Cost-Effectiveness of Interventions for Prevention of Work Disability 2013 , 373-387		
135	The identification of job opportunities for severely disabled sick-listed employees. <i>BMC Public Health</i> , 2012 , 12, 156	4.1	10
134	A participatory return-to-work program for temporary agency workers and unemployed workers sick-listed due to musculoskeletal disorders: a process evaluation alongside a randomized controlled trial. <i>Journal of Occupational Rehabilitation</i> , 2012 , 22, 127-40	3.6	31
133	Submovement organization, pen pressure, and muscle activity are modulated to precision demands in 2D tracking. <i>Journal of Motor Behavior</i> , 2012 , 44, 379-88	1.4	2
132	Effectiveness of an intervention at construction worksites on work engagement, social support, physical workload, and need for recovery: results from a cluster randomized controlled trial. <i>BMC Public Health</i> , 2012 , 12, 1008	4.1	37
131	Development of an individual work performance questionnaire. <i>International Journal of Productivity and Performance Management</i> , 2012 , 62, 6-28	2.3	106
130	The predictive validity of the RSI QuickScan questionnaire with respect to arm, shoulder and neck symptoms in computer workers. <i>Ergonomics</i> , 2012 , 55, 1559-70	2.9	4
129	VIP in construction: systematic development and evaluation of a multifaceted health programme aiming to improve physical activity levels and dietary patterns among construction workers. <i>BMC Public Health</i> , 2012 , 12, 89	4.1	21
128	The relative contribution of work exposure, leisure time exposure, and individual characteristics in the onset of arm-wrist-hand and neck-shoulder symptoms among office workers. <i>International Archives of Occupational and Environmental Health</i> , 2012 , 85, 651-66	3.2	25
127	A worksite vitality intervention to improve older workers' lifestyle and vitality-related outcomes: results of a randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 1071-8 ^{5.1}		51

126	Office workers' risk factors for the development of non-specific neck pain: a systematic review of prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 610-8	2.1	59
125	Perceived muscular tension predicts future neck-shoulder and arm-wrist-hand symptoms. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 261-7	2.1	15
124	Low back pain: doesn't work matter at all?. <i>Occupational Medicine</i> , 2012 , 62, 152-3; author reply 153-4	2.1	7
123	World at work: truck drivers. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 291-5	2.1	30
122	The association between shift work and sick leave: a systematic review. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 701-12	2.1	48
121	The effects of psychosocial factors on trapezius muscle activity levels during computer use. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2012 , 56, 1123-1127	0.4	
120	Is peak exposure to computer use a risk factor for neck and upper-extremity symptoms?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 155-62	4.3	5
119	A systematic review of the cost-effectiveness of worksite physical activity and/or nutrition programs. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 393-408	4.3	21
118	Low back pain: we cannot afford ignoring work. <i>Spine Journal</i> , 2011 , 11, 164; author reply 165-6	4	19
117	Empowerment of people with a long-term work disability: development of the 'VrijBaan' questionnaire. <i>Disability and Rehabilitation</i> , 2011 , 33, 734-42	2.4	7
116	Cost-effectiveness and cost-benefit of a lifestyle intervention for workers in the construction industry at risk for cardiovascular disease. <i>Journal of Occupational and Environmental Medicine</i> , 2011 , 53, 610-7	2	23
115	Meeting the challenges of implementing an intervention to promote work ability and health-related quality of life at construction worksites: a process evaluation. <i>Journal of Occupational and Environmental Medicine</i> , 2011 , 53, 1483-91	2	23
114	Conceptual frameworks of individual work performance: a systematic review. <i>Journal of Occupational and Environmental Medicine</i> , 2011 , 53, 856-66	2	164
113	Software-recorded and self-reported duration of computer use in relation to the onset of severe arm-wrist-hand pain and neck-shoulder pain. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 502-9	2.1	46
112	Short and long term effects of a lifestyle intervention for construction workers at risk for cardiovascular disease: a randomized controlled trial. <i>BMC Public Health</i> , 2011 , 11, 836	4.1	52
111	A process evaluation of a worksite vitality intervention among ageing hospital workers. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 58	8.4	25
110	Economic evaluations of occupational health interventions from a company's perspective: a systematic review of methods to estimate the cost of health-related productivity loss. <i>Journal of Occupational Rehabilitation</i> , 2011 , 21, 90-9	3.6	24
109	Relation between perceived health and sick leave in employees with a chronic illness. <i>Journal of Occupational Rehabilitation</i> , 2011 , 21, 211-9	3.6	24

108	Effectiveness of an interactive website aimed at empowerment of disability benefit claimants: results of a pragmatic randomized controlled trial. <i>Journal of Occupational Rehabilitation</i> , 2011 , 21, 410-20	3.6	6
107	A participatory return-to-work intervention for temporary agency workers and unemployed workers sick-listed due to musculoskeletal disorders: results of a randomized controlled trial. <i>Journal of Occupational Rehabilitation</i> , 2011 , 21, 313-24	3.6	43
106	The association between physical activity and neck and low back pain: a systematic review. <i>European Spine Journal</i> , 2011 , 20, 677-89	2.7	112
105	Mindful "Vitality in Practice": an intervention to improve the work engagement and energy balance among workers; the development and design of the randomised controlled trial. <i>BMC Public Health</i> , 2011 , 11, 736	4.1	27
104	Intervention mapping for the development of a strategy to implement the insurance medicine guidelines for depression. <i>BMC Public Health</i> , 2011 , 11, 9	4.1	20
103	The dimensional structure of the functional abilities in cases of long-term sickness absence. <i>BMC Public Health</i> , 2011 , 11, 99	4.1	9
102	Systematic development of a communication skills training course for physicians performing work disability assessments: from evidence to practice. <i>BMC Medical Education</i> , 2011 , 11, 28	3.3	9
101	Process evaluation of a web-based intervention aimed at empowerment of disability benefit claimants. <i>BMC Medical Informatics and Decision Making</i> , 2011 , 11, 10	3.6	2
100	An implementation strategy to improve the guideline adherence of insurance physicians: an experiment in a controlled setting. <i>Implementation Science</i> , 2011 , 6, 131	8.4	19
99	Participatory ergonomics to reduce exposure to psychosocial and physical risk factors for low back pain and neck pain: results of a cluster randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 674-81	2.1	30
98	Determinants of physicians' communication behaviour in disability assessments. <i>Disability and Rehabilitation</i> , 2011 , 33, 1157-68	2.4	8
97	Effective training strategies for teaching communication skills to physicians: an overview of systematic reviews. <i>Patient Education and Counseling</i> , 2011 , 84, 152-62	3.1	293
96	An individually based lifestyle intervention for workers at risk for cardiovascular disease: a process evaluation. <i>American Journal of Health Promotion</i> , 2011 , 25, 396-401	2.5	8
95	The role of work ability in the relationship between aerobic capacity and sick leave: a mediation analysis. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 753-8	2.1	19
94	The effects of shift work on body weight change - a systematic review of longitudinal studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 263-75	4.3	116
93	The effectiveness of participatory ergonomics to prevent low-back and neck pain--results of a cluster randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 383-93	4.3	35
92	Position sense acuity of the upper extremity and tracking performance in subjects with non-specific neck and upper extremity pain and healthy controls. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 876-83	3.4	31
91	Authors' response: RCTs of ergonomic interventions. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 218-9	2.1	3

90	Sustained body weight reduction by an individual-based lifestyle intervention for workers in the construction industry at risk for cardiovascular disease: results of a randomized controlled trial. <i>Preventive Medicine</i> , 2010 , 51, 240-6	4.3	64
89	The effectiveness of physical and organisational ergonomic interventions on low back pain and neck pain: a systematic review. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 277-85	2.1	101
88	Associations between VO2max and vitality in older workers: a cross-sectional study. <i>BMC Public Health</i> , 2010 , 10, 684	4.1	9
87	The cost-effectiveness of the RSI QuickScan intervention programme for computer workers: Results of an economic evaluation alongside a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 259	2.8	11
86	Cost-effectiveness of a participatory return-to-work intervention for temporary agency workers and unemployed workers sick-listed due to musculoskeletal disorders: design of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 60	2.8	20
85	Effectiveness of a questionnaire based intervention programme on the prevalence of arm, shoulder and neck symptoms, risk factors and sick leave in computer workers: a cluster randomised controlled trial in an occupational setting. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 99	2.8	21
84	What are possible barriers and facilitators to implementation of a Participatory Ergonomics programme?. <i>Implementation Science</i> , 2010 , 5, 64	8.4	30
83	Process evaluation of a participatory ergonomics programme to prevent low back pain and neck pain among workers. <i>Implementation Science</i> , 2010 , 5, 65	8.4	33
82	Effectiveness of web-based interventions on patient empowerment: a systematic review and meta-analysis. <i>Journal of Medical Internet Research</i> , 2010 , 12, e23	7.6	248
81	Lifestyle-focused interventions at the workplace to reduce the risk of cardiovascular disease--a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 202-15	4.3	110
80	Economic evaluations of occupational health interventions from a corporate perspective - a systematic review of methodological quality. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 273-88	4.3	29
79	Return to work and occupational physicians' management of common mental health problems--process evaluation of a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 488-98	4.3	35
78	Intervention mapping for development of a participatory return-to-work intervention for temporary agency workers and unemployed workers sick-listed due to musculoskeletal disorders. <i>BMC Public Health</i> , 2009 , 9, 216	4.1	33
77	A theoretical framework to describe communication processes during medical disability assessment interviews. <i>BMC Public Health</i> , 2009 , 9, 375	4.1	13
76	Empowerment of disability benefit claimants through an interactive website: design of a randomized controlled trial. <i>BMC Medical Informatics and Decision Making</i> , 2009 , 9, 23	3.6	12
75	The feasibility of a web-based counselling program for occupational physicians and employees on sick leave due to back or neck pain. <i>BMC Medical Informatics and Decision Making</i> , 2009 , 9, 46	3.6	6
74	Age-related differences in muscular capacity among workers. <i>International Archives of Occupational and Environmental Health</i> , 2009 , 82, 1115-21	3.2	16
73	The effect of a resistance-training program on muscle strength, physical workload, muscle fatigue and musculoskeletal discomfort: an experiment. <i>Applied Ergonomics</i> , 2009 , 40, 396-403	4.2	16

72	Equal task, equal exposure? Are men and women with the same tasks equally exposed to awkward working postures?. <i>Ergonomics</i> , 2009 , 52, 1079-86	2.9	19
71	The Vital@Work Study. The systematic development of a lifestyle intervention to improve older workers' vitality and the design of a randomised controlled trial evaluating this intervention. <i>BMC Public Health</i> , 2009 , 9, 408	4.1	28
70	Challenges at work and financial rewards to stimulate longer workforce participation. <i>Human Resources for Health</i> , 2009 , 7, 70	4.6	23
69	Factors associated with non-participation and drop-out in a lifestyle intervention for workers with an elevated risk of cardiovascular disease. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 80	8.4	61
68	Is there a gender difference in the effect of work-related physical and psychosocial risk factors on musculoskeletal symptoms and related sickness absence?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009 , 35, 85-95	4.3	73
67	Design of a RCT evaluating the (cost-) effectiveness of a lifestyle intervention for male construction workers at risk for cardiovascular disease: the health under construction study. <i>BMC Public Health</i> , 2008 , 8, 1	4.1	231
66	Stay@Work: Participatory Ergonomics to prevent low back and neck pain among workers: design of a randomised controlled trial to evaluate the (cost-)effectiveness. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 145	2.8	26
65	Does musculoskeletal discomfort at work predict future musculoskeletal pain?. <i>Ergonomics</i> , 2008 , 51, 637-48	2.9	115
64	Test-retest reliability and concurrent validity of a web-based questionnaire measuring workstation and individual correlates of work postures during computer work. <i>Applied Ergonomics</i> , 2008 , 39, 685-96	4.2	11
63	Underlying mechanisms of improving physical activity behavior after rehabilitation. <i>International Journal of Behavioral Medicine</i> , 2008 , 15, 101-8	2.6	14
62	Medically certified sickness absence. <i>BMJ, The</i> , 2008 , 337, a1174	5.9	12
61	Test-retest reliability and validity of self-reported duration of computer use at work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008 , 34, 113-9	4.3	20
60	What makes men and women with musculoskeletal complaints decide they are too sick to work?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008 , 34, 107-12	4.3	23
59	Psychosocial factors at work and musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008 , 34, 323-5	4.3	14
58	Design of a randomized controlled trial on the effects of counseling of mental health problems by occupational physicians on return to work: the CO-OP-study. <i>BMC Public Health</i> , 2007 , 7, 183	4.1	19
57	Workstyle and overcommitment in relation to neck and upper limb symptoms. <i>International Journal of Behavioral Medicine</i> , 2007 , 14, 12-20	2.6	16
56	Work-related physical and psychosocial risk factors for sick leave in patients with neck or upper extremity complaints. <i>International Archives of Occupational and Environmental Health</i> , 2007 , 80, 733-41	3.2	23
55	The Physical Activity Scale for Individuals with Physical Disabilities: test-retest reliability and comparison with an accelerometer. <i>Journal of Physical Activity and Health</i> , 2007 , 4, 96-100	2.5	94

54	Successfully improving physical activity behavior after rehabilitation. <i>American Journal of Health Promotion</i> , 2007 , 21, 153-9	2.5	60
53	Consensus-based findings and recommendations for estimating the costs of health-related productivity loss from a company's perspective. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007 , 33, 122-30	4.3	27
52	Physical Ergonomics and Musculoskeletal Disorders: What's hot? What's cool? 2007 , 101-109		
51	Prospective research on musculoskeletal disorders in office workers (PROMO): study protocol. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 55	2.8	29
50	The effect of joystick handle size and gain at two levels of required precision on performance and physical load on crane operators. <i>Ergonomics</i> , 2006 , 49, 1021-35	2.9	17
49	Is an imbalance between physical capacity and exposure to work-related physical factors associated with low-back, neck or shoulder pain?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006 , 32, 190-7	4.3	21
48	Psychosocial work characteristics in relation to neck and upper limb symptoms. <i>Pain</i> , 2005 , 114, 47-53	8	91
47	Gender differences in self-reported physical and psychosocial exposures in jobs with both female and male workers. <i>Journal of Occupational and Environmental Medicine</i> , 2005 , 47, 244-52	2	54
46	An evaluation of methods assessing the physical demands of manual lifting in scaffolding. <i>Applied Ergonomics</i> , 2005 , 36, 213-22	4.2	42
45	Effect of job rotation on need for recovery, musculoskeletal complaints, and sick leave due to musculoskeletal complaints: a prospective study among refuse collectors. <i>American Journal of Industrial Medicine</i> , 2005 , 47, 394-402	2.7	51
44	Work-related disease in general practice: a systematic review. <i>Family Practice</i> , 2005 , 22, 197-204	1.9	54
43	Effect of job rotation on work demands, workload, and recovery of refuse truck drivers and collectors. <i>Human Factors</i> , 2004 , 46, 437-48	3.8	34
42	Mechanical loading of the low back and shoulders during pushing and pulling activities. <i>Ergonomics</i> , 2004 , 47, 1-18	2.9	99
41	Physical activity for people with a disability: a conceptual model. <i>Sports Medicine</i> , 2004 , 34, 639-49	10.6	142
40	Costs, benefits and effectiveness of worksite physical activity counseling from the employer's perspective. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 36-46	4.3	82
39	Gender differences in the relations between work-related physical and psychosocial risk factors and musculoskeletal complaints. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 261-78	4.3	75
38	Efficient one-day sampling of mechanical job exposure data--a study based on upper trapezius activity in cleaners and office workers. <i>AIHA Journal: A Journal for the Science of Occupational and Environmental Health and Safety</i> , 2003 , 64, 196-211		55
37	The effectiveness of worksite physical activity programs on physical activity, physical fitness, and health. <i>Clinical Journal of Sport Medicine</i> , 2003 , 13, 106-17	3.2	256

36	Effect of design of two-wheeled containers on mechanical loading. <i>International Journal of Industrial Ergonomics</i> , 2003 , 31, 73-86	2.9	13
35	Effect of individual counseling on physical activity fitness and health: a randomized controlled trial in a workplace setting. <i>American Journal of Preventive Medicine</i> , 2003 , 24, 218-26	6.1	96
34	Work and non-work-related stress increase the risk of arm symptoms. <i>Australian Journal of Physiotherapy</i> , 2003 , 49, 71		
33	Effect of a redesigned two-wheeled container for refuse collecting on mechanical loading of low back and shoulders. <i>Ergonomics</i> , 2003 , 46, 543-60	2.9	24
32	Precision of estimates of mean and peak spinal loads in lifting. <i>Journal of Biomechanics</i> , 2002 , 35, 979-82.	2.9	24
31	Evaluation of ergonomic adjustments of catering carts to reduce external pushing forces. <i>Applied Ergonomics</i> , 2002 , 33, 117-27	4.2	33
30	Effect of the number of two-wheeled containers at a gathering point on the energetic workload and work efficiency in refuse collecting. <i>Applied Ergonomics</i> , 2002 , 33, 571-7	4.2	4
29	Episodes of Low Back Pain. <i>Spine</i> , 2002 , 27, 2409-2416	3.3	268
28	Statistical power and measurement allocation in ergonomic intervention studies assessing upper trapezius EMG amplitude. A case study of assembly work. <i>Journal of Electromyography and Kinesiology</i> , 2002 , 12, 45-57	2.5	85
27	Effectiveness of physical activity programs at worksites with respect to work-related outcomes. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002 , 28, 75-84	4.3	105
26	Low-back and shoulder complaints among workers with pushing and pulling tasks. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002 , 28, 293-303	4.3	58
25	Episodes of low back pain: a proposal for uniform definitions to be used in research. <i>Spine</i> , 2002 , 27, 2409-16	3.3	127
24	Evaluation of methods to assess push/pull forces in a construction task. <i>Applied Ergonomics</i> , 2001 , 32, 509-16	4.2	23
23	The effect of tape, braces and shoes on ankle range of motion. <i>Sports Medicine</i> , 2001 , 31, 667-77	10.6	48
22	The relation between work-induced neuroendocrine reactivity and recovery, subjective need for recovery, and health status. <i>Journal of Psychosomatic Research</i> , 2001 , 50, 29-37	4.1	130
21	Group-based measurement strategies in exposure assessment explored by bootstrapping. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001 , 27, 125-32	4.3	41
20	Job stress and psychosomatic health complaints among Dutch truck drivers: a re-evaluation of Karasek's interactive job demand-control model. <i>Stress and Health</i> , 2000 , 16, 101-107		15
19	A comparison of approaches to modeling the relationship between ergonomic exposures and upper extremity disorders. <i>American Journal of Industrial Medicine</i> , 2000 , 37, 645-55	2.7	19

18	Pushing and Pulling in Relation to Musculoskeletal Complaints. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2000 , 44, 284-284	0.4	1
17	Back Compressive and Shear Forces during Cart Pushing and Pulling. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2000 , 44, 647-650	0.4	2
16	Effect of the Number of Two-Wheeled Containers at a Gathering Point on Energetic Workload and Work Efficiency. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2000 , 44, 283-283	0.4	
15	Effect of Center of Mass and Handle Location of Two-Wheeled Refuse Containers on Mechanical Loading. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2000 , 44, 639-642	0.4	1
14	A forward-facilitating influence of cortisol on catecholamines assessed during the work of garbage collectors. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000 , 26, 26-31	4.3	4
13	Neuroendocrine reactivity and recovery from work with different physical and mental demands. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000 , 26, 306-16	4.3	27
12	Epidemiologic evidence on manual materials handling as a risk factor for back disorders:a systematic review. <i>International Journal of Industrial Ergonomics</i> , 1999 , 24, 389-404	2.9	127
11	Assessment of exposure to pushing and pulling in epidemiological field studies: an overview of methods, exposure measures, and measurement strategies. <i>International Journal of Industrial Ergonomics</i> , 1999 , 24, 417-429	2.9	46
10	In musculoskeletal epidemiology are we asking the unanswerable in questionnaires on physical load?. <i>Scandinavian Journal of Work, Environment and Health</i> , 1999 , 25, 81-3	4.3	51
9	Psychosomatic complaints and unwinding of sympathoadrenal activation after work. <i>Stress and Health</i> , 1998 , 14, 7-12		22
8	A LISREL analysis of work-related risk factors and health complaints in the nursing profession. <i>International Archives of Occupational and Environmental Health</i> , 1998 , 71, 537-42	3.2	16
7	Pushing and pulling in relation to musculoskeletal disorders: a review of risk factors. <i>Ergonomics</i> , 1998 , 41, 757-81	2.9	152
6	Sources of variance in exposure to nonneutral trunk postures in varying work situations. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995 , 21, 215-22	4.3	19
5	Validity of a diary estimating exposure to tasks, activities, and postures of the trunk. <i>International Archives of Occupational and Environmental Health</i> , 1994 , 66, 173-8	3.2	23
4	The relations between work demands and health complaints in lorry drivers. A model tested by means of LISREL. <i>International Archives of Occupational and Environmental Health</i> , 1994 , 66, 179-84	3.2	5
3	Loading and unloading by lorry drivers and musculoskeletal complaints. <i>International Journal of Industrial Ergonomics</i> , 1993 , 12, 13-23	2.9	47
2	Working postures and activities of lorry drivers: a reliability study of on-site observation and recording on a pocket computer. <i>Applied Ergonomics</i> , 1992 , 23, 331-6	4.2	75
1	Nobody can take the stress away from me!a qualitative study on experiences of partners of patients with cancer regarding their work and health. <i>Disability and Rehabilitation</i> , 1-9	2.4	

