

# Carlos Brites

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4633058/publications.pdf>

Version: 2024-02-01

178  
papers

5,105  
citations

117625

34  
h-index

118850

62  
g-index

183  
all docs

183  
docs citations

183  
times ranked

7152  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Development and Validation of a Transgender Health Care Humanization Scale. <i>Transgender Health</i> , 2023, 8, 444-449.  | 2.5 | 1         |
| 2  | Low Quality of Life, Falls, and Pre-Frailty are Associated with Depressive Symptoms in Virologically Suppressed PLWHIV in Salvador, Brazil. <i>AIDS and Behavior</i> , 2022, 26, 397-406.  | 2.7 | 2         |
| 3  | Oral health and quality of life of people living with human T-cell leukemia virus-1 in Salvador, Brazil: a cross-sectional study. <i>Clinical Oral Investigations</i> , 2022, 26, 2565-2573.   | 3.0 | 1         |
| 4  | Chlorhexidine mouthwash reduces the salivary viral load of SARS-CoV-2: A randomized clinical trial. <i>Oral Diseases</i> , 2022, 28, 2500-2508.  | 3.0 | 24        |
| 5  | Integrase Inhibitors Use for HIV Infection in Pregnancy. <i>Current Infectious Disease Reports</i> , 2022, 24, 9-19.   | 3.0 | 1         |
| 6  | Efficacy of second-line dolutegravir plus 2 nucleoside reverse transcriptase inhibitors by baseline nucleoside reverse transcriptase inhibitor resistance and nucleoside reverse transcriptase inhibitor use in the DAWNING study. <i>Antiviral Therapy</i> , 2022, 27, 135965352210774. | 1.0 | 4         |
| 7  | Clinical and Laboratory Outcomes in HIV-1 and HTLV-1/2 Coinfection: A Systematic Review. <i>Frontiers in Public Health</i> , 2022, 10, 820727.   | 2.7 | 11        |
| 8  | Frequent Infection of Cats With SARS-CoV-2 Irrespective of Pre-Existing Enzootic Coronavirus Immunity, Brazil 2020. <i>Frontiers in Immunology</i> , 2022, 13, 857322.   | 4.8 | 6         |
| 9  | Genital cytokines in HIV/ human papillomavirus co-infection: a systematic review. <i>AIDS Research and Human Retroviruses</i> , 2022, , .  | 1.1 | 0         |
| 10 | Quality of Life and Antiretroviral Therapy Adherence: A Cross-Sectional Study in Colombia. <i>AIDS Research and Human Retroviruses</i> , 2022, 38, 660-669.  | 1.1 | 5         |
| 11 | High Prevalence of Frailty and Prefrailty Status in Brazilian Patients Living with HIV. <i>AIDS Research and Human Retroviruses</i> , 2021, 37, 335-342.   | 1.1 | 6         |
| 12 | Comparison of functioning and health-related quality of life among patients with HTLV-1, HIV, and HIV-HTLV-1-coinfection. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e0759-2020.  | 0.9 | 1         |
| 13 | Brazilian Protocol for Sexually Transmitted Infections 2020: human T-cell lymphotropic virus (HTLV) infection. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e2020605.   | 0.9 | 14        |
| 14 | Antiretroviral therapy and Kaposi's sarcoma trends and outcomes among adults with HIV in Latin America. <i>Journal of the International AIDS Society</i> , 2021, 24, e25658.   | 3.0 | 4         |
| 15 | Validation of the GeneXpert Xpress SARS-CoV-2 PCR assay using saliva as biological specimen. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101543.   | 0.6 | 8         |
| 16 | Effects of Exercise Interventions on Aerobic Capacity and Health-Related Quality of Life in People Living With HIV/AIDS: Systematic Review and Network Meta-Analysis. <i>Physical Therapy</i> , 2021, 101, .   | 2.4 | 8         |
| 17 | Pathogenesis of HTLV-1 infection and progression biomarkers: An overview. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101594.  | 0.6 | 9         |
| 18 | Self-prescribed Ivermectin use is associated with a lower rate of seroconversion in health care workers diagnosed with COVID, in a dose-dependent response. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101603.  | 0.6 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Editorial: HIV and Viral Co-infections. <i>Frontiers in Microbiology</i> , 2021, 12, 731337.   | 3.5 | 1         |
| 20 | Anxiety, health-related quality of life, and symptoms of burnout in frontline physicians during the COVID-19 pandemic. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101618.   | 0.6 | 17        |
| 21 | Hypovitaminosis D Is Associated with Higher Levels of Inflammatory Cytokines and with HAM/TSP in HTLV-Infected Patients. <i>Viruses</i> , 2021, 13, 2223.  | 3.3 | 4         |
| 22 | Early and Successful Combination Antiretroviral Therapy Normalizes Survival Time in Patients Coinfected With Human Immunodeficiency Virus and Human T-cell Lymphotropic Virus Type 1. <i>Clinical Infectious Diseases</i> , 2020, 71, 196-200.                                   | 5.8 | 10        |
| 23 | Comparison of Three Health-Related Quality of Life Instruments to Evaluate Symptoms of Depression in HIV Patients in Brazil. <i>Journal of Clinical Psychology in Medical Settings</i> , 2020, 27, 643-650.  | 1.4 | 6         |
| 24 | Cerebral Palsy in Children With Congenital Zika Syndrome: A 2-Year Neurodevelopmental Follow-up. <i>Journal of Child Neurology</i> , 2020, 35, 202-207.  | 1.4 | 28        |
| 25 | The neurodevelopmental spectrum of congenital Zika infection: a scoping review. <i>Developmental Medicine and Child Neurology</i> , 2020, 62, 1356-1362.   | 2.1 | 17        |
| 26 | Immune response in SARS-CoV-2 infection: the role of interferons type I and type III. <i>Brazilian Journal of Infectious Diseases</i> , 2020, 24, 428-433.   | 0.6 | 21        |
| 27 | Saliva is a reliable, non-invasive specimen for SARS-CoV-2 detection. <i>Brazilian Journal of Infectious Diseases</i> , 2020, 24, 422-427.   | 0.6 | 88        |
| 28 | Cardiovascular disease among people living with HIV in Brazil. <i>Tropical Medicine and International Health</i> , 2020, 25, 886-896.  | 2.3 | 8         |
| 29 | Robustness of Serologic Investigations for Chikungunya and Mayaro Viruses following Coemergence. <i>MSphere</i> , 2020, 5, .   | 2.9 | 19        |
| 30 | Seroprevalence and factors associated with Human Immunodeficiency virus, Human T lymphotropic virus and Hepatitis B/C infections in parturient women of Salvador “Bahia, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2020, 24, 279-287.                            | 0.6 | 10        |
| 31 | Rapid decline of Zika virus NS1 antigen-specific antibody responses, northeastern Brazil. <i>Virus Genes</i> , 2020, 56, 632-637.  | 1.6 | 10        |
| 32 | Impact of Raltegravir or Efavirenz on Cell-Associated Human Immunodeficiency Virus-1 (HIV-1) Deoxyribonucleic Acid and Systemic Inflammation in HIV-1/Tuberculosis Coinfected Adults Initiating Antiretroviral Therapy. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofz549. | 0.9 | 3         |
| 33 | Cancer during HIV infection. <i>Apmis</i> , 2020, 128, 121-128.  | 2.0 | 12        |
| 34 | Frailty and Its Association with Health Related Quality of Life in Older HIV Patients, in Salvador, Brazil. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 1074-1081.   | 1.1 | 22        |
| 35 | Cross-Protection of Dengue Virus Infection against Congenital Zika Syndrome, Northeastern Brazil. <i>Emerging Infectious Diseases</i> , 2019, 25, 1485-1493.   | 4.3 | 59        |
| 36 | Factors associated with mortality in HIV patients failing antiretroviral therapy, in Salvador, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 160-163.  | 0.6 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Molecular and geographic characterization of hiv-1 bf recombinant viruses. <i>Virus Research</i> , 2019, 270, 197650.   | 2.2 | 4         |
| 38 | Changes health-related quality of life in HIV-infected patients following initiation of antiretroviral therapy: a longitudinal study. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 211-217.  | 0.6 | 33        |
| 39 | Unusual oral findings of the toxic epidermal necrolysis in an HIV-infected patient: a case report. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 363-367.   | 0.6 | 3         |
| 40 | ExpansãŁo da circulaãŁo do vÃrus Zika da Ãfrica Ã AmÃ©rica, 1947-2018: revisãŁo da literatura*. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2019, 28, e2018411.   | 1.0 | 6         |
| 41 | Validity and reliability of the 36-Item Short Form Health Survey questionnaire version 2 among people living with HIV in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 313-321.   | 0.6 | 15        |
| 42 | Short Communication: Getting Older with HIV: Increasing Frequency of Comorbidities and Polypharmacy in Brazilian HIV Patients. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 1103-1105.   | 1.1 | 5         |
| 43 | Low frequency of hypersensitivity reactions to abacavir in HIV infected patients in a referral center in Bahia, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 268-270.  | 0.6 | 3         |
| 44 | Prevalence and risk factors for erectile dysfunction in HIV-infected patients in Salvador, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 464-467.   | 0.6 | 5         |
| 45 | Trends and predictors of non-communicable disease multimorbidity among adults living with <scp>HIV</scp> and receiving antiretroviral therapy in Brazil. <i>Journal of the International AIDS Society</i> , 2019, 22, e25233.   | 3.0 | 26        |
| 46 | Non- HBV/HDV-3 coinfection is associated with severe liver disease in Western Brazilian Amazon. <i>Journal of Medical Virology</i> , 2019, 91, 1081-1086.   | 5.0 | 15        |
| 47 | Dolutegravir versus ritonavir-boosted lopinavir both with dual nucleoside reverse transcriptase inhibitor therapy in adults with HIV-1 infection in whom first-line therapy has failed (DAWNING): an open-label, non-inferiority, phase 3b trial. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 253-264. | 9.1 | 114       |
| 48 | HLA-B*14 allele predicts HIV-1 mother-to-child-transmission, in Salvador, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 71-78.  | 0.6 | 1         |
| 49 | PrimÃr kutane Nokardiose. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 327-329.   | 0.8 | 0         |
| 50 | Primary cutaneous nocardiosis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 327-329.  | 0.8 | 4         |
| 51 | A SYSTEMATIC REVIEW ON THE INFLUENCE OF HLA-B POLYMORPHISMS ON HIV-1 MOTHER-TO-CHILD-TRANSMISSION. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 53-59.   | 0.6 | 9         |
| 52 | Difficulties with laboratory confirmation of congenital Zika virus infection in a tertiary hospital in Northeastern Brazil. <i>Clinical Microbiology and Infection</i> , 2019, 25, 524-525.   | 6.0 | 7         |
| 53 | Combination of Nonstructural Protein 1-Based Enzyme-Linked Immunosorbent Assays Can Detect and Distinguish Various Dengue Virus and Zika Virus Infections. <i>Journal of Clinical Microbiology</i> , 2019, 57, .  | 3.9 | 24        |
| 54 | Raltegravir versus lopinavir/ritonavir for treatment of HIV-infected late-presenting pregnant women. <i>HIV Clinical Trials</i> , 2018, 19, 94-100.   | 2.0 | 13        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Brazilian network for <scp>HIV</scp> Drug Resistance Surveillance (<scp>HIV</scp> â€BresNet): a survey of treatmentâ€naive individuals. <i>Journal of the International AIDS Society</i> , 2018, 21, e25032.                              | 3.0 | 28        |
| 56 | Infection by HTLV-1 Is Associated With High Levels of Proinflammatory Cytokines in HIV-HCVâ€Coinfected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 77, 230-234.                                       | 2.1 | 8         |
| 57 | Muscle Strength and Aerobic Capacity in HIV-Infected Patients: A Systematic Review and Meta-Analysis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 491-500.  | 2.1 | 20        |
| 58 | Congenital Zika Virus Infection with Normal Neurodevelopmental Outcome, Brazil. <i>Emerging Infectious Diseases</i> , 2018, 24, 2128-2130.  | 4.3 | 11        |
| 59 | External Quality Assessment for Zika Virus Molecular Diagnostic Testing, Brazil. <i>Emerging Infectious Diseases</i> , 2018, 24, 888-892.   | 4.3 | 29        |
| 60 | Oral health and health-related quality of life in HIV patients. <i>BMC Oral Health</i> , 2018, 18, 151.   | 2.3 | 21        |
| 61 | Neoplasms-associated deaths in HIV-1 infected and non-infected patients in Bahia, Brazil. <i>Cancer Epidemiology</i> , 2018, 54, 133-136.   | 1.9 | 2         |
| 62 | High prevalence of syphilis in parturient women and congenital syphilis cases in public maternities in Salvadorâ€Bahia, Brazil. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1212-1214.               | 2.3 | 8         |
| 63 | Use of Urea Wash ELISA to Distinguish Zika and Dengue Virus Infections. <i>Emerging Infectious Diseases</i> , 2018, 24, 1355-1359.  | 4.3 | 13        |
| 64 | Immune Activation, Proinflammatory Cytokines, and Conventional Risks for Cardiovascular Disease in HIV Patients: A Case-Control Study in Bahia, Brazil. <i>Frontiers in Immunology</i> , 2018, 9, 1469.                                   | 4.8 | 21        |
| 65 | Exhaustive TORCH Pathogen Diagnostics Corroborate Zika Virus Etiology of Congenital Malformations in Northeastern Brazil. <i>MSphere</i> , 2018, 3, .   | 2.9 | 17        |
| 66 | T Cell Responses to Nonstructural Protein 3 Distinguish Infections by Dengue and Zika Viruses. <i>MBio</i> , 2018, 9, .   | 4.1 | 10        |
| 67 | Low variation in initial CD4 cell count in a HIV referral center, in Salvador, Brazil, from 2002 to 2015. <i>Brazilian Journal of Infectious Diseases</i> , 2018, 22, 245-247.  | 0.6 | 3         |
| 68 | Association Between Health-Related Quality of Life and Physical Functioning in Antiretroviral-Naive HIV-Infected Patients. <i>Open AIDS Journal</i> , 2018, 12, 117-125.  | 0.5 | 7         |
| 69 | Virological suppression in children and adolescents is not influenced by genotyping, but depends on optimal adherence to antiretroviral therapy. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 219-225.                     | 0.6 | 15        |
| 70 | Survival Estimates and Mortality Risk Factors in a Cohort of HIV Vertically Infected Individuals in Salvador, Brazil. <i>Pediatric Infectious Disease Journal</i> , 2017, 36, e62-e68.  | 2.0 | 2         |
| 71 | Increased expression of CD38 and HLADR in HIVâ€infected patients with oral lesion. <i>Journal of Medical Virology</i> , 2017, 89, 1782-1787.  | 5.0 | 9         |
| 72 | Quality of life, anxiety and depression in patients with HIV/AIDS who present poor adherence to antiretroviral therapy: a cross-sectional study in Salvador, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 507-514. | 0.6 | 47        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Tuberculosis incidence among people living with HIV/AIDS with virological failure of antiretroviral therapy in Salvador, Bahia, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 562-566.            | 0.6 | 10        |
| 74 | Geolocalization of HIV-1 subtypes and resistance mutations of patients failing antiretroviral therapy in Salvador “Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 234-239.                         | 0.6 | 2         |
| 75 | Distinguishing Secondary Dengue Virus Infection From Zika Virus Infection With Previous Dengue by a Combination of 3 Simple Serological Tests. <i>Clinical Infectious Diseases</i> , 2017, 65, 1829-1836.               | 5.8 | 66        |
| 76 | High Zika Virus Seroprevalence in Salvador, Northeastern Brazil Limits the Potential for Further Outbreaks. <i>MBio</i> , 2017, 8, .  | 4.1 | 183       |
| 77 | Specific detection of dengue and Zika virus antibodies using envelope proteins with mutations in the conserved fusion loop. <i>Emerging Microbes and Infections</i> , 2017, 6, 1-9.                                     | 6.5 | 37        |
| 78 | Progressive lesions of central nervous system in microcephalic fetuses with suspected congenital Zika virus syndrome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 717-722.                               | 1.7 | 42        |
| 79 | Evidence for Congenital Zika Virus Infection From Neutralizing Antibody Titers in Maternal Sera, Northeastern Brazil. <i>Journal of Infectious Diseases</i> , 2017, 216, 1501-1504.                                     | 4.0 | 23        |
| 80 | Predictors of HPV incidence and clearance in a cohort of Brazilian HIV-infected women. <i>PLoS ONE</i> , 2017, 12, e0185423.  | 2.5 | 21        |
| 81 | Anogenital infection by <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in HIV-infected men and women in Salvador, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 569-575.           | 0.6 | 11        |
| 82 | Zika virus infection, a new public health challenge. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 227-228.   | 0.6 | 11        |
| 83 | Adherence to antiretroviral therapy of Brazilian HIV-infected children and their caregivers. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 429-436.   | 0.6 | 9         |
| 84 | Extensive variation in drug-resistance mutational profile of Brazilian patients failing antiretroviral therapy in five large Brazilian cities. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 323-329.     | 0.6 | 7         |
| 85 | Comparison of different antibiotic protocols for asymptomatic bacteriuria in patients with neurogenic bladder treated with botulinum toxin A. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 623-626.      | 0.6 | 11        |
| 86 | Aerobic capacity and health-related quality of life in adults HIV-infected patients with and without lipodystrophy. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 76-80.                                  | 0.6 | 14        |
| 87 | Lymphocyte subset reference intervals in blood donors from northeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 1019-1025.  | 0.8 | 3         |
| 88 | Development and applications of the SWAN rating scale for assessment of attention deficit hyperactivity disorder: a literature review. <i>Brazilian Journal of Medical and Biological Research</i> , 2015, 48, 965-972. | 1.5 | 30        |
| 89 | Coinfection by Hepatitis C Is Strongly Associated with Abnormal CD4/CD8 Ratio in HIV Patients under Stable ART in Salvador, Brazil. <i>Journal of Immunology Research</i> , 2015, 2015, 1-6.                            | 2.2 | 11        |
| 90 | Use of new antiretroviral drugs and classes in Bahia, Brazil: a real life experience on salvage therapy of AIDS patients. <i>Brazilian Journal of Infectious Diseases</i> , 2015, 19, 529-532.                          | 0.6 | 5         |

| #   | ARTICLE   | IF              | CITATIONS |
|-----|---|-----------------|-----------|
| 91  | Frequency of adverse events associated to antiretroviral drugs in patients starting therapy in Salvador, Brazil. Brazilian Journal of Infectious Diseases, 2015, 19, 108-109.   | 0.6             | 1         |
| 92  | Nosocomial bloodstream infections in a nationwide study: comparison between solid organ transplant patients and the general population. Transplant Infectious Disease, 2015, 17, 308-313.                                       | 1.7             | 44        |
| 93  | Hepatitis C virus infection and spontaneous clearance in HTLV-1 and HIV co-infected patients in Salvador, Bahia, Brazil. Brazilian Journal of Infectious Diseases, 2015, 19, 486-491.   | 0.6             | 15        |
| 94  | Molecular Characterization of the Human Immunodeficiency Virus Type 1 in Women and Their Vertically Infected Children. AIDS Research and Human Retroviruses, 2015, 31, 1046-1051.   | 1.1             | 5         |
| 95  | High degree of concordance between flow cytometry and geno2pheno methods for HIV-1 tropism determination in proviral DNA. Brazilian Journal of Infectious Diseases, 2015, 19, 163-169.  | 0.6             | 1         |
| 96  | Effects of Combined Aerobic and Resistance Exercise on Exercise Capacity, Muscle Strength and Quality of Life in HIV-Infected Patients: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0138066.                    | 2.5             | 57        |
| 97  | HIV-associated lipodystrophy: a review from a Brazilian perspective. Therapeutics and Clinical Risk Management, 2014, 10, 559.  | 2.0             | 19        |
| 98  | The HIV-Brazil Cohort Study: Design, Methods and Participant Characteristics. PLoS ONE, 2014, 9, e95673.  | 2.5             | 24        |
| 99  | Prevalence of transmitted HIV-1 antiretroviral resistance among patients initiating antiretroviral therapy in Brazil: a surveillance study using dried blood spots. Journal of the International AIDS Society, 2014, 17, 19042. | 3.0             | 21        |
| 100 | Epidemiological aspects of influenza A related to climatic conditions during and after a pandemic period in the city of Salvador, northeastern Brazil. Memorias Do Instituto Oswaldo Cruz, 2014, 109, 229-235.                  | 1.6             | 8         |
| 101 | Raltegravir for the treatment of patients co-infected with HIV and tuberculosis (ANRS 12 180 Reflate). The, 2014, 14, 459-467.  | 0.784314<br>9.1 | 14<br>94  |
| 102 | Factors Associated with D-Dimer Levels in HIV-Infected Individuals. PLoS ONE, 2014, 9, e90978.  | 2.5             | 60        |
| 103 | Dolutegravir versus raltegravir in antiretroviral-experienced, integrase-inhibitor-naive adults with HIV: week 48 results from the randomised, double-blind, non-inferiority SAILING study. Lancet, The, 2013, 382, 700-708.    | 13.7            | 450       |
| 104 | A literature review on cardiovascular risk in human immunodeficiency virus-infected patients: implications for clinical management. Brazilian Journal of Infectious Diseases, 2013, 17, 691-700.                                | 0.6             | 15        |
| 105 | Brazilian experience in EU-CORE: daptomycin registry and treatment of serious Gram-positive infections. Brazilian Journal of Infectious Diseases, 2013, 17, 647-653.  | 0.6             | 4         |
| 106 | Syphilis and HIV-1 among parturient women in Salvador, Brazil: low prevalence of syphilis and high rate of loss to follow-up in HIV-infected women. Brazilian Journal of Infectious Diseases, 2013, 17, 184-193.                | 0.6             | 8         |
| 107 | Short Communication: Use of Raltegravir in Late-Presenting HIV-Infected Pregnant Women. AIDS Research and Human Retroviruses, 2013, 29, 1451-1454.  | 1.1             | 22        |
| 108 | Characteristics of co-infections by HCV and HBV among Brazilian patients infected by HIV-1 and/or HTLV-1. Brazilian Journal of Infectious Diseases, 2013, 17, 661-666.  | 0.6             | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Survival and Prognostic Factors for AIDS and Non-AIDS Patients with Non-Hodgkin's Lymphoma in Bahia, Brazil: A Retrospective Cohort Study. <i>ISRN Hematology</i> , 2013, 2013, 1-7.  | 1.6 | 7         |
| 110 | A Systematic Review of Effects of Concurrent Strength and Endurance Training on the Health-Related Quality of Life and Cardiopulmonary Status in Patients with HIV/AIDS. <i>BioMed Research International</i> , 2013, 2013, 1-8.  | 1.9 | 31        |
| 111 | Impact of Use of Alcohol and Illicit Drugs by AIDS Patients on Adherence to Antiretroviral Therapy in Bahia, Brazil. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 799-804.   | 1.1 | 22        |
| 112 | Molecular Characterization of Long Terminal Repeat Sequences from Brazilian Human Immunodeficiency Virus Type 1 Isolates. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 837-841.  | 1.1 | 3         |
| 113 | Platelet count kinetics following interruption of antiretroviral treatment. <i>Aids</i> , 2013, 27, 59-68.  | 2.2 | 13        |
| 114 | A systematic review of the effects of different types of therapeutic exercise on physiologic and functional measurements in patients with HIV/AIDS. <i>Clinics</i> , 2013, 68, 1157-1167.   | 1.5 | 68        |
| 115 | ESTABLISHING THE REFERENCE RANGE FOR T LYMPHOCYTES SUBPOPULATIONS IN ADULTS AND CHILDREN FROM BRAZIL. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2013, 55, 323-328.  | 1.1 | 15        |
| 116 | Biomarkers and Bacterial Pneumonia Risk in Patients with Treated HIV Infection: A Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e56249.  | 2.5 | 18        |
| 117 | Nosocomial Bloodstream Infections in Brazilian Pediatric Patients: Microbiology, Epidemiology, and Clinical Features. <i>PLoS ONE</i> , 2013, 8, e68144.  | 2.5 | 43        |
| 118 | Short Communication: Human Lymphotropic Virus Type 1 Coinfection Modulates the Synthesis of Cytokines by Peripheral Blood Mononuclear Cells from HIV Type 1-Infected Individuals. <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 806-808.                                | 1.1 | 15        |
| 119 | Prevalence of sexually transmitted infections among HIV-infected women in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2012, 16, 581-585.  | 0.6 | 21        |
| 120 | Barriers to Prevention of HIV Type 1 Mother-to-Child-Transmission in Bahia, Brazil. <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 233-234.  | 1.1 | 3         |
| 121 | Coinfection by HTLV-I/II is associated with an increased risk of strongyloidiasis and delay in starting antiretroviral therapy for AIDS patients. <i>Brazilian Journal of Infectious Diseases</i> , 2011, 15, 6-11.   | 0.6 | 10        |
| 122 | Coinfection by HTLV-I/II is associated with an increased risk of strongyloidiasis and delay in starting antiretroviral therapy for AIDS patients. <i>Brazilian Journal of Infectious Diseases</i> , 2011, 15, 6-11.   | 0.6 | 2         |
| 123 | Coinfection by HIV-1 and Human Lymphotropic Virus Type 1 in Brazilian Children Is Strongly Associated With a Shorter Survival Time. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, S208-S211.  | 2.1 | 19        |
| 124 | A Randomized, Clinical Trial to Evaluate the Impact of Regular Physical Activity on the Quality of Life, Body Morphology and Metabolic Parameters of Patients With AIDS in Salvador, Brazil. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, S179-S185. | 2.1 | 50        |
| 125 | Characteristics of Chronic Pain and Its Impact on Quality of Life of Patients With HTLV-1-associated Myelopathy/Tropical Spastic Paraparesis (HAM/TSP). <i>Clinical Journal of Pain</i> , 2011, 27, 131-135.  | 1.9 | 31        |
| 126 | Detection of distinct human immunodeficiency virus Type 1 circulating recombinant forms in Northeast Brazil. <i>Journal of Medical Virology</i> , 2011, 83, 2066-2072.  | 5.0 | 16        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Nosocomial Bloodstream Infections in Brazilian Hospitals: Analysis of 2,563 Cases from a Prospective Nationwide Surveillance Study. <i>Journal of Clinical Microbiology</i> , 2011, 49, 1866-1871.  | 3.9 | 179       |
| 128 | The Impact of Human T-Cell Lymphotropic Virus I Infection on Clinical and Immunologic Outcomes in Patients Coinfected With HIV and Hepatitis C Virus. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2011, 57, S202-S207. | 2.1 | 26        |
| 129 | Coinfection by HTLV-I/II is associated with an increased risk of strongyloidiasis and delay in starting antiretroviral therapy for AIDS patients. <i>Brazilian Journal of Infectious Diseases</i> , 2011, 15, 6-11.                       | 0.6 | 7         |
| 130 | HIV-1 resistance testing influences treatment decision-making. <i>Brazilian Journal of Infectious Diseases</i> , 2010, 14, 489-494.   | 0.6 | 1         |
| 131 | Ancestry informative markers and complete blood count parameters in Brazilian blood donors. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2010, 32, 282-285.   | 0.7 | 8         |
| 132 | Genomic features and evolutionary constraints in Saffold-like cardioviruses. <i>Journal of General Virology</i> , 2010, 91, 1418-1427.  | 2.9 | 26        |
| 133 | Lower Prevalence of Human Immunodeficiency Virus Type 1 Brazilian Subtype B Found in Northeastern Brazil with Slower Progression to AIDS. <i>AIDS Research and Human Retroviruses</i> , 2010, 26, 1249-1254.                              | 1.1 | 17        |
| 134 | HLA-Bw4-B*57 and Cw*18 alleles are associated with plasma viral load modulation in HIV-1 infected individuals in Salvador, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2010, 14, 468-475.                                   | 0.6 | 4         |
| 135 | Onset of opportunistic infections in patients co-infected by HTLV-1 and HIV-1, with high CD4+ cells count. <i>Brazilian Journal of Infectious Diseases</i> , 2009, 13, 311-3.   | 0.6 | 9         |
| 136 | Reference range for T lymphocytes populations in blood donors from two different regions in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2009, 13, 221-225.  | 0.6 | 19        |
| 137 | Interruption of antiretroviral therapy is associated with increased plasma cystatin C. <i>Aids</i> , 2009, 23, 71-82.   | 2.2 | 47        |
| 138 | Activation and Coagulation Biomarkers Are Independent Predictors of the Development of Opportunistic Disease in Patients with HIV Infection. <i>Journal of Infectious Diseases</i> , 2009, 200, 973-983.                                  | 4.0 | 140       |
| 139 | Genetic variability of human immunodeficiency virus in Bahia state, Northeast, Brazil: High diversity of HIV genotypes. <i>Journal of Medical Virology</i> , 2009, 81, 391-399.   | 5.0 | 23        |
| 140 | HIV/human T-cell lymphotropic virus coinfection revisited: impact on AIDS progression. <i>AIDS Reviews</i> , 2009, 11, 8-16.  | 1.0 | 65        |
| 141 | Prevalence and Risk of Blood-Borne and Sexually Transmitted Viral Infections in Incarcerated Youth in Salvador, Brazil: Opportunity and Obligation for Intervention. <i>AIDS and Behavior</i> , 2008, 12, 17-24.                          | 2.7 | 22        |
| 142 | 100% Adherence Study: Educational Workshops vs. Video Sessions to Improve Adherence Among ART-Naïve Patients in Salvador, Brazil. <i>AIDS and Behavior</i> , 2008, 12, 54-62.   | 2.7 | 25        |
| 143 | EBV MicroRNAs in Primary Lymphomas and Targeting of CXCL-11 by ebv-mir-BHRF1-3. <i>Cancer Research</i> , 2008, 68, 1436-1442.   | 0.9 | 291       |
| 144 | Viral resuppression and detection of drug resistance following interruption of a suppressive non-nucleoside reverse transcriptase inhibitor-based regimen. <i>Aids</i> , 2008, 22, 2279-2289.   | 2.2 | 64        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Inferior Clinical Outcome of the CD4+ Cell Countâ€“Guided Antiretroviral Treatment Interruption Strategy in the SMART Study: Role of CD4+ Cell Counts and HIV RNA Levels during Follow-up. <i>Journal of Infectious Diseases</i> , 2008, 197, 1145-1155. | 4.0 | 191       |
| 146 | Risk for Opportunistic Disease and Death after Reinitiating Continuous Antiretroviral Therapy in Patients with HIV Previously Receiving Episodic Therapy. <i>Annals of Internal Medicine</i> , 2008, 149, 289.   | 3.9 | 118       |
| 147 | Lipodystrophic syndrome in children and adolescents infected with the human immunodeficiency virus. <i>Brazilian Journal of Infectious Diseases</i> , 2008, 12, 342-8.   | 0.6 | 20        |
| 148 | HIV-1 Strains Identified in Brazilian Blood Donors: Significant Prevalence of B/F1 Recombinants. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 1434-1441.  | 1.1 | 29        |
| 149 | Adult T-Cell Leukemia/Lymphoma in Bahia, Brazil. <i>American Journal of Clinical Pathology</i> , 2007, 128, 875-882.   | 0.7 | 90        |
| 150 | Rates of and Reasons for Failure of Commercial Human Immunodeficiency Virus Type 1 Viral Load Assays in Brazil. <i>Journal of Clinical Microbiology</i> , 2007, 45, 2061-2063.   | 3.9 | 23        |
| 151 | IRF-4 and c-Rel expression in antiviral-resistant adult T-cell leukemia/lymphoma. <i>Blood</i> , 2007, 109, 3060-3068.   | 1.4 | 66        |
| 152 | AIDS related malignancies in Brazil. <i>Current Opinion in Oncology</i> , 2007, 19, 476-478.   | 2.4 | 9         |
| 153 | High Prevalence of Primary Antiretroviral Resistance Among HIV-1-Infected Adults and Children in Bahia, a Northeast State of Brazil. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007, 45, 251-253.                                  | 2.1 | 39        |
| 154 | Evaluating total lymphocyte counts as a substitute for CD4 counts in the follow up of AIDS patients. <i>Brazilian Journal of Infectious Diseases</i> , 2007, 11, 466-70.   | 0.6 | 14        |
| 155 | Clinical and laboratory profile of HIV-positive patients at the moment of diagnosis in Bahia, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2007, 11, 395-398.   | 0.6 | 14        |
| 156 | Antiphospholipid antibodies in HIV-positive patients. <i>Clinical Rheumatology</i> , 2007, 26, 1825-1830.  | 2.2 | 40        |
| 157 | Temporal evolution of the prevalence of methicillin-resistant <i>Staphylococcus aureus</i> in a tertiary hospital in Bahia, Brazil: a nine-year evaluation study. <i>Brazilian Journal of Infectious Diseases</i> , 2006, 10, 235-8.                     | 0.6 | 7         |
| 158 | Performance of the automated Abbott RealTimeâ„¢ HIV-1 assay on a genetically diverse panel of specimens from Brazil. <i>Journal of Virological Methods</i> , 2006, 134, 237-243.   | 2.1 | 44        |
| 159 | Ultrasensitive Monitoring of HIV-1 Viral Load by a Low-Cost Real-Time Reverse Transcription-PCR Assay with Internal Control for the 5â€™ Long Terminal Repeat Domain. <i>Clinical Chemistry</i> , 2006, 52, 1258-1266.                                   | 3.2 | 92        |
| 160 | Cross-Sectional Study to Evaluate Factors Associated with Adherence to Antiretroviral Therapy by Brazilian HIV-Infected Patients. <i>AIDS Research and Human Retroviruses</i> , 2006, 22, 1248-1252.   | 1.1 | 21        |
| 161 | Coinfection with HIV and Human T Lymphotropic Virus Type 1: What Is the Real Impact on HIV Disease?. <i>Clinical Infectious Diseases</i> , 2005, 40, 329-330.  | 5.8 | 11        |
| 162 | Infective Dermatitis and Human T Cell Lymphotropic Virus Type 1-Associated Myelopathy/Tropical Spastic Paraparesis in Childhood and Adolescence. <i>Clinical Infectious Diseases</i> , 2005, 41, 535-541.  | 5.8 | 73        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Infective Dermatitis Associated with the Human T Cell Lymphotropic Virus Type I in Salvador, Bahia, Brazil. <i>Clinical Infectious Diseases</i> , 2005, 40, e90-e96.   | 5.8 | 50        |
| 164 | HTLV-I associated myelopathy/tropical spastic paraparesis in a 7-year-old boy associated with infective dermatitis. <i>Journal of the Neurological Sciences</i> , 2004, 222, 35-38.  | 0.6 | 22        |
| 165 | Prevalence of the CCR5 $\Delta$ 32 mutation in Brazilian populations and cell susceptibility to HIV-1 infection. <i>Human Genetics</i> , 2002, 111, 102-104.   | 3.8 | 29        |
| 166 | Severe and Norwegian scabies are strongly associated with retroviral (HIV-1/HTLV-1) infection in Bahia, Brazil. <i>Aids</i> , 2002, 16, 1292-1293.   | 2.2 | 86        |
| 167 | Treating tuberculosis in AIDS patients: when to start and how long to keep giving drugs?. <i>Aids</i> , 2002, 16, 1845.  | 2.2 | 5         |
| 168 | New corneal findings in human T-cell lymphotropic virus type 1 infection. <i>American Journal of Ophthalmology</i> , 2001, 132, 950.   | 3.3 | 9         |
| 169 | High prevalence of giardiasis and strongyloidiasis among HIV-infected patients in Bahia, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2001, 5, 339-44.  | 0.6 | 75        |
| 170 | Evaluation of viral resistance to Reverse Transcriptase Inhibitors (RTI) in HIV-1-infected patients before and after 6 months of single or double antiretroviral therapy. <i>Brazilian Journal of Infectious Diseases</i> , 2001, 5, 177-82. | 0.6 | 4         |
| 171 | Co-infection with HTLV-1 is associated with a shorter survival time for HIV-1-infected patients in Bahia, Brazil. <i>Aids</i> , 2001, 15, 2053-2055.   | 2.2 | 57        |
| 172 | A Randomized, Placebo-Controlled Trial of Granulocyte-Macrophage Colony-Stimulating Factor and Nucleoside Analogue Therapy in AIDS. <i>Journal of Infectious Diseases</i> , 2000, 182, 1531-1535.  | 4.0 | 33        |
| 173 | HIV-1 Subtyping in Salvador, Bahia, Brazil: A City With African Sociodemographic Characteristics. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 1999, 22, 288.   | 2.1 | 22        |
| 174 | HIV-1 Subtyping in Salvador, Bahia, Brazil: A City With African Sociodemographic Characteristics. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 1999, 22, 288.   | 2.1 | 23        |
| 175 | Characteristics of the Acquired Immunodeficiency Syndrome in Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 1993, 48, 687-692.   | 1.4 | 14        |
| 176 | Seroepidemiology of human T-cell lymphotropic virus type I/II in northeastern Brazil. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1993, 6, 959-63.  | 1.0 | 30        |
| 177 | HTLV-II and a new endemic area for HTLV-I in Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 1992, 25, 141-143.  | 0.9 | 3         |
| 178 | Multiple drug regimen for severe diarrhea associated with <i>Cryptosporidium</i> in aids patients. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 1991, 24, 117-117.  | 0.9 | 1         |