

Lixiang Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4634253/publications.pdf>

Version: 2024-02-01

310
papers

13,123
citations

20759

60
h-index

39575

94
g-index

314
all docs

314
docs citations

314
times ranked

8490
citing authors

#	ARTICLE	IF	CITATIONS
1	An <i>n</i> -Type All-Fused-Ring Molecule with Narrow Bandgap. <i>CCS Chemistry</i> , 2023, 5, 486-496.	4.6	11
2	An <i>n</i> -type narrow-bandgap organoboron polymer with quinoidal character synthesized by direct arylation polymerization. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2718-2723.	2.7	1
3	Organoboron molecules and polymers for organic solar cell applications. <i>Chemical Society Reviews</i> , 2022, 51, 153-187.	18.7	92
4	Persistent room temperature phosphorescence films based on star-shaped organic emitters. <i>Journal of Materials Chemistry C</i> , 2022, 10, 1833-1838.	2.7	9
5	Phosphonate/Phosphine Oxide Dyad Additive for Efficient Perovskite Light-Emitting Diodes. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	3
6	Boron-, Sulfur- and Nitrogen-Doped Polycyclic Aromatic Hydrocarbon Multiple Resonance Emitters for Narrowband Blue Emission. <i>Chemistry - A European Journal</i> , 2022, 28, .	1.7	20
7	Incorporating Se atoms to organoboron polymer electron acceptors to tune opto-electronic properties. <i>Polymer</i> , 2022, 242, 124547.	1.8	4
8	Nitrogen-bridged star-shaped fused-ring electron acceptors for organic solar cells. <i>Giant</i> , 2022, 10, 100093.	2.5	3
9	Efficient Narrowband Red Electroluminescence from a Thermally Activated Delayed Fluorescence Polymer and Quantum Dot Hybrid. <i>Chemical Engineering Journal</i> , 2022, , 135221.	6.6	5
10	Efficient and tunable purely organic room temperature phosphorescence films from selenium-containing emitters achieved by structural isomerism. <i>Journal of Materials Chemistry C</i> , 2022, 10, 5141-5146.	2.7	10
11	Solution-processed white OLEDs with power efficiency over 90 lm W ⁻¹ by triplet exciton management with a high triplet energy level interfacial exciplex host and a high reverse intersystem crossing rate blue TADF emitter. <i>Materials Horizons</i> , 2022, 9, 1299-1308.	6.4	20
12	Multiple Resonance Dendrimers Containing Boron, Oxygen, Nitrogen-Doped Polycyclic Aromatic Emitters for Narrowband Blue-Emitting Solution-Processed OLEDs. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2200079.	2.0	16
13	Suppressing thermal quenching via defect passivation for efficient quasi-2D perovskite light-emitting diodes. <i>Light: Science and Applications</i> , 2022, 11, 69.	7.7	60
14	Modulation of triplet-mediated emission from selenoxanthen-9-one-based D ^π A ^π D type emitters through tuning the twist angle to realize electroluminescence efficiency over 25%. <i>Journal of Materials Chemistry C</i> , 2022, 10, 7437-7442.	2.7	9
15	De novo design of single white-emitting polymers based on one chromophore with multi-excited states. <i>Chemical Engineering Journal</i> , 2022, 446, 137004.	6.6	10
16	Intramolecular-locked triazatruxene-based thermally activated delayed fluorescence emitter for efficient solution-processed deep-blue organic light emitting diodes. <i>Chemical Engineering Journal</i> , 2022, 446, 137372.	6.6	9
17	A Resonating B, N Covalent Bond and Coordination Bond in Aromatic Compounds and Conjugated Polymers. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	20
18	Synthesis and photovoltaic performance of nitrogen-bridged star-shaped fused-ring electron acceptors. <i>Scientia Sinica Chimica</i> , 2022, , .	0.2	0

#	ARTICLE	IF	CITATIONS
19	Alkoxy-capped carbazole dendrimers as host materials for highly efficient narrowband electroluminescence by solution process. <i>Chemical Engineering Journal</i> , 2022, 447, 137517.	6.6	17
20	A polymer acceptor containing a B $\hat{+}$ N unit with strong fluorescence for organic photovoltaics. <i>Journal of Materials Chemistry C</i> , 2022, 10, 10860-10865.	2.7	8
21	Alkoxy encapsulation of carbazole-based thermally activated delayed fluorescent dendrimers for highly efficient solution-processed organic light-emitting diodes. <i>Chinese Chemical Letters</i> , 2021, 32, 703-707.	4.8	14
22	High-performance Red Quantum-Dot Light-Emitting Diodes Based on Organic Electron Transporting Layer. <i>Advanced Functional Materials</i> , 2021, 31, 2007686.	7.8	32
23	An Electroactive Pure Organic Room-Temperature Phosphorescence Polymer Based on a Donor-Oxygen-Acceptor Geometry. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 2455-2463.	7.2	60
24	An Electroactive Pure Organic Room-Temperature Phosphorescence Polymer Based on a Donor-Oxygen-Acceptor Geometry. <i>Angewandte Chemie</i> , 2021, 133, 2485-2493.	1.6	9
25	Isomers of B $\hat{+}$ N-Fused Dibenzoazaacenes: How B $\hat{+}$ N Affects Optoelectronic Properties and Device Behaviors?. <i>Chemistry - A European Journal</i> , 2021, 27, 4364-4372.	1.7	22
26	Effect of Alkyl Side Chains of Polymer Donors on Photovoltaic Performance of All-Polymer Solar Cells. <i>ACS Applied Polymer Materials</i> , 2021, 3, 42-48.	2.0	12
27	Orange-red thermally activated delay fluorescence emitters based on asymmetric difluoroboron chelated enaminone: Impact of donor position on luminescent properties. <i>Dyes and Pigments</i> , 2021, 184, 108810.	2.0	15
28	B $\hat{+}$ N-Incorporated Dibenzoazaacene with Selective Near-Infrared Absorption and Visible Transparency. <i>Chemistry - A European Journal</i> , 2021, 27, 2065-2071.	1.7	12
29	Research Progress in Organic Solar Cells Based on Small Molecule Donors and Polymer Acceptors. <i>Acta Chimica Sinica</i> , 2021, 79, 545.	0.5	7
30	Hyperfluorescent polymers enabled by through-space charge transfer polystyrene sensitizers for high-efficiency and full-color electroluminescence. <i>Chemical Science</i> , 2021, 12, 13083-13091.	3.7	12
31	A highly efficient purely organic room-temperature phosphorescence film based on a selenium-containing emitter for sensitive oxygen detection. <i>Journal of Materials Chemistry C</i> , 2021, 9, 9907-9913.	2.7	25
32	Highly efficient solution-processed thermally activated delayed fluorescence emitter based on a fused difluoroboron ketoiminate acceptor: C/N switch to realize the effective modulation of luminescence behavior. <i>Journal of Materials Chemistry C</i> , 2021, 9, 14133-14138.	2.7	9
33	Novel boron- and sulfur-doped polycyclic aromatic hydrocarbon as multiple resonance emitter for ultrapure blue thermally activated delayed fluorescence polymers. <i>Science China Chemistry</i> , 2021, 64, 547-551.	4.2	76
34	Sterically-Locked Donor-Acceptor Conjugated Polymers Showing Efficient Thermally Activated Delayed Fluorescence. <i>Angewandte Chemie</i> , 2021, 133, 9721-9727.	1.6	14
35	Sterically-Locked Donor-Acceptor Conjugated Polymers Showing Efficient Thermally Activated Delayed Fluorescence. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 9635-9641.	7.2	61
36	Donor-Acceptor Conjugated Polymers with Efficient Thermally Activated Delayed Fluorescence: Random versus Alternative Polymerization. <i>Macromolecules</i> , 2021, 54, 5260-5266.	2.2	14

#	ARTICLE	IF	CITATIONS
37	D-(A)3 type low bandgap star-shaped fused-ring electron acceptor with alkoxy-substituted thiophene as bridge. <i>Dyes and Pigments</i> , 2021, 190, 109329.	2.0	5
38	A Distannylated Monomer of a Strong Electron-Accepting Organoboron Building Block: Enabling Acceptor-Type Conjugated Polymers for n-Type Thermoelectric Applications. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 16184-16190.	7.2	78
39	Stacked Donor-Acceptor Dendrimers for Highly Efficient White Electroluminescence. <i>Angewandte Chemie</i> , 2021, 133, 16721-16729.	1.6	7
40	Stacked Donor-Acceptor Dendrimers for Highly Efficient White Electroluminescence. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 16585-16593.	7.2	49
41	A Distannylated Monomer of a Strong Electron-Accepting Organoboron Building Block: Enabling Acceptor-Type Conjugated Polymers for n-Type Thermoelectric Applications. <i>Angewandte Chemie</i> , 2021, 133, 16320-16326.	1.6	15
42	B-N-Incorporated Dibenzo-azaacenes as n-Type Thermoelectric Materials. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 33321-33327.	4.0	15
43	Domain Controlling by Compound Additive toward Highly Efficient Quasi-2D Perovskite Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2021, 31, 2103890.	7.8	40
44	Dendritic Interfacial Exciplex Hosts for Solution-Processed TADF-OLEDs with Power Efficiency Approaching 100% $\times 10^1$. <i>Advanced Optical Materials</i> , 2021, 9, 2100752.	3.6	22
45	N-B-N Bridged Bithiophene: A Building Block with Reduced Band Gap to Design n-Type Conjugated Polymers. <i>Macromolecules</i> , 2021, 54, 6718-6725.	2.2	17
46	13.3: Invited Paper: Through-Space Charge Transfer Polymers for Solution-Processed OLEDs. <i>Digest of Technical Papers SID International Symposium</i> , 2021, 52, 187-187.	0.1	0
47	All-polymer indoor photovoltaic modules. <i>IScience</i> , 2021, 24, 103104.	1.9	11
48	Heterogeneous post-passivation of inorganic cesium lead halide perovskite quantum dots for efficient electroluminescent devices. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3978-3986.	2.7	17
49	A polymer acceptor containing the B-N unit for all-polymer solar cells with 14% efficiency. <i>Journal of Materials Chemistry A</i> , 2021, 9, 21071-21077.	5.2	36
50	Through-Space Charge Transfer Dendrimers Employing Oxygen-Bridged Triarylboron Acceptors for Efficient Deep-Blue Electroluminescence. <i>Chemical Communications</i> , 2021, 57, 7144-7147.	2.2	14
51	Engineering of Annealing and Surface Passivation toward Efficient and Stable Quasi-2D Perovskite Light-Emitting Diodes. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 11645-11651.	2.1	9
52	Molecular Acceptors Based on a Triarylborane Core Unit for Organic Solar Cells. <i>Chemistry - A European Journal</i> , 2020, 26, 873-880.	1.7	21
53	Bridging Small Molecules to Conjugated Polymers: Efficient Thermally Activated Delayed Fluorescence with a Methyl-Substituted Phenylene Linker. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 1320-1326.	7.2	66
54	A Conjugated Polymer Containing a B-N Unit for Unipolar n-Type Organic Field-Effect Transistors. <i>ACS Applied Polymer Materials</i> , 2020, 2, 19-25.	2.0	35

#	ARTICLE	IF	CITATIONS
55	Bridging Small Molecules to Conjugated Polymers: Efficient Thermally Activated Delayed Fluorescence with a Methyl-Substituted Phenylene Linker. <i>Angewandte Chemie</i> , 2020, 132, 1336-1342.	1.6	14
56	Oligo(ethylene glycol) as side chains of conjugated polymers for optoelectronic applications. <i>Polymer Chemistry</i> , 2020, 11, 1261-1270.	1.9	76
57	Cyclohexane-cored dendritic host materials with high triplet energy for efficient solution-processed blue thermally activated delayed fluorescence OLEDs. <i>Dyes and Pigments</i> , 2020, 174, 108097.	2.0	9
58	Indenofluorene- and carbazole-based copolymers for blue PLEDs with simultaneous high efficiency and good color purity. <i>Journal of Materials Chemistry C</i> , 2020, 8, 14819-14825.	2.7	6
59	Recent development of n-type thermoelectric materials based on conjugated polymers. <i>Nano Materials Science</i> , 2020, , .	3.9	24
60	Room-temperature phosphorescence from a purely organic tetraphenylmethane derivative with formyl groups in both solution and crystalline states. <i>Journal of Materials Chemistry C</i> , 2020, 8, 14360-14364.	2.7	15
61	Donor-acceptor type conjugated copolymers based on alternating BNP and oligothiophene units: from electron acceptor to electron donor and from amorphous to semicrystalline. <i>Journal of Materials Chemistry A</i> , 2020, 8, 20998-21006.	5.2	22
62	Through-Space Charge-Transfer Polynorbornenes with Fixed and Controllable Spatial Alignment of Donor and Acceptor for High-Efficiency Blue Thermally Activated Delayed Fluorescence. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20174-20182.	7.2	110
63	Polymer Acceptors Containing B-N Units for Organic Photovoltaics. <i>Accounts of Chemical Research</i> , 2020, 53, 1557-1567.	7.6	176
64	Meta Junction Promoting Efficient Thermally Activated Delayed Fluorescence in Donor-Acceptor Conjugated Polymers. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 17903-17909.	7.2	45
65	BODIPY bearing alkylthienyl side chains: a new building block to design conjugated polymers with near infrared absorption for organic photovoltaics. <i>Polymer Chemistry</i> , 2020, 11, 5750-5756.	1.9	9
66	Through-Space Charge-Transfer Polynorbornenes with Fixed and Controllable Spatial Alignment of Donor and Acceptor for High-Efficiency Blue Thermally Activated Delayed Fluorescence. <i>Angewandte Chemie</i> , 2020, 132, 20349-20357.	1.6	20
67	Meta Junction Promoting Efficient Thermally Activated Delayed Fluorescence in Donor-Acceptor Conjugated Polymers. <i>Angewandte Chemie</i> , 2020, 132, 18059-18065.	1.6	9
68	Panchromatic Organoboron Molecules with Tunable Absorption Spectra. <i>Chemistry - an Asian Journal</i> , 2020, 15, 3314-3320.	1.7	3
69	Organic solar cells based on small molecule donors and polymer acceptors operating at 150 °C. <i>Journal of Materials Chemistry A</i> , 2020, 8, 10983-10988.	5.2	37
70	High-Performance Solution-Processed Red Thermally Activated Delayed Fluorescence OLEDs Employing Aggregation-Induced Emission-Active Triazatruxene-Based Emitters. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 30652-30658.	4.0	57
71	Effect of polymer donor aggregation on the active layer morphology of amorphous polymer acceptor-based all-polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 5613-5619.	2.7	13
72	Single White-Emitting Polymers with High Efficiency, Low Roll-Off, and Enhanced Device Stability by Using Through-Space Charge Transfer Polymer with Blue Delayed Fluorescence as Host for Yellow Phosphor. <i>Advanced Optical Materials</i> , 2020, 8, 1902100.	3.6	17

#	ARTICLE	IF	CITATIONS
73	Advanced functional polymer materials. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1803-1915.	3.2	117
74	B π -N Unit Enables n-Doping of Conjugated Polymers for Thermoelectric Application. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10428-10433.	4.0	42
75	Improving Active Layer Morphology of All-Polymer Solar Cells by Solution Temperature. <i>Macromolecules</i> , 2020, 53, 3325-3331.	2.2	43
76	Trap-Controlled White Electroluminescence From a Single Red-Emitting Thermally Activated Delayed Fluorescence Polymer. <i>Frontiers in Chemistry</i> , 2020, 8, 287.	1.8	2
77	A high molecular weight organometallic conjugated polymer incorporated with Hg(π). <i>Chemical Communications</i> , 2020, 56, 5701-5704.	2.2	4
78	Through-space charge transfer polymers for solution-processed organic light-emitting diodes. <i>Aggregate</i> , 2020, 1, 45-56.	5.2	100
79	Through-space charge transfer blue polymers containing acridan donor and oxygen-bridged triphenylboron acceptor for highly efficient solution-processed organic light-emitting diodes. <i>Science China Chemistry</i> , 2020, 63, 1112-1120.	4.2	50
80	An efficient star-shaped fused-ring electron acceptor with C _{3h} -symmetric core via thieno[3,2-b]thiophene extending conjugation strategy. <i>Materials Chemistry Frontiers</i> , 2020, 4, 3328-3337.	3.2	10
81	Solid-State Fluorescence Enhancement of Bromine-Substituted Trans-Enaminone Derivatives. <i>Organic Materials</i> , 2020, 02, 033-040.	1.0	8
82	Star-shaped small molecule acceptors with a subphthalocyanine core for solution-processed non-fullerene solar cells. <i>Dyes and Pigments</i> , 2019, 160, 243-251.	2.0	20
83	Morphology of small molecular donor/polymer acceptor blends in organic solar cells: effect of the π - π stacking capability of the small molecular donors. <i>Journal of Materials Chemistry C</i> , 2019, 7, 10521-10529.	2.7	17
84	A new building block with intramolecular D-A character for conjugated polymers: ladder structure based on B π -N unit. <i>Science China Chemistry</i> , 2019, 62, 1387-1392.	4.2	21
85	Star-Shaped Fused-Ring Electron Acceptors with a C _{3h} -Symmetric and Electron-Rich Benzotri(cyclopentadithiophene) Core for Efficient Nonfullerene Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 28115-28124.	4.0	25
86	Triazatruxene-based thermally activated delayed fluorescence small molecules with aggregation-induced emission properties for solution-processable nondoped OLEDs with low efficiency roll-off. <i>Journal of Materials Chemistry C</i> , 2019, 7, 9719-9725.	2.7	26
87	Efficient and thermally stable organic solar cells based on small molecule donor and polymer acceptor. <i>Nature Communications</i> , 2019, 10, 3271.	5.8	94
88	Solution processible triphenylphosphine-oxide-cored dendritic hosts featuring thermally activated delayed fluorescence for power-efficient blue electrophosphorescent devices. <i>Journal of Materials Chemistry C</i> , 2019, 7, 9850-9855.	2.7	5
89	Small Molecular Donor/Polymer Acceptor Type Organic Solar Cells: Effect of Molecular Weight on Active Layer Morphology. <i>Macromolecules</i> , 2019, 52, 8682-8689.	2.2	33
90	Dendritic host materials with non-conjugated adamantane cores for efficient solution-processed blue thermally activated delayed fluorescence OLEDs. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11845-11850.	2.7	23

#	ARTICLE	IF	CITATIONS
91	Amorphous Polymer Acceptor Containing B-N Units Matches Various Polymer Donors for All-Polymer Solar Cells. <i>Macromolecules</i> , 2019, 52, 7081-7088.	2.2	42
92	Solution-Processible Blue Fluorescent Dendrimers with Carbazole/Diphenylamine Hybrid Dendrons for Power-Efficient Organic Light-Emitting Diodes. <i>ACS Omega</i> , 2019, 4, 15923-15928.	1.6	8
93	Through-space charge transfer hexaarylbenzene dendrimers with thermally activated delayed fluorescence and aggregation-induced emission for efficient solution-processed OLEDs. <i>Chemical Science</i> , 2019, 10, 2915-2923.	3.7	126
94	Achieving Deep-Blue Thermally Activated Delayed Fluorescence in Nondoped Organic Light-Emitting Diodes through a Spiro-Blocking Strategy. <i>ACS Omega</i> , 2019, 4, 1861-1867.	1.6	36
95	An arylphosphine oxide and phosphonate combination as a solution processable electron injection layer for power-efficient PLEDs. <i>Journal of Materials Chemistry C</i> , 2019, 7, 2633-2639.	2.7	4
96	Water-soluble pH neutral triazatruxene-based small molecules as hole injection materials for solution-processable organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2019, 7, 7900-7905.	2.7	5
97	A p-i-n* conjugated triarylborane as an alcohol-processable n-type semiconductor for organic optoelectronic devices. <i>Journal of Materials Chemistry C</i> , 2019, 7, 7427-7432.	2.7	42
98	Teaching an Old Poly(arylene ether) New Tricks: Efficient Blue Thermally Activated Delayed Fluorescence. <i>IScience</i> , 2019, 15, 147-155.	1.9	40
99	Effect of fluorine substitution in organoboron electron acceptors for photovoltaic application. <i>Organic Chemistry Frontiers</i> , 2019, 6, 1996-2003.	2.3	15
100	Efficient Red Phosphorescent Polymers with Trap-Assisted Charge Balance: Molecular Design, Synthesis, and Electroluminescent Properties. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 18730-18738.	4.0	3
101	Developing Through-space Charge Transfer Polymers as a General Approach to Realize Full-color and White Emission with Thermally Activated Delayed Fluorescence. <i>Angewandte Chemie</i> , 2019, 131, 8493-8497.	1.6	35
102	Bipolar Poly(arylene phosphine oxide) Hosts with Widely Tunable Triplet Energy Levels for High-Efficiency Blue, Green, and Red Thermally Activated Delayed Fluorescence Polymer Light-Emitting Diodes. <i>Macromolecules</i> , 2019, 52, 3394-3403.	2.2	24
103	Improving Active Layer Morphology of All-Polymer Solar Cells by Dissolving the Two Polymers Individually. <i>Macromolecules</i> , 2019, 52, 2402-2410.	2.2	49
104	Developing Through-space Charge Transfer Polymers as a General Approach to Realize Full-color and White Emission with Thermally Activated Delayed Fluorescence. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 8405-8409.	7.2	196
105	Double Emitting Layer Based Solution Processed WOLEDs Simultaneously with High Power Efficiency and Good Color Stability. <i>Advanced Materials Technologies</i> , 2019, 4, 1900137.	3.0	10
106	A disk-type polyarene containing four B-N units. <i>Chemical Communications</i> , 2019, 55, 3638-3641.	2.2	17
107	Solution processible imidazole-based iridium dendrimers with oligocarbazole for nondoped phosphorescent OLEDs. <i>Organic Electronics</i> , 2019, 68, 193-199.	1.4	6
108	Aggregation-Induced Emission of Highly Planar Enaminone Derivatives: Unexpected Fluorescence Enhancement by Bromine Substitution. <i>Advanced Optical Materials</i> , 2019, 7, 1801719.	3.6	19

#	ARTICLE	IF	CITATIONS
109	Synthesis and Electroluminescent Properties of Through-Space Charge Transfer Polymers Containing Acridan Donor and Triarylboron Acceptors. <i>Frontiers in Chemistry</i> , 2019, 7, 854.	1.8	24
110	Small-Molecule Donor/Polymer Acceptor Type Organic Solar Cells: Effect of Terminal Groups of Small-Molecule Donors. <i>Organic Materials</i> , 2019, 01, 088-094.	1.0	4
111	An Organoboron Compound with a Thienyl Substituent as an Electron Acceptor for Organic Solar Cells. <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 2019, 35, 251-256.	2.2	5
112	Polymer Electron Acceptors Based on Fluorinated Isoindigo Unit for Polymer Solar Cells. <i>Chinese Journal of Chemistry</i> , 2018, 36, 411-416.	2.6	11
113	A homopolymer based on double B- μ -N bridged bipyridine as electron acceptor for all-polymer solar cells. <i>Chinese Chemical Letters</i> , 2018, 29, 1343-1346.	4.8	27
114	Highly Efficient Phosphorescent Furo[3,2- <i>c</i>]pyridine Based Iridium Complexes with Tunable Emission Colors over the Whole Visible Range. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 1888-1896.	4.0	42
115	n-Type Azaacenes Containing B-N Units. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2000-2004.	7.2	82
116	p- π - π Conjugated Polymers Based on Stable Triarylborane with n-Type Behavior in Optoelectronic Devices. <i>Angewandte Chemie</i> , 2018, 130, 2205-2209.	1.6	39
117	n-Type Azaacenes Containing B-N Units. <i>Angewandte Chemie</i> , 2018, 130, 2018-2022.	1.6	18
118	p- π - π Conjugated Polymers Based on Stable Triarylborane with n-Type Behavior in Optoelectronic Devices. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2183-2187.	7.2	109
119	Deep-blue emitting poly(2,3,6,7-tetraoctyl-2,7-spirosilabifluorene) simultaneously with good color purity and high external quantum efficiency. <i>Organic Electronics</i> , 2018, 59, 77-83.	1.4	13
120	A New Polymer Electron Acceptor Based on Thiophene-S,S-dioxide Unit for Organic Photovoltaics. <i>Macromolecular Rapid Communications</i> , 2018, 39, 1700505.	2.0	15
121	Solution processible distyrylarylene-based fluorescent dendrimers: Tuning of carbazole-dendron generation leads to nondoped deep-blue electroluminescence. <i>Organic Electronics</i> , 2018, 53, 43-49.	1.4	14
122	26.2: <i>Invited Paper:</i> Electroluminescent Polymers for Solution-processed PLEDs. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 279-279.	0.1	0
123	An A-type small molecule acceptor with wide absorption spectrum and near-infrared absorption. <i>Materials Chemistry Frontiers</i> , 2018, 2, 2333-2339.	3.2	15
124	Triazatruxene-based small molecules with thermally activated delayed fluorescence, aggregation-induced emission and mechanochromic luminescence properties for solution-processable nondoped OLEDs. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12503-12508.	2.7	56
125	Multinuclear Iridium Complex Encapsulated by Oligocarbazole Dendrons for Enhanced Nondoped Device Efficiency. <i>ACS Omega</i> , 2018, 3, 15308-15314.	1.6	4
126	Red-Emitting Thermally Activated Delayed Fluorescence Polymers with Poly(fluorene-co-3,3'-dimethyl diphenyl ether) as the Backbone. <i>Macromolecules</i> , 2018, 51, 9933-9942.	2.2	43

#	ARTICLE	IF	CITATIONS
127	Star-Shaped and Fused Electron Acceptors based on C ₃ h-Symmetric Coplanar Trindeno[1,2-b:4,5-b':6,7,8-b'']trithiophene Core for Non-Fullerene Solar Cells. <i>Chemistry - A European Journal</i> , 2018, 25, 1055-1063.		
128	Tetranuclear Iridium Complex with a Self-Host Feature for High-Efficiency Nondoped Phosphorescent Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 32365-32372.	4.0	13
129	Realization of high-power-efficiency white electroluminescence from a single polymer by energy-level engineering. <i>Chemical Science</i> , 2018, 9, 8656-8664.	3.7	28
130	Manipulating active layer morphology of molecular donor/polymer acceptor based organic solar cells through ternary blends. <i>Science China Chemistry</i> , 2018, 61, 1025-1033.	4.2	25
131	Deep-blue emitting poly[spiro(dibenzoazasilene-10,9-silafluorene)] for power-efficient PLEDs. <i>Journal of Materials Chemistry C</i> , 2018, 6, 9599-9606.	2.7	22
132	High-Energy-Level Blue Phosphor for Solution-Processed White Organic Light-Emitting Diodes with Efficiency Comparable to Fluorescent Tubes. <i>IScience</i> , 2018, 6, 128-137.	1.9	46
133	Effects of the Substituents of Boron Atoms on Conjugated Polymers Containing B-N Units. <i>Chemistry - A European Journal</i> , 2018, 24, 13043-13048.	1.7	25
134	Subphthalocyanine-cored star-shaped electron acceptors with perylene diimide wings for non-fullerene solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 7141-7148.	2.7	16
135	An "D-A" type small molecule acceptor with a broad absorption spectrum for organic solar cells. <i>Chemical Communications</i> , 2018, 54, 303-306.	2.2	61
136	Electron-transporting polymers based on a double B-N bridged bipyridine (BNBP) unit. <i>Chemical Communications</i> , 2017, 53, 1649-1652.	2.2	45
137	Polymer Electron Acceptors Based on Iso-Naphthalene Diimide Unit with High LUMO Levels. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1600606.	1.1	15
138	Solution-Processable Hyperbranched Conjugated Polymer Nanoparticles Based on C ₃ h-Symmetric Benzotrithiophene for Polymer Solar Cells. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700001.	2.0	13
139	Inkjet printed polystyrene sulfuric acid-doped poly(3,4-ethylenedioxythiophene) (PEDOT) uniform thickness films in confined grooves through decreasing the surface tension of PEDOT inks. <i>RSC Advances</i> , 2017, 7, 7725-7733.	1.7	15
140	An oligocarbazole-encapsulated heteroleptic red iridium complex for solution-processed nondoped phosphorescent organic light-emitting diodes with over 10% external quantum efficiency. <i>Journal of Materials Chemistry C</i> , 2017, 5, 5749-5756.	2.7	40
141	Polymer Electron Acceptors with Conjugated Side Chains for Improved Photovoltaic Performance. <i>Macromolecules</i> , 2017, 50, 3171-3178.	2.2	38
142	Solution-processed multilayer green electrophosphorescent devices with self-host iridium dendrimers as the nondoped emitting layer: achieving high efficiency while avoiding redissolution-induced batch-to-batch variation. <i>Chemical Communications</i> , 2017, 53, 5128-5131.	2.2	45
143	Conjugated polymers containing B-N unit as electron acceptors for all-polymer solar cells. <i>Science China Chemistry</i> , 2017, 60, 450-459.	4.2	122
144	Dendron engineering in self-host blue iridium dendrimers towards low-voltage-driving and power-efficient nondoped electrophosphorescent devices. <i>Chemical Communications</i> , 2017, 53, 180-183.	2.2	53

#	ARTICLE	IF	CITATIONS
145	Organic solar cells based on a polymer acceptor and a small molecule donor with a high open-circuit voltage. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6812-6819.	2.7	24
146	Water-dispersible hyperbranched conjugated polymer nanoparticles with sulfonate terminal groups for amplified fluorescence sensing of trace TNT in aqueous solution. <i>Materials Chemistry Frontiers</i> , 2017, 1, 1875-1880.	3.2	22
147	A New Electron-Rich Unit for Polymer Electron Acceptors: 4,4-Difluoro-4-cyclopenta[2,1-b:3,4-b ²]dithiophene. <i>Chemistry - A European Journal</i> , 2017, 23, 1.7 9486-9490.		23
148	Fluorescence fiber-optic turn-on detection of trace hydrazine vapor with dicyanovinyl-functionalized triazatruxene-based hyperbranched conjugated polymer nanoparticles. <i>Polymer Chemistry</i> , 2017, 8, 2484-2489.	1.9	15
149	Highly emissive carbazole-functionalized homopoly(spirobifluorene) for deep-blue polymer light-emitting diodes. <i>Polymer Chemistry</i> , 2017, 8, 2182-2188.	1.9	26
150	Polymer solar cells with open-circuit voltage of 1.3 V using polymer electron acceptor with high LUMO level. <i>Nano Energy</i> , 2017, 32, 216-224.	8.2	50
151	Fine-Tuning LUMO Energy Levels of Conjugated Polymers Containing a B [†] N Unit. <i>Macromolecules</i> , 2017, 50, 8521-8528.	2.2	46
152	Improving the Power Efficiency of Solution-Processed Phosphorescent WOLEDs with a Self-Host Blue Iridium Dendrimer. <i>Advanced Optical Materials</i> , 2017, 5, 1700514.	3.6	19
153	An organoboron compound with a wide absorption spectrum for solar cell applications. <i>Chemical Communications</i> , 2017, 53, 12213-12216.	2.2	48
154	Efficient Blue, Green, and Red Electroluminescence from Carbazole-Functionalized Poly(spirobifluorene)s. <i>Macromolecules</i> , 2017, 50, 6945-6953.	2.2	41
155	Solution processable red iridium dendrimers containing oligocarbazole dendrons for efficient nondoped and doped phosphorescent OLEDs. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9753-9760.	2.7	43
156	A novel furo[3,2-c]pyridine-based iridium complex for high-performance organic light-emitting diodes with over 30% external quantum efficiency. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10122-10125.	2.7	24
157	A polymer electron donor based on isoindigo units bearing branched oligo(ethylene glycol) side chains for polymer solar cells. <i>Polymer Chemistry</i> , 2017, 8, 5496-5503.	1.9	26
158	Blue Thermally Activated Delayed Fluorescence Polymers with Nonconjugated Backbone and Through-Space Charge Transfer Effect. <i>Journal of the American Chemical Society</i> , 2017, 139, 17739-17742.	6.6	311
159	Methoxyl modification in furo[3,2-c]pyridine-based iridium complexes towards highly efficient green- and orange-emitting electrophosphorescent devices. <i>Journal of Materials Chemistry C</i> , 2017, 5, 12221-12227.	2.7	19
160	A double B [†] N bridged bipyridine (BNBP)-based polymer electron acceptor: all-polymer solar cells with a high donor-acceptor blend ratio. <i>Materials Chemistry Frontiers</i> , 2017, 1, 852-858.	3.2	27
161	Titelbild: Diketopyrrolopyrrole-based Conjugated Polymers Bearing Branched Oligo(Ethylene Glycol) Side Chains for Photovoltaic Devices (<i>Angew. Chem.</i> 35/2016). <i>Angewandte Chemie</i> , 2016, 128, 10307-10307.	1.6	0
162	Diketopyrrolopyrrole-based Conjugated Polymers Bearing Branched Oligo(Ethylene Glycol) Side Chains for Photovoltaic Devices. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 10376-10380.	7.2	120

#	ARTICLE	IF	CITATIONS
163	An Electron-Deficient Building Block Based on the B \uparrow N Unit: An Electron Acceptor for All-Polymer Solar Cells. <i>Angewandte Chemie</i> , 2016, 128, 1458-1462.	1.6	54
164	Diketopyrrolopyrrole-based Conjugated Polymers Bearing Branched Oligo(Ethylene Glycol) Side Chains for Photovoltaic Devices. <i>Angewandte Chemie</i> , 2016, 128, 10532-10536.	1.6	17
165	Polymer Acceptor Based on B \uparrow N Units with Enhanced Electron Mobility for Efficient All-Polymer Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5313-5317.	7.2	218
166	A Bromo-Functionalized Conjugated Polymer as a Cross-Linkable Anode Interlayer of Polymer Solar Cells. <i>Chemistry - an Asian Journal</i> , 2016, 11, 1218-1222.	1.7	2
167	A Cross-Linkable Donor Polymer as the Underlying Layer to Tune the Active Layer Morphology of Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2016, 26, 226-232.	7.8	41
168	Self-host yellow iridium dendrimers based on carbazole dendrons: synthesis, characterization and application in solution-processed organic light-emitting diodes. <i>Science China Chemistry</i> , 2016, 59, 1593-1599.	4.2	5
169	Star-shaped triazatruxene derivatives for rapid fluorescence fiber-optic detection of nitroaromatic explosive vapors. <i>RSC Advances</i> , 2016, 6, 31915-31918.	1.7	20
170	Low-bandgap polymer electron acceptors based on double B \uparrow N bridged bipyridine (BNBP) and diketopyrrolopyrrole (DPP) units for all-polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9961-9967.	2.7	46
171	Single molecular tuning of the charge balance in blue-emitting iridium dendrimers for efficient nondoped solution-processed phosphorescent OLEDs. <i>Chemical Communications</i> , 2016, 52, 11508-11511.	2.2	36
172	An alcohol-soluble and ion-free electron transporting material functionalized with phosphonate groups for solution-processed multilayer PLEDs. <i>Chemical Communications</i> , 2016, 52, 12052-12055.	2.2	12
173	Fullerene Adducts Bearing Cyano Moiety for Both High Dielectric Constant and Good Active Layer Morphology of Organic Photovoltaics. <i>Advanced Functional Materials</i> , 2016, 26, 6107-6113.	7.8	36
174	Self-Host Blue-Emitting Iridium Dendrimer Containing Bipolar Dendrons for Nondoped Electrophosphorescent Devices with Superior High-Brightness Performance. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 29600-29607.	4.0	46
175	Polymer Acceptor Based on B \uparrow N Units with Enhanced Electron Mobility for Efficient All-Polymer Solar Cells. <i>Angewandte Chemie</i> , 2016, 128, 5399-5403.	1.6	57
176	An Electron-Deficient Building Block Based on the B \uparrow N Unit: An Electron Acceptor for All-Polymer Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1436-1440.	7.2	235
177	Fiber-optic detection of nitroaromatic explosives with solution-processable triazatruxene-based hyperbranched conjugated polymer nanoparticles. <i>Polymer Chemistry</i> , 2016, 7, 4542-4548.	1.9	13
178	A polymer acceptor with an optimal LUMO energy level for all-polymer solar cells. <i>Chemical Science</i> , 2016, 7, 6197-6202.	3.7	98
179	Polymer Acceptor Based on Double B \uparrow N Bridged Bipyridine (BNBP) Unit for High-Efficiency All-Polymer Solar Cells. <i>Advanced Materials</i> , 2016, 28, 6504-6508.	11.1	298
180	InnenrÄ¼cktitelbild: Developing Conjugated Polymers with High Electron Affinity by Replacing a C \uparrow C Unit with a B \uparrow N Unit (<i>Angew. Chem.</i> 12/2015). <i>Angewandte Chemie</i> , 2015, 127, 3897-3897.	1.6	0

#	ARTICLE	IF	CITATIONS
181	Solution-Processed Phosphorescent Organic Light-Emitting Diodes with Ultralow Driving Voltage and Very High Power Efficiency. <i>Scientific Reports</i> , 2015, 5, 12487.	1.6	122
182	Ultrahigh Color-Stable, Solution-Processed, White OLEDs Using a Dendritic Binary Host and Long-Wavelength Dopants with Different Charge Trapping Depths. <i>Advanced Optical Materials</i> , 2015, 3, 1349-1354.	3.6	30
183	Facile Preparation of Molybdenum Bronzes as an Efficient Hole Extraction Layer in Organic Photovoltaics. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 13590-13596.	4.0	15
184	Developing Conjugated Polymers with High Electron Affinity by Replacing a C ₆ H ₄ Unit with a B ₃ N Unit. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3648-3652.	7.2	212
185	Intramolecular charge-transfer emission from conjugated polymer nanoparticles: the terminal group effect on electronic and optical properties. <i>Polymer Chemistry</i> , 2015, 6, 2305-2311.	1.9	26
186	Stable and efficient deep-blue terfluorenes functionalized with carbazole dendrons for solution-processed organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2015, 3, 8895-8903.	2.7	42
187	Replacing Alkyl with Oligo(ethylene glycol) as Side Chains of Conjugated Polymers for Close π - π Stacking. <i>Macromolecules</i> , 2015, 48, 4357-4363.	2.2	155
188	A binary solvent mixture-induced aggregation of a carbazole dendrimer host toward enhancing the performance of solution-processed blue electrophosphorescent devices. <i>Journal of Materials Chemistry C</i> , 2015, 3, 5050-5055.	2.7	11
189	Development of a donor polymer using a B ₃ N unit for suitable LUMO/HOMO energy levels and improved photovoltaic performance. <i>Polymer Chemistry</i> , 2015, 6, 8029-8035.	1.9	31
190	Facile synthesis of self-host functional iridium dendrimers up to the fourth generation with N-phenylcarbazole-based polyether dendrons for non-doped phosphorescent organic light-emitting diodes. <i>Polymer Chemistry</i> , 2015, 6, 1180-1191.	1.9	48
191	Starburst 4,4'-bis(2,2'-tris(carbazol-9-yl)-triphenylamine)-based deep-blue fluorescent emitters with tunable oligophenyl length for solution-processed undoped organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2015, 3, 861-869.	2.7	50
192	Synthesis and properties of greenish-blue-emitting iridium dendrimers with N-phenylcarbazole-based polyether dendrons by a post-dendronization route. <i>Dalton Transactions</i> , 2015, 44, 1052-1059.	1.6	18
193	Phosphonated conjugated polymers for polymer solar cells with a non-halogenated solvent process. <i>Polymer Chemistry</i> , 2015, 6, 805-812.	1.9	26
194	Green-Light-Emitting Poly(Spirobifluorene)s with an Electron-Rich Unit in the Side Chain and an Electron-Deficient Unit in the Main Chain. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 1107-1115.	1.1	9
195	Self-Host Blue-Emitting Iridium Dendrimer with Carbazole Dendrons: Nondoped Phosphorescent Organic Light-Emitting Diodes. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1048-1052.	7.2	187
196	Supramolecular metallogels with complex of phosphonate substituted carbazole derivative and aluminum(III) ion as gelator. <i>Journal of Colloid and Interface Science</i> , 2014, 425, 102-109.	5.0	5
197	A chlorinated phenazine-based donor-acceptor copolymer with enhanced photovoltaic performance. <i>Polymer Chemistry</i> , 2014, 5, 1848.	1.9	33
198	High open-circuit voltage polymer/polymer blend solar cells with a polyfluorene copolymer as the electron acceptor. <i>RSC Advances</i> , 2014, 4, 12579.	1.7	20

#	ARTICLE	IF	CITATIONS
199	Using interlayer step-wise triplet transfer to achieve an efficient white organic light-emitting diode with high color-stability. <i>Applied Physics Letters</i> , 2014, 104, 193303.	1.5	10
200	Dicyanovinyl-functionalized fluorescent hyperbranched conjugated polymer nanoparticles for sensitive naked-eye cyanide ion detection. <i>Polymer Chemistry</i> , 2014, 5, 5949-5956.	1.9	18
201	Phosphonate-Functionalized Donor Polymer as an Underlying Interlayer To Improve Active Layer Morphology in Polymer Solar Cells. <i>Macromolecules</i> , 2014, 47, 6246-6251.	2.2	42
202	Tunable charge transfer effect in poly(spirobifluorene)s with different electron-rich side chains. <i>Polymer Chemistry</i> , 2014, 5, 6444-6451.	1.9	18
203	Solution-processible 2,2'-dimethylbiphenyl Cored Carbazole Dendrimers as Universal Hosts for Efficient Blue, Green, and Red Phosphorescent OLEDs. <i>Advanced Functional Materials</i> , 2014, 24, 3413-3421.	7.8	67
204	Solution-dispersed porous hyperbranched conjugated polymer nanoparticles for fluorescent sensing of TNT with enhanced sensitivity. <i>Polymer Chemistry</i> , 2014, 5, 4521.	1.9	74
205	Poly(spirobifluorene)s Containing Nonconjugated Diphenylsulfone Moiety: Toward Blue Emission Through a Weak Charge Transfer Effect. <i>Macromolecules</i> , 2014, 47, 2907-2914.	2.2	48
206	Porous films based on a conjugated polymer gelator for fluorescent detection of explosive vapors. <i>Polymer Chemistry</i> , 2013, 4, 5056.	1.9	29
207	An A ² A ² D ² A ² type small molecule based on 2,7-carbazole for solution-processed organic solar cells with high open-circuit voltage. <i>RSC Advances</i> , 2013, 3, 23098.	1.7	15
208	Interfacial triplet confinement for achieving efficient solution-processed deep-blue and white electrophosphorescent devices with underestimated poly(N-vinylcarbazole) as the host. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4933.	2.7	32
209	Effects of molecular structures and solvent properties on the self-assembly of carbazole-based conjugated dendrimers by solvent vapor annealing. <i>RSC Advances</i> , 2013, 3, 8037.	1.7	7
210	Solution-processible hyperbranched conjugated polymer nanoparticles with tunable particle sizes by Suzuki polymerization in miniemulsion. <i>RSC Advances</i> , 2013, 3, 8645.	1.7	23
211	Supramolecular assemblies from carbazole dendrimers modulated by core size and molecular configuration. <i>Soft Matter</i> , 2013, 9, 10404.	1.2	11
212	Detection of explosives with porous xerogel film from conjugated carbazole-based dendrimers. <i>Journal of Materials Chemistry C</i> , 2013, 1, 786-792.	2.7	51
213	Synthesis and photovoltaic performance of donor-acceptor copolymers based on thieno[3,2-b]quinoxaline. <i>Polymer Chemistry</i> , 2013, 4, 2884.	1.9	4
214	Highly efficient iridium phosphors with phenoxy-substituted ligands and their high-performance OLEDs. <i>Journal of Materials Chemistry C</i> , 2013, 1, 808-821.	2.7	66
215	Constructing the nanointerpenetrating structure of PCDTBT:PC70BM bulk heterojunction solar cells induced by aggregation of PC70BM via mixed-solvent vapor annealing. <i>Journal of Materials Chemistry A</i> , 2013, 1, 6216.	5.2	72
216	Effect of side-chain positions on morphology and photovoltaic properties of phenazine-based donor-acceptor copolymers. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2910-2918.	2.5	13

#	ARTICLE	IF	CITATIONS
217	Small molecules based on 2,7-carbazole for efficient solution-processed organic solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 8805.	5.2	33
218	Morphological transformation of pyrazine-based acene-type molecules after blending with semiconducting polymers: from fibers to quadrilateral crystals. <i>Soft Matter</i> , 2013, 9, 5634.	1.2	1
219	Highly Efficient Blue Electrophosphorescent Polymers with Fluorinated Poly(arylene ether phosphine) Tj ETQq1 1 0.784314 rgBT /Over 6.6 90	6.6	90
220	Highly efficient tandem white organic light-emitting diodes based upon C60/NaT4 organic heterojunction as charge generation layer. <i>Journal of Materials Chemistry</i> , 2012, 22, 8492.	6.7	29
221	Phosphonate substituted 4,4'-bis(N-carbazolyl)biphenyl with dominant electron injection/transport ability for tuning the single-layer device performance of self-host phosphorescent dendrimer. <i>Journal of Materials Chemistry</i> , 2012, 22, 23680.	6.7	13
222	Synthesis and characterization of yellow-emitting electrophosphorescent polymers based on a fluorinated poly(arylene ether phosphine oxide) scaffold. <i>Journal of Materials Chemistry</i> , 2012, 22, 24848.	6.7	13
223	White Electroluminescence from All-Phosphorescent Single Polymers on a Fluorinated Poly(arylene) Tj ETQq1 1 0.784314 rgBT /Over 6.6 140	6.6	140
224	Enhancement of inverted polymer solar cells with solution-processed ZnO-TiO ₂ composite as cathode buffer layer. <i>Applied Physics Letters</i> , 2012, 100, 213906.	1.5	52
225	Thiazole-based metallophosphors of iridium with balanced carrier injection/transporting features and their two-colour WOLEDs fabricated by both vacuum deposition and solution processing-vacuum deposition hybrid strategy. <i>Journal of Materials Chemistry</i> , 2012, 22, 7136.	6.7	64
226	Meta-linked and para-linked water-soluble poly(arylene ethynylene)s with amino acid side chains: Effects of different linkage on Hg ²⁺ ion sensing properties in aqueous media. <i>Journal of Polymer Science Part A</i> , 2012, 50, 1521-1529.	2.5	9
227	Fluorene- and benzimidazole-based blue light-emitting copolymers: Synthesis, photophysical properties, and PLED applications. <i>Journal of Polymer Science Part A</i> , 2012, 50, 2172-2181.	2.5	14
228	White electroluminescent single-polymer achieved by incorporating three polyfluorene blue arms into a star-shaped orange core. <i>Journal of Polymer Science Part A</i> , 2012, 50, 2854-2862.	2.5	33
229	Red-emitting Dendritic Iridium(III) Complexes for Solution Processable Phosphorescent Organic Light-emitting Diodes. <i>Macromolecular Rapid Communications</i> , 2012, 33, 1036-1041.	2.0	27
230	Simple Tuning of the Optoelectronic Properties of Ir ^{III} and Pt ^{II} Electrophosphors Based on Linkage Isomer Formation with a Naphthylthiazolyl Moiety. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 2278-2288.	1.0	28
231	Spiro-linked Hyperbranched Architecture in Electrophosphorescent Conjugated Polymers for Tailoring Triplet Energy Back Transfer. <i>Advanced Materials</i> , 2012, 24, 2009-2013.	11.1	18
232	Platinum(II)-Bis(aryleneethynylene) Complexes for Solution-processible Molecular Bulk Heterojunction Solar Cells. <i>Chemistry - A European Journal</i> , 2012, 18, 1502-1511.	1.7	93
233	High-efficiency Single Emissive Layer White Organic Light-emitting Diodes Based on Solution-processed Dendritic Host and New Orange-emitting Iridium Complex. <i>Advanced Materials</i> , 2012, 24, 1873-1877.	11.1	345
234	Phosphonate-functionalized polyfluorene and its application in organic optoelectronic devices. <i>Polymer Bulletin</i> , 2012, 68, 829-845.	1.7	6

#	ARTICLE	IF	CITATIONS
235	Organic heterojunctions as a charge generation layer in tandem organic light-emitting diodes: the effect of interfacial energy level and charge carrier mobility. <i>Journal of Materials Chemistry</i> , 2011, 21, 15332.	6.7	38
236	Self-host heteroleptic green iridium dendrimers: achieving efficient non-doped device performance based on a simple molecular structure. <i>Chemical Communications</i> , 2011, 47, 9519.	2.2	47
237	Highly Selective and Sensitive Detection of Cyanide by a Reaction-Based Conjugated Polymer Chemosensor. <i>Macromolecules</i> , 2011, 44, 4241-4248.	2.2	99
238	Color tuning of Novel 2,1,3-Naphthothiadiazole and 2,1,3-Benzoselenadiazole based D-A-D ² Type dopants to realize highly efficient saturated red emission in non-polar solvents. <i>Journal of Materials Chemistry</i> , 2011, 21, 10265.	6.7	30
239	Red electroluminescent polyfluorenes containing highly efficient 2,1,3-benzoselenadiazole- and 2,1,3-naphthothiadiazole-based red dopants in the side chain. <i>Journal of Materials Chemistry</i> , 2011, 21, 15773.	6.7	15
240	Polyfluorenes containing pyrazine units: Synthesis, photophysics and electroluminescence. <i>Science China Chemistry</i> , 2011, 54, 656-665.	4.2	15
241	Pure blue electroluminescent poly(aryl ether)s with dopant-host systems. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3911-3919.	2.5	12
242	Enhanced Performance for Polymer Solar Cells by Using Surfactant-Modified PEDOT:PSS as the Anode Buffer Layer. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 1846-1851.	1.1	23
243	A Novel, Bipolar Polymeric Host for Highly Efficient Blue Electrophosphorescence: a Non-Conjugated Poly(aryl ether) Containing Triphenylphosphine Oxide Units in the Electron-Transporting Main Chain and Carbazole Units in Hole-Transporting Side Chains. <i>Advanced Materials</i> , 2011, 23, 3570-3574.	11.1	108
244	Green Electrophosphorescent Polymers with Poly(3,6-Carbazole) as the Backbone: A Linear Structure Does Realize High Efficiency. <i>Advanced Materials</i> , 2011, 23, 3726-3729.	11.1	42
245	Synthesis and characterization of red light-emitting electrophosphorescent polymers with different triplet energy main chain. <i>Polymer</i> , 2011, 52, 2189-2197.	1.8	28
246	High power efficiency tandem organic light-emitting diodes based on bulk heterojunction organic bipolar charge generation layer. <i>Applied Physics Letters</i> , 2011, 98, 243309.	1.5	77
247	Effect of organic bulk heterojunction as charge generation layer on the performance of tandem organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	24
248	Enhanced stability of zinc oxide-based hybrid polymer solar cells by manipulating ultraviolet light distribution in the active layer. <i>Applied Physics Letters</i> , 2011, 98, 203304.	1.5	32
249	Phosphorescent Cuprous Complexes with N,O Ligands – Synthesis, Photoluminescence, and Electroluminescence. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 4009-4017.	1.0	41
250	Red-Emitting Polyfluorenes Grafted with Quinoline-Based Iridium Complex: Simple Polymeric Chain, Unexpected High Efficiency. <i>Advanced Functional Materials</i> , 2010, 20, 138-146.	7.8	65
251	High-Performance All-Polymer White-Light-Emitting Diodes Using Polyfluorene Containing Phosphonate Groups as an Efficient Electron-Injection Layer. <i>Advanced Functional Materials</i> , 2010, 20, 2951-2957.	7.8	87
252	Pure and Saturated Red Electroluminescent Polyfluorenes with Dopant/Host System and PLED Efficiency/Color Purity Trade-Offs. <i>Advanced Functional Materials</i> , 2010, 20, 3143-3153.	7.8	60

#	ARTICLE	IF	CITATIONS
253	Phase Separation in Poly(9,9-diocetylfluorene)/Poly(methyl methacrylate) Blends. <i>Macromolecular Chemistry and Physics</i> , 2010, 211, 313-320.	1.1	12
254	Synthesis and characterization of polyfluorenes containing bisphenazine units. <i>Journal of Polymer Science Part A</i> , 2010, 48, 1990-1999.	2.5	17
255	On the origin of efficient electron injection at phosphonate-functionalized polyfluorene/aluminum interface in efficient polymer light-emitting diodes. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	22
256	Synthesis, Light-Emitting, and Two-Photon Absorption Properties of Platinum-Containing Poly(arylene-ethynylene)s Linked by 1,3,4-Oxadiazole Units. <i>Macromolecules</i> , 2010, 43, 7936-7949.	2.2	59
257	Detailed studies on energy loss mechanism in phosphor-sensitized fluorescent polymer light-emitting devices. <i>Journal of Applied Physics</i> , 2010, 107, 054515.	1.1	2
258	Balanced charge transport and enhanced white electroluminescence from a single white emissive polymer via thermal annealing. <i>Applied Physics Letters</i> , 2010, 96, 073303.	1.5	12
259	Controlling charge balance and exciton recombination by bipolar host in single-layer organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2010, 108, .	1.1	69
260	Smectic liquid crystals based on hexaazatriphenylene: potential organic n-type semiconductor. <i>New Journal of Chemistry</i> , 2010, 34, 2735.	1.4	13
261	Design of star-shaped molecular architectures based on carbazole and phosphine oxide moieties: towards amorphous bipolar hosts with high triplet energy for efficient blue electrophosphorescent devices. <i>Journal of Materials Chemistry</i> , 2010, 20, 8126.	6.7	131
262	Metallophosphors of platinum with distinct main-group elements: a versatile approach towards color tuning and white-light emission with superior efficiency/color quality/brightness trade-offs. <i>Journal of Materials Chemistry</i> , 2010, 20, 7472.	6.7	210
263	High solubility and photoluminescence quantum yield water-soluble polyfluorenes with dendronized amino acid side chains: synthesis, photophysical, and metal ion sensing properties. <i>Journal of Materials Chemistry</i> , 2010, 20, 7957.	6.7	23
264	Highly efficient single-emitting-layer white organic light-emitting diodes with reduced efficiency roll-off. <i>Applied Physics Letters</i> , 2009, 94, .	1.5	72
265	A high-performance tandem white organic light-emitting diode combining highly effective white-units and their interconnection layer. <i>Journal of Applied Physics</i> , 2009, 105, 076101.	1.1	50
266	Efficient inverted top-emitting organic light-emitting diodes using ultrathin MoO ₃ /C60 bilayer structure to enhance hole injection. <i>Applied Physics Letters</i> , 2009, 95, 203508.	1.5	22
267	Solution-processable Carbazole-Based Conjugated Dendritic Hosts for Power-Efficient Blue-Electrophosphorescent Devices. <i>Advanced Materials</i> , 2009, 21, 4983-4986.	11.1	141
268	Efficient Electrophosphorescence from a Platinum Metallopolyyne Featuring a 2,7-Carbazole Chromophore. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, 1786-1798.	1.1	62
269	Macromol. Chem. Phys. 21/2009. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, NA-NA.	1.1	0
270	Bifunctional Green Iridium Dendrimers with a Self-Host Feature for Highly Efficient Nondoped Electrophosphorescent Devices. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 6664-6666.	7.2	130

#	ARTICLE	IF	CITATIONS
271	Solvent vapor-induced self assembly and its influence on optoelectronic conversion of poly(3-hexylthiophene): Methanofullerene bulk heterojunction photovoltaic cells. <i>Journal of Applied Polymer Science</i> , 2009, 111, 1799-1804.	1.3	36
272	Water-soluble phosphate-functionalized polyfluorene as fluorescence biosensors toward cytochrome c. <i>Science in China Series B: Chemistry</i> , 2009, 52, 833-839.	0.8	7
273	A Divergent Synthesis of Very Large Polyphenylene Dendrimers with Iridium(III) Cores: Molecular Size Effect on the Performance of Phosphorescent Organic Light-Emitting Diodes. <i>Journal of the American Chemical Society</i> , 2009, 131, 14329-14336.	6.6	144
274	Novel spiro-fluorenes from tandem radical addition for liquid crystalline monodisperse conjugated oligomers. <i>Journal of Materials Chemistry</i> , 2009, 19, 399-408.	6.7	8
275	A versatile color tuning strategy for iridium(III) and platinum(II) electrophosphors by shifting the charge-transfer states with an electron-deficient core. <i>Journal of Materials Chemistry</i> , 2009, 19, 1872.	6.7	80
276	Synthesis, characterization, and electroluminescence of PPV copolymers containing electron and hole-transporting units. <i>Journal of Polymer Science Part A</i> , 2008, 46, 1566-1576.	2.5	24
277	Synthesis and characterization of color-stable electroluminescent polymers: Poly(dinaphtho[1,2-a:1'-a']indacene)s. <i>Journal of Polymer Science Part A</i> , 2008, 46, 4866-4878.	2.5	15
278	Solution-processible Red Iridium Dendrimers based on Oligocarbazole Host Dendrons: Synthesis, Properties, and their Applications in Organic Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2008, 18, 2754-2762.	7.8	142
279	White Electroluminescence from a Star-like Polymer with an Orange Emissive Core and Four Blue Emissive Arms. <i>Advanced Materials</i> , 2008, 20, 1357-1362.	11.1	115
280	Highly efficient red electroluminescent polymers with dopant/host system and molecular dispersion feature: polyfluorene as the host and 2,1,3-benzothiadiazole derivatives as the red dopant. <i>Journal of Materials Chemistry</i> , 2008, 18, 319-327.	6.7	33
281	Blue electroluminescent polymers with dopant-host systems and molecular dispersion features: polyfluorene as the deep blue host and 1,8-naphthalimide derivative units as the light blue dopants. <i>Journal of Materials Chemistry</i> , 2008, 18, 1659.	6.7	33
282	Multifunctional metallophosphors with anti-triplet-triplet annihilation properties for solution-processable electroluminescent devices. <i>Journal of Materials Chemistry</i> , 2008, 18, 1799.	6.7	108
283	Green light-emitting polyfluorenes with improved color purity incorporated with 4,7-diphenyl-2,1,3-benzothiadiazole moieties. <i>Journal of Materials Chemistry</i> , 2007, 17, 2832.	6.7	48
284	Fluorescent Conjugated Polymer-Stabilized Gold Nanoparticles for Sensitive and Selective Detection of Cysteine. <i>Journal of Physical Chemistry C</i> , 2007, 111, 13414-13417.	1.5	102
285	Synthesis and characterization of white-light-emitting polyfluorenes containing orange phosphorescent moieties in the side chain. <i>Journal of Polymer Science Part A</i> , 2007, 45, 1746-1757.	2.5	57
286	Luminescent supramolecular polymers: Cd ²⁺ -directed polymerization and properties. <i>Polymer International</i> , 2007, 56, 648-654.	1.6	20
287	Highly efficient green light emitting polyfluorene incorporated with 4-diphenylamino-1,8-naphthalimide as green dopant. <i>Journal of Materials Chemistry</i> , 2006, 16, 1431.	6.7	69
288	Phenylene vinylene-based electroluminescent polymers with electron transport block in the main chain. <i>Journal of Polymer Science Part A</i> , 2006, 44, 3469-3478.	2.5	11

#	ARTICLE	IF	CITATIONS
289	Synthesis, Crystal Structure, Spectroscopy and Electroluminescence of Zinc(II) Complexes Containing Bidentate 2-(2-pyridyl)quinoline Derivative Ligands. <i>Transition Metal Chemistry</i> , 2006, 31, 639-644.	0.7	16
290	Highly efficient phosphorescent bis-cyclometalated iridium complexes based on quinoline ligands. <i>Synthetic Metals</i> , 2005, 155, 539-548.	2.1	65
291	Novel Polyphenylenes Containing Phenol-Substituted Oxadiazole Moieties as Fluorescent Chemosensors for Fluoride Ion. <i>Macromolecules</i> , 2005, 38, 2148-2153.	2.2	95
292	Novel thiophene-aryl co-oligomers for organic thin film transistors. <i>Journal of Materials Chemistry</i> , 2005, 15, 3026.	6.7	66
293	White electroluminescence from polyfluorene chemically doped with 1,8-naphthalimide moieties. <i>Applied Physics Letters</i> , 2004, 85, 2172-2174.	1.5	140
294	Crosslinkable poly(p-phenylenevinylene) derivative. <i>Journal of Polymer Science Part A</i> , 2004, 42, 2124-2129.	2.5	17
295	Soluble, saturated-red-light-emitting poly(p-phenylenevinylene) containing triphenylamine units and cyano groups. <i>Journal of Polymer Science Part A</i> , 2004, 42, 3947-3953.	2.5	20
296	Novel Soluble N-Phenyl-Carbazole-Containing PPVs for Light-Emitting Devices: Synthesis, Electrochemical, Optical, and Electroluminescent Properties. <i>Macromolecular Chemistry and Physics</i> , 2004, 205, 247-255.	1.1	37
297	Novel hole-transporting materials based on 1,4-bis(carbazolyl)benzene for organic light-emitting devices. <i>Journal of Materials Chemistry</i> , 2004, 14, 895.	6.7	156
298	Oxadiazole-Functionalized Europium(III) β -Diketonate Complex for Efficient Red Electroluminescence. <i>Chemistry of Materials</i> , 2003, 15, 1935-1937.	3.2	162
299	Synthesis, characterization, photoluminescent and electroluminescent properties of new conjugated 2,2'-bis(arylenevinylene)bis-8-substituted quinolines. <i>Journal of Materials Chemistry</i> , 2003, 13, 1392-1399.	6.7	31
300	A hydroxyphenyloxadiazole lithium complex as a highly efficient blue emitter and interface material in organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2003, 13, 2922.	6.7	26
301	Polymer light-emitting diodes based on a bipolar transporting luminescent polymer. <i>Journal of Materials Chemistry</i> , 2003, 13, 773-777.	6.7	33
302	Oxadiazole-containing material with intense blue phosphorescence emission for organic light-emitting diodes. <i>Applied Physics Letters</i> , 2002, 81, 4-6.	1.5	71
303	Design, synthesis and characterization of novel nitrogen- and sulfur-containing polymers with well-defined conjugated length. <i>Journal of Materials Chemistry</i> , 2002, 12, 181-187.	6.7	7
304	Novel bipolar light-emitting copolymer containing triazole and triphenylamine moieties. <i>Journal of Polymer Science Part A</i> , 2002, 40, 1122-1126.	2.5	19
305	Synthesis of novel nitrogen- and sulfur-containing conjugated polymers used as hole-transporting materials for organic light-emitting diodes. <i>Journal of Polymer Science Part A</i> , 2002, 40, 1321-1333.	2.5	4
306	Poly(phenylene sulfide)-tetraaniline: The Soluble Conducting Polyaniline Analogue with Well-Defined Structures. <i>Macromolecules</i> , 2001, 34, 8453-8455.	2.2	27

#	ARTICLE	IF	CITATIONS
307	Synthesis and characterization of alternating copolymers containing triphenylamine as hole-transporting units. <i>Journal of Polymer Science Part A</i> , 2001, 39, 3278-3286.	2.5	22
308	Effect of configuration and conformation on the spin multiplicity in xylylene type biradicals. <i>Science in China Series B: Chemistry</i> , 2000, 43, 524-530.	0.8	11
309	Design, synthesis, and properties of polystyrene-based through-space charge transfer polymers: Effect of triplet energy level of electron donor moiety on delayed fluorescence and electroluminescence performance. <i>Journal of Polymer Science</i> , 0, , .	2.0	3
310	Resonating B, N Covalent Bond and Coordination Bond in Aromatic Compounds and Conjugated Polymers. <i>Angewandte Chemie</i> , 0, , .	1.6	2