
MaÃ⁻té Bueno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4634411/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------------------|-------------|
| 1 | Influence of tree species on selenium and iodine partitioning in an experimental forest ecosystem. Science of the Total Environment, 2022, 809, 151174. | 3.9 | 5 |
| 2 | Selenium distribution and speciation in waters of pristine alpine lakes from central-western Pyrenees (France–Spain). Environmental Sciences: Processes and Impacts, 2022, 24, 1430-1442. | 1.7 | 1 |
| 3 | First Time Identification of Selenoneine in Seabirds and Its Potential Role in Mercury Detoxification. Environmental Science & Technology, 2022, 56, 3288-3298. | 4.6 | 17 |
| 4 | Recycling and persistence of iodine 127 and 129 in forested environments: A modelling approach. Science of the Total Environment, 2022, 831, 154901. | 3.9 | 6 |
| 5 | Iodine distribution and volatilization in contrasting forms of forest humus during a laboratory incubation experiment. Journal of Environmental Radioactivity, 2022, 248, 106872. | 0.9 | 2 |
| 6 | Atmospheric iodine, selenium and caesium depositions in France: II. Influence of forest canopies. Chemosphere, 2021, 273, 128952. | 4.2 | 4 |
| 7 | Atmospheric iodine, selenium and caesium depositions in France: I. Spatial and seasonal variations. Chemosphere, 2021, 273, 128971. | 4.2 | 6 |
| 8 | Selenium distribution in French forests: Influence of environmental conditions. Science of the Total Environment, 2021, 774, 144962. | 3.9 | 12 |
| 9 | Tissue localization of selenium of parental or dietary origin in rainbow trout (<i>Oncorhynchus) Tj ETQq1 1 0.78</i> | 4314 rgBT 1.0 | Qverlock 10 |
| 10 | Effect of selenium sources in plant-based diets on antioxidant status and oxidative stress-related parameters in rainbow trout juveniles under chronic stress exposure. Aquaculture, 2020, 529, 735684. | 1.7 | 20 |
| 11 | Cycling and atmospheric exchanges of selenium in Canadian subarctic thermokarst ponds. Biogeochemistry, 2019, 145, 193-211. | 1.7 | 7 |
| 12 | Effect of dietary selenium in rainbow trout (Oncorhynchus mykiss) broodstock on antioxidant status, its parental transfer and oxidative status in the progeny. Aquaculture, 2019, 507, 126-138. | 1.7 | 42 |
| 13 | lodine budget in forest soils: Influence of environmental conditions and soil physicochemical properties. Chemosphere, 2019, 224, 20-28. | 4.2 | 23 |
| 14 | Leaching behavior of selenium from the karst infillings of the Hydrogeological Experimental Site of Poitiers. Chemical Geology, 2018, 483, 141-150. | 1.4 | 16 |
| 15 | Dissolved Organic Matter Controls Seasonal and Spatial Selenium Concentration Variability in Thaw Lakes across a Permafrost Gradient. Environmental Science & Technology, 2018, 52, 10254-10262. | 4.6 | 20 |
| 16 | lodine distribution and cycling in a beech (Fagus sylvatica) temperate forest. Science of the Total Environment, 2018, 645, 431-440. | 3.9 | 19 |
| 17 | Deproteinization assessment using isotopically enriched compounds to trace the coprecipitation of low-molecular-weight selenium species with proteins. Analytical Biochemistry, 2017, 530, 9-16. | 1.1 | 1 |
| 18 | Contribution of microbial activity to formation of organically bound chlorine during batch incubation of forest soil using 37Cl as a tracer. Soil Biology and Biochemistry, 2016, 100, 210-217. | 4.2 | 8 |

MaÃ⁻té Bueno

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 19 | Determination of the distribution and speciation of selenium in an argillaceous sample using chemical extractions and post-extractions analyses: application to the hydrogeological experimental site of Poitiers. Environmental Science and Pollution Research, 2016, 23, 9598-9613. | 2.7 | 14 |
| 20 | Influence of Se concentrations and species in hydroponic cultures on Se uptake, translocation and assimilation in non-accumulator ryegrass. Plant Physiology and Biochemistry, 2016, 108, 372-380. | 2.8 | 25 |
| 21 | Field study of time-dependent selenium partitioning in soils using isotopically enriched stable selenite tracer. Science of the Total Environment, 2016, 562, 280-288. | 3.9 | 44 |
| 22 | Influence of the forms and levels of dietary selenium on antioxidant status and oxidative stress-related parameters in rainbow trout (<i>Oncorhynchus mykiss</i>) fry. British Journal of Nutrition, 2015, 113, 1876-1887. | 1.2 | 71 |
| 23 | Stable isotope tracing: a powerful tool for selenium speciation and metabolic studies in non-hyperaccumulator plants (ryegrass Lolium perenne L.). Analytical and Bioanalytical Chemistry, 2015, 407, 9029-9042. | 1.9 | 16 |
| 24 | Influence of Dietary Selenium Species on Selenoamino Acid Levels in Rainbow Trout. Journal of Agricultural and Food Chemistry, 2015, 63, 6484-6492. | 2.4 | 25 |
| 25 | A new methodology involving stable isotope tracer to compare simultaneously short- and long-term selenium mobility in soils. Analytical and Bioanalytical Chemistry, 2014, 406, 1221-1231. | 1.9 | 25 |
| 26 | Distribution and speciation of ambient selenium in contrasted soils, from mineral to organic rich. Science of the Total Environment, 2014, 479-480, 93-101. | 3.9 | 106 |
| 27 | Study of volatile selenium metabolites stability in normal urine: effects of sample handling and storage conditions. Journal of Analytical Atomic Spectrometry, 2011, 26, 602. | 1.6 | 6 |
| 28 | Identification in human urine and blood of a novel selenium metabolite, Se-methylselenoneine, a potential biomarker of metabolization in mammals of the naturally occurring selenoneine, by HPLC coupled to electrospray hybrid linear ion trap-orbital ion trap MS. Metallomics, 2011, 3, 513. | 1.0 | 72 |
| 29 | Selenium speciation analysis at trace level in soils. Analytica Chimica Acta, 2011, 684, 126-133. | 2.6 | 58 |
| 30 | Quantitative analysis of volatile selenium metabolites in normal urine by headspace solid phase microextraction gas chromatography–inductively coupled plasma mass spectrometry. Talanta, 2009, 78, 759-763. | 2.9 | 41 |
| 31 | Organotin speciation in French brandies and wines by solid-phase microextraction and gas chromatography—Pulsed flame photometric detection. Journal of Chromatography A, 2008, 1180, 122-130. | 1.8 | 27 |
| 32 | Advantages of hydride generation interface for selenium speciation in waters by high performance liquid chromatography–inductively coupled plasma mass spectrometry coupling. Talanta, 2008, 75, 362-368. | 2.9 | 29 |
| 33 | Analytical advances in butyl-, phenyl- and octyltin speciation analysis in soil by GC-PFPD. Talanta, 2008, 75, 486-493. | 2.9 | 32 |
| 34 | Kinetic degradation processes of butyl- and phenyltins in soils. Chemosphere, 2008, 72, 940-946. | 4.2 | 28 |
| 35 | Optimisation of ICPMS collision/reaction cell conditions for the simultaneous removal of argon based interferences of arsenic and selenium in water samples. Talanta, 2007, 71, 2080-2084. | 2.9 | 42 |
| 36 | An HPLC/ICPMS study of the stability of selenosugars in human urine: implications for quantification, sample handling, and storage. Journal of Analytical Atomic Spectrometry, 2006, 21, 684-690. | 1.6 | 44 |

MaÃ⁻té Bueno

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Evaluation of porous graphitic carbon stationary phase for simultaneous preconcentration and separation of organic and inorganic selenium species in "clean―water systems. Journal of Chromatography A, 2006, 1114, 34-39. | 1.8 | 26 |
| 38 | New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation. Journal of Chromatography A, 2005, 1072, 19-27. | 1.8 | 38 |
| 39 | Operational optimisation of ICP—octopole collision/reaction cell—MS for applications to ultratrace selenium total and speciation determination. Journal of Analytical Atomic Spectrometry, 2005, 20, 88-94. | 1.6 | 38 |
| 40 | Sorption of tributyltin onto a natural quartz sand. Journal of Colloid and Interface Science, 2003, 263, 4-12. | 5.0 | 28 |
| 41 | Extraction procedure for organotin analysis in plant matrices: optimisation and application. Talanta, 2002, 57, 31-43. | 2.9 | 28 |
| 42 | Comparison of extraction procedures for arsenic speciation in environmental solid reference materials by high-performance liquid chromatography-hydride generation-atomic fluorescence spectroscopy. Applied Organometallic Chemistry, 2002, 16, 347-354. | 1.7 | 61 |
| 43 | Solid-phase extraction for the simultaneous preconcentration of organic (selenocystine) and inorganic [Se(IV), Se(VI)] selenium in natural waters. Journal of Chromatography A, 2002, 963, 185-193. | 1.8 | 60 |
| 44 | Effect of Solid Surface Composition on the Migration of Tributyltin in Groundwater. Environmental Science & Technology, 2001, 35, 1411-1419. | 4.6 | 20 |
| 45 | Dynamic Sorptive Behavior of Tributyltin on Quartz Sand at Low Concentration Levels:Â Effect of pH, Flow Rate, and Monovalent Cations. Environmental Science & Technology, 1998, 32, 3919-3925. | 4.6 | 32 |
| 46 | Analyse de formes chimiques et de nanoparticules dans les échantillons d'eauÂ: méthodes analytiques, préconcentration et validation. Revue Des Sciences De L'Eau, 0, 28, 27-32. | 0.2 | 0 |
| 47 | Biogeochemistry of selenium compounds in the water column of warm monomictic Lake Kinneret. Biogeochemistry, 0, , 1. | 1.7 | 1 |