

# Mara Lourdes Franco Garca

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/463447/maria-lourdes-franco-garcia-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125  
papers

2,164  
citations

25  
h-index

41  
g-index

128  
ext. papers

2,369  
ext. citations

3.9  
avg, IF

4.75  
L-index

#	Paper	IF	Citations
125	Characterization and degradation behavior of poly(butylene adipate-co-terephthalate)s. <i>Journal of Polymer Science Part A</i> , <b>2002</b> , 40, 4141-4157	2.5	143
124	Degradable Poly(ester amide)s for Biomedical Applications. <i>Polymers</i> , <b>2011</b> , 3, 65-99	4.5	141
123	Chain-folded lamellar crystals of aliphatic polyamides. Investigation of nylons 4 8, 4 10, 4 12, 6 10, 6 12, 6 18 and 8 12. <i>Polymer</i> , <b>1997</b> , 38, 2689-2699	3.9	110
122	Polyamides with a Choice of Structure and Crystal Surface Chemistry. Studies of Chain-Folded Lamellae of Nylons 8 10 and 10 12 and Comparison with the Other 2N2(N+ 1) Nylons 4 6 and 6 8. <i>Macromolecules</i> , <b>1997</b> , 30, 3569-3578	5.5	83
121	Temperature-induced changes in chain-folded lamellar crystals of aliphatic polyamides. Investigation of nylons 2 6, 2 8, 2 10, and 2 12. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>1997</b> , 35, 675-688	2.6	61
120	Chain-Folded Lamellar Crystals of Aliphatic Polyamides. Comparisons between Nylons 4 4, 6 4, 8 4, 10 4, and 12 4. <i>Macromolecules</i> , <b>1996</b> , 29, 6011-6018	5.5	61
119	Electrospinning of polylactide and polycaprolactone mixtures for preparation of materials with tunable drug release properties. <i>Journal of Polymer Research</i> , <b>2011</b> , 18, 1903-1917	2.7	59
118	Brill transition and melt crystallization of nylon 56: An odd-even polyamide with two hydrogen-bonding directions. <i>Polymer</i> , <b>2010</b> , 51, 5788-5798	3.9	58
117	New sulfonated polystyrene and styrene-ethylene/butylene-styrene block copolymers for applications in electro dialysis. <i>Journal of Physical Chemistry B</i> , <b>2012</b> , 116, 11767-79	3.4	51
116	Crystal Structures of Nylon 5,6. A Model with Two Hydrogen Bond Directions for Nylons Derived from Odd Diamines. <i>Macromolecules</i> , <b>1998</b> , 31, 8540-8548	5.5	49
115	Structure and Morphology of Odd Polyoxamides [Nylon 9,2]. A New Example of Hydrogen-Bonding Interactions in Two Different Directions. <i>Macromolecules</i> , <b>1998</b> , 31, 3912-3924	5.5	44
114	Micro-molding with ultrasonic vibration energy: new method to disperse nanoclays in polymer matrices. <i>Ultrasonics Sonochemistry</i> , <b>2014</b> , 21, 1557-69	8.9	43
113	Nylon 65 has a Unique Structure with Two Directions of Hydrogen Bonds. <i>Macromolecules</i> , <b>1995</b> , 28, 8742-8750	5.5	42
112	Biodegradable free-standing nanomembranes of conducting polymer:polyester blends as bioactive platforms for tissue engineering. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 585-594		40
111	Copolymerization of glycolide and trimethylene carbonate. <i>Journal of Polymer Science Part A</i> , <b>2006</b> , 44, 993-1013	2.5	39
110	Study on the Degradability of Poly(ester amide)s Related to Nylons and Polyesters 6,10 or 12,10. <i>Macromolecular Chemistry and Physics</i> , <b>2002</b> , 203, 48-58	2.6	39
109	Thermoplastic polyurethane:polythiophene nanomembranes for biomedical and biotechnological applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 9719-32	9.5	38

108	Study on the crystallization of poly(butylene azelate-co-butylene succinate) copolymers. <i>Thermochimica Acta</i> , <b>2014</b> , 575, 45-54	2.9	37
107	Molecular Packing of Polyesters Derived from 1,4-Butanediol and Even Aliphatic Dicarboxylic Acids. <i>Macromolecules</i> , <b>2004</b> , 37, 5300-5309	5.5	37
106	Thermal degradation studies of poly(trimethylene carbonate) blends with either polylactide or polycaprolactone. <i>Thermochimica Acta</i> , <b>2012</b> , 550, 65-75	2.9	36
105	Nylon 6 9 can crystallize with hydrogen bonding in two and in three interchain directions. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>1998</b> , 36, 1153-1165	2.6	36
104	Poly(ester amide)s derived from 1,4-butanediol, adipic acid and 6-aminohexanoic acid. Part II: composition changes and fillers. <i>Polymer</i> , <b>2003</b> , 44, 6139-6152	3.9	34
103	Structural data and thermal studies on nylon-12,10. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>1995</b> , 33, 2065-2073	2.6	31
102	On the crystal structure of oddEven nylons: Polymorphism of nylon 5,10 <b>1999</b> , 37, 2383-2395		29
101	Bioactive nanomembranes of semiconductor polythiophene and thermoplastic polyurethane: thermal, nanostructural and nanomechanical properties. <i>Polymer Chemistry</i> , <b>2013</b> , 4, 568-583	4.9	28
100	Poly(butylene azelate-co-butylene succinate) copolymers: Crystalline morphologies and degradation. <i>Polymer Degradation and Stability</i> , <b>2014</b> , 99, 80-91	4.7	25
99	The hydrolytic degradation of a segmented glycolideTrimethylene carbonate copolymer (Maxon). <i>Polymer Degradation and Stability</i> , <b>2007</b> , 92, 975-985	4.7	22
98	Synthesis and Structure of Nylons 1,n. <i>Macromolecules</i> , <b>1994</b> , 27, 4284-4297	5.5	22
97	Electrospun biodegradable polymers loaded with bactericide agents. <i>AIMS Molecular Science</i> , <b>2016</b> , 3, 52-87	0.9	22
96	Preparation and release study of ibuprofen-loaded porous matrices of a biodegradable poly(ester amide) derived from L-alanine units. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 122, 1953-1967	2.9	20
95	Synthesis and Characterization of Poly(glycolic acid-alt-6-aminohexanoic acid) and Poly(glycolic acid-alt-11-aminoundecanoic acid). <i>Macromolecular Chemistry and Physics</i> , <b>2004</b> , 205, 1782-1792	2.6	20
94	Crystallization kinetics of poly(hexamethylene succinate). <i>European Polymer Journal</i> , <b>2003</b> , 39, 1575-1583	3.2	19
93	Hydrogels for flexible and compressible free standing cellulose supercapacitors. <i>European Polymer Journal</i> , <b>2019</b> , 118, 347-357	5.2	18
92	Synthesis of glycolide/trimethylene carbonate copolymers: Influence of microstructure on properties. <i>European Polymer Journal</i> , <b>2012</b> , 48, 60-73	5.2	18
91	Synthesis of Poly(ester amide)s Derived from Glycolic Acid and the Amino Acids: Alanine or 4-Aminobutyric Acid. <i>Macromolecular Chemistry and Physics</i> , <b>2003</b> , 204, 2078-2089	2.6	18

90	Thermal stability and degradation studies of alternating poly(ester amide)s derived from glycolic acid and amino acids. <i>Journal of Applied Polymer Science</i> , <b>2006</b> , 102, 5545-5558	2.9	17
89	Crystalline Structure of Poly(decamethylene sebacate). Repercussions on Lamellar Folding Surfaces. <i>Macromolecules</i> , <b>2002</b> , 35, 3630-3635	5.5	17
88	Preparation of Nanocomposites of Poly( $\epsilon$ -caprolactone) and Multi-Walled Carbon Nanotubes by Ultrasound Micro-Molding. Influence of Nanotubes on Melting and Crystallization. <i>Polymers</i> , <b>2017</b> , 9,	4.5	16
87	Conformations of Nylons 1,n According to the Number of Methylene Carbons. <i>Macromolecules</i> , <b>1994</b> , 27, 4298-4303	5.5	16
86	Study of clay nanocomposites of the biodegradable polyhexamethylene succinate. Application of isoconversional analysis to nonisothermal crystallization. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2008</b> , 46, 2234-2248	2.6	15
85	Thermoresponsive Shape-Memory Hydrogel Actuators Made by Phototriggered Click Chemistry. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2001683	15.6	14
84	Biodegradability and biocompatibility of copoly(butylene sebacate-co-terephthalate)s. <i>Polymer Degradation and Stability</i> , <b>2017</b> , 135, 18-30	4.7	14
83	Synthesis of poly(ester amide)s with lateral groups from a bulk polycondensation reaction with formation of sodium chloride salts. <i>Journal of Polymer Science Part A</i> , <b>2008</b> , 46, 661-667	2.5	14
82	Poly(ester amide)/clay nanocomposites prepared by in situ polymerization of the sodium salt of N-chloroacetyl-6-aminohexanoic acid. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 3616-3629	2.5	13
81	Degradable polyoctamethylene suberate/clay nanocomposites. Crystallization studies by DSC and simultaneous SAXS/WAXD synchrotron radiation. <i>European Polymer Journal</i> , <b>2009</b> , 45, 398-409	5.2	13
80	Study of Non-Isothermal Crystallization of Polydioxanone and Analysis of Morphological Changes Occurring during Heating and Cooling Processes. <i>Polymers</i> , <b>2016</b> , 8,	4.5	13
79	Poly( $\epsilon$ -caprolactone) films reinforced with chlorhexidine loaded electrospun polylactide microfibers. <i>EXPRESS Polymer Letters</i> , <b>2017</b> , 11, 674-689	3.4	12
78	Reversible changes induced by temperature in the spherulitic birefringence of nylon 6 9. <i>Polymer</i> , <b>2015</b> , 76, 34-45	3.9	11
77	Preparation of micro-molded exfoliated clay nanocomposites by means of ultrasonic technology. <i>Journal of Polymer Research</i> , <b>2014</b> , 21, 1	2.7	11
76	Isothermal and non-isothermal crystallization kinetics of a polyglycolide copolymer having a tricomponent middle soft segment. <i>Thermochimica Acta</i> , <b>2014</b> , 585, 71-80	2.9	11
75	Thermal degradation studies on homopolymers and copolymers based on trimethylene carbonate and glycolide units. <i>Thermochimica Acta</i> , <b>2012</b> , 528, 23-31	2.9	11
74	Nanospheres and nanocapsules of amphiphilic copolymers constituted by methoxypolyethylene glycol cyanoacrylate and hexadecyl cyanoacrylate units. <i>EXPRESS Polymer Letters</i> , <b>2013</b> , 7, 2-20	3.4	11
73	Incorporation of triclosan into polydioxanone monofilaments and evaluation of the corresponding release. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 114, 3440-3451	2.9	11

72	Comparative thermal degradation studies on glycolide/trimethylene carbonate and lactide/trimethylene carbonate copolymers. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 104, 3539-3553	2.9	11
71	Poly(ester amide)s derived from 1,4-butanediol, adipic acid and 6-aminohexanoic acid. <i>Polymer Degradation and Stability</i> , <b>2004</b> , 85, 595-604	4.7	11
70	Isothermal crystallization of poly(glycolic acid-alt-6-hydroxyhexanoic acid) studied by DSC and real time synchrotron SAXS/WAXD. <i>Polymer</i> , <b>2007</b> , 48, 6018-6028	3.9	10
69	Non-Isothermal Crystallization Kinetics of Poly(4-Hydroxybutyrate) Biopolymer. <i>Molecules</i> , <b>2019</b> , 24,	4.8	9
68	Structural transitions of nylon 47 and clay influence on its crystallization behavior. <i>European Polymer Journal</i> , <b>2013</b> , 49, 1354-1364	5.2	9
67	Study on the hydrolytic degradation of glycolide/trimethylene carbonate copolymers having different microstructure and composition. <i>Polymer Degradation and Stability</i> , <b>2013</b> , 98, 133-143	4.7	9
66	Biodegradable Polyurethanes and Poly(ester amide)s <b>2011</b> , 133-154		9
65	Study on the brill transition and melt crystallization of nylon 65: A polymer able to adopt a structure with two hydrogen-bonding directions. <i>European Polymer Journal</i> , <b>2010</b> , 46, 2063-2077	5.2	9
64	Incorporation of glycine residues in even-even polyamides. Part II: Nylons 6,10 and 12,10. <i>Polymer</i> , <b>1999</b> , 40, 2429-2438	3.9	9
63	Effect of Hydroxyapatite Nanoparticles on the Degradability of Random Poly(butylene terephthalate-co-aliphatic dicarboxylate)s Having a High Content of Terephthalic Units. <i>Polymers</i> , <b>2016</b> , 8,	4.5	9
62	Preparation of Medicated Polylactide Micropieces by Means of Ultrasonic Technology. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 2360	2.6	8
61	Biphasic polylactide/polyamide 6,10 blends: Influence of composition on polyamide structure and polyester crystallization. <i>Polymer</i> , <b>2020</b> , 202, 122676	3.9	8
60	Isomeric cationic ionenes as n-dopant agents of poly(3,4-ethylenedioxythiophene) for in situ gelation. <i>Soft Matter</i> , <b>2018</b> , 14, 6374-6385	3.6	8
59	Isothermal Crystallization Kinetics of Poly(4-hydroxybutyrate) Biopolymer. <i>Materials</i> , <b>2019</b> , 12,	3.5	8
58	Incorporation of Chloramphenicol Loaded Hydroxyapatite Nanoparticles into Polylactide. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	8
57	Isothermal crystallization study on a biodegradable segmented copolymer constituted by glycolide and trimethylene carbonate units. <i>Journal of Applied Polymer Science</i> , <b>2010</b> , 116, 577-589	2.9	8
56	Poly[(4-hydroxybutyric acid)-alt-(glycolic acid)]: Synthesis by Thermal Polycondensation of Metal Salts of 4-Chlorobutyric Acid Carboxymethyl Ester. <i>Macromolecular Chemistry and Physics</i> , <b>2006</b> , 207, 90-103	2.6	8
55	Temperature-induced structural changes in even-odd nylons with long polymethylene segments. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2016</b> , 54, 2494-2506	2.6	8

54	Novel Biobased Epoxy Thermosets and Coatings from Poly(limonene carbonate) Oxide and Synthetic Hardeners.. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2022</b> , 10, 2708-2719	8.3	8
53	Study on the crystallization of multiarm stars with a poly(ethyleneimine) core and poly( $\epsilon$ -caprolactone) arms of different length. <i>Thermochimica Acta</i> , <b>2015</b> , 607, 39-52	2.9	7
52	Influence of pH on Morphology and Structure during Hydrolytic Degradation of the Segmented GL-b-[GL-co-TMC-co-CL]-b-GL Copolymer. <i>Fibers</i> , <b>2015</b> , 3, 348-372	3.7	7
51	Study on the hydrolytic degradation of the segmented GL-b-[GL-co-TMC-co-CL]-b-GL copolymer with application as monofilar surgical suture. <i>Polymer Degradation and Stability</i> , <b>2013</b> , 98, 2709-2721	4.7	7
50	Thermal stability studies on clay nanocomposites prepared from a degradable poly(ester amide) constituted by glycolic acid and 6-aminohexanoic acid. <i>Thermochimica Acta</i> , <b>2011</b> , 512, 142-149	2.9	7
49	Nonisothermal crystallization studies on poly(4-hydroxybutyric acid-alt-glycolic acid). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2008</b> , 46, 121-133	2.6	7
48	Synthesis and characterization of glycine copolymers of nylons 6 and 12. <i>Journal of Polymer Science Part A</i> , <b>1995</b> , 33, 727-741	2.5	7
47	Tuning the Kinetic Stability of the Amorphous Phase of the Chloramphenicol Antibiotic. <i>Molecular Pharmaceutics</i> , <b>2018</b> , 15, 5615-5624	5.6	7
46	Scaffolds with Tunable Properties Constituted by Electrospun Nanofibers of Polyglycolide and Poly( $\epsilon$ -caprolactone). <i>Macromolecular Materials and Engineering</i> , <b>2018</b> , 303, 1800100	3.9	7
45	Incorporation of biguanide compounds into poly(GL)-b-poly(GL-co-TMC-co-CL)-b-poly(GL) monofilament surgical sutures. <i>Materials Science and Engineering C</i> , <b>2017</b> , 71, 629-640	8.3	6
44	Influence of degradation on the crystallization behaviour of a biodegradable segmented copolymer constituted by glycolide and trimethylene carbonate units. <i>Polymer Degradation and Stability</i> , <b>2010</b> , 95, 2376-2387	4.7	6
43	Nanocomposites based on chain extended poly(L-lactic acid)/carboxylated carbon nanotubes: Crystallization kinetics and lamellar morphology. <i>Journal of Composite Materials</i> , <b>2019</b> , 53, 2131-2147	2.7	6
42	Thermally Induced Structural Transitions of Nylon 4 9 as a New Example of Even/Odd Polyamides. <i>Polymers</i> , <b>2018</b> , 10,	4.5	5
41	Influence of microstructure on the crystallization of segmented copolymers constituted by glycolide and trimethylene carbonate units. <i>EXPRESS Polymer Letters</i> , <b>2013</b> , 7, 186-198	3.4	5
40	Nonisothermal crystallization behavior of a biodegradable segmented copolymer constituted by glycolide and trimethylene carbonate units. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 119, 1548-1559	2.9	5
39	Sequence analysis of glycolide and p-dioxanone copolymers. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 6758-6770	2.5	5
38	Structure of odd/even nylons derived from 2-methylpentamethylenediamine. Effect of the side methyl group. <i>Polymer</i> , <b>1999</b> , 40, 6887-6892	3.9	5
37	Crystallization kinetics of chain extended poly(L-lactide)s having different molecular structures. <i>Materials Chemistry and Physics</i> , <b>2020</b> , 240, 122217	4.4	5



36	Hydrolytic and enzymatic degradation of biobased poly(4-hydroxybutyrate) films. Selective etching of spherulites. <i>Polymer Degradation and Stability</i> , <b>2021</b> , 183, 109451	4.7	5
35	Biodegradable nanofibrous scaffolds as smart delivery vehicles for amino acids. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134,	2.9	4
34	Thermal degradation of random copolyesters based on 1,4-butanediol, terephthalic acid and different aliphatic dicarboxylic acids. <i>Thermochimica Acta</i> , <b>2017</b> , 654, 101-111	2.9	4
33	Crystallization studies on a clay nanocomposite prepared from a degradable poly(ester amide) constituted by glycolic acid and 6-aminohexanoic acid. <i>Polymer Engineering and Science</i> , <b>2011</b> , 51, 1650-1681	2.3	4
32	Synthesis of poly(glycolic acid-alt-12-aminododecanoic acid): The thermal polymerization kinetics of sodium N-chloroacetyl-12-aminododecanoate. <i>Journal of Polymer Science Part A</i> , <b>2006</b> , 44, 1199-1213	2.5	4
31	Crystallization kinetics of PGBG4: A sequential poly(ester amide) derived from glycine, 1,4-butanediol, and adipic acid. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2003</b> , 41, 903-912	2.6	4
30	Smart systems related to polypeptide sequences. <i>AIMS Materials Science</i> , <b>2016</b> , 3, 289-323	1.9	4
29	Crystalline Structures and Structural Transitions of Copolyamides Derived from 1,4-Diaminobutane and Different Ratios of Glutaric and Azelaic Acids. <i>Polymers</i> , <b>2019</b> , 11,	4.5	3
28	Spherulitic morphologies of the triblock Poly(GL)-b-poly(GL-co-TMC-co-CL)-b-poly(GL) copolymer: Isothermal and non-isothermal crystallization studies. <i>European Polymer Journal</i> , <b>2015</b> , 73, 222-236	5.2	3
27	Biodegradable Polylactide Scaffolds with Pharmacological Activity by Means of Ultrasound Micromolding Technology. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 3106	2.6	3
26	Tunable Drug Loading and Reinforcement of Polycaprolactone Films by Means of Electrospun Nanofibers of Glycolide Segmented Copolymers. <i>Macromolecular Materials and Engineering</i> , <b>2018</b> , 303, 1700401	3.9	3
25	Synthesis and characterization of poly(ester amides)s with a variable ratio of branched odd diamide units. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	3
24	Poly(ester amide) nanocomposites by in situ polymerization: Kinetic studies on polycondensation and crystallization. <i>EXPRESS Polymer Letters</i> , <b>2011</b> , 5, 717-731	3.4	3
23	Incorporation of glycine residues in even-even nylons disrupts their characteristic all-trans conformation. <i>Polymer</i> , <b>1998</b> , 39, 5553-5560	3.9	3
22	Crystallographic structures on the sequential copolymer of $\epsilon$ -caprolactam and pyrrolidinone (nylon 4/6). <i>Polymer</i> , <b>1999</b> , 40, 3255-3259	3.9	3
21	Study on the crystallization of poly(alkylene dicarboxylate)s derived from 1,9-nonanediol and mixtures with different ratios of azelaic acid and pimelic acid units. <i>Journal of Polymer Research</i> , <b>2016</b> , 23, 1	2.7	2
20	Anhydric maleic functionalization and polyethylene glycol grafting of lactide-co-trimethylene carbonate copolymers. <i>Materials Science and Engineering C</i> , <b>2014</b> , 42, 517-28	8.3	2
19	Copolymerization of potassium chloroacetate and potassium N-chloroacetyl-6-aminohexanoate. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 126, 1425-1436	2.9	2

18	Crystallization behavior of clay nanocomposites prepared from a degradable alternating copolyester constituted by glycolic acid and 6-hydroxyhexanoic acid. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2010</b> , 48, 33-46	2.6	2
17	Isothermal crystallization kinetics and spherulitic morphology of poly(4-hydroxybutyric acid-alt-glycolic acid). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2007</b> , 45, 2640-2653	2.6	2
16	Polycondensation of Metal Salts of 6-(2-Chloroacetate)hexanoic Acid: A New Method to Synthesize Alternating Copolyesters Constituted by Glycolic Acid Units. <i>Macromolecular Chemistry and Physics</i> , <b>2008</b> , 209, 393-403	2.6	2
15	Microspheres of new alternating copolyesters derived from glycolic acid units for controlled drug release. <i>Journal of Applied Polymer Science</i> , <b>2008</b> , 110, 2127-2138	2.9	2
14	Spherulites from polyamides with a structure characterized by three hydrogen-bond directions. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2002</b> , 40, 1719-1726	2.6	2
13	Temperature dependence of the dynamics of methylene chains in aliphatic nylons of different chain length. <i>Physica B: Condensed Matter</i> , <b>2000</b> , 276-278, 421-422	2.8	2
12	Improvement of Biodegradability and Biocompatibility of Electrospun Scaffolds of Poly(butylene terephthalate) by Incorporation of Sebacate Units. <i>Macromolecular Research</i> , <b>2020</b> , 28, 23-32	1.9	2
11	Smart design for a flexible, functionalized and electroresponsive hybrid platform based on poly(3,4-ethylenedioxythiophene) derivatives to improve cell viability. <i>Journal of Materials Chemistry B</i> , <b>2020</b> , 8, 8864-8877	7.3	2
10	Electrospun scaffolds for wound healing applications from poly(4-hydroxybutyrate): A biobased and biodegradable linear polymer with high elastomeric properties. <i>Journal of Applied Polymer Science</i> , <b>2022</b> , 139, 51447	2.9	2
9	Biobased Terpene Derivatives: Stiff and Biocompatible Compounds to Tune Biodegradability and Properties of Poly(butylene succinate).. <i>Polymers</i> , <b>2021</b> , 14,	4.5	2
8	Microstructural Changes during Degradation of Biobased Poly(4-hydroxybutyrate) Sutures. <i>Polymers</i> , <b>2020</b> , 12,	4.5	1
7	Preparation of random poly(butylene alkylate-co-terephthalate)s with different methylene group contents: crystallization and degradation kinetics. <i>Journal of Polymer Research</i> , <b>2017</b> , 24, 1	2.7	0
6	Effect of curcumin on thermal degradation of poly(glycolic acid) and poly( $\epsilon$ -caprolactone) blends. <i>Thermochimica Acta</i> , <b>2020</b> , 693, 178764	2.9	0
5	Chloramphenicol loaded polylactide melt electrospun scaffolds for biomedical applications. <i>International Journal of Pharmaceutics</i> , <b>2021</b> , 606, 120897	6.5	0
4	Poly(butylene succinate) matrices obtained by thermally-induced phase separation: Pore shape and orientation affect drug release. <i>Polymer</i> , <b>2022</b> , 252, 124916	3.9	0
3	Aliphatic Polyester and Poly(ester amide) Clay Nanocomposites by In-situ Polymerization <b>2011</b> , 367-386		
2	Efficient One-Pot Preparation of Thermo-responsive Polyurethanes with Lower Critical Solution Temperatures. <i>ChemPlusChem</i> , <b>2021</b> , 86, 1570-1576	2.8	
1	The effect of dodecylbenzenesulfonic acid molecules on poly(4,4-diphenylether-5,5-dibenzimidazole) films. <i>Journal of Polymer Research</i> , <b>2020</b> , 27, 1	2.7	



