Kentaro Miyake

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4636289/kentaro-miyake-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 2,165 158 38 g-index h-index citations papers 170 2,470 4.59 3.7 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
158	Therapeutic Targets and Emerging Treatments in Advanced Chondrosarcoma <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	6
157	Impact of Gemcitabine Plus S1 Neoadjuvant Chemotherapy on Borderline Resectable Perihilar Cholangiocarcinoma <i>Annals of Surgical Oncology</i> , 2022 , 29, 2393	3.1	1
156	Pretreatment Neutrophil Count and Platelet-lymphocyte Ratio as Predictors of Metastasis in Patients With Osteosarcoma <i>Anticancer Research</i> , 2022 , 42, 1081-1089	2.3	O
155	A scoring system combining clinical, radiological, and histopathological examinations for differential diagnosis between lipoma and atypical lipomatous tumor/well-differentiated liposarcoma <i>Scientific Reports</i> , 2022 , 12, 237	4.9	1
154	Linkage of methionine addiction, histone lysine hypermethylation, and malignancy <i>IScience</i> , 2022 , 25, 104162	6.1	3
153	Primary total knee arthroplasty assisted by computed tomography-free navigation for secondary knee osteoarthritis following massive calcium phosphate cement packing for distal femoral giant-cell bone tumor treatment: a case report <i>BMC Musculoskeletal Disorders</i> , 2022 , 23, 170	2.8	
152	Osteosarcoma Patient-derived Orthotopic Xenograft (PDOX) Models Used to Identify Novel and Effective Therapeutics: A Review. <i>Anticancer Research</i> , 2021 , 41, 5865-5871	2.3	6
151	An mTOR and VEGFR inhibitor combination arrests a doxorubicin resistant lung metastatic osteosarcoma in a PDOX mouse model. <i>Scientific Reports</i> , 2021 , 11, 8583	4.9	3
150	Delayed Initiation of Treatment Is Associated With Metastasis of Malignant Bone Tumor. <i>Anticancer Research</i> , 2021 , 41, 2993-2999	2.3	
149	Multikinase-Inhibitor Screening in Drug-resistant Osteosarcoma Patient-derived Orthotopic Xenograft Mouse Models Identifies the Clinical Potential of Regorafenib. <i>Cancer Genomics and Proteomics</i> , 2021 , 18, 637-643	3.3	O
148	The number of osteoclasts in a biopsy specimen can predict the efficacy of neoadjuvant chemotherapy for primary osteosarcoma. <i>Scientific Reports</i> , 2021 , 11, 1989	4.9	2
147	Reduction of gender-associated M2-like tumor-associated macrophages in the tumor microenvironment of patients with pancreatic cancer after neoadjuvant chemoradiotherapy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 , 28, 174-182	2.8	3
146	Reconstruction using a frozen autograft for a skull and humeral lesion of synchronous multicentric osteosarcoma after undergoing successful neoadjuvant chemotherapy: a case report and review of the literature. <i>BMC Surgery</i> , 2021 , 21, 56	2.3	2
145	Long-term survival in a patient with Hutchinson-Gilford progeria syndrome and osteosarcoma: A case report. <i>World Journal of Clinical Cases</i> , 2021 , 9, 854-863	1.6	
144	Combination Methionine-methylation-axis Blockade: A Novel Approach to Target the Methionine Addiction of Cancer. <i>Cancer Genomics and Proteomics</i> , 2021 , 18, 113-120	3.3	4
143	Significant Improvement After Surgery for a Symptomatic Osteoblastoma in a Patient with Camurati-Engelmann Disease: Case Report and Literature Review. <i>Calcified Tissue International</i> , 2021 , 108, 819-824	3.9	O
142	A Radiological Scoring System for Differentiation between Enchondroma and Chondrosarcoma. <i>Cancers</i> , 2021 , 13,	6.6	2

141	Clinical outcomes of frozen autograft reconstruction for the treatment of primary bone sarcoma in adolescents and young adults. <i>Scientific Reports</i> , 2021 , 11, 17291	4.9	1
140	Severe anaphylaxis caused by intravenous anti-cancer drugs. <i>Cancer Medicine</i> , 2021 , 10, 7174-7183	4.8	1
139	Association of low back pain with muscle weakness, decreased mobility function, and malnutrition in older women: A cross-sectional study. <i>PLoS ONE</i> , 2021 , 16, e0245879	3.7	2
138	Low-grade myofibroblastic sarcoma of the levator scapulae muscle: a case report and literature review. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 836	2.8	3
137	Comparison of the Efficacy of EGFR Tyrosine Kinase Inhibitors Erlotinib and Low-dose Osimertinib on a PC-9-GFP Mutant Non-small-cell Lung Cancer Growing in the Brain of Nude Mice. <i>In Vivo</i> , 2020 , 34, 1027-1030	2.3	
136	A Novel Anionic-phosphate-platinum Complex Effectively Targets a Cisplatinum-resistant Osteosarcoma in a Patient-derived Orthotopic Xenograft Mouse Model. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 217-223	3.3	4
135	Eribulin Regresses a Cisplatinum-resistant Rare-type Triple-negative Matrix-producing Breast Carcinoma Patient-derived Orthotopic Xenograft Mouse Model. <i>Anticancer Research</i> , 2020 , 40, 2475-24	79 3	4
134	Recombinant Methioninase Combined With Tumor-targeting A1-R Induced Regression in a PDOX Mouse Model of Doxorubicin-resistant Dedifferentiated Liposarcoma. <i>Anticancer Research</i> , 2020 , 40, 2515-2523	2.3	3
133	Eribulin Regresses a Doxorubicin-resistant Dedifferentiated Liposarcoma in a Patient-derived Orthotopic Xenograft Mouse Model. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 351-358	3.3	1
132	Recent Advances and Challenges in the Treatment of Rhabdomyosarcoma. <i>Cancers</i> , 2020 , 12,	6.6	9
131	Exquisite Tumor Targeting by Salmonella A1-R in Combination with Caffeine and Valproic Acid Regresses an Adult Pleomorphic Rhabdomyosarcoma Patient-Derived Orthotopic Xenograft Mouse Model. <i>Translational Oncology</i> , 2020 , 13, 393-400	4.9	4
130	The accuracy of different FRAX tools in predicting fracture risk in Japan: A comparison study. Journal of Orthopaedic Surgery, 2020 , 28, 2309499020917276	1.4	1
129	Glycogen synthase kinase 3las a potential therapeutic target in synovial sarcoma and fibrosarcoma. <i>Cancer Science</i> , 2020 , 111, 429-440	6.9	14
128	Delayed Initiation of Treatment Is Associated With Metastasis of Soft-tissue Sarcoma. <i>Anticancer Research</i> , 2020 , 40, 7009-7015	2.3	2
127	A case of triple digestive tract reconstruction in chronic pancreatitis complicated with bile ductal stenosis, duodenal stenosis, and portal vein stenosis: a case report. <i>Surgical Case Reports</i> , 2020 , 6, 116	0.8	
126	Distal Tibial Tuberosity Focal Dome Osteotomy Combined With Intra-Articular Condylar Osteotomy (Focal Dome Condylar Osteotomy) for Medial Osteoarthritis of the Knee Joint. <i>Arthroscopy Techniques</i> , 2020 , 9, e1079-e1086	1.7	Ο
125	The combination of oral-recombinant methioninase and azacitidine arrests alkhemotherapy-resistant osteosarcoma patient-derived orthotopic xenograft mouse model. <i>Cancer Chemotherapy and Pharmacology</i> , 2020 , 85, 285-291	3.5	14
124	Combination of oral recombinant methioninase and decitabine arrests a chemotherapy-resistant undifferentiated soft-tissue sarcoma patient-derived orthotopic xenograft mouse model. Biochemical and Biophysical Research Communications, 2020, 523, 135-139	3.4	6

123	PPAR[Agonist Pioglitazone in Combination With Cisplatinum Arrests a Chemotherapy-resistant Osteosarcoma PDOX Model. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 35-40	3.3	9
122	Secondary Osteoarthritis After Curettage and Calcium Phosphate Cementing for Giant-Cell Tumor of Bone Around the Knee Joint: Long-Term Follow-up. <i>JBJS Open Access</i> , 2020 , 5,	3.1	4
121	Osimertinib regressed an EGFR-mutant lung-adenocarcinoma bone-metastasis mouse model and increased long-term survival. <i>Translational Oncology</i> , 2020 , 13, 100826	4.9	1
120	A novel patient-derived orthotopic xenograft (PDOX) mouse model of highly-aggressive liver metastasis for identification of candidate effective drug-combinations. <i>Scientific Reports</i> , 2020 , 10, 201	0 \$ ·9	3
119	Diagnosis and treatment of intramedullary osteosclerosis: a report of three cases and literature review. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 762	2.8	О
118	Oral recombinant methioninase increases TRAIL receptor-2 expression to regress pancreatic cancer in combination with agonist tigatuzumab in an orthotopic mouse model. <i>Cancer Letters</i> , 2020 , 492, 174-	-184	7
117	Improvement of locomotive syndrome with surgical treatment in patients with degenerative diseases in the lumbar spine and lower extremities: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 515	2.8	2
116	Clinical course of grafted cartilage in osteoarticular frozen autografts for reconstruction after resection of malignant bone and soft-tissue tumor involving an epiphysis. <i>Journal of Bone Oncology</i> , 2020 , 24, 100310	4.5	4
115	Structural Origin and Surgical Complications of Peripheral Schwannomas. <i>Anticancer Research</i> , 2020 , 40, 6563-6570	2.3	
114	Patient-derived orthotopic xenograft models of sarcoma. <i>Cancer Letters</i> , 2020 , 469, 332-339	9.9	11
113	Oral Recombinant Methioninase Overcomes Colorectal-cancer Liver Metastasis Resistance to the Combination of 5-Fluorouracil and Oxaliplatinum in a Patient-derived Orthotopic Xenograft Mouse Model. <i>Anticancer Research</i> , 2019 , 39, 4667-4671	2.3	13
112	Esophageal metastasis of breast cancer during endocrine therapy for pleural dissemination 21 years after breast surgery: a case report. <i>Surgical Case Reports</i> , 2019 , 5, 22	0.8	7
111	Pioglitazone, an agonist of PPAR preverses doxorubicin-resistance in an osteosarcoma patient-derived orthotopic xenograft model by downregulating P-glycoprotein expression. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 118, 109356	7.5	18
110	Combination Treatment With Sorafenib and Everolimus Regresses a Doxorubicin-resistant Osteosarcoma in a PDOX Mouse Model. <i>Anticancer Research</i> , 2019 , 39, 4781-4786	2.3	12
109	Efficacy of prolonged elemental diet therapy after pancreaticoduodenectomy for pancreatic ductal adenocarcinoma: A[pilot prospective randomized trial (UMIN000004108). <i>Clinical Nutrition ESPEN</i> , 2019 , 34, 116-124	1.3	О
108	Induction of Metastasis by Low-dose Gemcitabine in a Pancreatic Cancer Orthotopic Mouse Model: An Opposite Effect of Chemotherapy. <i>Anticancer Research</i> , 2019 , 39, 5339-5344	2.3	5
107	Gemcitabine combined with docetaxel precisely regressed a recurrent leiomyosarcoma peritoneal metastasis in a patient-derived orthotopic xenograft (PDOX) model. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 509, 1041-1046	3.4	10
106	Efficacy of Recombinant Methioninase (rMETase) on Recalcitrant Cancer Patient-Derived Orthotopic Xenograft (PDOX) Mouse Models: A Review. <i>Cells</i> , 2019 , 8,	7.9	21

10	05	Efficacy of Tumor-Targeting A1-R against Malignancies in Patient-Derived Orthotopic Xenograft (PDOX) Murine Models. <i>Cells</i> , 2019 , 8,	7.9	9	
10	04	The combination of gemcitabine and docetaxel arrests a doxorubicin-resistant dedifferentiated liposarcoma in a patient-derived orthotopic xenograft model. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 117, 109093	7.5	3	
10	03	Pazopanib regresses a doxorubicin-resistant synovial sarcoma in a patient-derived orthotopic xenograft mouse model. <i>Tissue and Cell</i> , 2019 , 58, 107-111	2.7	3	
10	02	Determining Patient Satisfaction and Treatment Desires in Patients With Musculoskeletal Sarcoma of the Knee After Joint-preservation Surgery Using a Questionnaire Survey. <i>Anticancer Research</i> , 2019 , 39, 1965-1969	2.3	1	
10	01	Temozolomide targets and arrests a doxorubicin-resistant follicular dendritic-cell sarcoma patient-derived orthotopic xenograft mouse model. <i>Tissue and Cell</i> , 2019 , 58, 17-23	2.7	6	
10	00	Olaratumab combined with doxorubicin and ifosfamide overcomes individual doxorubicin and olaratumab resistance of an undifferentiated soft-tissue sarcoma in a PDOX mouse model. <i>Cancer Letters</i> , 2019 , 451, 122-127	9.9	10	
9	9	Regorafenib regressed a doxorubicin-resistant Ewing sarcoma in a patient-derived orthotopic xenograft (PDOX) nude mouse model. <i>Cancer Chemotherapy and Pharmacology</i> , 2019 , 83, 809-815	3.5	14	
9	8	Successful treatment of pathologic femoral shaft fracture associated with large arteriovenous malformations using a 3-dimensional external fixator and teriparatide: a case report. <i>BMC Surgery</i> , 2019 , 19, 35	2.3	5	
9	7	Satisfaction After Joint-preservation Surgery in Patients With Musculoskeletal Knee Sarcoma Based on Various Scores. <i>Anticancer Research</i> , 2019 , 39, 1959-1964	2.3	1	
9	6	Trabectedin and irinotecan combination regresses a cisplatinum-resistant osteosarcoma in a patient-derived orthotopic xenograft nude-mouse model. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 513, 326-331	3.4	21	
9.	5	The combination of olaratumab with gemcitabine and docetaxel arrests a chemotherapy-resistant undifferentiated soft-tissue sarcoma in a patient-derived orthotopic xenograft mouse model. <i>Cancer Chemotherapy and Pharmacology</i> , 2019 , 83, 1075-1082	3.5	6	
9.	4	Tumor-targeting Salmonella typhimurium A1-R overcomes nab-paclitaxel resistance in a cervical cancer PDOX mouse model. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 1683-1690	2.5	7	
9.	3	Methioninase Cell-Cycle Trap Cancer Chemotherapy. <i>Methods in Molecular Biology</i> , 2019 , 1866, 133-148	1.4	1	
9	2	High Efficacy of Recombinant Methioninase on Patient-Derived Orthotopic Xenograft (PDOX) Mouse Models of Cancer. <i>Methods in Molecular Biology</i> , 2019 , 1866, 149-161	1.4	4	
9	1	Patterns of sensitivity to a panel of drugs are highly individualised for undifferentiated/unclassified soft tissue sarcoma (USTS) in patient-derived orthotopic xenograft (PDOX) nude-mouse models. Journal of Drug Targeting, 2019, 27, 211-216	5.4	9	
9	Ο	Sorafenib and Palbociclib Combination Regresses a Cisplatinum-resistant Osteosarcoma in a PDOX Mouse Model. <i>Anticancer Research</i> , 2019 , 39, 4079-4084	2.3	11	
8	9	Tumor-sealing Surgical Orthotopic Implantation of Human Colon Cancer in Nude Mice Induces Clinically-relevant Metastases Without Early Peritoneal Carcinomatosis. <i>Anticancer Research</i> , 2019 , 39, 4065-4071	2.3	4	
8	8	The Combination of Olaratumab with Doxorubicin and Cisplatinum Regresses a Chemotherapy-Resistant Osteosarcoma in a Patient-Derived Orthotopic Xenograft Mouse Model. Translational Oncology 2019, 12, 1257-1263	4.9	7	

87	Peritoneal Metastases in a Patient-derived Orthotopic Xenograft (PDOX) Model of Colon Cancer Imaged Non-invasively Red Fluorescent Protein Labeled Stromal Cells. <i>Anticancer Research</i> , 2019 , 39, 3463-3467	2.3	6
86	Eribulin Suppressed Cisplatinum- and Doxorubicin-resistant Recurrent Lung Metastatic Osteosarcoma in a Patient-derived Orthotopic Xenograft Mouse Model. <i>Anticancer Research</i> , 2019 , 39, 4775-4779	2.3	9
85	A patient-derived orthotopic xenograft (PDOX) nude-mouse model precisely identifies effective and ineffective therapies for recurrent leiomyosarcoma. <i>Pharmacological Research</i> , 2019 , 142, 169-175	10.2	12
84	Osimertinib Regresses an EGFR-Mutant Cisplatinum- Resistant Lung Adenocarcinoma Growing in the Brain in Nude Mice. <i>Translational Oncology</i> , 2019 , 12, 640-645	4.9	8
83	Oral Recombinant Methioninase, Combined With Oral Caffeine and Injected Cisplatinum, Overcome Cisplatinum-Resistance and Regresses Patient-derived Orthotopic Xenograft Model of Osteosarcoma. <i>Anticancer Research</i> , 2019 , 39, 4653-4657	2.3	16
82	The combination of gemcitabine and nab-paclitaxel as a novel effective treatment strategy for undifferentiated soft-tissue sarcoma in a patient-derived orthotopic xenograft (PDOX) nude-mouse model. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 111, 835-840	7.5	8
81	Detection of Metastasis in a Patient-derived Orthotopic Xenograft (PDOX) Model of Undifferentiated Pleomorphic Sarcoma with Red Fluorescent Protein. <i>Anticancer Research</i> , 2019 , 39, 81-85	2.3	12
80	Therapeutic Targets for Bone and Soft-Tissue Sarcomas. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	34
79	Regorafenib regresses an imatinib-resistant recurrent gastrointestinal stromal tumor (GIST) with a mutation in exons 11 and 17 of c-kit in a patient-derived orthotopic xenograft (PDOX) nude mouse model. <i>Cell Cycle</i> , 2018 , 17, 722-727	4.7	9
78	Tumor-targeting Salmonella typhimurium A1-R is a highly effective general therapeutic for undifferentiated soft tissue sarcoma patient-derived orthotopic xenograft nude-mouse models. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 497, 1055-1061	3.4	22
77	Targeting altered cancer methionine metabolism with recombinant methioninase (rMETase) overcomes partial gemcitabine-resistance and regresses a patient-derived orthotopic xenograft (PDOX) nude mouse model of pancreatic cancer. <i>Cell Cycle</i> , 2018 , 17, 868-873	4.7	16
76	Tumor-targeting Salmonella typhimurium A1-R combined with recombinant methioninase and cisplatinum eradicates an osteosarcoma cisplatinum-resistant lung metastasis in a patient-derived orthotopic xenograft (PDOX) mouse model: decoy, trap and kill chemotherapy moves toward the	4.7	41
75	Tumor-Specific Labeling of Pancreatic Cancer Using a Humanized Anti-CEA Antibody Conjugated to a Near-Infrared Fluorophore. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1079-1085	3.1	26
74	Individualized doxorubicin sensitivity testing of undifferentiated soft tissue sarcoma (USTS) in a patient-derived orthotopic xenograft (PDOX) model demonstrates large differences between patients. <i>Cell Cycle</i> , 2018 , 17, 627-633	4.7	13
73	Recombinant methioninase in combination with doxorubicin (DOX) overcomes first-line DOX resistance in a patient-derived orthotopic xenograft nude-mouse model of undifferentiated spindle-cell sarcoma. <i>Cancer Letters</i> , 2018 , 417, 168-173	9.9	47
72	Tumor-Targeting Salmonella typhimurium A1-R Promotes Tumoricidal CD8 T Cell Tumor Infiltration and Arrests Growth and Metastasis in a Syngeneic Pancreatic-Cancer Orthotopic Mouse Model. Journal of Cellular Biochemistry, 2018 , 119, 634-639	4.7	11
71	Eribulin regresses a doxorubicin-resistant Ewing's sarcoma with a FUS-ERG fusion and CDKN2A-deletion in a patient-derived orthotopic xenograft (PDOX) nude mouse model. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 967-972	4.7	12
70	Patient-derived orthotopic xenograft models for cancer of unknown primary precisely distinguish chemotherapy, and tumor-targeting A1-R is superior to first-line chemotherapy. Signal Transduction and Targeted Therapy 2018, 3, 12	21	5

(2018-2018)

69	Temozolomide regresses a doxorubicin-resistant undifferentiated spindle-cell sarcoma patient-derived orthotopic xenograft (PDOX): precision-oncology nude-mouse model matching the patient with effective therapy. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 6598-6603	4.7	13
68	Doxorubicin-resistant pleomorphic liposarcoma with PDGFRA gene amplification is targeted and regressed by pazopanib in a patient-derived orthotopic xenograft mouse model. <i>Tissue and Cell</i> , 2018 , 53, 30-36	2.7	15
67	Trabectedin arrests a doxorubicin-resistant PDGFRA-activated liposarcoma patient-derived orthotopic xenograft (PDOX) nude mouse model. <i>BMC Cancer</i> , 2018 , 18, 840	4.8	13
66	Tumor-targeting A1-R suppressed an imatinib-resistant gastrointestinal stromal tumor with c-kit exon 11 and 17 mutations. <i>Heliyon</i> , 2018 , 4, e00643	3.6	8
65	Oral recombinant methioninase (o-rMETase) is superior to injectable rMETase and overcomes acquired gemcitabine resistance in pancreatic cancer. <i>Cancer Letters</i> , 2018 , 432, 251-259	9.9	41
64	Temozolomide combined with irinotecan regresses a cisplatinum-resistant relapsed osteosarcoma in a patient-derived orthotopic xenograft (PDOX) precision-oncology mouse model. <i>Oncotarget</i> , 2018 , 9, 7774-7781	3.3	15
63	Recombinant methioninase (rMETase) is an effective therapeutic for BRAF-V600E-negative as well as -positive melanoma in patient-derived orthotopic xenograft (PDOX) mouse models. <i>Oncotarget</i> , 2018 , 9, 915-923	3.3	34
62	Intra-tumor L-methionine level highly correlates with tumor size in both pancreatic cancer and melanoma patient-derived orthotopic xenograft (PDOX) nude-mouse models. <i>Oncotarget</i> , 2018 , 9, 111	1 3 :3111	12 ²³
61	Recombinant methioninase combined with doxorubicin (DOX) regresses a DOX-resistant synovial sarcoma in a patient-derived orthotopic xenograft (PDOX) mouse model. <i>Oncotarget</i> , 2018 , 9, 19263-19	9272	19
60	Fluorescent humanized anti-CEA antibody specifically labels metastatic pancreatic cancer in a patient-derived orthotopic xenograft (PDOX) mouse model. <i>Oncotarget</i> , 2018 , 9, 37333-37342	3.3	12
59	Calcium Phosphate Cement in the Surgical Management of Benign Bone Tumors. <i>Anticancer Research</i> , 2018 , 38, 3031-3035	2.3	5
58	Targeting methionine with oral recombinant methioninase (o-rMETase) arrests a patient-derived orthotopic xenograft (PDOX) model of BRAF-V600E mutant melanoma: implications for chronic clinical cancer therapy and prevention. <i>Cell Cycle</i> , 2018 , 17, 356-361	4.7	33
57	Growth of doxorubicin-resistant undifferentiated spindle-cell sarcoma PDOX is arrested by metabolic targeting with recombinant methioninase. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 3537-3	35 ⁴ 4 ⁷ 4	26
56	Combining Tumor-Selective Bacterial Therapy with Salmonella typhimurium A1-R and Cancer Metabolism Targeting with Oral Recombinant Methioninase Regressed an Ewing Sarcoma in a Patient-Derived Orthotopic Xenograft Model. <i>Chemotherapy</i> , 2018 , 63, 278-283	3.2	20
55	Metabolic targeting with recombinant methioninase combined with palbociclib regresses a doxorubicin-resistant dedifferentiated liposarcoma. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 506, 912-917	3.4	17
54	Oral Recombinant Methioninase Combined with Caffeine and Doxorubicin Induced Regression of a Doxorubicin-resistant Synovial Sarcoma in a PDOX Mouse Model. <i>Anticancer Research</i> , 2018 , 38, 5639-5	644	32
53	A combination of irinotecan/cisplatinum and irinotecan/temozolomide or tumor-targeting Salmonella typhimurium A1-R arrest doxorubicin- and temozolomide-resistant myxofibrosarcoma in a PDOX mouse model. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 505, 733-739	3.4	14
52	Tumor-targeting Salmonella typhimurium A1-R overcomes partial carboplatinum-resistance of a cancer of unknown primary (CUP). <i>Tissue and Cell</i> , 2018 , 54, 144-149	2.7	6

51	The usefulness of wide excision assisted by a computer navigation system and reconstruction using a frozen bone autograft for malignant acetabular bone tumors: a report of two cases. <i>BMC Cancer</i> , 2018 , 18, 1036	4.8	8
50	Combination therapy of tumor-targeting Salmonella typhimurium A1-R and oral recombinant methioninase regresses a BRAF-V600E-negative melanoma. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 503, 3086-3092	3.4	18
49	MEK inhibitor trametinib in combination with gemcitabine regresses a patient-derived orthotopic xenograft (PDOX) pancreatic cancer nude mouse model. <i>Tissue and Cell</i> , 2018 , 52, 124-128	2.7	13
48	Tumor-targeting Salmonella typhimurium A1-R arrests a doxorubicin-resistant PDGFRA-amplified patient-derived orthotopic xenograft mouse model of pleomorphic liposarcoma. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 7827-7833	4.7	4
47	Tumor targeting Salmonella typhimurium A1-R in combination with gemcitabine (GEM) regresses partially GEM-resistant pancreatic cancer patient-derived orthotopic xenograft (PDOX) nude mouse models. <i>Cell Cycle</i> , 2018 , 17, 2019-2026	4.7	10
46	Tumor-Targeting Salmonella typhimurium A1-R Sensitizes Melanoma With a BRAF-V600E Mutation to Vemurafenib in a Patient-Derived Orthotopic Xenograft (PDOX) Nude Mouse Model. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 2314-2319	4.7	52
45	High Efficacy of Pazopanib on an Undifferentiated Spindle-Cell Sarcoma Resistant to First-Line Therapy Is Identified With a Patient-Derived Orthotopic Xenograft (PDOX) Nude Mouse Model. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 2739-2743	4.7	34
44	Combination of gemcitabine and docetaxel regresses both gastric leiomyosarcoma proliferation and invasion in an imageable patient-derived orthotopic xenograft (iPDOX) model. <i>Cell Cycle</i> , 2017 , 16, 1063-1069	4.7	26
43	Analysis of Stroma Labeling During Multiple Passage of a Sarcoma Imageable Patient-Derived Orthotopic Xenograft (iPDOX) in Red Fluorescent Protein Transgenic Nude Mice. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 3367-3371	4.7	12
42	Intra-arterial administration of tumor-targeting Salmonella typhimurium A1-R regresses a cisplatin-resistant relapsed osteosarcoma in a patient-derived orthotopic xenograft (PDOX) mouse model. <i>Cell Cycle</i> , 2017 , 16, 1164-1170	4.7	45
41	Color-coded intravital imaging demonstrates a transforming growth factor-[TGF-]antagonist selectively targets stromal cells in a human pancreatic-cancer orthotopic mouse model. <i>Cell Cycle</i> , 2017 , 16, 1008-1014	4.7	10
40	Salmonella typhimurium A1-R targeting of a chemotherapy-resistant BRAF-V600E melanoma in a patient-derived orthotopic xenograft (PDOX) model is enhanced in combination with either vemurafenib or temozolomide. <i>Cell Cycle</i> , 2017 , 16, 1288-1294	4.7	34
39	Neoadjuvant chemoradiotherapy of pancreatic cancer induces a favorable immunogenic tumor microenvironment associated with increased major histocompatibility complex class I-related chain A/B expression. <i>Journal of Surgical Oncology</i> , 2017 , 116, 416-426	2.8	22
38	The irony of highly-effective bacterial therapy of a patient-derived orthotopic xenograft (PDOX) model of Ewing arcoma, which was blocked by Ewing himself 80 years ago. <i>Cell Cycle</i> , 2017 , 16, 1046-	1652	35
37	Clinical Factors That Affect the Establishment of Soft Tissue Sarcoma Patient-Derived Orthotopic Xenografts: A University of California, Los Angeles, Sarcoma Program Prospective Clinical Trial. <i>JCO Precision Oncology</i> , 2017 , 2017,	3.6	5
36	MZB1 in borderline resectable pancreatic cancer resected after neoadjuvant chemoradiotherapy. Journal of Surgical Research, 2017 , 220, 391-401	2.5	12
35	Patient-derived orthotopic xenograft (PDOX) mouse model of adult rhabdomyosarcoma invades and recurs after resection in contrast to the subcutaneous ectopic model. <i>Cell Cycle</i> , 2017 , 16, 91-94	4.7	37
34	Labeling the Stroma of a Patient-Derived Orthotopic Xenograft (PDOX) Mouse Model of Undifferentiated Pleomorphic Soft-Tissue Sarcoma With Red Fluorescent Protein for Rapid Non-Invasive Imaging for Drug Screening. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 361-365	4.7	30

33	High-efficacy targeting of colon-cancer liver metastasis with Salmonella typhimurium A1-R via intra-portal-vein injection in orthotopic nude-mouse models. <i>Oncotarget</i> , 2017 , 8, 19065-19073	3.3	9
32	Tumor-targeting Salmonella typhimurium A1-R regresses an osteosarcoma in a patient-derived xenograft model resistant to a molecular-targeting drug. <i>Oncotarget</i> , 2017 , 8, 8035-8042	3.3	44
31	Recombinant methioninase effectively targets a Ewing's sarcoma in a patient-derived orthotopic xenograft (PDOX) nude-mouse model. <i>Oncotarget</i> , 2017 , 8, 35630-35638	3.3	68
30	Temozolomide combined with irinotecan caused regression in an adult pleomorphic rhabdomyosarcoma patient-derived orthotopic xenograft (PDOX) nude-mouse model. <i>Oncotarget</i> , 2017 , 8, 75874-75880	3.3	32
29	MEK inhibitors cobimetinib and trametinib, regressed a gemcitabine-resistant pancreatic-cancer patient-derived orthotopic xenograft (PDOX). <i>Oncotarget</i> , 2017 , 8, 47490-47496	3.3	31
28	A novel anionic-phosphate-platinum complex effectively targets an undifferentiated pleomorphic sarcoma better than cisplatinum and doxorubicin in a patient-derived orthotopic xenograft (PDOX). <i>Oncotarget</i> , 2017 , 8, 63353-63359	3.3	24
27	A patient-derived orthotopic xenograft (PDOX) mouse model of a cisplatinum-resistant osteosarcoma lung metastasis that was sensitive to temozolomide and trabectedin: implications for precision oncology. <i>Oncotarget</i> , 2017 , 8, 62111-62119	3.3	42
26	Combination treatment with recombinant methioninase enables temozolomide to arrest a BRAF V600E melanoma in a patient-derived orthotopic xenograft (PDOX) mouse model. <i>Oncotarget</i> , 2017 , 8, 85516-85525	3.3	56
25	The combination of temozolomide-irinotecan regresses a doxorubicin-resistant patient-derived orthotopic xenograft (PDOX) nude-mouse model of recurrent Ewing sarcoma with a FUS-ERG fusion and deletion: Direction for third-line patient therapy. <i>Oncotarget</i> , 2017 , 8, 103129-103136	3.3	32
24	Cervical Cancer Patient-Derived Orthotopic Xenograft (PDOX) Is Sensitive to Cisplatinum and Resistant to Nab-paclitaxel. <i>Anticancer Research</i> , 2017 , 37, 61-65	2.3	14
23	Precision medicine for recalcitrant cancers with the patient-derived orthotopic xenograft (PDOX) mouse models for identification of effective therapy <i>Journal of Clinical Oncology</i> , 2017 , 35, e23164-e23	3164	
22	Effective Metabolic Targeting of Human Osteosarcoma Cells and in Orthotopic Nude-mouse Models with Recombinant Methioninase. <i>Anticancer Research</i> , 2017 , 37, 4807-4812	2.3	11
21	Utilization of Distilled Water Lavage for Localized Fluid Collection After Combined Hepatectomy and Cyst Fenestration for Polycystic Liver Disease. <i>International Surgery</i> , 2016 , 101, 535-541	0.1	
20	Efficacy of glycogen synthase kinase-3ltargeting against osteosarcoma via activation of tatenin. <i>Oncotarget</i> , 2016 , 7, 77038-77051	3.3	15
19	Tumor-targeting Salmonella typhimurium A1-R combined with temozolomide regresses malignant melanoma with a BRAF-V600E mutation in a patient-derived orthotopic xenograft (PDOX) model. <i>Oncotarget</i> , 2016 , 7, 85929-85936	3.3	74
18	High efficacy of tumor-targeting Salmonella typhimurium A1-R on a doxorubicin- and dactolisib-resistant follicular dendritic-cell sarcoma in a patient-derived orthotopic xenograft PDOX nude mouse model. <i>Oncotarget</i> , 2016 , 7, 33046-54	3.3	86
17	Effective molecular targeting of CDK4/6 and IGF-1R in a rare FUS-ERG fusion CDKN2A-deletion doxorubicin-resistant Ewing is sarcoma patient-derived orthotopic xenograft (PDOX) nude-mouse model. Oncotarget, 2016, 7, 47556-47564	3.3	87
16	Non-toxic Efficacy of the Combination of Caffeine and Valproic Acid on Human Osteosarcoma Cells In Vitro and in Orthotopic Nude-mouse Models. <i>Anticancer Research</i> , 2016 , 36, 4477-82	2.3	5

15	Vemurafenib-resistant BRAF-V600E-mutated melanoma is regressed by MEK-targeting drug trametinib, but not cobimetinib in a patient-derived orthotopic xenograft (PDOX) mouse model. <i>Oncotarget</i> , 2016 , 7, 71737-71743	3.3	71
14	The outcomes of reconstruction using frozen autograft combined with iodine-coated implants for malignant bone tumors: compared with non-coated implants. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 735-40	2.8	10
13	Effectiveness of two novel anionic and cationic platinum complexes in the treatment of osteosarcoma. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2015 , 15, 390-9	2.2	10
12	Late recurrence of osteosarcoma: a report of two cases. <i>Journal of Orthopaedic Surgery</i> , 2014 , 22, 415-9	1.4	3
11	Detection of MDM2 gene amplification in soft tissue sarcoma by FISH <i>Journal of Clinical Oncology</i> , 2014 , 32, 10562-10562	2.2	4
10	Prognostic value of novel combined scoring system in patients with high-grade soft tissue sarcoma <i>Journal of Clinical Oncology</i> , 2014 , 32, e21523-e21523	2.2	
9	Dendritic cells immunotherapy for patients with malignant bone and soft tissue tumors <i>Journal of Clinical Oncology</i> , 2014 , 32, 10539-10539	2.2	
8	Impact of excision repair cross-complementation group 1 (ERCC1) protein on survival of patients with osteosarcoma treated with cisplatin-based chemotherapy <i>Journal of Clinical Oncology</i> , 2014 , 32, 10535-10535	2.2	
7	Prognostic value of peroxisome proliferator-activated receptor gamma expression on clinical outcome of myxoid liposarcoma <i>Journal of Clinical Oncology</i> , 2014 , 32, 10574-10574	2.2	
6	Efficacy of novel proteasome inhibitory platinum complex against osteosarcoma <i>Journal of Clinical Oncology</i> , 2014 , 32, 10534-10534	2.2	
5	Long-term outcomes of tumor-bearing autografts treated with liquid nitrogen for reconstruction after tumor removal <i>Journal of Clinical Oncology</i> , 2014 , 32, e21508-e21508	2.2	
4	Pelvic reconstruction for malignant bone tumors using recycled frozen autograft <i>Journal of Clinical Oncology</i> , 2014 , 32, e21505-e21505	2.2	
3	Prognostic value of histological response to chemotherapy in osteosarcoma patients receiving tumor-bearing frozen autograft. <i>PLoS ONE</i> , 2013 , 8, e71362	3.7	24
2	Efficacy of newly developed platinum complexes against osteosarcoma, bone-targeting platinum, and proteasome inhibitory platinum <i>Journal of Clinical Oncology</i> , 2012 , 30, 10075-10075	2.2	

Marginal resection for osteosarcoma: Long-term outcomes.. Journal of Clinical Oncology, 2012, 30, e205052e20505