

Kirsten B Kluivers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4636770/publications.pdf>

Version: 2024-02-01

110
papers

5,325
citations

116194

36
h-index

120465

65
g-index

112
all docs

112
docs citations

112
times ranked

7267
citing authors

#	ARTICLE	IF	CITATIONS
1	Surgical approach to hysterectomy for benign gynaecological disease. The Cochrane Library, 2015, CD003677.	1.5	658
2	Rare and low-frequency coding variants alter human adult height. Nature, 2017, 542, 186-190.	13.7	544
3	Surgical approach to hysterectomy for benign gynaecological disease. , 2009, , CD003677.		396
4	Risk factors for pelvic organ prolapse and its recurrence: a systematic review. International Urogynecology Journal, 2015, 26, 1559-1573.	0.7	349
5	Measurement of quality of recovery using the QoR-40: a quantitative systematic review. British Journal of Anaesthesia, 2013, 111, 161-169.	1.5	286
6	Sacrospinous hysteropexy versus vaginal hysterectomy with suspension of the uterosacral ligaments in women with uterine prolapse stage 2 or higher: multicentre randomised non-inferiority trial. BMJ, The, 2015, 351, h3717.	3.0	130
7	Risk Factors for Exposure, Pain, and Dyspareunia After Tension-Free Vaginal Mesh Procedure. Obstetrics and Gynecology, 2011, 118, 629-636.	1.2	107
8	Quality of life and surgical outcome after total laparoscopic hysterectomy versus total abdominal hysterectomy for benign disease: A randomized, controlled trial. Journal of Minimally Invasive Gynecology, 2007, 14, 145-152.	0.3	106
9	The operation room as a hostile environment for surgeons: Physical complaints during and after laparoscopy. Minimally Invasive Therapy and Allied Technologies, 2010, 19, 105-109.	0.6	103
10	Value of Urodynamics Before Stress Urinary Incontinence Surgery. Obstetrics and Gynecology, 2013, 121, 999-1008.	1.2	97
11	Systematic review on recovery specific quality-of-life instruments. Surgery, 2008, 143, 206-215.	1.0	94
12	Quality of Life After Laparoscopic and Abdominal Hysterectomy. Obstetrics and Gynecology, 2012, 119, 85-91.	1.2	79
13	Surgical approach to hysterectomy for benign gynaecological disease. , 2006, , CD003677.		74
14	A systematic review of clinical studies on hereditary factors in pelvic organ prolapse. International Urogynecology Journal, 2012, 23, 1327-1336.	0.7	74
15	A systematic review of clinical studies on dynamic magnetic resonance imaging of pelvic organ prolapse: the use of reference lines and anatomical landmarks. International Urogynecology Journal, 2009, 20, 721-729.	0.7	72
16	Pelvic organ prolapse and collagen-associated disorders. International Urogynecology Journal, 2012, 23, 313-319.	0.7	69
17	Evaluation of the risk of malignancy index in daily clinical management of adnexal masses. Gynecologic Oncology, 2010, 116, 384-388.	0.6	68
18	Urinary incontinence after surgery for pelvic organ prolapse. Neurourology and Urodynamics, 2013, 32, 455-459.	0.8	68

#	ARTICLE	IF	CITATIONS
19	Can preoperative urodynamic investigation be omitted in women with stress urinary incontinence? A noninferiority randomized controlled trial. <i>Neurourology and Urodynamics</i> , 2012, 31, 1118-1123.	0.8	67
20	Sacrospinous hysteropexy versus vaginal hysterectomy with uterosacral ligament suspension in women with uterine prolapse stage 2 or higher: observational follow-up of a multicentre randomised trial. <i>BMJ: British Medical Journal</i> , 2019, 366, l5149.	2.4	64
21	Comparison of laparoscopic and abdominal hysterectomy in terms of quality of life: A systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 136, 3-8.	0.5	62
22	The natural history of levator avulsion one year following childbirth: a prospective study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1266-1273.	1.1	58
23	The effectiveness of surgical correction of uterine prolapse: cervical amputation with uterosacral ligament plication (modified Manchester) versus vaginal hysterectomy with high uterosacral ligament plication. <i>International Urogynecology Journal</i> , 2009, 20, 1313-1319.	0.7	56
24	Diagnosis and Treatment of Adnexal Masses in Children and Adolescents. <i>Obstetrics and Gynecology</i> , 2015, 125, 611-615.	1.2	55
25	The prevalence and factors associated with previous surgery for pelvic organ prolapse and/or urinary incontinence in a cross-sectional study in The Netherlands. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 158, 343-349.	0.5	53
26	POP-Q, dynamic MR imaging, and perineal ultrasonography: do they agree in the quantification of female pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2009, 20, 541-549.	0.7	52
27	Predictive factors for overactive bladder symptoms after pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2010, 21, 1143-1149.	0.7	51
28	Long-term results of vaginal construction with the use of Frank dilation and a peritoneal graft (Davydov procedure) in patients with Mayer-Rokitansky-K�ster syndrome. <i>Fertility and Sterility</i> , 2015, 103, 220-227.e1.	0.5	50
29	Long-term outcome of vaginal mesh or native tissue in recurrent prolapse: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2018, 29, 847-858.	0.7	50
30	COL3A1 2209G>A is a predictor of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2009, 20, 1113-1118.	0.7	49
31	Risk factors for primary pelvic organ prolapse and prolapse recurrence: an updated systematic review and meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 192-208.	0.7	48
32	Identification of Six Loci Associated With Pelvic Organ Prolapse Using Genome-Wide Association Analysis. <i>Obstetrics and Gynecology</i> , 2011, 118, 1345-1353.	1.2	47
33	Evaluation of Adnexal Masses With Three-Dimensional Ultrasonography. <i>Obstetrics and Gynecology</i> , 2006, 108, 1167-1175.	1.2	44
34	Clinimetric properties of 3 instruments measuring postoperative recovery in a gynecologic surgical population. <i>Surgery</i> , 2008, 144, 12-21.	1.0	43
35	Symptoms of pelvic floor dysfunction are poorly correlated with findings on clinical examination and dynamic MR imaging of the pelvic floor. <i>International Urogynecology Journal</i> , 2009, 20, 1169-1174.	0.7	42
36	Dynamic magnetic resonance imaging: reliability of anatomical landmarks and reference lines used to assess pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2009, 20, 141-148.	0.7	40

#	ARTICLE	IF	CITATIONS
37	Adnexal masses in children, adolescents and women of reproductive age in the Netherlands: A nationwide population-based cohort study. <i>Gynecologic Oncology</i> , 2016, 143, 93-97.	0.6	40
38	Quality of life in endometriosis: evaluation of the Dutch-version Endometriosis Health Profileâ€“30 (EHP-30). <i>Fertility and Sterility</i> , 2011, 95, 1863-1865.	0.5	39
39	Protocol for the value of urodynamics prior to stress incontinence surgery (VUSIS) study: a multicenter randomized controlled trial to assess the cost effectiveness of urodynamics in women with symptoms of stress urinary incontinence in whom surgical treatment is considered. <i>BMC Women's Health</i> , 2009, 9, 22.	0.8	36
40	Diagnosing pubovisceral avulsions: a systematic review of the clinical relevance of a prevalent anatomical defect. <i>International Urogynecology Journal</i> , 2012, 23, 1653-1664.	0.7	35
41	Accuracy of Four Imaging Techniques for Diagnosis of Posterior Pelvic Floor Disorders. <i>Obstetrics and Gynecology</i> , 2017, 130, 1017-1024.	1.2	35
42	The association between experiences with patient-centred care and health-related quality of life in women with endometriosis. <i>Reproductive BioMedicine Online</i> , 2018, 36, 197-205.	1.1	35
43	Translabial Three-Dimensional Ultrasonography Compared With Magnetic Resonance Imaging in Detecting Levator Ani Defects. <i>Obstetrics and Gynecology</i> , 2014, 124, 1190-1197.	1.2	34
44	Management of Gonads in Adults with Androgen Insensitivity: An International Survey. <i>Hormone Research in Paediatrics</i> , 2018, 90, 236-246.	0.8	34
45	Pelvic organ prolapse symptoms in relation to POPQ, ordinal stages and ultrasound prolapse assessment. <i>International Urogynecology Journal</i> , 2008, 19, 1299-1302.	0.7	33
46	The correlation between clinical and urodynamic diagnosis in classifying the type of urinary incontinence in women. A systematic review of the literature. <i>Neurourology and Urodynamics</i> , 2011, 30, 495-502.	0.8	31
47	Agreement between palpation and transperineal and endovaginal ultrasound in the diagnosis of levator ani avulsion. <i>International Urogynecology Journal</i> , 2015, 26, 33-39.	0.7	30
48	The Impact of Sacrospinous Hysteropexy and Vaginal Hysterectomy With Suspension of the Uterosacral Ligaments on Sexual Function in Women With Uterine Prolapse: A Secondary Analysis of a Randomized Comparative Study. <i>Journal of Sexual Medicine</i> , 2016, 13, 213-219.	0.3	30
49	Extracellular Matrix Stiffness and Composition Regulate the Myofibroblast Differentiation of Vaginal Fibroblasts. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4762.	1.8	30
50	Vaginal prolapse repair surgery augmented by ultra lightweight titanium coated polypropylene mesh. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 138, 232-238.	0.5	28
51	Levator hiatal area as a risk factor for cystocele recurrence after surgery: a prospective study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1130-1137.	1.1	25
52	Reproducibility of same session repeated cystometry and pressureâ€“flow studies in women with symptoms of urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010, 29, 428-431.	0.8	23
53	First Case of Juvenile Granulosa Cell Tumor in an Adult With Ollier Disease. <i>International Journal of Gynecological Pathology</i> , 2009, 28, 464-467.	0.9	22
54	Dutch womenâ€™s attitudes towards hysterectomy and uterus preservation in surgical treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 220, 79-83.	0.5	22

#	ARTICLE	IF	CITATIONS
55	Is three-dimensional ultrasonography of additional value in the assessment of adnexal masses?. <i>Gynecologic Oncology</i> , 2007, 106, 153-159.	0.6	21
56	Perineal descent and patients'™ symptoms of anorectal dysfunction, pelvic organ prolapse, and urinary incontinence. <i>International Urogynecology Journal</i> , 2010, 21, 721-729.	0.7	21
57	Technique of anterior colporrhaphy: a Dutch evaluation. <i>International Urogynecology Journal</i> , 2011, 22, 557-561.	0.7	20
58	Between hope and fear: patient's™ expectations prior to pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2011, 22, 1159-1163.	0.7	20
59	A randomized trial of training the non-dominant upper extremity to enhance laparoscopic performance. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2012, 21, 259-264.	0.6	19
60	Anatomical Cystocele Recurrence. <i>Obstetrics and Gynecology</i> , 2016, 127, 341-347.	1.2	19
61	Total laparoscopic hysterectomy versus total abdominal hysterectomy with bilateral salpingo-oophorectomy for endometrial carcinoma: a randomised controlled trial with 5-year follow-up. <i>Gynecological Surgery</i> , 2011, 8, 427-434.	0.9	17
62	Protocol for Translabial 3D-Ultrasonography for diagnosing levator defects (TRUDIL): a multicentre cohort study for estimating the diagnostic accuracy of translabial 3D-ultrasonography of the pelvic floor as compared to MR imaging. <i>BMC Women's Health</i> , 2011, 11, 23.	0.8	17
63	The Impact of Midurethral Sling Surgery on Sexual Activity and Function in Women With Stress Urinary Incontinence. <i>Journal of Sexual Medicine</i> , 2016, 13, 1498-1507.	0.3	17
64	Bilateral cornual abscess after endometrial ablation following Essure sterilization. <i>Journal of Minimally Invasive Gynecology</i> , 2007, 14, 509-511.	0.3	16
65	The value of preoperative urodynamics according to gynecologists and urologists with special interest in stress urinary incontinence. <i>International Urogynecology Journal</i> , 2012, 23, 423-428.	0.7	16
66	Responsiveness of the Dutch Endometriosis Health Profile-30 (EHP-30) questionnaire. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 168, 92-94.	0.5	16
67	Gynaecologists estimate and experience laparoscopic hysterectomy as more difficult compared with abdominal hysterectomy. <i>Gynecological Surgery</i> , 2010, 7, 359-363.	0.9	15
68	A pictorial overview of pubovisceral muscle avulsions on pelvic floor magnetic resonance imaging. <i>Insights Into Imaging</i> , 2013, 4, 431-441.	1.6	15
69	External validation of the adapted Risk of Malignancy Index incorporating tumor size in the preoperative evaluation of adnexal masses. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 159, 422-425.	0.5	14
70	Pelvic organ function in randomized patients undergoing laparoscopic or abdominal hysterectomy. <i>Journal of Minimally Invasive Gynecology</i> , 2007, 14, 442-448.	0.3	13
71	Women's™ preference for laparoscopic or abdominal hysterectomy. <i>Gynecological Surgery</i> , 2009, 6, 223-228.	0.9	13
72	Collagen type III alpha 1 polymorphism (rs1800255, COL3A1 2209 G>A) assessed with high-resolution melting analysis is not associated with pelvic organ prolapse in the Dutch population. <i>International Urogynecology Journal</i> , 2014, 25, 1237-1242.	0.7	13

#	ARTICLE	IF	CITATIONS
73	Dutch translation and validation of the pelvic organ prolapse/incontinence sexual questionnaire-IUGA revised (PISQ-IR). <i>International Urogynecology Journal</i> , 2019, 30, 107-114.	0.7	11
74	Risk factors for pelvic organ prolapse recurrence after sacrospinous hysteropexy or vaginal hysterectomy with uterosacral ligament suspension. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 252.e1-252.e9.	0.7	11
75	Partially absorbable mesh or native tissue repair for pelvic organ prolapse: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2019, 30, 565-573.	0.7	10
76	Does the method of dissecting in anterior colporrhaphy lead to a difference in thickness of removed vaginal tissue?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 168, 112-116.	0.5	9
77	Surgical treatment of uterine prolapse in women with bladder exstrophy: report of two cases with modified Proliftâ,ç procedure. <i>International Urogynecology Journal</i> , 2011, 22, 889-891.	0.7	8
78	Urodynamics before stress urinary incontinence surgery. <i>Current Opinion in Obstetrics and Gynecology</i> , 2014, 26, 398-403.	0.9	8
79	The value of fine needle aspiration cytology diagnosis in ovarian masses in children and adolescents. <i>Human Reproduction</i> , 2016, 31, 1236-1240.	0.4	8
80	Evaluation of two vaginal, uterus sparing operations for pelvic organ prolapse: modified Manchester operation (MM) and sacrospinous hysteropexy (SSH), a study protocol for a multicentre randomized non-inferiority trial (the SAM study). <i>BMC Women's Health</i> , 2019, 19, 49.	0.8	8
81	Genetic variants and expression changes in urgency urinary incontinence: A systematic review. <i>Neurourology and Urodynamics</i> , 2020, 39, 2089-2110.	0.8	8
82	Molecular Processes in Stress Urinary Incontinence: A Systematic Review of Human and Animal Studies. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3401.	1.8	7
83	Which factors determine subjective improvement following pelvic organ prolapse 1Âyear after surgery?. <i>International Urogynecology Journal</i> , 2011, 22, 543-549.	0.7	6
84	The use of synthetic mesh in vaginal prolapse surgery: a survey of Dutch urogynaecologists. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 162, 113-115.	0.5	6
85	External validation of the paediatric risk of malignancy index. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 448-452.	1.1	6
86	De-implementation of urodynamics in The Netherlands after the VALUE/VUSIS-2 results: a nationwide survey. <i>International Urogynecology Journal</i> , 2018, 29, 1261-1277.	0.7	6
87	Does Training of the Nondominant Upper Extremity Reduce the Surgeonâ€™s Muscular Strain During Laparoscopy?. <i>Surgical Innovation</i> , 2013, 20, 292-298.	0.4	5
88	Long-term safety, objective and subjective outcomes of laparoscopic sacrocolpopexy without peritoneal closure. <i>International Urogynecology Journal</i> , 2020, 31, 1593-1600.	0.7	5
89	Genome-Wide Association Study Identifies Two Novel Loci Associated with Female Stress and Urgency Urinary Incontinence. <i>Journal of Urology</i> , 2021, 206, 679-687.	0.2	5
90	Use of risk of malignancy index to indicate frozen section analysis in the surgical care of women with ovarian tumors. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 133, 355-358.	1.0	4

#	ARTICLE	IF	CITATIONS
91	Choice of mode of delivery in a subsequent pregnancy after OASI: a survey among Dutch gynecologists. <i>International Urogynecology Journal</i> , 2017, 28, 1537-1542.	0.7	4
92	Gynecologists'™ perspectives on two types of uterus-preserving surgical repair of uterine descent; sacrospinous hysteropexy versus modified Manchester. <i>International Urogynecology Journal</i> , 2021, 32, 835-840.	0.7	4
93	The efficacy of botulinum toxin injections in pelvic floor muscles in chronic pelvic pain patients: a systematic review and meta-analysis. <i>International Urogynecology Journal</i> , 2022, 33, 2951-2961.	0.7	4
94	Recurrence risk is associated with preoperatively advanced prolapse stage: Is there a difference between women with stage 2 and those with stage 3 or 4 cystocele?. <i>International Urogynecology Journal</i> , 2017, 28, 983-987.	0.7	3
95	Reconsidering Diagnosis, Treatment, and Postoperative Care in Children with Cloacal Malformations. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2021, 34, 773-779.	0.3	3
96	Reliable Identification of the Type III Collagen Gene Polymorphism rs1800255 with the Use of High Resolution Melting Analysis. <i>Laboratory Medicine</i> , 2009, 40, 604-606.	0.8	1
97	Factors Influencing the Use of Frozen Section Analysis in Adnexal Masses. <i>Obstetrics and Gynecology</i> , 2011, 118, 57-62.	1.2	1
98	Second-generation thermal endometrial ablation: beware of metal clips in the lower abdomen. <i>Gynecological Surgery</i> , 2013, 10, 291-294.	0.9	1
99	Authors' response re: Do preoperative urodynamics still have a role in female stress urinary incontinence? <i>Neurourol Urodyn</i> 2013;32:1144-5. <i>Neurourology and Urodynamics</i> , 2013, 32, 1146-1147.	0.8	1
100	Wound healing of the pelvic floor concerning pelvic organ prolapse - What do we know?. , 2020, 99, 374-383.	0.0	1
101	Pain after midurethral sling; the underestimated role of mesh removal. <i>Central European Journal of Urology</i> , 2021, 74, 541-546.	0.2	1
102	The effectiveness of supportive underwear in women with pelvic organ prolapse: a pilot study. <i>International Urogynecology Journal</i> , 2008, 19, 1519-1522.	0.7	0
103	A fetal scalp electrode as a simple aid in the search for a lost needle fragment during sacrospinous ligament fixation. <i>International Urogynecology Journal</i> , 2011, 22, 247-249.	0.7	0
104	In Reply. <i>Obstetrics and Gynecology</i> , 2013, 122, 905.	1.2	0
105	Diagnosis and Treatment of Adnexal Masses in Children and Adolescents. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 437-438.	0.2	0
106	Author's reply re: External validation of the paediatric risk of malignancy index. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1399-1400.	1.1	0
107	Response to the letter to the editor by Shek et al. on Vergeldt et al: Risk factors for pelvic organ prolapse and its recurrence: a systematic review. <i>International Urogynecology Journal</i> , 2016, 27, 653-653.	0.7	0
108	Is evacuation proctography still the gold standard for the diagnosis of posterior compartment pelvic floor disorders?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 211, 202.	0.5	0

#	ARTICLE	IF	CITATIONS
109	Exome chip study provides novel insights into the genetics of pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 211, 207.	0.5	0
110	Letter to the editor concerning "Increasing the effectiveness of referral of ovarian masses from cancer unit to cancer center by using a higher referral value of the risk of malignancy index" in Int J Gynecol Cancer 2010;20:552-554. International Journal of Gynecological Cancer, 2010, 20, 1303.	1.2	0