
Stefan Schmid

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4637260/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Arginine vasopressin in 316 patients with advanced vasodilatory shock*. Critical Care Medicine, 2005, 33, 2659-2666.	0.4	281
2	Reversal of trauma-induced coagulopathy using first-line coagulation factor concentrates or fresh frozen plasma (RETIC): a single-centre, parallel-group, open-label, randomised trial. Lancet Haematology,the, 2017, 4, e258-e271.	2.2	236
3	Comparing two different arginine vasopressin doses in advanced vasodilatory shock: a randomized, controlled, open-label trial. Intensive Care Medicine, 2010, 36, 57-65.	3.9	147
4	Serum vasopressin concentrations in critically ill patients*. Critical Care Medicine, 2006, 34, 293-299.	0.4	95
5	Histologic Pathologies of the Myocardium in Septic Shock. Shock, 2013, 39, 329-335.	1.0	74
6	Utility of PCR in Diagnosis of Invasive Fungal Infections: Real-Life Data from a Multicenter Study. Journal of Clinical Microbiology, 2013, 51, 863-868.	1.8	54
7	Hemoadsorption with CytoSorb in Septic Shock Reduces Catecholamine Requirements and In-Hospital Mortality: A Single-Center Retrospective â€~Genetic' Matched Analysis. Biomedicines, 2020, 8, 539.	1.4	51
8	Non-operative management of blunt hepatic and splenic injury: a time-trend and outcome analysis over a period of 17Âyears. World Journal of Emergency Surgery, 2019, 14, 29.	2.1	42
9	Central Venous Catheter Colonization in Critically Ill Patients: A Prospective, Randomized, Controlled Study Comparing Standard with Two Antiseptic-Impregnated Catheters. Anesthesia and Analgesia, 2005, 101, 1778-1784.	1.1	38
10	Validation of the revised 2018 AAST-OIS classification and the CT severity index for prediction of operative management and survival in patients with blunt spleen and liver injuries. European Radiology, 2020, 30, 6570-6581.	2.3	30
11	Pilot study: Volatile organic compounds as a diagnostic marker for head and neck tumors. Head and Neck, 2008, 30, 743-749.	0.9	29
12	Admission blood glucose predicted haemorrhagic shock in multiple trauma patients. Injury, 2015, 46, 15-20.	0.7	22
13	Cooling of six centigrades in an hour during avalanche burial. Resuscitation, 2010, 81, 1043-1044.	1.3	16
14	Excessive stomach inflation causing gut ischaemia. Resuscitation, 2009, 80, 142.	1.3	13
15	Administration of Recombinant Activated Factor VII (NovoSeven) in Three Cases of Uncontrolled Bleeding Caused by Disseminated Intravascular Coagulopathy. Clinical and Applied Thrombosis/Hemostasis, 2007, 13, 313-317.	0.7	8
16	Association between Blood Glucose and cardiac Rhythms during pre-hospital care of Trauma Patients – a retrospective Analysis. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 58.	1.1	7
17	Multidisciplinary Approach to Lifesaving Measures in the Elderly Individuals With Flail Chest Injury With ORIF of Rib Fractures. Geriatric Orthopaedic Surgery and Rehabilitation, 2012, 3, 164-166.	0.6	6
18	ICU-Admission Hyperphosphataemia Is Related to Shock and Tissue Damage, Indicating Injury Severity and Mortality in Polytrauma Patients. Diagnostics, 2021, 11, 1548.	1.3	3

STEFAN SCHMID

#	Article	IF	CITATIONS
19	Early ICU-acquired hypernatraemia is associated with injury severity and preceded by reduced renal sodium and chloride excretion in polytrauma patients. Journal of Critical Care, 2021, 65, 9-17.	1.0	3
20	Difficult reversal of dabigatran with idarucizumab in a multiple-trauma patient: A question of dose?. Trauma Case Reports, 2021, 32, 100422.	0.2	2
21	Accuracy of training blood volume quantification using a visual estimation tool. World Journal of Emergency Medicine, 2021, 12, 174.	0.5	1
22	Absence of Stress Hyperglycemia Indicates the Most Severe Form of Blunt Liver Trauma. Diagnostics, 2021, 11, 1667.	1.3	1
23	The lack of free water on ICU: Mere fluid-balances are not enough with regard to hypernatremia. Journal of Critical Care, 2021, 65, 232-234.	1.0	1
24	Congestive cardiomyopathy after streptococcal toxic shocklike syndrome. Intensive Care Medicine, 2005, 31, 754-754.	3.9	0
25	Assessing transpulmonary pressure via direct pleural manometry. Annals of Intensive Care, 2020, 10, 100.	2.2	0