

Stefan Schmid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4637260/publications.pdf>

Version: 2024-02-01

25
papers

1,160
citations

687220

13
h-index

642610

23
g-index

25
all docs

25
docs citations

25
times ranked

1218
citing authors

#	ARTICLE	IF	CITATIONS
1	Accuracy of training blood volume quantification using a visual estimation tool. World Journal of Emergency Medicine, 2021, 12, 174.	0.5	1
2	Difficult reversal of dabigatran with idarucizumab in a multiple-trauma patient: A question of dose?. Trauma Case Reports, 2021, 32, 100422.	0.2	2
3	ICU-Admission Hyperphosphataemia Is Related to Shock and Tissue Damage, Indicating Injury Severity and Mortality in Polytrauma Patients. Diagnostics, 2021, 11, 1548.	1.3	3
4	Absence of Stress Hyperglycemia Indicates the Most Severe Form of Blunt Liver Trauma. Diagnostics, 2021, 11, 1667.	1.3	1
5	The lack of free water on ICU: Mere fluid-balances are not enough with regard to hypernatremia. Journal of Critical Care, 2021, 65, 232-234.	1.0	1
6	Early ICU-acquired hypernatraemia is associated with injury severity and preceded by reduced renal sodium and chloride excretion in polytrauma patients. Journal of Critical Care, 2021, 65, 9-17.	1.0	3
7	Hemoadsorption with CytoSorb in Septic Shock Reduces Catecholamine Requirements and In-Hospital Mortality: A Single-Center Retrospective "Genetic" Matched Analysis. Biomedicines, 2020, 8, 539.	1.4	51
8	Validation of the revised 2018 AAST-OIS classification and the CT severity index for prediction of operative management and survival in patients with blunt spleen and liver injuries. European Radiology, 2020, 30, 6570-6581.	2.3	30
9	Assessing transpulmonary pressure via direct pleural manometry. Annals of Intensive Care, 2020, 10, 100.	2.2	0
10	Non-operative management of blunt hepatic and splenic injury: a time-trend and outcome analysis over a period of 17 years. World Journal of Emergency Surgery, 2019, 14, 29.	2.1	42
11	Association between Blood Glucose and cardiac Rhythms during pre-hospital care of Trauma Patients " a retrospective Analysis. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 58.	1.1	7
12	Reversal of trauma-induced coagulopathy using first-line coagulation factor concentrates or fresh frozen plasma (RETIC): a single-centre, parallel-group, open-label, randomised trial. Lancet Haematology, 2017, 4, e258-e271.	2.2	236
13	Admission blood glucose predicted haemorrhagic shock in multiple trauma patients. Injury, 2015, 46, 15-20.	0.7	22
14	Histologic Pathologies of the Myocardium in Septic Shock. Shock, 2013, 39, 329-335.	1.0	74
15	Utility of PCR in Diagnosis of Invasive Fungal Infections: Real-Life Data from a Multicenter Study. Journal of Clinical Microbiology, 2013, 51, 863-868.	1.8	54
16	Multidisciplinary Approach to Lifesaving Measures in the Elderly Individuals With Flail Chest Injury With ORIF of Rib Fractures. Geriatric Orthopaedic Surgery and Rehabilitation, 2012, 3, 164-166.	0.6	6
17	Comparing two different arginine vasopressin doses in advanced vasodilatory shock: a randomized, controlled, open-label trial. Intensive Care Medicine, 2010, 36, 57-65.	3.9	147
18	Cooling of six centigrades in an hour during avalanche burial. Resuscitation, 2010, 81, 1043-1044.	1.3	16

#	ARTICLE	IF	CITATIONS
19	Excessive stomach inflation causing gut ischaemia. Resuscitation, 2009, 80, 142.	1.3	13
20	Pilot study: Volatile organic compounds as a diagnostic marker for head and neck tumors. Head and Neck, 2008, 30, 743-749.	0.9	29
21	Administration of Recombinant Activated Factor VII (NovoSeven) in Three Cases of Uncontrolled Bleeding Caused by Disseminated Intravascular Coagulopathy. Clinical and Applied Thrombosis/Hemostasis, 2007, 13, 313-317.	0.7	8
22	Serum vasopressin concentrations in critically ill patients*. Critical Care Medicine, 2006, 34, 293-299.	0.4	95
23	Arginine vasopressin in 316 patients with advanced vasodilatory shock*. Critical Care Medicine, 2005, 33, 2659-2666.	0.4	281
24	Central Venous Catheter Colonization in Critically Ill Patients: A Prospective, Randomized, Controlled Study Comparing Standard with Two Antiseptic-Impregnated Catheters. Anesthesia and Analgesia, 2005, 101, 1778-1784.	1.1	38
25	Congestive cardiomyopathy after streptococcal toxic shocklike syndrome. Intensive Care Medicine, 2005, 31, 754-754.	3.9	0