

# Hiroki Oshio

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4637293/publications.pdf>

Version: 2024-02-01

116  
papers

4,665  
citations

81900

39  
h-index

102487

66  
g-index

126  
all docs

126  
docs citations

126  
times ranked

3298  
citing authors

#	ARTICLE	IF	CITATIONS
1	Manipulating Selective Metal-to-Metal Electron Transfer to Achieve Multi-Phase Transitions in an Asymmetric $[\text{Fe}_2\text{Co}]$ -Assembled Mixed-Valence Chain. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	16
2	Spin-Crossover Tuned Rotation of Pyrazolyl Rings in a 2D Iron(II) Complex towards Synergetic Magnetic and Dielectric Transitions. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	6
3	Synthesis and XRD of Novel $\text{Ni}_4(\mu_3\text{-O})_4$ Twist Cubane Cluster Using Three NNO Mixed Ligands: Hirshfeld, Spectral, Thermal and Oxidation Properties. <i>Journal of Cluster Science</i> , 2021, 32, 227-234.	3.3	7
4	Ferromagnetic Archimedean polyhedra $\{\text{Fe}_{24}\text{M}_{18}\}$ (M = Fe, Ni, and Mn) with tunable electron configurations. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 4239-4246.	6.0	1
5	A ring of grids: a giant spin-crossover cluster. <i>Chemical Communications</i> , 2021, 57, 10162-10165.	4.1	4
6	Structural, Magnetic, and Electrochemical Characterization of Iron(III) and Cobalt Complexes with Penta- $\text{N}_3\text{O}_2$ -dentate Ligands. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 1498-1504.	2.0	3
7	Synthesis of a Ru(II) Complex with a Naphthoquinone-Annelated Imidazole Ligand Exhibiting Proton-Responsive Redox and Luminescent Behavior. <i>Inorganics</i> , 2021, 9, 24.	2.7	2
8	Heteroleptic iron( $\text{II}$ ) complexes with naphthoquinone-type ligands. <i>Dalton Transactions</i> , 2020, 49, 1485-1491.	3.3	4
9	A Ferromagnetically Coupled Octanuclear Manganese(III) Cluster: A Single-Molecule Magnet with a Spin Ground State of $S = 16$ . <i>Inorganic Chemistry</i> , 2020, 59, 4163-4166.	4.0	7
10	Asymmetric Hybrid Polyoxometalates: A Platform for Multifunctional Redox-Active Nanomaterials. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18281-18285.	13.8	46
11	Effect of Intermolecular Interactions on Metal-to-Metal Charge Transfer: A Combined Experimental and Theoretical Investigation. <i>Angewandte Chemie</i> , 2019, 131, 17165-17171.	2.0	1
12	Asymmetric Hybrid Polyoxometalates: A Platform for Multifunctional Redox-Active Nanomaterials. <i>Angewandte Chemie</i> , 2019, 131, 18449-18453.	2.0	12
13	Effect of Intermolecular Interactions on Metal-to-Metal Charge Transfer: A Combined Experimental and Theoretical Investigation. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17009-17015.	13.8	37
14	Structure Switching and Modulation of the Magnetic Properties in Diarylethene-Bridged Metallosupramolecular Compounds by Controlled Coordination-Driven Self-Assembly. <i>Angewandte Chemie</i> , 2019, 131, 4383-4388.	2.0	12
15	Structure Switching and Modulation of the Magnetic Properties in Diarylethene-Bridged Metallosupramolecular Compounds by Controlled Coordination-Driven Self-Assembly. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 4339-4344.	13.8	63
16	Substituent dependence on the spin crossover behaviour of mononuclear Fe( $\text{II}$ ) complexes with asymmetric tridentate ligands. <i>Dalton Transactions</i> , 2019, 48, 3231-3236.	3.3	9
17	Intramolecular Electron Transfers in a Series of $[\text{Co}_2\text{Fe}_2]$ Tetranuclear Complexes. <i>Inorganic Chemistry</i> , 2019, 58, 11912-11919.	4.0	37
18	A Brønsted-Ligand-Based Iron Complex as a Molecular Switch with Five Accessible States. <i>Angewandte Chemie</i> , 2019, 131, 5714-5718.	2.0	14

#	ARTICLE	IF	CITATIONS
19	Solidâ€State Hydrogenâ€Bond Alterations in a [Co<sub>2</sub>Fe<sub>2</sub>] Complex with Bifunctional Hydrogenâ€Bonding Donors. Chemistry - A European Journal, 2019, 25, 7449-7452.	3.3	20
20	Spin crossover behavior of a tetranuclear iron(II) grid complex with a hydroxyl-group functionalized multidentate ligand. Journal of Magnetism and Magnetic Materials, 2019, 485, 16-20.	2.3	6
21	A BrÃnstedâ€Ligandâ€Based Iron Complex as a Molecular Switch with Five Accessible States. Angewandte Chemie - International Edition, 2019, 58, 5658-5662.	13.8	46
22	A triple-triangle cluster derived from a simple tridentate ligand. Dalton Transactions, 2019, 48, 17437-17440.	3.3	1
23	Pre-programmed self-assembly of polynuclear clusters. Dalton Transactions, 2018, 47, 7384-7394.	3.3	29
24	Intermediate-Spin Iron(III) Complexes Having a Redox-Noninnocent Macrocyclic Tetraamido Ligand. Inorganic Chemistry, 2018, 57, 9683-9695.	4.0	13
25	Ferrihydrite Particle Encapsulated within a Molecular Organic Cage. Journal of the American Chemical Society, 2018, 140, 17753-17759.	13.7	48
26	Carboxylic Acid Functionalized Spin-Crossover Iron(II) Grids for Tunable Switching and Hybrid Electrode Fabrication. Inorganic Chemistry, 2018, 57, 14013-14017.	4.0	16
27	Two-electron redox-active tricyano iron(<sc>ii</sc>) complex with 2,4,6-tris(2-pyrimidyl)-1,3,5-triazine as a building block for coordination polymers. Dalton Transactions, 2018, 47, 13402-13407.	3.3	10
28	Post-functionalization of a photoactive hybrid polyoxotungstate. Dalton Transactions, 2018, 47, 10590-10594.	3.3	13
29	Cobalt complexes with redox-active anthraquinone-type ligands. Dalton Transactions, 2018, 47, 7804-7811.	3.3	9
30	Dimensionally Controlled Assembly of an External Stimuliâ€Responsive [Co<sub>2</sub>Fe<sub>2</sub>] Complex into Supramolecular Hydrogenâ€Bonded Networks. Chemistry - A European Journal, 2017, 23, 5193-5197.	3.3	36
31	An Antiferromagnetically Coupled Heterometal Cu<sub>6</sub>Fe Wheel. Chemistry Letters, 2017, 46, 1197-1199.	1.3	2
32	A Hydrogenâ€Bonded Cyanideâ€Bridged [Co<sub>2</sub>Fe<sub>2</sub>] Square Complex Exhibiting a Threeâ€Step Spin Transition. Angewandte Chemie - International Edition, 2017, 56, 591-594.	13.8	82
33	A Multiâ€Redox Responsive Cyanometalateâ€Based Metallogel. Chemistry - A European Journal, 2017, 23, 1502-1506.	3.3	52
34	A Hydrogenâ€Bonded Cyanideâ€Bridged [Co<sub>2</sub>Fe<sub>2</sub>] Square Complex Exhibiting a Threeâ€Step Spin Transition. Angewandte Chemie, 2017, 129, 606-609.	2.0	24
35	Ligand-directed synthesis of {MnIII5} twisted bow-ties. Dalton Transactions, 2017, 46, 11201-11207.	3.3	10
36	A Simple Approach to the Visible-Light Photoactivation of Molecular Metal Oxides. Inorganic Chemistry, 2017, 56, 12169-12177.	4.0	38

#	ARTICLE	IF	CITATIONS
37	Orbital Engineering: Photoactivation of an Organofunctionalized Polyoxotungstate. Chemistry - A European Journal, 2017, 23, 47-50.	3.3	35
38	Pioneering studies on solid state chemistry of multinuclear metal complexes. Bulletin of Japan Society of Coordination Chemistry, 2017, 69, 2-11.	0.2	0
39	Synthesis, Crystal Structures and Magnetic Properties of Composites Incorporating an Fe(II) Spin Crossover Complex and Polyoxometalates. Inorganics, 2017, 5, 48.	2.7	8
40	Ambient-Temperature Spin-State Switching Achieved by Protonation of the Amino Group in [Fe(H <sub>2</sub> Bpz) <sub>2</sub> ] <sub>2</sub> (bipy-NH <sub>2</sub> ). Inorganic Chemistry, 2016, 55, 8147-8152.	4.0	66
41	Studies on the Magnetic Ground State of a Spin Möbius Strip. Chemistry - A European Journal, 2016, 22, 14205-14212.	3.3	6
42	Oxalate-bridged heterometallic chains with monocationic dabco derivatives. Dalton Transactions, 2016, 45, 16182-16189.	3.3	3
43	A Cyanide-Bridged Magnetically Switchable Cage with Encapsulated Water Molecules. Inorganic Chemistry, 2016, 55, 12114-12117.	4.0	14
44	Solvent-induced on/off switching of intramolecular electron transfer in a cyanide-bridged trigonal bipyramidal complex. Dalton Transactions, 2016, 45, 17104-17107.	3.3	18
45	Investigating the Transformations of Polyoxoanions Using Mass Spectrometry and Molecular Dynamics. Journal of the American Chemical Society, 2016, 138, 8765-8773.	13.7	50
46	Structure and Magnetic Properties of a Sulfate-bridged Tetracosanuclear Manganese Cluster. Chemistry Letters, 2015, 44, 746-748.	1.3	0
47	Syntheses, structures and magnetism of mixed-valence Mn <sup>19</sup> and Mn <sup>21</sup> complexes supported by alkylamine-based alkoxo-bridging ligands. Inorganic Chemistry Frontiers, 2015, 2, 538-543.	6.0	4
48	Planar copper and nickel triangles with a guanidine-derived ligand. Inorganic Chemistry Frontiers, 2015, 2, 725-730.	6.0	7
49	Pentanuclear and Octanuclear Manganese Helices. European Journal of Inorganic Chemistry, 2015, 2015, 2193-2198.	2.0	11
50	Controlled Reactivity Tuning of Metal-Functionalized Vanadium Oxide Clusters. Chemistry - A European Journal, 2015, 21, 7686-7689.	3.3	53
51	Planar trinuclear complexes with linear arrays of metal ions. Inorganic Chemistry Frontiers, 2015, 2, 125-128.	6.0	6
52	Lability-Controlled Syntheses of Heterometallic Clusters. Angewandte Chemie - International Edition, 2014, 53, 2941-2944.	13.8	23
53	Syntheses, structures and magnetic properties of two-dimensional chiral coordination polymers based on a tetradentate chiral ligand. New Journal of Chemistry, 2014, 38, 1946-1949.	2.8	9
54	X-ray-induced phase transitions by selective excitation of heterometal ions in a cyanide-bridged Fe-Co molecular square. Chemical Communications, 2014, 50, 4050-4052.	4.1	31

#	ARTICLE	IF	CITATIONS
55	Investigation of the light-induced electron-transfer-coupled spin transition in a cyanide-bridged [Co <sub>2</sub> Fe <sub>2</sub> ] complex by X-ray diffraction and absorption measurements. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 540-543.	6.0	26
56	Cyanide-Bridged Decanuclear Cobalt–Iron Cage. <i>Inorganic Chemistry</i> , 2014, 53, 5899-5901.	4.0	34
57	Programmable spin-state switching in a mixed-valence spin-crossover iron grid. <i>Nature Communications</i> , 2014, 5, 3865.	12.8	178
58	Abrupt Phase Transition Based on Electron-transfer-coupled Spin Transition in a Cyanide-bridged [Co <sub>2</sub> Fe <sub>2</sub> ] Tetranuclear Complex. <i>Chemistry Letters</i> , 2014, 43, 1029-1030.	1.3	20
59	Electrochemical Carbon Dioxide Reduction Catalyzed by a Dinuclear Ruthenium Complex with a Flexible Bridging Ligand. <i>Chemistry Letters</i> , 2014, 43, 1222-1223.	1.3	3
60	Correlation among Charge, Dielectric, and Magnetic Properties in Electron-transfer-type Spin-crossover Systems. <i>Chemistry Letters</i> , 2014, 43, 1173-1175.	1.3	1
61	Multiredox Active [3 Å–3] Copper Grids. <i>Inorganic Chemistry</i> , 2013, 52, 9714-9716.	4.0	30
62	X-ray Magnetic Circular Dichroism Investigation of the Electron Transfer Phenomena Responsible for Magnetic Switching in a Cyanide-Bridged [CoFe] Chain. <i>Inorganic Chemistry</i> , 2013, 52, 13956-13962.	4.0	23
63	Triple-stranded ferric helices: a π–π interaction-driven structural hierarchy of Fe <sub>5</sub> , Fe <sub>7</sub> , and Fe <sub>17</sub> clusters. <i>Dalton Transactions</i> , 2013, 42, 16185.	3.3	26
64	Spin Crossover in Iron(III) Complexes with Pentadentate Schiff Base Ligands and Pseudohalido Coligands. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 902-915.	2.0	38
65	DFT calculations of effective exchange integrals at the complete basis set limit on oxo-vanadium ring complex. <i>Polyhedron</i> , 2013, 66, 97-101.	2.2	7
66	Dimerized Spin–Crossover Iron(II) Complexes as Supramolecular Anion Capsules. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 781-787.	2.0	9
67	[M <sub>6</sub> –M <sub>4</sub> ] Cage Compounds with Chiral Bidentate Ligands. <i>Macromolecular Symposia</i> , 2012, 317-318, 286-292.	0.7	6
68	Linking Magnetic Clusters: Ferrimagnetic Interactions in a Nonanuclear Nickel(II) Cluster. <i>Chemistry Letters</i> , 2012, 41, 691-692.	1.3	3
69	A rectangular Ni–Fe cluster with unusual cyanide bridges. <i>Dalton Transactions</i> , 2012, 41, 11270.	3.3	4
70	Encapsulation controlled single molecule magnetism in tetrathiafulvalene-capped cyanide-bridged cubes. <i>Dalton Transactions</i> , 2012, 41, 13601.	3.3	25
71	Three-way switching in a cyanide-bridged [CoFe] chain. <i>Nature Chemistry</i> , 2012, 4, 921-926.	13.6	288
72	One-Pot Synthesis of Cu(II) Complex with Partially Oxidized TTF Moieties. <i>Crystals</i> , 2012, 2, 935-945.	2.2	1

#	ARTICLE	IF	CITATIONS
73	Syntheses and properties of new metal complexes based on TTF-ligands with multidentate coordination sites. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012, 9, 1140-1142.	0.8	3
74	One-dimensional 3d-3d <sup>4f</sup> Trimetallic Assemblies Consisting of Cu <sup>II</sup> <sub>2</sub>Ln <sup>III</sup> Trinuclear Complexes and Hexacyanometallate. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 2784-2791.	2.0	22
75	A Light-Induced Phase Exhibiting Slow Magnetic Relaxation in a Cyanide-Bridged [Fe <sub>4</sub> Co <sub>2</sub> ] Complex. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 6361-6364.	13.8	134
76	An antiferromagnetic {Mn <sub>8</sub> } ring supported by planar multidentate ligands. <i>Science China Chemistry</i> , 2012, 55, 973-977.	8.2	2
77	Controlled Intramolecular Electron Transfers in Cyanide-Bridged Molecular Squares by Chemical Modifications and External Stimuli. <i>Journal of the American Chemical Society</i> , 2011, 133, 3592-3600.	13.7	215
78	Cyanide bridged tetranuclear complex with a novel terthiophene based ligand. <i>Polyhedron</i> , 2011, 30, 3245-3248.	2.2	2
79	Cyanide-Bridged Molecular Squares – The Building Units of Prussian Blue. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 3031-3042.	2.0	116
80	Mapping the Sequential Self-Assembly of Heterometallic Clusters: From a Helix to a Grid. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 4844-4848.	13.8	63
81	Redox-Controlled Magnetic {Mn <sub>13</sub> } Keggin Systems. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 5716-5720.	13.8	51
82	Cyanide-Bridged [Fe <sub>8</sub> M <sub>6</sub> ] Clusters Displaying Single-Molecule Magnetism (M=Ni) and Electron-Transfer-Coupled Spin Transitions (M=Co). <i>Chemistry - A European Journal</i> , 2011, 17, 9612-9618.	3.3	59
83	A series of tetranuclear [2 Å– 2] grid complexes derived from an asymmetric ligand: Structural differences based on metal ion affinities. <i>Pure and Applied Chemistry</i> , 2011, 83, 1721-1729.	1.9	2
84	Thermally Two-stepped Spin Transitions Induced by Intramolecular Electron Transfers in a Cyanide-bridged Molecular Square. <i>Chemistry Letters</i> , 2010, 39, 978-979.	1.3	57
85	Achiral single molecule magnet and chiral single chain magnet. <i>Chemical Communications</i> , 2010, 46, 6117.	4.1	76
86	Single chain magnet of a cyanide bridged Fe <sup>II</sup> /Fe <sup>III</sup> complex. <i>CrystEngComm</i> , 2010, 12, 2697.	2.6	39
87	Ferromagnetically coupled chiral cyanide-bridged {Ni <sub>6</sub> Fe <sub>4</sub> } cages. <i>Dalton Transactions</i> , 2010, 39, 4730.	3.3	39
88	Cyanide-bridged tri- and tetra-nuclear spin crossover complexes. <i>Polyhedron</i> , 2009, 28, 1718-1721.	2.2	45
89	Molecular Magnets Containing Wheel Motifs. <i>Inorganic Chemistry</i> , 2009, 48, 3396-3407.	4.0	89
90	Cobalt Antiferromagnetic Ring and Grid Single-Molecule Magnet. <i>Chemistry - an Asian Journal</i> , 2009, 4, 1660-1663.	3.3	43

#	ARTICLE	IF	CITATIONS
91	Undecanuclear mixed-valence 3d <sup>4</sup> f bimetallic clusters. <i>Chemical Communications</i> , 2009, , 3568.	4.1	69
92	Templating Odd Numbered Magnetic Rings: Oxovanadium Heptagons Sandwiched by $\beta$ -Cyclodextrins. <i>Journal of the American Chemical Society</i> , 2009, 131, 15100-15101.	13.7	68
93	Spin Canting in a Cobalt(II) Radical Complex with an Acentric Counter Anion. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 4851-4855.	2.0	11
94	Cyanide-Bridged Iron(II,III) Cube with Multisteped Redox Behavior. <i>Inorganic Chemistry</i> , 2008, 47, 6106-6108.	4.0	61
95	Heptanuclear Nickel(II) Wheel with Eight Redox Active Ferrocenyl Groups. <i>Chemistry Letters</i> , 2008, 37, 966-967.	1.3	8
96	Rational Syntheses of Multinuclear High-Spin Complexes. <i>Bulletin of the Chemical Society of Japan</i> , 2007, 80, 608-620.	3.2	18
97	Alkoxo-bridged Cobalt(II) Cube and Its Radical Adduct. <i>Chemistry Letters</i> , 2007, 36, 1154-1155.	1.3	5
98	Magnetic Bistability and Single-Crystal-to-Single-Crystal Transformation Induced by Guest Desorption. <i>Journal of the American Chemical Society</i> , 2007, 129, 5312-5313.	13.7	154
99	A Wheel-Shaped Single-Molecule Magnet of [Mn <sup>II</sup> <sub>3</sub> Mn <sup>III</sup> <sub>4</sub> ]: Quantum Tunneling of Magnetization under Static and Pulse Magnetic Fields. <i>Chemistry - A European Journal</i> , 2007, 13, 8445-8453.	3.3	70
100	Manganese(III,IV) and Manganese(III) Oxide Clusters Trapped by Copper(II) Complexes. <i>Inorganic Chemistry</i> , 2007, 46, 3810-3812.	4.0	30
101	Development of New D-A Systems Based on Fullerene and TTF for Organic Devices. <i>Molecular Crystals and Liquid Crystals</i> , 2006, 455, 387-394.	0.9	0
102	Two-Step Spin Conversion in a Cyanide-Bridged Ferrous Square. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 6484-6487.	13.8	184
103	A Dinuclear Mn <sup>III</sup> -Cu <sup>I</sup> Single-Molecule Magnet. <i>Chemistry - A European Journal</i> , 2005, 11, 843-848.	3.3	68
104	High-Spin Molecules with Magnetic Anisotropy toward Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2005, 11, 5178-5185.	3.3	138
105	A Heterometal Single-Molecule Magnet of [Mn <sup>III</sup> 2Ni <sup>II</sup> 2Cl <sub>2</sub> (salpa) <sub>2</sub> ]. <i>Journal of the American Chemical Society</i> , 2005, 127, 4568-4569.	13.7	118
106	Antiferromagnetic Fe <sup>III</sup> 6Ring and Single-Molecule Magnet Mn <sup>II</sup> 3Mn <sup>III</sup> 4Wheel. <i>Inorganic Chemistry</i> , 2005, 44, 1208-1210.	4.0	94
107	Single-Molecule Magnets of Ferrous Cubes: A Structurally Controlled Magnetic Anisotropy. <i>Journal of the American Chemical Society</i> , 2004, 126, 8805-8812.	13.7	179
108	Cyanide Compounds. <i>Inorganic Syntheses</i> , 2004, , 133-183.	0.3	5

#	ARTICLE	IF	CITATIONS
109	Spectroelectrochemical Studies on Mixed-Valence States in a Cyanide-Bridged Molecular Square, $[\text{Ru}^{II}2\text{Fe}^{II}2(\frac{1}{4}\text{-CN})_4(\text{bpy})_8](\text{PF}_6)_4 \cdot \text{CHCl}_3 \cdot \text{H}_2\text{O}$ . Chemistry - A European Journal, 2003, 9, 3946-3950.	3.3	53
110	High-Spin Wheel of a Heptanuclear Mixed-Valent $\text{Fe}^{II,III}$ Complex. Angewandte Chemie - International Edition, 2003, 42, 223-225.	13.8	104
111	Cyanide-Bridged Molecular Squares with Ferromagnetically Coupled $d^6$ , $d^5$ , and $p^1$ Spin System. Inorganic Chemistry, 2002, 41, 5817-5820.	4.0	85
112	Frontiers in Crystal Chemistry: Prediction of Structures and Properties. Part 2. Solid-State Properties and Reactions Predicted from Crystal Structures. Magnetism of Molecular Crystals.. Nihon Kessho Gakkaishi, 2002, 44, 46-49.	0.0	0
113	Cyanide-Bridged $\text{Fe}^{\sim}\text{Fe}$ and $\text{Fe}^{\sim}\text{Co}$ Molecular Squares: Structures and Electrochemistry of $[\text{Fe}(\frac{1}{4}\text{-CN})_4(\text{bpy})_8](\text{PF}_6)_4 \cdot 4 \text{H}_2\text{O}$ , $[\text{FeCo}(\frac{1}{4}\text{-CN})_4(\text{bpy})_8](\text{PF}_6)_4 \cdot 3 \text{CHCl}_3 \cdot 2 \text{CH}_3\text{CN}$ , and $[\text{FeCo}(\frac{1}{4}\text{-CN})_4(\text{bpy})_8](\text{PF}_6)_4 \cdot 2 \text{CHCl}_3 \cdot 4 \text{CH}_3\text{NO}_2$ . Chemistry - A European Journal, 2000, 6, 2523-2530.	0.0	0
114	Superparamagnetic Behavior in an Alkoxo-Bridged Iron(II) Cube. Journal of the American Chemical Society, 2000, 122, 12602-12603.	13.7	161
115	Manipulating Selective Metal-to-Metal Electron Transfer to Achieve Multi-Phase Transitions in an Asymmetric $[\text{Fe}_2\text{Co}]$ -Assembled Mixed-Valence Chain. Angewandte Chemie, 0, , .	2.0	4
116	Spin-Crossover Tuned Rotation of Pyrazolyl Rings in a 2D Iron(II) Complex towards Synergetic Magnetic and Dielectric Transitions. Angewandte Chemie, 0, , .	2.0	0