

Matthias Schwannauer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4637644/publications.pdf>

Version: 2024-02-01

49
papers

1,668
citations

361413

20
h-index

315739

38
g-index

55
all docs

55
docs citations

55
times ranked

2434
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017, 4, 749-758.	7.4	459
2	Attachment states of mind, mentalization, and their correlates in a first episode psychosis sample. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2011, 84, 42-57.	2.5	101
3	Resting-state gamma-band power alterations in schizophrenia reveal E/I-balance abnormalities across illness-stages. <i>ELife</i> , 2018, 7, .	6.0	92
4	Metacognitive functioning predicts positive and negative symptoms over 12 months in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2014, 54, 109-115.	3.1	74
5	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 633-643.	7.4	71
6	Using Online Screening in the General Population to Detect Participants at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 600-609.	4.3	56
7	Metacognition, symptoms and premorbid functioning in a First Episode Psychosis sample. <i>Comprehensive Psychiatry</i> , 2014, 55, 268-273.	3.1	51
8	Negative Beliefs about Self and Illness: A Comparison of Individuals with Psychosis with or Without Comorbid Social Anxiety Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 960-964.	2.3	50
9	The Beliefs about Paranoia Scale: Preliminary Validation of a Metacognitive Approach to Conceptualizing Paranoia. <i>Behavioural and Cognitive Psychotherapy</i> , 2005, 33, 153-164.	1.2	50
10	An integrated biopsychosocial model of childhood maltreatment and psychosis. <i>British Journal of Psychiatry</i> , 2015, 206, 177-180.	2.8	41
11	Fear of recurrence: Results of a randomized trial of relapse detection in schizophrenia. <i>British Journal of Clinical Psychology</i> , 2015, 54, 49-62.	3.5	40
12	Interpersonal styles in major and chronic depression: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018, 239, 93-101.	4.1	37
13	40-Hz Auditory Steady-State Responses Characterize Circuit Dysfunctions and Predict Clinical Outcomes in Clinical High-Risk for Psychosis Participants: A Magnetoencephalography Study. <i>Biological Psychiatry</i> , 2021, 90, 419-429.	1.3	37
14	The Relationships Between Self-Compassion, Attachment and Interpersonal Problems in Clinical Patients with Mixed Anxiety and Depression and Emotional Distress. <i>Mindfulness</i> , 2018, 9, 961-971.	2.8	35
15	Association of Magnetoencephalographically Measured High-Frequency Oscillations in Visual Cortex With Circuit Dysfunctions in Local and Large-scale Networks During Emerging Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 852.	11.0	33
16	Predicting one-year outcome in first episode psychosis using machine learning. <i>PLoS ONE</i> , 2019, 14, e0212846.	2.5	29
17	Efficacy of Mentalization-based group therapy for adolescents: the results of a pilot randomised controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 167.	2.6	28
18	The Youth Mental Health Risk and Resilience Study (YouR-Study). <i>BMC Psychiatry</i> , 2017, 17, 43.	2.6	27

#	ARTICLE	IF	CITATIONS
19	Review: The effectiveness of interpersonal psychotherapy for adolescents with depression â€” a systematic review and meta-analysis. <i>Child and Adolescent Mental Health</i> , 2019, 24, 307-317.	3.5	27
20	Adolescentsâ€™ mental health and well-being in developing countries: a cross-sectional survey from Pakistan. <i>Journal of Mental Health</i> , 2019, 28, 389-396.	1.9	27
21	Metacognition in First Episode Psychosis: Item Level Analysis of Associations with Symptoms and Engagement. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 329-339.	2.7	25
22	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. <i>JMIR Research Protocols</i> , 2020, 9, e15058.	1.0	24
23	Recovering an emerging self: Exploring reflective function in recovery from adolescent-onset psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2012, 85, 48-67.	2.5	23
24	Vividness of positive mental imagery predicts positive emotional response to visually presented Project Soothe pictures. <i>British Journal of Psychology</i> , 2018, 109, 259-276.	2.3	23
25	The Development and Validation of the Beliefs about Paranoia Scale (Short Form). <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 35-53.	1.2	18
26	Neuropsychological deficits in participants at clinical high risk for psychosis recruited from the community: relationships to functioning and clinical symptoms. <i>Psychological Medicine</i> , 2020, 50, 77-85.	4.5	17
27	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 280.	2.6	16
28	Cognitive-behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-144.	2.8	16
29	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-174.	2.8	16
30	Parental bonding and adolescentsâ€™ depressive and anxious symptoms in Pakistan. <i>Journal of Affective Disorders</i> , 2018, 228, 60-67.	4.1	15
31	The Brief Symptom Inventory: A validity study in two independent Scottish samples. <i>Clinical Psychology and Psychotherapy</i> , 2007, 14, 221-228.	2.7	13
32	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. <i>Lancet Psychiatry</i> , 2022, 9, 477-486.	7.4	13
33	Relational Pathways to Substance Misuse and Drug-Related Offending in Women: The Role of Trauma, Insecure Attachment, and Shame. <i>International Journal of Forensic Mental Health</i> , 2016, 15, 35-47.	1.0	12
34	Characterising cognitive heterogeneity in individuals at clinical high-risk for psychosis: a cluster analysis with clinical and functional outcome prediction. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 437-448.	3.2	9
35	Prevalence and predictors of suicidality and non-suicidal self-harm among individuals at clinical high-risk for psychosis: Results from a community-recruited sample. <i>Microbial Biotechnology</i> , 2021, 15, 1256-1265.	1.7	9
36	Relational Risk Factors for Reoffending in Women: A Systematic Review. <i>International Journal of Forensic Mental Health</i> , 2014, 13, 381-393.	1.0	8

#	ARTICLE	IF	CITATIONS
37	The Beliefs about Paranoia Scale: Confirmatory factor analysis and tests of a metacognitive model of paranoia in a clinical sample. <i>Psychiatry Research</i> , 2017, 248, 87-94.	3.3	8
38	Treatment outcomes and associations in an adolescent-specific early intervention for psychosis service. <i>Microbial Biotechnology</i> , 2019, 13, 707-714.	1.7	8
39	Unpacking stigma: Meta-analyses of correlates and moderators of personal stigma in psychosis. <i>Clinical Psychology Review</i> , 2021, 89, 102077.	11.4	8
40	Soothe ourselves in times of need: A qualitative exploration of how the feeling of "soothe" is understood and experienced in everyday life. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 587-620.	2.5	7
41	Behavioural Risk of Bipolar Disorder in an Analogue Population: The Role of Cognitive, Developmental and Interpersonal Factors. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 411-417.	2.7	3
42	Mediators of the Relationship Between Attachment and Dispositional Mindfulness in Adolescents. <i>Mindfulness</i> , 2020, 11, 1782-1791.	2.8	3
43	Duration of basic and attenuated-psychotic symptoms in individuals at clinical high risk for psychosis: pattern of symptom onset and effects of duration on functioning and cognition. <i>BMC Psychiatry</i> , 2021, 21, 339.	2.6	3
44	Metacognitive training modified for negative symptoms: A feasibility study. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1068-1079.	2.7	2
45	Efficacy of Mentalization-Based Group Therapy for Adolescents: A Pilot Randomised Controlled Trial. <i>Social Science Protocols</i> , 0, 1, 1-14.	0.2	1
46	Negative symptoms: barely understood, poorly treated. <i>Psychosis</i> , 2018, 10, 62-63.	0.8	0
47	Effectiveness of interpersonal psychotherapy for community living depressed women involved with the justice system. <i>Criminal Behaviour and Mental Health</i> , 2021, 31, 183-197.	0.8	0
48	MR-Spectroscopy of GABA and Glutamate/Glutamine Concentrations in Auditory Cortex in Clinical High-Risk for Psychosis Individuals. <i>Frontiers in Psychiatry</i> , 2022, 13, 859322.	2.6	0
49	Computerised cognitive training during early-stage psychosis improves cognitive deficits and gamma-band oscillations: A pilot study. <i>Schizophrenia Research</i> , 2022, 243, 217-219.	2.0	0