

# Guadalberto Hernández

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4637800/publications.pdf>

Version: 2024-02-01

25  
papers

458  
citations

623188

14  
h-index

713013

21  
g-index

26  
all docs

26  
docs citations

26  
times ranked

369  
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased SGK1 activity potentiates mineralocorticoid/NaCl-induced kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F628-F643.	1.3	15
2	SGK1.1 limits brain damage after status epilepticus through M current-dependent and independent mechanisms. <i>Neurobiology of Disease</i> , 2021, 153, 105317.	2.1	4
3	SGK1 activation exacerbates diet-induced obesity, metabolic syndrome and hypertension. <i>Journal of Endocrinology</i> , 2020, 244, 149-162.	1.2	29
4	Ovarian Hormone-Dependent Effects of Dietary Lipids on APP/PS1 Mouse Brain. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 346.	1.7	3
5	Ovarian Function Modulates the Effects of Long-Chain Polyunsaturated Fatty Acids on the Mouse Cerebral Cortex. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 103.	1.8	7
6	Heterogeneous nuclear ribonucleoprotein A2/B1 is a tissue-specific aldosterone target gene with prominent induction in the rat distal colon. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G122-G131.	1.6	8
7	Developmental Expression of Neurotensin in Thyrotropes and Gonadotropes of Male and Female Rats. <i>Neuroendocrinology</i> , 2004, 79, 90-99.	1.2	14
8	Tamoxifen but Not Other Selective Estrogen Receptor Modulators Antagonizes Estrogen Actions on Luteinizing Hormone Secretion while Inducing Gonadotropin-Releasing Hormone Self-Priming in the Rat. <i>Neuroendocrinology</i> , 2002, 76, 203-213.	1.2	26
9	Sex steroids modulate luteinizing hormone-releasing hormone secretion in a cholinergic cell line from the basal forebrain. <i>Neuroscience</i> , 2001, 103, 1025-1031.	1.1	14
10	Estrogen modulates norepinephrine-induced accumulation of adenosine cyclic monophosphate in a subpopulation of immortalized luteinizing hormone-releasing hormone secreting neurons from the mouse hypothalamus. <i>Neuroscience Letters</i> , 2001, 298, 61-64.	1.0	21
11	Immunoreactive Neurotensin in Gonadotrophs and Thyrotrophs is Regulated by Sex Steroid Hormones in the Female Rat. <i>Journal of Neuroendocrinology</i> , 2001, 11, 785-794.	1.2	17
12	Luteinizing hormone secretion elicited in a ligand-independent activation of progesterone receptor manner at pituitary level in the rat: differential effect of two selective estrogen receptor modulators. <i>Neuroscience Letters</i> , 2000, 289, 111-114.	1.0	17
13	Gonadal steroid modulation of neuroendocrine transduction: A transynaptic view. <i>Cellular and Molecular Neurobiology</i> , 1996, 16, 357-382.	1.7	52
14	Ovarian hormones regulate $\hat{1}\pm$ 1- and $\hat{1}\pm$ 2-adrenoceptor interactions in female rat pinealocytes. <i>NeuroReport</i> , 1995, 6, 345-352.	0.6	14
15	Periovarial LHRH, LH and FSH secretion in cyclic rats treated with RU486: effects of exogenous LHRH and LHRH antagonist on LH and FSH secretion at early oestrus. <i>Journal of Endocrinology</i> , 1994, 141, 7-14.	1.2	25
16	Tyrosine hydroxylase activity in peripherally denervated rat pineal gland. <i>Neuroscience Letters</i> , 1994, 177, 131-134.	1.0	8
17	Adrenergic Activity in the Male Rat Harderian Gland. , 1992, , 245-254.		0
18	Castration Reduces the Nocturnal Rise of Pineal Melatonin Levels in the Male Rat by Impairing its Noradrenergic Input. <i>Journal of Neuroendocrinology</i> , 1990, 2, 777-782.	1.2	15

#	ARTICLE	IF	CITATIONS
19	Determination of Pineal Melatonin by High-Performance Liquid Chromatography With Electrochemical Detection: Application for Rhythm Studies and Tissue Explants. <i>Journal of Pineal Research</i> , 1990, 8, 11-19.	3.4	19
20	Ovarian steroids block the isoproterenol-induced elevation of pineal melatonin production in the female rat. <i>Neuroscience Letters</i> , 1990, 119, 12-14.	1.0	31
21	Regional Distribution of Immunoreactive Somatostatin in the Bovine Pineal Gland. <i>Neuroendocrinology</i> , 1989, 50, 550-554.	1.2	13
22	Reproductive hormones control striatal tyrosine hydroxylase activity in the male rat. <i>Neuroscience Letters</i> , 1988, 95, 213-217.	1.0	21
23	Day-Night Rhythm of Rat Pineal Tyrosine Hydroxylase Activity as Determined by HPLC with Amperometric Detection. <i>Journal of Neurochemistry</i> , 1987, 48, 665-668.	2.1	24
24	Pineal indols and testosterone affect exploratory activity of male rats. <i>Experientia</i> , 1984, 40, 397-398.	1.2	16
25	Different roles of catecholaminergic and serotonergic neurons of the medial forebrain bundle on male rat sexual behavior. <i>Physiology and Behavior</i> , 1984, 33, 5-11.	1.0	45