Antnio Gil Castro

List of Publications by Citations

Source: https://exaly.com/author-pdf/4638211/antonio-gil-castro-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

3,445
citations

32
h-index

82
ext. papers

4,013
ext. citations

32
h-index

57
g-index

4.84
L-index

#	Paper	IF	Citations
79	Strategies for use of IL-10 or its antagonists in human disease. <i>Immunological Reviews</i> , 2008 , 223, 114-3	B1 _{11.3}	318
78	Cutting edge: IFN-gamma regulates the induction and expansion of IL-17-producing CD4 T cells during mycobacterial infection. <i>Journal of Immunology</i> , 2006 , 177, 1416-20	5.3	229
77	Pathological role of interleukin 17 in mice subjected to repeated BCG vaccination after infection with Mycobacterium tuberculosis. <i>Journal of Experimental Medicine</i> , 2010 , 207, 1609-16	16.6	203
76	Balancing the immune response in the brain: IL-10 and its regulation. <i>Journal of Neuroinflammation</i> , 2016 , 13, 297	10.1	195
75	Role of gamma interferon and tumor necrosis factor alpha during T-cell-independent and -dependent phases of Mycobacterium avium infection. <i>Infection and Immunity</i> , 1994 , 62, 3962-71	3.7	145
74	First cultivation and characterization of Mycobacterium ulcerans from the environment. <i>PLoS Neglected Tropical Diseases</i> , 2008 , 2, e178	4.8	143
73	Gellan gum injectable hydrogels for cartilage tissue engineering applications: in vitro studies and preliminary in vivo evaluation. <i>Tissue Engineering - Part A</i> , 2010 , 16, 343-53	3.9	120
72	IL-10 modulates depressive-like behavior. <i>Journal of Psychiatric Research</i> , 2008 , 43, 89-97	5.2	99
71	Infection with Mycobacterium ulcerans induces persistent inflammatory responses in mice. <i>Infection and Immunity</i> , 2005 , 73, 6299-310	3.7	83
7°	Susceptibility of beige mice to Mycobacterium avium: role of neutrophils. <i>Infection and Immunity</i> , 1995 , 63, 3381-7	3.7	83
69	Mycolactone-mediated inhibition of tumor necrosis factor production by macrophages infected with Mycobacterium ulcerans has implications for the control of infection. <i>Infection and Immunity</i> , 2007 , 75, 3979-88	3.7	82
68	Evidence for an intramacrophage growth phase of Mycobacterium ulcerans. <i>Infection and Immunity</i> , 2007 , 75, 977-87	3.7	82
67	Phage therapy is effective against infection by Mycobacterium ulcerans in a murine footpad model. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2183	4.8	69
66	High systemic IL-6 is associated with worse prognosis in patients with non-small cell lung cancer. <i>PLoS ONE</i> , 2017 , 12, e0181125	3.7	65
65	Interleukin-6 Is a Biomarker for the Development of Fatal Severe Acute Respiratory Syndrome Coronavirus 2 Pneumonia. <i>Frontiers in Immunology</i> , 2021 , 12, 613422	8.4	63
64	Type I IFN Inhibits Alternative Macrophage Activation during Mycobacterium tuberculosis Infection and Leads to Enhanced Protection in the Absence of IFN-ISignaling. <i>Journal of Immunology</i> , 2016 , 197, 4714-4726	5.3	61
63	Delivery of LLKKK18 loaded into self-assembling hyaluronic acid nanogel for tuberculosis treatment. <i>Journal of Controlled Release</i> , 2016 , 235, 112-124	11.7	61

(2011-2013)

62	Mycobacterium tuberculosis Strains Are Differentially Recognized by TLRs with an Impact on the Immune Response. <i>PLoS ONE</i> , 2013 , 8, e67277	3.7	57
61	Performance of new gellan gum hydrogels combined with human articular chondrocytes for cartilage regeneration when subcutaneously implanted in nude mice. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2009 , 3, 493-500	4.4	56
60	Live but not heat-killed mycobacteria cause rapid chemotaxis of large numbers of eosinophils in vivo and are ingested by the attracted granulocytes. <i>Infection and Immunity</i> , 1991 , 59, 3009-14	3.7	52
59	Cdc42p controls yeast-cell shape and virulence of Paracoccidioides brasiliensis. <i>Fungal Genetics and Biology</i> , 2009 , 46, 919-26	3.9	49
58	Anti-interleukin 10 receptor monoclonal antibody is an adjuvant for T helper cell type 1 responses to soluble antigen only in the presence of lipopolysaccharide. <i>Journal of Experimental Medicine</i> , 2000 , 192, 1529-34	16.6	48
57	IFN-gamma-dependent activation of macrophages during experimental infections by Mycobacterium ulcerans is impaired by the toxin mycolactone. <i>Journal of Immunology</i> , 2010 , 184, 947-5.	55.3	45
56	Osteogenic differentiation of two distinct subpopulations of human adipose-derived stem cells: an in vitro and in vivo study. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2012 , 6, 1-11	4.4	42
55	Developments on drug delivery systems for the treatment of mycobacterial infections. <i>Current Topics in Medicinal Chemistry</i> , 2008 , 8, 579-91	3	40
54	In vitro evaluation of the behaviour of human polymorphonuclear neutrophils in direct contact with chitosan-based membranes. <i>Journal of Biotechnology</i> , 2007 , 132, 218-26	3.7	39
53	In vivo performance of chitosan/soy-based membranes as wound-dressing devices for acute skin wounds. <i>Tissue Engineering - Part A</i> , 2013 , 19, 860-9	3.9	37
52	Mycobacterium ulcerans triggers T-cell immunity followed by local and regional but not systemic immunosuppression. <i>Infection and Immunity</i> , 2011 , 79, 421-30	3.7	36
51	BCG vaccination-induced long-lasting control of Mycobacterium tuberculosis correlates with the accumulation of a novel population of CD4+IL-17+TNF+IL-2+ T cells. <i>Vaccine</i> , 2015 , 33, 85-91	4.1	35
50	In vivo short-term and long-term host reaction to starch-based scaffolds. <i>Acta Biomaterialia</i> , 2010 , 6, 4314-26	10.8	35
49	Cellular immunity confers transient protection in experimental Buruli ulcer following BCG or mycolactone-negative Mycobacterium ulcerans vaccination. <i>PLoS ONE</i> , 2012 , 7, e33406	3.7	35
48	Evidence for diversifying selection in a set of Mycobacterium tuberculosis genes in response to antibiotic- and nonantibiotic-related pressure. <i>Molecular Biology and Evolution</i> , 2013 , 30, 1326-36	8.3	34
47	The rs5743836 polymorphism in TLR9 confers a population-based increased risk of non-Hodgkin lymphoma. <i>Genes and Immunity</i> , 2012 , 13, 197-201	4.4	32
46	Dissemination of mycobacteria to the thymus renders newly generated T cells tolerant to the invading pathogen. <i>Journal of Immunology</i> , 2010 , 184, 351-8	5.3	32
45	The C allele of rs5743836 polymorphism in the human TLR9 promoter links IL-6 and TLR9 up-regulation and confers increased B-cell proliferation. <i>PLoS ONE</i> , 2011 , 6, e28256	3.7	32

44	Differential post-transcriptional regulation of IL-10 by TLR2 and TLR4-activated macrophages. <i>European Journal of Immunology</i> , 2014 , 44, 856-66	6.1	31
43	IL-10 overexpression predisposes to invasive aspergillosis by suppressing antifungal immunity. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 867-870.e9	11.5	30
42	Poor immune reconstitution in HIV-infected patients associates with high percentage of regulatory CD4+ T cells. <i>PLoS ONE</i> , 2013 , 8, e57336	3.7	27
41	TLR2 deficiency by compromising p19 (IL-23) expression limits Th 17 cell responses to Mycobacterium tuberculosis. <i>International Immunology</i> , 2011 , 23, 89-96	4.9	26
40	Interferon-Tregulates the production of IL-10 by toll-like receptor-activated microglia. <i>Glia</i> , 2017 , 65, 1439-1451	9	24
39	Mycobacterium tuberculosis associated with severe tuberculosis evades cytosolic surveillance systems and modulates IL-1[production. <i>Nature Communications</i> , 2020 , 11, 1949	17.4	24
38	The Absence of HIF-1Increases Susceptibility to Leishmania donovani Infection via Activation of BNIP3/mTOR/SREBP-1c Axis. <i>Cell Reports</i> , 2020 , 30, 4052-4064.e7	10.6	21
37	Plasmacytoid and conventional dendritic cells are early producers of IL-12 in Neospora caninum-infected mice. <i>Immunology and Cell Biology</i> , 2010 , 88, 79-86	5	20
36	IL-17A Promotes Intracellular Growth of Mycobacterium by Inhibiting Apoptosis of Infected Macrophages. <i>Frontiers in Immunology</i> , 2015 , 6, 498	8.4	19
35	Virulence attenuation of Candida albicans genetic variants isolated from a patient with a recurrent bloodstream infection. <i>PLoS ONE</i> , 2010 , 5, e10155	3.7	19
34	The impact of IL-10 dynamic modulation on host immune response against visceral leishmaniasis. <i>Cytokine</i> , 2018 , 112, 16-20	4	17
33	Vascular endothelial growth factor and fibroblast growth factor-2 incorporation in starch-based bone tissue-engineered constructs promote the in vivo expression of neovascularization mediators. <i>Tissue Engineering - Part A</i> , 2013 , 19, 834-48	3.9	17
32	Analysis of a local HIV-1 epidemic in portugal highlights established transmission of non-B and non-G subtypes. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 1506-14	9.7	17
31	Analysis of the immune response to Neospora caninum in a model of intragastric infection in mice. <i>Parasite Immunology</i> , 2007 , 29, 23-36	2.2	17
30	Local and regional re-establishment of cellular immunity during curative antibiotherapy of murine Mycobacterium ulcerans infection. <i>PLoS ONE</i> , 2012 , 7, e32740	3.7	17
29	A Prediction Rule to Stratify Mortality Risk of Patients with Pulmonary Tuberculosis. <i>PLoS ONE</i> , 2016 , 11, e0162797	3.7	16
28	Breakpoints in immunoregulation required for Th1 cells to induce diabetes. <i>European Journal of Immunology</i> , 2006 , 36, 2315-23	6.1	15
27	The Dynamics of Interleukin-10-Afforded Protection during Dextran Sulfate Sodium-Induced Colitis. <i>Frontiers in Immunology</i> , 2018 , 9, 400	8.4	14

(1995-2015)

26	Spontaneous Healing of Mycobacterium ulcerans Lesions in the Guinea Pig Model. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0004265	4.8	14	
25	Differential arabinan capping of lipoarabinomannan modulates innate immune responses and impacts T helper cell differentiation. <i>Journal of Biological Chemistry</i> , 2012 , 287, 44173-83	5.4	14	
24	Myeloid Sirtuin 2 Expression Does Not Impact Long-Term Mycobacterium tuberculosis Control. <i>PLoS ONE</i> , 2015 , 10, e0131904	3.7	13	
23	TLR9 activation dampens the early inflammatory response to Paracoccidioides brasiliensis, impacting host survival. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2317	4.8	13	
22	P. brasiliensis virulence is affected by SconC, the negative regulator of inorganic sulfur assimilation. <i>PLoS ONE</i> , 2013 , 8, e74725	3.7	13	
21	Chitosan improves the biological performance of soy-based biomaterials. <i>Tissue Engineering - Part A</i> , 2010 , 16, 2883-90	3.9	13	
20	Neospora caninum: high susceptibility to the parasite in C57BL/10ScCr mice. <i>Experimental Parasitology</i> , 2007 , 115, 68-75	2.1	13	
19	T cell apoptosis characterizes severe Covid-19 disease Cell Death and Differentiation, 2022,	12.7	13	
18	A Nonribosomal Peptide Synthase Gene Driving Virulence in Mycobacterium tuberculosis. <i>MSphere</i> , 2018 , 3,	5	13	
17	Antimicrobial activity of Mycobacteriophage D29 Lysin B during Mycobacterium ulcerans infection. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007113	4.8	12	
16	Chondrogenic potential of two hASCs subpopulations loaded onto gellan gum hydrogel evaluated in a nude mice model. <i>Current Stem Cell Research and Therapy</i> , 2013 , 8, 357-64	3.6	12	
15	A new model of laryngitis: neuropeptide, cyclooxygenase, and cytokine profile. <i>Laryngoscope</i> , 2008 , 118, 78-86	3.6	11	
14	Corticosteroid-induced immunosuppression ultimately does not compromise the efficacy of antibiotherapy in murine Mycobacterium ulcerans infection. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1925	4.8	10	
13	L-Threonine Supplementation During Colitis Onset Delays Disease Recovery. <i>Frontiers in Physiology</i> , 2018 , 9, 1247	4.6	10	
12	Innate IFN-Producing Cells Developing in the Absence of IL-2 Receptor Common Echain. <i>Journal of Immunology</i> , 2017 , 199, 1429-1439	5.3	8	
11	Dysregulation of glycerophospholipid metabolism during Beh\(\text{B}\)t\(\text{tl}\) disease contributes to a pro-inflammatory phenotype of circulating monocytes. <i>Journal of Translational Autoimmunity</i> , 2020 , 3, 100056	4.1	7	
10	The selective COX-2 inhibitor Etoricoxib reduces acute inflammatory markers in a model of neurogenic laryngitis but loses its efficacy with prolonged treatment. <i>Inflammation Research</i> , 2010 , 59, 743-53	7.2	7	
9	In vivo evidence for a non-T cell origin of interleukin-5. <i>Scandinavian Journal of Immunology</i> , 1995 , 41, 288-92	3.4	6	

8	Myeloid HIF-1I regulates pulmonary inflammation during experimental Mycobacterium tuberculosis infection. <i>Immunology</i> , 2020 , 159, 121-129	7.8	6
7	Towards the Development of a Female Animal Model of T1DM Using Hyaluronic Acid Nanocoated Cell Transplantation: Refinements and Considerations for Future Protocols. <i>Pharmaceutics</i> , 2021 , 13,	6.4	5
6	Changes in the Immune Phenotype and Gene Expression Profile Driven by a Novel Tuberculosis Nanovaccine: Short and Long-Term Post-immunization. <i>Frontiers in Immunology</i> , 2020 , 11, 589863	8.4	5
5	Immune System Efficiency in Cancer and the Microbiota Influence. <i>Pathobiology</i> , 2021 , 88, 170-186	3.6	5
4	Early IL-10 promotes vasculature-associated CD4+ T cells unable to control Mycobacterium tuberculosis infection. <i>JCI Insight</i> , 2021 , 6,	9.9	5
3	TNF-Mediated Compensatory Immunity to in the Absence of Macrophage Activation by IFN-Il <i>Journal of Immunology</i> , 2019 , 203, 2451-2458	5.3	4
2	Interleukin-10 induces interferon-Edependent emergency myelopoiesis. <i>Cell Reports</i> , 2021 , 37, 109887	10.6	2
1	Cytokines Involved in Resistance to Mycobacterium avium in a Mouse Model of Infection. <i>Medical Principles and Practice</i> , 1997 , 6, 97-102	2.1	1