Cline Pinheiro

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4638910/celine-pinheiro-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,654 28 51 53 h-index g-index citations papers 62 2,954 4.3 4.47 avg, IF L-index ext. citations ext. papers



#	Paper	IF	Citations
53	MCT1 expression is independently related to shorter cancer-specific survival in clear cell renal cell carcinoma. <i>Carcinogenesis</i> , 2021 ,	4.6	1
52	Expression of Glycolysis-Related Proteins in Cancer of Unknown Primary Origin. <i>Frontiers in Oncology</i> , 2021 , 11, 682665	5.3	3
51	Targeting lactate production and efflux in prostate cancer. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165894	6.9	7
50	The Quality of Pap Smears from the Brazilian Cervical Cancer Screening Program According to the Human Development Index. <i>Cancer Prevention Research</i> , 2020 , 13, 299-308	3.2	1
49	Clinical significance of metabolism-related biomarkers in non-Hodgkin lymphoma - MCT1 as potential target in diffuse large B cell lymphoma. <i>Cellular Oncology (Dordrecht)</i> , 2019 , 42, 303-318	7.2	17
48	The Warburg Effect Is Associated With Tumor Aggressiveness in Testicular Germ Cell Tumors. <i>Frontiers in Endocrinology</i> , 2019 , 10, 417	5.7	18
47	CAIX is a predictor of pathological complete response and is associated with higher survival in locally advanced breast cancer submitted to neoadjuvant chemotherapy. <i>BMC Cancer</i> , 2019 , 19, 1173	4.8	6
46	Trend analysis of the quality indicators for the Brazilian cervical cancer screening programme by region and state from 2006 to 2013. <i>BMC Cancer</i> , 2018 , 18, 126	4.8	12
45	The clinicopathological significance of monocarboxylate transporters in testicular germ cell tumors. <i>Oncotarget</i> , 2018 , 9, 20386-20398	3.3	7
44	Monocarboxylate transporter 1 is a key player in glioma-endothelial cell crosstalk. <i>Molecular Carcinogenesis</i> , 2017 , 56, 2630-2642	5	24
43	GLUT1 expression in pediatric adrenocortical tumors: a promising candidate to predict clinical behavior. <i>Oncotarget</i> , 2017 , 8, 63835-63845	3.3	6
42	Significance of glycolytic metabolism-related protein expression in colorectal cancer, lymph node and hepatic metastasis. <i>BMC Cancer</i> , 2016 , 16, 535	4.8	37
41	Prognostic significance of monocarboxylate transporter expression in oral cavity tumors. <i>Cell Cycle</i> , 2016 , 15, 1865-73	4.7	29
40	The metabolic microenvironment of melanomas: Prognostic value of MCT1 and MCT4. <i>Cell Cycle</i> , 2016 , 15, 1462-70	4.7	44
39	Reprogramming energy metabolism and inducing angiogenesis: co-expression of monocarboxylate transporters with VEGF family members in cervical adenocarcinomas. <i>BMC Cancer</i> , 2015 , 15, 835	4.8	21
38	Impact of an educational hands-on project on the antimicrobial, antitumor and anti-inflammatory properties of plants on Portuguese studentsTawareness, knowledge, and competences. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 2437-53	4.6	5
37	Historical Analysis of the Brazilian Cervical Cancer Screening Program from 2006 to 2013: A Time for Reflection. <i>PLoS ONE</i> , 2015 , 10, e0138945	3.7	21

(2011-2015)

36	Monocarboxylate transport inhibition potentiates the cytotoxic effect of 5-fluorouracil in colorectal cancer cells. <i>Cancer Letters</i> , 2015 , 365, 68-78	9.9	43
35	Targeting lactate transport suppresses in vivo breast tumour growth. <i>Oncotarget</i> , 2015 , 6, 19177-89	3.3	73
34	Metabolic reprogramming: a new relevant pathway in adult adrenocortical tumors. <i>Oncotarget</i> , 2015 , 6, 44403-21	3.3	28
33	Glucose Addiction in Cancer Therapy: Advances and Drawbacks. <i>Current Drug Metabolism</i> , 2015 , 16, 221	- 4 3	44
32	Differential sensitivities to lactate transport inhibitors of breast cancer cell lines. <i>Endocrine-Related Cancer</i> , 2014 , 21, 27-38	5.7	42
31	Characterization of monocarboxylate transporters (MCTs) expression in soft tissue sarcomas: distinct prognostic impact of MCT1 sub-cellular localization. <i>Journal of Translational Medicine</i> , 2014 , 12, 118	8.5	23
30	The basal epithelial marker P-cadherin associates with breast cancer cell populations harboring a glycolytic and acid-resistant phenotype. <i>BMC Cancer</i> , 2014 , 14, 734	4.8	19
29	Lactate transporters and vascular factors in HPV-induced squamous cell carcinoma of the uterine cervix. <i>BMC Cancer</i> , 2014 , 14, 751	4.8	16
28	Monocarboxylate transporters as targets and mediators in cancer therapy response. <i>Histology and Histopathology</i> , 2014 , 29, 1511-24	1.4	74
27	Characterization of monocarboxylate transporter activity in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2014 , 20, 11780-7	5.6	23
26	Monocarboxylate transporters (MCTs) in gliomas: expression and exploitation as therapeutic targets. <i>Neuro-Oncology</i> , 2013 , 15, 172-88	1	162
25	Assessing the impact of a school intervention to promote studentsTknowledge and practices on correct antibiotic use. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 2920-	- 3 1 ⁶	21
24	CD147 immunohistochemistry discriminates between reactive mesothelial cells and malignant mesothelioma. <i>Diagnostic Cytopathology</i> , 2012 , 40, 478-83	1.4	24
23	Co-expression of monocarboxylate transporter 1 (MCT1) and its chaperone (CD147) is associated with low survival in patients with gastrointestinal stromal tumors (GISTs). <i>Journal of Bioenergetics and Biomembranes</i> , 2012 , 44, 171-8	3.7	44
22	Butyrate activates the monocarboxylate transporter MCT4 expression in breast cancer cells and enhances the antitumor activity of 3-bromopyruvate. <i>Journal of Bioenergetics and Biomembranes</i> , 2012 , 44, 141-53	3.7	45
21	Role of monocarboxylate transporters in human cancers: state of the art. <i>Journal of Bioenergetics and Biomembranes</i> , 2012 , 44, 127-39	3.7	275
20	Lactate-induced IL-8 pathway in endothelial cellsletter. <i>Cancer Research</i> , 2012 , 72, 1901-2; author reply 1903-4	10.1	5
19	Impact of EGFR genetic variants on glioma risk and patient outcome. <i>Cancer Epidemiology</i> Biomarkers and Prevention, 2011 , 20, 2610-7	4	32



18	Monocarboxylate transporter 4 (MCT4) and CD147 overexpression is associated with poor prognosis in prostate cancer. <i>BMC Cancer</i> , 2011 , 11, 312	4.8	132
17	GLUT1 and CAIX expression profiles in breast cancer correlate with adverse prognostic factors and MCT1 overexpression. <i>Histology and Histopathology</i> , 2011 , 26, 1279-86	1.4	116
16	Monocarboxylate transporter 1 is up-regulated in basal-like breast carcinoma. <i>Histopathology</i> , 2010 , 56, 860-7	7.3	146
15	Expression of monocarboxylate transporters 1, 2, and 4 in human tumours and their association with CD147 and CD44. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010, 427694		129
14	Monocarboxylate Transporters 1 and 4 Are Associated with CD147 in Cervical Carcinoma. <i>Disease Markers</i> , 2009 , 26, 97-103	3.2	48
13	Expression, mutation and copy number analysis of platelet-derived growth factor receptor A (PDGFRA) and its ligand PDGFA in gliomas. <i>British Journal of Cancer</i> , 2009 , 101, 973-82	8.7	87
12	Molecular characterization of EGFR, PDGFRA and VEGFR2 in cervical adenosquamous carcinoma. <i>BMC Cancer</i> , 2009 , 9, 212	4.8	42
11	Portuguese studentsTknowledge of antibiotics: a cross-sectional study of secondary school and university students in Braga. <i>BMC Public Health</i> , 2009 , 9, 359	4.1	33
10	The prognostic value of CD147/EMMPRIN is associated with monocarboxylate transporter 1 co-expression in gastric cancer. <i>European Journal of Cancer</i> , 2009 , 45, 2418-24	7·5	70
9	Characterization of Monocarboxylate TransportersTexpression in prostate carcinoma. <i>Microscopy and Microanalysis</i> , 2009 , 15, 17-18	0.5	1
8	Monocarboxylate transporters 1 and 4 are associated with CD147 in cervical carcinoma. <i>Disease Markers</i> , 2009 , 26, 97-103	3.2	39
7	Increasing expression of monocarboxylate transporters 1 and 4 along progression to invasive cervical carcinoma. <i>International Journal of Gynecological Pathology</i> , 2008 , 27, 568-74	3.2	71
6	Peritumoural, but not intratumoural, lymphatic vessel density and invasion correlate with colorectal carcinoma poor-outcome markers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 133-8	5.1	20
5	Increased expression of monocarboxylate transporters 1, 2, and 4 in colorectal carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 139-46	5 ^{5.1}	181
4	How useful is the assessment of lymphatic vascular density in oral carcinoma prognosis?. <i>World Journal of Surgical Oncology</i> , 2007 , 5, 140	3.4	26
3	Lymphatic vessel density and epithelial D2-40 immunoreactivity in pre-invasive and invasive lesions of the uterine cervix. <i>Gynecologic Oncology</i> , 2007 , 107, 45-51	4.9	35
2	Cyclooxygenase-2 and epidermal growth factor receptor expressions in different histological subtypes of cervical carcinomas. <i>International Journal of Gynecological Pathology</i> , 2007 , 26, 235-41	3.2	21
1	EGFR amplification and lack of activating mutations in metaplastic breast carcinomas. <i>Journal of Pathology</i> , 2006 , 209, 445-53	9.4	203