Thach D Tran

List of Publications by Citations

Source: https://exaly.com/author-pdf/4639396/thach-d-tran-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 3,194 113 55 h-index g-index citations papers 118 4,070 4.9 5.41 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 113 | Prevalence and determinants of common perinatal mental disorders in women in low- and lower-middle-income countries: a systematic review. <i>Bulletin of the World Health Organization</i> , 2012 , 90, 139G-149G | 8.2 | 912 |
| 112 | Interventions for common perinatal mental disorders in women in low- and middle-income countries: a systematic review and meta-analysis. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 593-6011 | 8.2 | 217 |
| 111 | Validation of the depression anxiety stress scales (DASS) 21 as a screening instrument for depression and anxiety in a rural community-based cohort of northern Vietnamese women. <i>BMC Psychiatry</i> , 2013 , 13, 24 | 4.2 | 156 |
| 110 | Attitudes towards Intimate Partner Violence against Women among Women and Men in 39 Lowand Middle-Income Countries. <i>PLoS ONE</i> , 2016 , 11, e0167438 | 3.7 | 133 |
| 109 | Common perinatal mental disorders in northern Viet Nam: community prevalence and health care use. <i>Bulletin of the World Health Organization</i> , 2010 , 88, 737-45 | 8.2 | 131 |
| 108 | Mental health of people in Australia in the first month of COVID-19 restrictions: a national survey. <i>Medical Journal of Australia</i> , 2020 , 213, 458-464 | 4 | 119 |
| 107 | Reliability and validity of the Edinburgh Postnatal Depression Scale (EPDS) for detecting perinatal common mental disorders (PCMDs) among women in low-and lower-middle-income countries: a systematic review. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 72 | 3.2 | 87 |
| 106 | Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression: Systematic Review and Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2290-2300 | 27.4 | 86 |
| 105 | Reliability, convergent validity and factor structure of the DASS-21 in a sample of Vietnamese adolescents. <i>PLoS ONE</i> , 2017 , 12, e0180557 | 3.7 | 75 |
| 104 | Alcohol use and mental health status during the first months of COVID-19 pandemic in Australia. Journal of Affective Disorders, 2020 , 277, 810-813 | 6.6 | 63 |
| 103 | Screening for perinatal common mental disorders in women in the north of Vietnam: a comparison of three psychometric instruments. <i>Journal of Affective Disorders</i> , 2011 , 133, 281-93 | 6.6 | 60 |
| 102 | Prevalence and risk factors for symptoms of common mental disorders in early and late pregnancy in Vietnamese women: a prospective population-based study. <i>Journal of Affective Disorders</i> , 2013 , 146, 213-9 | 6.6 | 57 |
| 101 | Posttyphoon prevalence of posttraumatic stress disorder, major depressive disorder, panic disorder, and generalized anxiety disorder in a Vietnamese sample. <i>Journal of Traumatic Stress</i> , 2009 , 22, 180-8 | 3.8 | 55 |
| 100 | Maternal vitamin D status and infant outcomes in rural Vietnam: a prospective cohort study. <i>PLoS ONE</i> , 2014 , 9, e99005 | 3.7 | 50 |
| 99 | Intimate partner violence and perinatal common mental disorders among women in rural Vietnam. <i>International Health</i> , 2013 , 5, 29-37 | 2.4 | 49 |
| 98 | Validation of three psychometric instruments for screening for perinatal common mental disorders in men in the north of Vietnam. <i>Journal of Affective Disorders</i> , 2012 , 136, 104-109 | 6.6 | 42 |
| 97 | A free weekly iron-folic acid supplementation and regular deworming program is associated with improved hemoglobin and iron status indicators in Vietnamese women. <i>BMC Public Health</i> , 2009 , 9, 261 | 4.1 | 42 |

(2012-2014)

| 96 | Infant motor development in rural Vietnam and intrauterine exposures to anaemia, iron deficiency and common mental disorders: a prospective community-based study. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 8 | 3.2 | 37 | |
|----|---|------------------|----|--|
| 95 | Early childhood development: impact of national human development, family poverty, parenting practices and access to early childhood education. <i>Child: Care, Health and Development</i> , 2017 , 43, 415-47 | 26 ^{.8} | 35 | |
| 94 | The effect of intermittent antenatal iron supplementation on maternal and infant outcomes in rural Viet Nam: a cluster randomised trial. <i>PLoS Medicine</i> , 2013 , 10, e1001470 | 11.6 | 34 | |
| 93 | Impact on infants' cognitive development of antenatal exposure to iron deficiency disorder and common mental disorders. <i>PLoS ONE</i> , 2013 , 8, e74876 | 3.7 | 34 | |
| 92 | Vaginal progesterone pessaries for pregnant women with a previous preterm birth to prevent neonatal respiratory distress syndrome (the PROGRESS Study): A multicentre, randomised, placebo-controlled trial. <i>PLoS Medicine</i> , 2017 , 14, e1002390 | 11.6 | 34 | |
| 91 | Iodine status in late pregnancy and psychosocial determinants of iodized salt use in rural northern Viet Nam. <i>Bulletin of the World Health Organization</i> , 2011 , 89, 813-20 | 8.2 | 33 | |
| 90 | Early marriage and intimate partner violence among adolescents and young adults in Viet Nam. Journal of Interpersonal Violence, 2014 , 29, 889-910 | 2.2 | 30 | |
| 89 | Perinatal common mental disorders among women and the social and emotional development of their infants in rural Vietnam. <i>Journal of Affective Disorders</i> , 2014 , 160, 104-12 | 6.6 | 27 | |
| 88 | Gender-informed, psychoeducational programme for couples to prevent postnatal common mental disorders among primiparous women: cluster randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e009396 | 3 | 27 | |
| 87 | Exclusive breast feeding in early infancy reduces the risk of inpatient admission for diarrhea and suspected pneumonia in rural Vietnam: a prospective cohort study. <i>BMC Public Health</i> , 2015 , 15, 1166 | 4.1 | 25 | |
| 86 | Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1803 | 4.3 | 24 | |
| 85 | Access to iodized salt in 11 low- and lower-middle-income countries: 2000 and 2010. <i>Bulletin of the World Health Organization</i> , 2016 , 94, 122-9 | 8.2 | 24 | |
| 84 | Estimating mental distress in Vietnam: the use of the SRQ-20. <i>International Journal of Social Psychiatry</i> , 2010 , 56, 133-42 | 8.5 | 20 | |
| 83 | Screening for depressive and anxiety disorders among adolescents in Indonesia: Formal validation of the centre for epidemiologic studies depression scale - revised and the Kessler psychological distress scale. <i>Journal of Affective Disorders</i> , 2019 , 246, 189-194 | 6.6 | 20 | |
| 82 | Poor appetite and overeating reported by adults in Australia during the coronavirus-19 disease pandemic: a population-based study. <i>Public Health Nutrition</i> , 2021 , 24, 275-281 | 3.3 | 20 | |
| 81 | Prevalence and correlates of probable adolescent mental health problems reported by parents in Vietnam. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 95-100 | 4.5 | 19 | |
| 8o | Common perinatal mental disorders and alcohol dependence in men in northern Viet Nam. <i>Journal of Affective Disorders</i> , 2012 , 140, 97-101 | 6.6 | 18 | |
| 79 | Experience of low mood and suicidal behaviors among adolescents in Vietnam: findings from two national population-based surveys. <i>Journal of Adolescent Health</i> , 2012 , 51, 339-48 | 5.8 | 18 | |

| 78 | Evaluation of the psychometric properties of the Self-Reporting Questionnaire (SRQ-20) in a sample of Vietnamese adults. <i>Comprehensive Psychiatry</i> , 2013 , 54, 398-405 | 7.3 | 17 |
|----|--|------------------|----|
| 77 | Translation, cultural adaptation and field-testing of the Thinking Healthy Program for Vietnam. <i>Globalization and Health</i> , 2014 , 10, 37 | 10 | 17 |
| 76 | Lessons learned from implementation of a demonstration program to reduce the burden of anemia and hookworm in women in Yen Bai Province, Viet Nam. <i>BMC Public Health</i> , 2009 , 9, 266 | 4.1 | 17 |
| 75 | Sex and age differences in clinically significant symptoms of depression and anxiety among people in Australia in the first month of COVID-19 restrictions: a national survey. <i>BMJ Open</i> , 2020 , 10, e042696 | 3 | 14 |
| 74 | Postpartum change in common mental disorders among rural Vietnamese women: incidence, recovery and risk and protective factors. <i>British Journal of Psychiatry</i> , 2015 , 206, 110-5 | 5.4 | 13 |
| 73 | Validation of the Intimate Bonds Measure for women who are pregnant or have recently given birth in Vietnam. <i>Asia-Pacific Psychiatry</i> , 2014 , 6, 28-37 | 3.2 | 13 |
| 72 | Psychological and social factors associated with late pregnancy iron deficiency anaemia in rural Viet Nam: a population-based prospective study. <i>PLoS ONE</i> , 2013 , 8, e78162 | 3.7 | 13 |
| 71 | Postnatal growth outcomes and influence of maternal gestational weight gain: a prospective cohort study in rural Vietnam. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 339 | 3.2 | 12 |
| 70 | Effect of the 2015 Nepal Earthquakes on symptoms of common mental disorders among women who are pregnant. <i>Journal of Affective Disorders</i> , 2018 , 228, 238-247 | 6.6 | 11 |
| 69 | Interactions among alcohol dependence, perinatal common mental disorders and violence in couples in rural Vietnam: a cross-sectional study using structural equation modeling. <i>BMC Psychiatry</i> , 2012 , 12, 148 | 4.2 | 11 |
| 68 | Depression prevalence based on the Edinburgh Postnatal Depression Scale compared to Structured Clinical Interview for DSM Disorders classification: Systematic review and individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1860 | 4.3 | 11 |
| 67 | Quantifying the mental health burden of the most severe covid-19 restrictions: A natural experiment. <i>Journal of Affective Disorders</i> , 2021 , 293, 406-414 | 6.6 | 11 |
| 66 | Co-morbid anaemia and stunting among children of pre-school age in low- and middle-income countries: a syndemic. <i>Public Health Nutrition</i> , 2019 , 22, 35-43 | 3.3 | 10 |
| 65 | Prevalence and determinants of symptoms of antenatal common mental disorders among women who had recently experienced an earthquake: a systematic review. <i>BMC Psychiatry</i> , 2019 , 19, 47 | 4.2 | 9 |
| 64 | Understanding mental health and its determinants from the perspective of adolescents: A qualitative study across diverse social settings in Indonesia. <i>Asian Journal of Psychiatry</i> , 2020 , 52, 10214 | 8 ^{6.7} | 9 |
| 63 | Probability of Major Depression Classification Based on the SCID, CIDI, and MINI Diagnostic Interviews: A Synthesis of Three Individual Participant Data Meta-Analyses. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 28-40 | 9.4 | 9 |
| 62 | Patterns of emergency ambulance use, 2009-13: a comparison of older people living in Residential Aged Care Facilities and the Community. <i>Age and Ageing</i> , 2018 , 47, 615-619 | 3 | 9 |
| 61 | Sexual Violence as a Key Contributor to Poor Mental Health Among Japanese Women Subjected to Intimate Partner Violence. <i>Journal of Womenls Health</i> , 2018 , 27, 716-723 | 3 | 8 |

(2014-2015)

| 60 | Common mental disorders among women, social circumstances and toddler growth in rural Vietnam: a population-based prospective study. <i>Child: Care, Health and Development</i> , 2015 , 41, 843-52 | 2.8 | 8 |
|----|---|-----------------------------------|---------|
| 59 | Patient Health Questionnaire 9 (PHQ-9) and General Anxiety Disorder 7 (GAD-7) data contributed by 13,829 respondents to a national survey about COVID-19 restrictions in Australia. <i>Psychiatry Research</i> , 2021 , 298, 113792 | 9.9 | 8 |
| 58 | Preventing postnatal maternal mental health problems using a psychoeducational intervention: the cost-effectiveness of What Were We Thinking. <i>BMJ Open</i> , 2016 , 6, e012086 | 3 | 8 |
| 57 | Effect of low-dose versus higher-dose antenatal iron supplementation on child health outcomes at 36 months of age in Viet Nam: longitudinal follow-up of a cluster randomised controlled trial. <i>BMJ Global Health</i> , 2017 , 2, e000368 | 6.6 | 7 |
| 56 | The burden of clinically significant symptoms of common and severe mental disorders among adults in Vietnam: a population-based cross-sectional survey. <i>BMC Public Health</i> , 2019 , 19, 1173 | 4.1 | 7 |
| 55 | Pre-pregnancy body mass index and the risk of antenatal depression and anxiety. <i>Women and Birth</i> , 2019 , 32, e508-e514 | 3.3 | 7 |
| 54 | Factors associated with father-to-infant attachment at 6 months postpartum: a community-based study in Victoria, Australia. <i>Journal of Reproductive and Infant Psychology</i> , 2016 , 34, 185-195 | 2.9 | 7 |
| 53 | Physical growth: is it a good indicator of development in early childhood in low- and middle-income countries?. <i>BMC Pediatrics</i> , 2019 , 19, 276 | 2.6 | 7 |
| 52 | Pre-typhoon socioeconomic status factors predict post-typhoon psychiatric symptoms in a Vietnamese sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1721-7 | 4.5 | 7 |
| 51 | Social isolation, social support and loneliness as independent concepts, and their relationship with health-related quality of life among older women. <i>Aging and Mental Health</i> , 2021 , 1-10 | 3.5 | 7 |
| 50 | Antenatal Iron Supplementation Regimens for Pregnant Women in Rural Vietnam and Subsequent Haemoglobin Concentration and Anaemia among Their Infants. <i>PLoS ONE</i> , 2015 , 10, e0125740 | 3.7 | 6 |
| 49 | Antenatal and early infant predictors of postnatal growth in rural Vietnam: a prospective cohort study. <i>Archives of Disease in Childhood</i> , 2015 , 100, 165-73 | 2.2 | 6 |
| 48 | Prevalence and determinants of antenatal common mental disorders among women in India: a systematic review and meta-analysis. <i>Archives of Womenls Mental Health</i> , 2021 , 24, 29-53 | 5 | 6 |
| 47 | How do caregivers understand and respond to unsettled infant behaviour in Vietnam? A qualitative study. <i>Child: Care, Health and Development</i> , 2018 , 44, 62-70 | 2.8 | 5 |
| 46 | Caretaker mental health and family environment factors are associated with adolescent psychiatric problems in a Vietnamese sample. <i>Psychiatry Research</i> , 2014 , 220, 453-60 | 9.9 | 5 |
| 45 | Informal mental health interventions for people with severe mental illness in low and lower middle-income countries: A systematic review of effectiveness. <i>International Journal of Social Psychiatry</i> , 2019 , 65, 194-206 | 8.5 | 4 |
| 44 | The contribution of physical inactivity and socioeconomic factors to type 2 diabetes in Nepal: A structural equation modelling analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 175 | 8 ⁴ 1 ⁵ 767 | • 4 |
| 43 | Using the SRQ-20 factor structure to examine changes in mental distress following typhoon exposure. <i>Psychological Assessment</i> , 2014 , 26, 528-38 | 5.3 | 4 |

| 42 | Mental Health Correlates of Post Disaster Increases in Alcohol and Cigarette Smoking: A Vietnamese Study. <i>International Journal of Mental Health and Addiction</i> , 2011 , 9, 118-125 | 8.8 | 4 |
|----|--|-----|---|
| 41 | Development and properties of a brief scale to assess intimate partner relationship in the postnatal period. <i>Journal of Affective Disorders</i> , 2017 , 215, 56-61 | 6.6 | 3 |
| 40 | Prevalence of Maternal Postpartum Depression, Health-Seeking Behavior and Out of Pocket Payment for Physical Illness and Cost Coping Mechanism of the Poor Families in Bangladesh: A Rural Community-Based Study. International Journal of Environmental Research and Public Health, | 4.6 | 3 |
| 39 | 2020, 17, Perceived Parenting Styles and Emotional Intelligence Among Adolescents in Vietnam. <i>Family Journal</i> , 2020 , 28, 441-454 | 0.9 | 3 |
| 38 | Characteristics of individuals meeting criteria for new onset panic attacks following exposure to a typhoon. <i>Psychiatry Research</i> , 2013 , 209, 574-8 | 9.9 | 3 |
| 37 | Pretyphoon panic attack history moderates the relationship between degree of typhoon exposure and posttyphoon PTSD and depression in a Vietnamese sample. <i>Depression and Anxiety</i> , 2013 , 30, 461-8 | 8.4 | 3 |
| 36 | Overestimation of Postpartum Depression Prevalence Based on a 5-item Version of the EPDS: Systematic Review and Individual Participant Data Meta-analysis. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 835-844 | 4.8 | 3 |
| 35 | Addressing multiple modifiable risks through structured community-based Learning Clubs to improve maternal and infant health and infant development in rural Vietnam: protocol for a parallel group cluster randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e023539 | 3 | 3 |
| 34 | Data-driven methods distort optimal cutoffs and accuracy estimates of depression screening tools: a simulation study using individual participant data. <i>Journal of Clinical Epidemiology</i> , 2021 , 137, 137-147 | 5.7 | 3 |
| 33 | Mental health trajectories among women in Australia as they age. <i>Aging and Mental Health</i> , 2019 , 23, 887-896 | 3.5 | 2 |
| 32 | Impact of economic factors, social health and stressful life events on physical health-related quality of life trajectories in older Australians. <i>Quality of Life Research</i> , 2021 , 1 | 3.7 | 2 |
| 31 | Proof of concept of participant informed, psycho-educational, community-based intervention for people with severe mental illness in rural Vietnam. <i>International Journal of Social Psychiatry</i> , 2020 , 66, 232-239 | 8.5 | 2 |
| 30 | Prevalence, Patterns, and Determinants of Intimate Partner Violence Experienced by Women Who Are Pregnant in Sanma Province, Vanuatu. <i>Journal of Interpersonal Violence</i> , 2020 , 886260520969235 | 2.2 | 2 |
| 29 | The Stunting Tool for Early Prevention: development and external validation of a novel tool to predict risk of stunting in children at 3 years of age. <i>BMJ Global Health</i> , 2019 , 4, e001801 | 6.6 | 2 |
| 28 | Delays to diagnosis among people with severe mental illness in rural Vietnam, a population-based cross-sectional survey. <i>BMC Psychiatry</i> , 2019 , 19, 385 | 4.2 | 2 |
| 27 | Intimate partner violence and health outcomes experienced by women who are pregnant: a cross-sectional survey in Sanma Province, Vanuatu. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 16, 100272 | 5 | 2 |
| 26 | Direct assessment of mental health and metabolic syndrome amongst Indonesian adolescents: a study design for a mixed-methods study sampled from school and community settings. <i>Global Health Action</i> , 2020 , 13, 1732665 | 3 | 1 |
| 25 | Early Development Standards for Children Aged 2 to 12 Months in a Low-Income Setting. <i>SAGE Open</i> , 2016 , 6, 215824401667312 | 1.5 | 1 |

(2022-2019)

| 24 | Protocol for a process evaluation of a cluster randomized controlled trial of the Learning Club intervention for women's health, and infant's health and development in rural Vietnam. <i>BMC Health Services Research</i> , 2019 , 19, 511 | 2.9 | 1 |
|----|---|-----|---|
| 23 | School-based, two-arm, parallel, controlled trial of a culturally adapted resilience intervention to improve adolescent mental health in Vietnam: study protocol. <i>BMJ Open</i> , 2020 , 10, e039343 | 3 | 1 |
| 22 | Burden of severe maternal peripartum mental disorders in low- and middle-income countries: a systematic review <i>Archives of Womenls Mental Health</i> , 2022 , 25, 267 | 5 | 1 |
| 21 | Translation, Validity, and Reliability of Mental Health Literacy and Help-Seeking Behavior Questionnaires in Indonesia <i>Frontiers in Psychiatry</i> , 2021 , 12, 764666 | 5 | 1 |
| 20 | School-based, two-arm, parallel, controlled trial of a culturally adapted resilience intervention to improve adolescent mental health in Vietnam: study protocol. <i>BMJ Open</i> , 2020 , 10, e039343 | 3 | 1 |
| 19 | Experiences of an earthquake during pregnancy, antenatal mental health and infants' birthweight in Bhaktapur District, Nepal, 2015: a population-based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 414 | 3.2 | 1 |
| 18 | Protocol for an economic evaluation alongside a cluster randomised controlled trial: cost-effectiveness of Learning Clubs, a multicomponent intervention to improve women's health and infant's health and development in Vietnam. <i>BMJ Open</i> , 2019 , 9, e031721 | 3 | 1 |
| 17 | Gender-informed psycho-educational programme to promote respectful relationships and reduce postpartum common mental disorders among primiparous women: long-term follow-up of participants in a community-based cluster randomised controlled trial. <i>Global Mental Health</i> | 3.9 | 1 |
| 16 | Economic Evaluations of Child Nutrition Interventions in Low- and Middle-Income Countries: Systematic Review and Quality Appraisal. <i>Advances in Nutrition</i> , 2021 , | 10 | 1 |
| 15 | Shortening the Edinburgh postnatal depression scale using optimal test assembly methods: Development of the EPDS-Dep-5. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 348-362 | 6.5 | 1 |
| 14 | Predictors of transport to hospital after emergency ambulance call-out for older people living in residential aged care. <i>Australasian Journal on Ageing</i> , 2020 , 39, 350-358 | 1.5 | О |
| 13 | Social and economic development and pregnancy mental health: secondary analyses of data from rural Vietnam. <i>BMC Public Health</i> , 2020 , 20, 1001 | 4.1 | O |
| 12 | Effects of integrated psychosocial stimulation (PS) and unconditional cash transfer (UCT) on children's development in rural Bangladesh: A cluster randomized controlled trial <i>Social Science and Medicine</i> , 2021 , 293, 114657 | 5.1 | О |
| 11 | Preferred policy options to assist post-COVID-19 mental health recovery: A population study. <i>Australian Journal of Public Administration</i> , 2021 , 80, 424-434 | 1.3 | O |
| 10 | Trajectories of physical health-related quality of life and the risk of incident cardiovascular disease events and all-cause mortality in older people. <i>American Heart Journal Plus</i> , 2022 , 13, 100117 | | О |
| 9 | Validation of the coping self-efficacy scale: Vietnamese version for adolescents <i>BMC Psychology</i> , 2022 , 10, 59 | 2.8 | O |
| 8 | Lifetime impact of being underweight or overweight/obese during childhood in Vietnam <i>BMC Public Health</i> , 2022 , 22, 645 | 4.1 | O |
| 7 | Fractures in type 2 diabetes confer excess mortality: The Dubbo Osteoporosis Epidemiology Study <i>Bone</i> , 2022 , 116373 | 4.7 | O |

| 6 | Assistance for parents with unsettled infants in Central Vietnam: a qualitative investigation of health professionals' perspectives. <i>BMC Pediatrics</i> , 2019 , 19, 160 | 2.6 |
|---|---|-----|
| 5 | Examination of general health following Typhoon Xangsane: A prepostanalysis <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2010 , 2, 109-115 | 7.8 |
| 4 | Community-Based Learning Club for Women Health and Infant Development in Rural Vietnam 2021 , 1133-1145 | |
| 3 | Continuing breastfeeding for at least two years after birth in rural Vietnam: prevalence and psychosocial characteristics. <i>International Breastfeeding Journal</i> , 2021 , 16, 78 | 3.8 |
| 2 | Residential aged care homes: Why do they call '000'? A study of the emergency prehospital care of older people living in residential aged care homes. <i>EMA - Emergency Medicine Australasia</i> , 2020 , 33, 447 | 1.5 |
| 1 | Child linear growth trajectories during the first three years of life in relation to infant iron status: a | 2.5 |