

# Marion Fokkert

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4639518/publications.pdf>

Version: 2024-02-01

17  
papers

535  
citations

758635

12  
h-index

887659

17  
g-index

17  
all docs

17  
docs citations

17  
times ranked

660  
citing authors

#	ARTICLE	IF	CITATIONS
1	Referral decisions based on a pre-hospital HEART score in suspected non-ST-elevation acute coronary syndrome: final results of the FamouS Triage study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 160-169.	0.4	24
2	Flash Glucose Monitoring in the Netherlands: Increased monitoring frequency is associated with improvement of glycemic parameters. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108897.	1.1	15
3	Two-year use of flash glucose monitoring is associated with sustained improvement of glycemic control and quality of life (FLARE-NL-6). <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002124.	1.2	14
4	Pre-hospital risk assessment in suspected non-ST-elevation acute coronary syndrome: A prospective observational study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 5-12.	0.4	32
5	Accuracy of pre-hospital HEART score risk classification using point of care versus high sensitive troponin in suspected NSTEMI-ACS. <i>American Journal of Emergency Medicine</i> , 2020, 38, 1616-1620.	0.7	14
6	Performance of the Eversense versus the Free Style Libre Flash glucose monitor during exercise and normal daily activities in subjects with type 1 diabetes mellitus. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001193.	1.2	22
7	Determinants of HbA1c reduction with FreeStyle Libre flash glucose monitoring (FLARE-NL 5). <i>Journal of Clinical and Translational Endocrinology</i> , 2020, 22, 100237.	1.0	8
8	Referral decisions based on a prehospital HEART score in suspected non-ST-elevation acute coronary syndrome: design of the FamouS Triage 3 study. <i>Future Cardiology</i> , 2020, 16, 217-226.	0.5	7
9	Performance of continuous glucose monitoring devices during intensive exercise conditions in people with diabetes: the Mont Blanc experience. <i>Diabetic Medicine</i> , 2020, 37, 1204-1205.	1.2	4
10	Improved well-being and decreased disease burden after 1-year use of flash glucose monitoring (FLARE-NL4). <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000809.	1.2	96
11	Use of FreeStyle Libre Flash Monitor Register in the Netherlands (FLARE-NL1): Patient Experiences, Satisfaction, and Cost Analysis. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-6.	0.6	15
12	Fast assessment and management of chest pain patients without ST-elevation in the pre-hospital gateway (FamouS Triage): ruling out a myocardial infarction at home with the modified HEART score. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 102-110.	0.4	47
13	A multi-site coronary sampling study on CRP in non-STEMI: Novel insights into the inflammatory process in acute coronary syndromes. <i>Atherosclerosis</i> , 2018, 278, 117-123.	0.4	6
14	Performance of the FreeStyle Libre Flash glucose monitoring system in patients with type 1 and 2 diabetes mellitus. <i>BMJ Open Diabetes Research and Care</i> , 2017, 5, e000320.	1.2	151
15	Fast assessment and management of chest pain without ST-elevation in the pre-hospital gateway: Rationale and design. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 129-136.	0.4	22
16	Raman Spectroscopy as a Promising Tool for Noninvasive Point-of-Care Glucose Monitoring. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 974-979.	1.3	32
17	Accuracy of Handheld Blood Glucose Meters at High Altitude. <i>PLoS ONE</i> , 2010, 5, e15485.	1.1	26