Mahsa Ahadi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4639885/publications.pdf

Version: 2024-02-01

1040056 794594 19 410 9 19 citations h-index g-index papers 19 19 19 645 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Loss of expression of BAP1 is a useful adjunct, which strongly supports the diagnosis of mesothelioma in effusion cytology. Modern Pathology, 2015, 28, 1360-1368.	5. 5	95
2	Assessment of Tumor-infiltrating Lymphocytes Using International TILs Working Group (ITWG) System Is a Strong Predictor of Overall Survival in Colorectal Carcinoma. American Journal of Surgical Pathology, 2020, 44, 536-544.	3.7	61
3	The 2019 World Health Organization Classification of appendiceal, colorectal and anal canal tumours: an update and critical assessment. Pathology, 2021, 53, 454-461.	0.6	55
4	NTRK gene rearrangements are highly enriched in MLH1/PMS2 deficient, BRAF wild-type colorectal carcinomas—a study of 4569 cases. Modern Pathology, 2020, 33, 924-932.	5.5	51
5	Lessons learnt from implementation of a Lynch syndrome screening program for patients with gynaecological malignancy. Pathology, 2017, 49, 457-464.	0.6	34
6	SMARCA4/SMARCA2-deficient Carcinoma of the Esophagus and Gastroesophageal Junction. American Journal of Surgical Pathology, 2021, 45, 414-420.	3.7	22
7	Loss of Hes1 expression is associated with poor prognosis in colorectal adenocarcinoma. Human Pathology, 2016, 57, 91-97.	2.0	19
8	A Critical Assessment of Postneoadjuvant Therapy Pancreatic Cancer Regression Grading Schemes With a Proposal for a Novel Approach. American Journal of Surgical Pathology, 2021, 45, 394-404.	3.7	15
9	SMARCA4 Loss Is Very Rare in Thoracic Mesothelioma. American Journal of Surgical Pathology, 2019, 43, 1154-1155.	3.7	12
10	Molecular Features of Lymph Node Metastasis in T1/2 Colorectal Cancer from Formalin-Fixed Paraffin-Embedded Archival Specimens. Journal of Proteome Research, 2021, 20, 1304-1312.	3.7	9
11	Switch/sucroseâ€nonâ€fermentable (<scp>SWI</scp> / <scp>SNF</scp>) complex (<scp>SMARCA4</scp> ,) Tj Electronic strongly associated with microsatellite instability: an incidence study in 4508 colorectal carcinomas. Histopathology, 2022, 80, 906-921.	TQq1 1 0.7 2.9	784314 rgB⊤) 9
12	DNA damageâ€inducible transcript 3 immunohistochemistry is highly sensitive for the diagnosis of myxoid liposarcoma but care is required in interpreting the significance of focal expression. Histopathology, 2021, 79, 106-116.	2.9	8
13	Tissue biomarker panel as a surrogate marker for squamous subtype of pancreatic cancer. European Journal of Surgical Oncology, 2020, 46, 1539-1542.	1.0	6
14	Androgen receptor immunoexpression in triple-negative breast cancers: is it a prognostic factor?. Pathology, 2019, 51, 327-329.	0.6	4
15	Necrosis is an independent predictor of disease-free and overall survival in pancreatic well-differentiated neuroendocrine tumours (NETs): a proposal to include it in grading systems. Pathology, 2022, 54, 855-862.	0.6	3
16	Decoding a mysterious morphology with molecular pathology: chondroid metaplasia in a metastatic gastrointestinal stromal tumour after imatinib therapy. Pathology, 2020, 52, 396-398.	0.6	2
17	Predicting survival in colorectal carcinoma after curative resection: a new prognostic nomogram. Pathology, 2021, , .	0.6	2
18	The Anatomy of Nerve Transfers Used in Tetraplegic Hand Reconstruction. Journal of Hand Surgery, 2022, 47, 1121.e1-1121.e6.	1.6	2

#	Article	IF	CITATIONS
19	Ruptured hepatocellular carcinoma disguising as heterotopic pregnancy. BMJ Case Reports, 2018, 2018, bcr-2017-222514.	0.5	1