

Brendan Hilliard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4640753/publications.pdf>

Version: 2024-02-01

25
papers

1,643
citations

430874

18
h-index

610901

24
g-index

25
all docs

25
docs citations

25
times ranked

2164
citing authors

#	ARTICLE	IF	CITATIONS
1	Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand (Trail) Is an Inhibitor of Autoimmune Inflammation and Cell Cycle Progression. <i>Journal of Experimental Medicine</i> , 2000, 191, 1095-1104.	8.5	347
2	TIPE2, a Negative Regulator of Innate and Adaptive Immunity that Maintains Immune Homeostasis. <i>Cell</i> , 2008, 133, 415-426.	28.9	317
3	Roles of TNF-Related Apoptosis-Inducing Ligand in Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2001, 166, 1314-1319.	0.8	186
4	Astrocytes as antigen-presenting cells: expression of IL-12/IL-23. <i>Journal of Neurochemistry</i> , 2005, 95, 331-340.	3.9	119
5	Arginase and autoimmune inflammation in the central nervous system. <i>Immunology</i> , 2003, 110, 141-148.	4.4	85
6	TAM receptor ligands in lupus: Protein S but not Gas6 levels reflect disease activity in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2010, 12, R146.	3.5	81
7	Genomic scale profiling of autoimmune inflammation in the central nervous system: the nervous response to inflammation. <i>Journal of Neuroimmunology</i> , 2002, 133, 95-107.	2.3	67
8	Effects of the Angiotensin Converting Enzyme Inhibitor Captopril on Experimental Autoimmune Encephalomyelitis. <i>Immunopharmacology and Immunotoxicology</i> , 1995, 17, 471-491.	2.4	59
9	Prion-Like Aggregation of Mitochondrial Antiviral Signaling Protein in Lupus Patients Is Associated With Increased Levels of Type I Interferon. <i>Arthritis and Rheumatology</i> , 2016, 68, 2697-2707.	5.6	57
10	Growth arrest-specific gene 6 (Gas6) levels are elevated in patients with chronic renal failure. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 4166-4172.	0.7	46
11	Critical roles of Bim in T cell activation and T cell-mediated autoimmune inflammation in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 1706-1713.	8.2	45
12	Modulation of Susceptibility and Resistance to an Autoimmune Model of Multiple Sclerosis in Prototypically Susceptible and Resistant Strains by Neutralization of Interleukin-12 and Interleukin-4, Respectively. <i>Clinical Immunology</i> , 2001, 98, 23-30.	3.2	44
13	Murine macrophages stimulated with central and peripheral nervous system myelin or purified myelin proteins release inflammatory products. <i>Neuroscience Letters</i> , 2000, 287, 171-174.	2.1	34
14	The Benefit of Hydrophobic Domain Asymmetry on the Efficacy of Transfection as Measured by <i>in Vivo</i> Imaging. <i>Molecular Pharmaceutics</i> , 2010, 7, 786-794.	4.6	31
15	Fn14-TRAIL, a Chimeric Intercellular Signal Exchanger, Attenuates Experimental Autoimmune Encephalomyelitis. <i>American Journal of Pathology</i> , 2009, 174, 460-474.	3.8	28
16	IL-12 reverses the suppressive effect of the CD40 ligand blockade on experimental autoimmune encephalomyelitis (EAE). <i>Journal of the Neurological Sciences</i> , 1999, 171, 60-64.	0.6	25
17	Effect of DAB389IL-2 immunotoxin on the course of experimental autoimmune encephalomyelitis in Lewis rats. <i>Journal of the Neurological Sciences</i> , 2007, 263, 59-69.	0.6	19
18	Suppression of experimental autoimmune neuritis by phosphodiesterase inhibitor pentoxifylline. <i>Journal of the Neurological Sciences</i> , 1996, 143, 14-18.	0.6	18

#	ARTICLE	IF	CITATIONS
19	A Single Intrathecal Injection of DNA and an Asymmetric Cationic Lipid as Lipoplexes Ameliorates Experimental Autoimmune Encephalomyelitis. <i>Molecular Pharmaceutics</i> , 2011, 8, 1980-1984.	4.6	9
20	Differential Roles of Fas Ligand in Spontaneous and Actively Induced Autoimmune Encephalomyelitis. <i>Clinical Immunology</i> , 2000, 95, 203-211.	3.2	8
21	Suppression of murine experimental autoimmune encephalomyelitis by interleukin-2 receptor targeted fusion toxin, DAB389IL-2. <i>Cellular Immunology</i> , 2010, 261, 144-152.	3.0	7
22	Essential Roles of the Fas-Associated Death Domain in Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2005, 175, 4783-4788.	0.8	6
23	DAB389IL-2 suppresses autoimmune inflammation in the CNS and inhibits T cell-mediated lysis of glial target cells. <i>Experimental and Molecular Pathology</i> , 2014, 96, 108-117.	2.1	3
24	DAB ₃₈₉ IL-2 recombinant fusion toxin effect on lymphocyte- and macrophage-producing cytokine subpopulation cells in experimentally induced demyelinating disease in mice. <i>Immunopharmacology and Immunotoxicology</i> , 2017, 39, 318-329.	2.4	2
25	Immunomodulation of EAE: Altered Peptide Ligands, Tolerance, and Th1/Th2. , 2005, , 451-470.		0