

# Yong He

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4640886/publications.pdf>

Version: 2024-02-01

155  
papers

7,617  
citations

43973

48  
h-index

62479

80  
g-index

155  
all docs

155  
docs citations

155  
times ranked

7997  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Spatial Adjustment Strategy to Improve the Sensitivity of Ionogels for Flexible Sensors. <i>Macromolecular Chemistry and Physics</i> , 2022, 223, .   | 1.1 | 3         |
| 2  | Epithelial Gasdermin D shapes the host-microbial interface by driving mucus layer formation. <i>Science Immunology</i> , 2022, 7, eabk2092.   | 5.6 | 48        |
| 3  | Balancing the customization and standardization: exploration and layout surrounding the regulation of the growing field of 3D-printed medical devices in China. <i>Bio-Design and Manufacturing</i> , 2022, 5, 580-606.       | 3.9 | 12        |
| 4  | Liquid Metal Microgels for Three-Dimensional Printing of Smart Electronic Clothes. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 13458-13467.   | 4.0 | 31        |
| 5  | Triply periodic minimal surface (TPMS) porous structures: from multi-scale design, precise additive manufacturing to multidisciplinary applications. <i>International Journal of Extreme Manufacturing</i> , 2022, 4, 022001. | 6.3 | 139       |
| 6  | Projection-based 3D bioprinting for hydrogel scaffold manufacturing. <i>Bio-Design and Manufacturing</i> , 2022, 5, 633-639.  | 3.9 | 17        |
| 7  | Photocurable Hydrogel Substrate—Better Potential Substitute on Bone-Marrow-Derived Dendritic Cells Culturing. <i>Materials</i> , 2022, 15, 3322.  | 1.3 | 4         |
| 8  | A microfluidic cell chip for virus isolation via rapid screening for permissive cells. <i>Virologica Sinica</i> , 2022, , .   | 1.2 | 6         |
| 9  | In situ 3D bioprinting with bioconcrete bioink. <i>Nature Communications</i> , 2022, 13, .  | 5.8 | 52        |
| 10 | Modeling the printability of photocuring and strength adjustable hydrogel bioink during projection-based 3D bioprinting. <i>Biofabrication</i> , 2021, 13, 035032.  | 3.7 | 51        |
| 11 | Facile 3D cell culture protocol based on photocurable hydrogels. <i>Bio-Design and Manufacturing</i> , 2021, 4, 149-153.  | 3.9 | 19        |
| 12 | Recyclable conductive nanoclay for direct <i>in situ</i> printing flexible electronics. <i>Materials Horizons</i> , 2021, 8, 2006-2017.   | 6.4 | 37        |
| 13 | Biodegradable intramedullary nail (BIN) with high-strength bioceramics for bone fracture. <i>Journal of Materials Chemistry B</i> , 2021, 9, 969-982.   | 2.9 | 7         |
| 14 | Self-sintering liquid metal ink with LAPONITE® for flexible electronics. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3070-3080.  | 2.7 | 21        |
| 15 | Peripheral Nerve Regeneration with 3D Printed Bionic Scaffolds Loading Neural Crest Stem Cell Derived Schwann Cell Progenitors. <i>Advanced Functional Materials</i> , 2021, 31, 2010215.                                     | 7.8 | 25        |
| 16 | 3D Cell Culture—Can It Be As Popular as 2D Cell Culture?. <i>Advanced NanoBiomed Research</i> , 2021, 1, 2000066.   | 1.7 | 20        |
| 17 | Recent Progress in 3D Printing of Smart Structures: Classification, Challenges, and Trends. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000271.   | 3.3 | 16        |
| 18 | Research on Enhanced Detection of Benzoic Acid Additives in Liquid Food Based on Terahertz Metamaterial Devices. <i>Sensors</i> , 2021, 21, 3238.   | 2.1 | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The Superhydrophobic Fluorine-Containing Material Prepared Through Biomimetic UV Lithography for Oil-Water Separation and Anti-Bioadhesion. <i>Macromolecular Chemistry and Physics</i> , 2021, 222, 2100149.  | 1.1 | 10        |
| 20 | 3D Printing of Physical Organ Models: Recent Developments and Challenges. <i>Advanced Science</i> , 2021, 8, e2101394.   | 5.6 | 61        |
| 21 | Biomanufacturing: from biomedicine to biomedicine. <i>Bio-Design and Manufacturing</i> , 2021, 4, 912-913.   | 3.9 | 7         |
| 22 | Significantly improve the photoinitiation ability of hydroxyalkyl-derived polymerizable $\alpha$ -hydroxyalkylacetophenone photoinitiators by blocking hyperconjugation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 419, 113451. | 2.0 | 8         |
| 23 | Growth differentiation factor-5-gelatin methacryloyl injectable microspheres laden with adipose-derived stem cells for repair of disc degeneration. <i>Biofabrication</i> , 2021, 13, 015010.  | 3.7 | 48        |
| 24 | Recent Progress in 3D Printing of Smart Structures: Classification, Challenges, and Trends. <i>Advanced Intelligent Systems</i> , 2021, 3, .   | 3.3 | 2         |
| 25 | All-Printed Flexible and Stretchable Electronics with Pressing or Freezing Activatable Liquid-Metal-Silicone Inks. <i>Advanced Functional Materials</i> , 2020, 30, 1906683.   | 7.8 | 138       |
| 26 | Construction of multi-scale vascular chips and modelling of the interaction between tumours and blood vessels. <i>Materials Horizons</i> , 2020, 7, 82-92.   | 6.4 | 55        |
| 27 | Micro/nanofabrication of brittle hydrogels using 3D printed soft ultrafine fiber molds for damage-free demolding. <i>Biofabrication</i> , 2020, 12, 025015.  | 3.7 | 31        |
| 28 | 3D biofabrication of microfiber-laden minispheroids: a facile 3D cell co-culturing system. <i>Biomaterials Science</i> , 2020, 8, 109-117.   | 2.6 | 21        |
| 29 | Synchronous 3D Bioprinting of Large-Scale Cell-Laden Constructs with Nutrient Networks. <i>Advanced Healthcare Materials</i> , 2020, 9, e1901142.  | 3.9 | 57        |
| 30 | Development of 3D bioprinting: From printing methods to biomedical applications. <i>Asian Journal of Pharmaceutical Sciences</i> , 2020, 15, 529-557.  | 4.3 | 264       |
| 31 | Solid-state photopolymerization of long-chain vinyl carboxylates through binary molecular arrangement adjustment. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 401, 112770.  | 2.0 | 1         |
| 32 | Coaxial 3D bioprinting of organ prototypes from nutrients delivery to vascularization. <i>Journal of Zhejiang University: Science A</i> , 2020, 21, 859-875.   | 1.3 | 18        |
| 33 | 3D printing of high-strength chitosan hydrogel scaffolds without any organic solvents. <i>Biomaterials Science</i> , 2020, 8, 5020-5028.   | 2.6 | 82        |
| 34 | Photo-patternable F-containing acrylic copolymers as passivation materials. <i>Materials Chemistry and Physics</i> , 2020, 253, 123404.  | 2.0 | 4         |
| 35 | Hydrogels: The Next Generation Body Materials for Microfluidic Chips?. <i>Small</i> , 2020, 16, e2003797.  | 5.2 | 56        |
| 36 | Design and properties of novel photothermal initiators for photoinduced thermal frontal polymerization. <i>Polymer Chemistry</i> , 2020, 11, 3980-3986.  | 1.9 | 8         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The Effect of Oxetane as Active Diluent on Cationic UV Curing System of Fluorine-Containing Epoxy Prepolymer. <i>Advances in Polymer Technology</i> , 2020, 2020, 1-8.   | 0.8 | 3         |
| 38 | Why choose 3D bioprinting? Part II: methods and bioprinters. <i>Bio-Design and Manufacturing</i> , 2020, 3, 1-4.   | 3.9 | 39        |
| 39 | Directly coaxial 3D bioprinting of large-scale vascularized tissue constructs. <i>Biofabrication</i> , 2020, 12, 035014.   | 3.7 | 117       |
| 40 | Why choose 3D bioprinting? Part III: printing in vitro 3D models for drug screening. <i>Bio-Design and Manufacturing</i> , 2020, 3, 160-163.   | 3.9 | 12        |
| 41 | Grafting of 3D Bioprinting to In Vitro Drug Screening: A Review. <i>Advanced Healthcare Materials</i> , 2020, 9, e1901773.   | 3.9 | 63        |
| 42 | 4D Printing of High-Performance Thermal-Responsive Liquid Metal Elastomers Driven by Embedded Microliquid Chambers. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 12068-12074.   | 4.0 | 44        |
| 43 | Sacrificial microgel-laden bioink-enabled 3D bioprinting of mesoscale pore networks. <i>Bio-Design and Manufacturing</i> , 2020, 3, 30-39.   | 3.9 | 65        |
| 44 | Cell-modified bioprinted microspheres for vascular regeneration. <i>Materials Science and Engineering C</i> , 2020, 112, 110896.   | 3.8 | 6         |
| 45 | On the Investigation of Surface Integrity of Ti6Al4V ELI Using Si-Mixed Electric Discharge Machining. <i>Materials</i> , 2020, 13, 1549.   | 1.3 | 55        |
| 46 | 3D printing of gelatin methacrylate-based nerve guidance conduits with multiple channels. <i>Materials and Design</i> , 2020, 192, 108757.   | 3.3 | 98        |
| 47 | A Review of 3D Printing Technologies for Soft Polymer Materials. <i>Advanced Functional Materials</i> , 2020, 30, 2000187.   | 7.8 | 379       |
| 48 | A bioartificial liver support system integrated with a DLM/GelMA-based bioengineered whole liver for prevention of hepatic encephalopathy <i>via</i> enhanced ammonia reduction. <i>Biomaterials Science</i> , 2020, 8, 2814-2824. | 2.6 | 21        |
| 49 | Bioprinting of novel 3D tumor array chip for drug screening. <i>Bio-Design and Manufacturing</i> , 2020, 3, 175-188.   | 3.9 | 38        |
| 50 | Variable bead width of material extrusion-based additive manufacturing. <i>Journal of Zhejiang University: Science A</i> , 2019, 20, 73-82.  | 1.3 | 11        |
| 51 | Structure-induced cell growth by 3D printing of heterogeneous scaffolds with ultrafine fibers. <i>Materials and Design</i> , 2019, 181, 108092.  | 3.3 | 95        |
| 52 | Why choose 3D bioprinting? Part I: a brief introduction of 3D bioprinting for the beginners. <i>Bio-Design and Manufacturing</i> , 2019, 2, 221-224.   | 3.9 | 15        |
| 53 | The unusual improvement of normal alkyl alcohol on solid-state cationic photopolymerization of octadecyl vinyl ether. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019, 374, 52-57.                           | 2.0 | 1         |
| 54 | Photopolymerization of Coumarin-Containing Reversible Photoresponsive Materials Based on Wavelength Selectivity. <i>Industrial &amp; Engineering Chemistry Research</i> , 2019, 58, 2970-2975.                                     | 1.8 | 51        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Preparation of polymerizable thermal initiator and its application in photo-induced thermal frontal polymerization. <i>European Polymer Journal</i> , 2019, 118, 107-112.                            | 2.6 | 6         |
| 56 | Multimaterial 3D Printing of Highly Stretchable Silicone Elastomers. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 23573-23583.  | 4.0 | 151       |
| 57 | Sulfonic Containing Polymer Bead Synthesized through Inverse Suspension Polymerization and Its Characteristics for Esterification Catalyst. <i>Advances in Polymer Technology</i> , 2019, 2019, 1-8. | 0.8 | 1         |
| 58 | 3D printing of complex GelMA-based scaffolds with nanoclay. <i>Biofabrication</i> , 2019, 11, 035006.  | 3.7 | 159       |
| 59 | Bioprinting of Cell-laden Microfiber: Can It Become a Standard Product?. <i>Advanced Healthcare Materials</i> , 2019, 8, e1900014.   | 3.9 | 45        |
| 60 | Engineering three-dimensional microenvironments towards <i>in vitro</i> disease models of the central nervous system. <i>Biofabrication</i> , 2019, 11, 032003.                                      | 3.7 | 37        |
| 61 | Rapid assembling organ prototypes with controllable cell-laden multi-scale sheets. <i>Bio-Design and Manufacturing</i> , 2019, 2, 1-9.   | 3.9 | 21        |
| 62 | Extracellular recordings of bionic engineered cardiac tissue based on a porous scaffold and microelectrode arrays. <i>Analytical Methods</i> , 2019, 11, 5872-5879.                                  | 1.3 | 16        |
| 63 | Protocols of 3D Bioprinting of Gelatin Methacryloyl Hydrogel Based Bioinks. <i>Journal of Visualized Experiments</i> , 2019, , .   | 0.2 | 16        |
| 64 | Electro-Assisted Bioprinting of Low-Concentration GelMA Microdroplets. <i>Small</i> , 2019, 15, e1804216.  | 5.2 | 92        |
| 65 | UV-cured organic-inorganic hybrid moisture barrier materials based on polybutadiene dimethacrylate. <i>Journal of Coatings Technology Research</i> , 2019, 16, 429-437.                              | 1.2 | 4         |
| 66 | Reversible CO <sub>2</sub> -Responsive and Photopolymerizable Prepolymers for Stepwise Regulation on Demand. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 1834-1839.           | 1.8 | 3         |
| 67 | 3D printed Lego-like modular microfluidic devices based on capillary driving. <i>Biofabrication</i> , 2018, 10, 035001.  | 3.7 | 61        |
| 68 | Inclined layer printing for fused deposition modeling without assisted supporting structure. <i>Robotics and Computer-Integrated Manufacturing</i> , 2018, 51, 1-13.                                 | 6.1 | 46        |
| 69 | Fiber-Based Mini Tissue with Morphology-Controllable GelMA Microfibers. <i>Small</i> , 2018, 14, e1802187.   | 5.2 | 125       |
| 70 | Vessel-on-a-chip with Hydrogel-based Microfluidics. <i>Small</i> , 2018, 14, e1802368.   | 5.2 | 119       |
| 71 | Controllable Synthesis and Characterization of Soybean-Oil-Based Hyperbranched Polymers via One-Pot Method. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 12865-12871.                 | 3.2 | 16        |
| 72 | Three-Dimensional Coprinting of Liquid Metals for Directly Fabricating Stretchable Electronics. <i>3D Printing and Additive Manufacturing</i> , 2018, 5, 195-203.                                    | 1.4 | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | 3D printing and coating to fabricate a hollow bullet-shaped implant with porous surface for controlled cytoxin release. <i>International Journal of Pharmaceutics</i> , 2018, 552, 91-98.                          | 2.6 | 26        |
| 74 | Single-Ring Magnetic Levitation Configuration for Object Manipulation and Density-Based Measurement. <i>Analytical Chemistry</i> , 2018, 90, 9226-9233.  | 3.2 | 60        |
| 75 | 0 + 0 = 2: Changeover of Stability and Photopolymerization Kinetics for the Rotator Phase of Long-Chain Acrylate through the Ultra-Addition Effect in Binary Systems. <i>Macromolecules</i> , 2018, 51, 5904-5910. | 2.2 | 7         |
| 76 | Fabrication of electrospun nanofibrous scaffolds with 3D controllable geometric shapes. <i>Materials and Design</i> , 2018, 157, 159-169.  | 3.3 | 68        |
| 77 | Can Chain-Reaction Polymerization of Octadecyl Acrylate Occur in Crystal?. <i>Macromolecules</i> , 2018, 51, 3731-3737.  | 2.2 | 18        |
| 78 | Research on the electrospun foaming process to fabricate three-dimensional tissue engineering scaffolds. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46898.   | 1.3 | 21        |
| 79 | Airflow-Assisted 3D Bioprinting of Human Heterogeneous Microspheroidal Organoids with Microfluidic Nozzle. <i>Small</i> , 2018, 14, e1802630.  | 5.2 | 71        |
| 80 | Three-Dimensional Printed Wearable Sensors with Liquid Metals for Detecting the Pose of Snake-like Soft Robots. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 23208-23217.                             | 4.0 | 108       |
| 81 | 3D Bioprinting of Vessel-like Structures with Multilevel Fluidic Channels. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 399-408.   | 2.6 | 181       |
| 82 | An optimization approach for path planning of high-quality and uniform additive manufacturing. <i>International Journal of Advanced Manufacturing Technology</i> , 2017, 92, 651-662.                              | 1.5 | 39        |
| 83 | From Microfluidic Paper-Based Analytical Devices to Paper-Based Biofluidics with Integrated Continuous Perfusion. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 601-607.                              | 2.6 | 16        |
| 84 | Fabrication of cerebral aneurysm simulator with a desktop 3D printer. <i>Scientific Reports</i> , 2017, 7, 44301.  | 1.6 | 47        |
| 85 | Optimization of process planning for reducing material consumption in additive manufacturing. <i>Journal of Manufacturing Systems</i> , 2017, 44, 65-78.   | 7.6 | 52        |
| 86 | Investigation on the photopolymerization possibility of 1,6-hexanediol diacrylate in crystalline-state. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2017, 346, 273-280.                       | 2.0 | 7         |
| 87 | Shrinkage in UV-Curable Coatings. , 2017, , 195-223.   |     | 8         |
| 88 | A non-retraction path planning approach for extrusion-based additive manufacturing. <i>Robotics and Computer-Integrated Manufacturing</i> , 2017, 48, 132-144.   | 6.1 | 69        |
| 89 | Modeling and process planning for curved layer fused deposition. <i>International Journal of Advanced Manufacturing Technology</i> , 2017, 91, 273-285.  | 1.5 | 61        |
| 90 | A novel path planning methodology for extrusion-based additive manufacturing of thin-walled parts. <i>International Journal of Computer Integrated Manufacturing</i> , 2017, 30, 1301-1315.                        | 2.9 | 36        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Bone regeneration in 3D printing bioactive ceramic scaffolds with improved tissue/material interface pore architecture in thin-wall bone defect. <i>Biofabrication</i> , 2017, 9, 025003.                                 | 3.7 | 141       |
| 92  | 3D robocasting magnesium-doped wollastonite/TCP bioceramic scaffolds with improved bone regeneration capacity in critical sized calvarial defects. <i>Journal of Materials Chemistry B</i> , 2017, 5, 2941-2951.          | 2.9 | 58        |
| 93  | Printing@Clinic: From Medical Models to Organ Implants. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 3083-3097.   | 2.6 | 21        |
| 94  | Rapid Customization of 3D Integrated Microfluidic Chips via Modular Structure-Based Design. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 2606-2616.   | 2.6 | 29        |
| 95  | Complex new materials from simple chemistry: Combining an amino-substituted polysiloxane and carboxylic acids. <i>Journal of Polymer Science Part A</i> , 2017, 55, 3851-3861.  | 2.5 | 8         |
| 96  | $\alpha$ -hydroxyalkyl ketones derivatives used as photoinitiators for photografting field. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2017, 349, 193-196.  | 2.0 | 8         |
| 97  | 3D Printed Paper-Based Microfluidic Analytical Devices. <i>Micromachines</i> , 2016, 7, 108.  | 1.4 | 53        |
| 98  | The outstanding mechanical response and bone regeneration capacity of robocast dilute magnesium-doped wollastonite scaffolds in critical size bone defects. <i>Journal of Materials Chemistry B</i> , 2016, 4, 3945-3958. | 2.9 | 47        |
| 99  | 3D Printing Surgical Implants at the clinic: A Experimental Study on Anterior Cruciate Ligament Reconstruction. <i>Scientific Reports</i> , 2016, 6, 21704.   | 1.6 | 91        |
| 100 | Systematical Evaluation of Mechanically Strong 3D Printed Diluted magnesium Doping Wollastonite Scaffolds on Osteogenic Capacity in Rabbit Calvarial Defects. <i>Scientific Reports</i> , 2016, 6, 34029.                 | 1.6 | 56        |
| 101 | Research on the printability of hydrogels in 3D bioprinting. <i>Scientific Reports</i> , 2016, 6, 29977.  | 1.6 | 428       |
| 102 | Preparation and characterization of yellowing resistance and low volume shrinkage of fluorinated polysiloxane urethane acrylate. <i>Progress in Organic Coatings</i> , 2016, 97, 74-81.                                   | 1.9 | 29        |
| 103 | Process Planning for the Fuse Deposition Modeling of Ankle-Foot-Othoses. <i>Procedia CIRP</i> , 2016, 42, 760-765.  | 1.0 | 37        |
| 104 | Cationic UV-curable fluorine-containing polyacrylic epoxy prepolymer with good compatibility. <i>Progress in Organic Coatings</i> , 2016, 100, 70-75.   | 1.9 | 15        |
| 105 | From rosin to high adhesive polyurethane acrylate: Synthesis and properties. <i>International Journal of Adhesion and Adhesives</i> , 2016, 66, 99-103.   | 1.4 | 28        |
| 106 | 3D printing magnesium-doped wollastonite/ $\beta$ -TCP bioceramics scaffolds with high strength and adjustable degradation. <i>Journal of the European Ceramic Society</i> , 2016, 36, 1495-1503.                         | 2.8 | 90        |
| 107 | Simultaneous mechanical property and biodegradation improvement of wollastonite bioceramic through magnesium dilute doping. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 54, 60-71.          | 1.5 | 74        |
| 108 | A facile and low-cost micro fabrication material: flash foam. <i>Scientific Reports</i> , 2015, 5, 13522.   | 1.6 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | 3D-Printed Attributed Incorporated Alginate/Hydroxyapatite Scaffold Promotes Bone Defect Regeneration with TNF/TNFR Signaling Involvement. <i>Advanced Healthcare Materials</i> , 2015, 4, 1701-1708.                | 3.9 | 60        |
| 110 | Support generation for additive manufacturing based on sliced data. <i>International Journal of Advanced Manufacturing Technology</i> , 2015, 80, 2041-2052.   | 1.5 | 30        |
| 111 | Coaxial nozzle-assisted 3D bioprinting with built-in microchannels for nutrients delivery. <i>Biomaterials</i> , 2015, 61, 203-215.  | 5.7 | 486       |
| 112 | 45S5 Bioglass analogue reinforced akermanite ceramic favorable for additive manufacturing mechanically strong scaffolds. <i>RSC Advances</i> , 2015, 5, 102727-102735.   | 1.7 | 21        |
| 113 | A fluorinated compound used as migrated photoinitiator in the presence of air. <i>Polymer</i> , 2015, 71, 93-101.  | 1.8 | 10        |
| 114 | High compatible free radical UV-curable fluorine-containing polyacrylic acrylate prepolymer. <i>Journal of Fluorine Chemistry</i> , 2015, 173, 47-54.  | 0.9 | 15        |
| 115 | A parallel-based path generation method for fused deposition modeling. <i>International Journal of Advanced Manufacturing Technology</i> , 2015, 77, 927-937.  | 1.5 | 58        |
| 116 | Printing 3D microfluidic chips with a 3D sugar printer. <i>Microfluidics and Nanofluidics</i> , 2015, 19, 447-456.   | 1.0 | 78        |
| 117 | Micro structure fabrication with a simplified hot embossing method. <i>RSC Advances</i> , 2015, 5, 39138-39144.  | 1.7 | 24        |
| 118 | Fabrication of paper-based microfluidic analysis devices: a review. <i>RSC Advances</i> , 2015, 5, 78109-78127.  | 1.7 | 177       |
| 119 | Rapid fabrication of paper-based microfluidic analytical devices with desktop stereolithography 3D printer. <i>RSC Advances</i> , 2015, 5, 2694-2701.  | 1.7 | 65        |
| 120 | Synthesis and properties of polyurethane acrylate modified by different contents of stearyl alcohol. <i>Journal of Coatings Technology Research</i> , 2015, 12, 197-204.   | 1.2 | 5         |
| 121 | A low-cost and rapid microfluidic paper-based analytical device fabrication method: flash foam stamp lithography. <i>RSC Advances</i> , 2014, 4, 63860-63865.  | 1.7 | 35        |
| 122 | Droplet deviation modeling and compensation scheme of inkjet printing. <i>International Journal of Advanced Manufacturing Technology</i> , 2014, 75, 1405-1415.  | 1.5 | 13        |
| 123 | A nondestructive online method for monitoring the injection molding process by collecting and analyzing machine running data. <i>International Journal of Advanced Manufacturing Technology</i> , 2014, 72, 765-777. | 1.5 | 51        |
| 124 | Effect of borosilicate glass on the mechanical and biodegradation properties of 45S5-derived bioactive glass-ceramics. <i>Journal of Non-Crystalline Solids</i> , 2014, 405, 91-99.                                  | 1.5 | 22        |
| 125 | A fluorescent perylene-assembled polyvinylpyrrolidone film: synthesis, morphology and nanostructure. <i>Soft Matter</i> , 2014, 10, 3426.  | 1.2 | 19        |
| 126 | Nucleophilic Substitution of Tetrachloroperylene Diimide in Fluorescent Polyvinylpyrrolidone Film. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 493-498.   | 1.1 | 5         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | A fine-interpolation-based parametric interpolation method with a novel real-time look-ahead algorithm. <i>CAD Computer Aided Design</i> , 2014, 55, 37-48.   | 1.4 | 27        |
| 128 | Fabrication of low cost soft tissue prostheses with the desktop 3D printer. <i>Scientific Reports</i> , 2014, 4, 6973.  | 1.6 | 179       |
| 129 | An interpolation method for the open CNC system based on EPM. <i>International Journal of Advanced Manufacturing Technology</i> , 2013, 69, 405-416.  | 1.5 | 5         |
| 130 | Volume shrinkage of UV-curable coating formulation investigated by real-time laser reflection method. <i>Journal of Coatings Technology Research</i> , 2013, 10, 231-237.   | 1.2 | 29        |
| 131 | A robust 2D point-sequence curve offset algorithm with multiple islands for contour-parallel tool path. <i>CAD Computer Aided Design</i> , 2013, 45, 657-670.   | 1.4 | 46        |
| 132 | Preparation and properties of polyurethane acrylates modified by saturated alcohols. <i>Progress in Organic Coatings</i> , 2013, 76, 1594-1599.   | 1.9 | 29        |
| 133 | Solid photopolymerization and polymer properties of octadecyl vinyl ether. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2013, 271, 105-110.   | 2.0 | 8         |
| 134 | Rapid photopolymerization of octadecyl methacrylate in the solid state. <i>New Journal of Chemistry</i> , 2013, 37, 444-450.  | 1.4 | 12        |
| 135 | A look-ahead and adaptive speed control algorithm for parametric interpolation. <i>International Journal of Advanced Manufacturing Technology</i> , 2013, 69, 2613-2620.  | 1.5 | 17        |
| 136 | Thiol-epoxy/thiol-acrylate hybrid materials synthesized by photopolymerization. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4481.  | 2.7 | 78        |
| 137 | Rapid solid-state photopolymerization of octadecyl acrylate: low shrinkage and insensitivity to oxygen. <i>Polymer International</i> , 2013, 62, 1692-1697.   | 1.6 | 21        |
| 138 | Effect of Monomer Structure on Real-time UV-curing Shrinkage Studied by a Laser Scanning Approach. <i>Advances in Polymer Technology</i> , 2013, 32, .  | 0.8 | 15        |
| 139 | Exploration for decreasing the volume shrinkage for photopolymerization. <i>Progress in Organic Coatings</i> , 2012, 75, 398-403.   | 1.9 | 20        |
| 140 | Polymerization shrinkage of (meth)acrylate determined by reflective laser beam scanning. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 923-928.  | 2.4 | 38        |
| 141 | On-line Asynchronous Compensation Methods for static/quasi-static error implemented on CNC machine tools. <i>International Journal of Machine Tools and Manufacture</i> , 2012, 60, 14-26.  | 6.2 | 75        |
| 142 | Synthesis and properties of novel polyurethane acrylate containing 3-(2-hydroxyethyl) isocyanurate segment. <i>Progress in Organic Coatings</i> , 2010, 67, 264-268.  | 1.9 | 20        |
| 143 | Synthesis and characterization of an amphiphilic hyperbranched poly(amine-ester)-D,L-lactide (HPAE-PLA) copolymers and their nanoparticles for protein drug delivery. <i>Journal of Applied Polymer Science</i> , 2010, 117, 1156-1167. | 1.3 | 5         |
| 144 | Preparation and properties of different photoresponsive hydrogels modulated with UV and visible light irradiation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010, 211, 20-25.                                   | 2.0 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Investigation of stabilizer-free dispersion polymerization process of styrene and maleic anhydride copolymer microspheres. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5652-5658. | 2.5 | 10        |
| 146 | PHOTOPOLYMERIZATION OF POLY(ETHYLENE GLYCOL) DIACRYLATE IN SUPERCRITICAL CARBON DIOXIDE. <i>Acta Polymerica Sinica</i> , 2010, 010, 721-726.   | 0.0 | 4         |
| 147 | Analysis of pattern height development in hot embossing process. <i>Microsystem Technologies</i> , 2009, 15, 963-968.  | 1.2 | 1         |
| 148 | Micelles formed by self-assembly of hyperbranched poly[(amine-ester)-D,L-lactide] (HPAE-PLA) copolymers for protein drug delivery. <i>Polymer International</i> , 2009, 58, 31-39.         | 1.6 | 30        |
| 149 | Photopolymerization of alicyclic methacrylate hydrogels for controlled release. <i>Polymers for Advanced Technologies</i> , 2009, 20, 607-612.   | 1.6 | 8         |
| 150 | Optimization of control parameters in micro hot embossing. <i>Microsystem Technologies</i> , 2008, 14, 325-329.  | 1.2 | 29        |
| 151 | Synthesis and photopolymerization of 4-(1-propenyl)oxybutyl acrylate. <i>Journal of Applied Polymer Science</i> , 2008, 110, 3388-3394.  | 1.3 | 5         |
| 152 | Novel Bisphenol A Epoxide-Acrylate Hybrid Oligomer and Its Photopolymerization. <i>Designed Monomers and Polymers</i> , 2008, 11, 383-394.   | 0.7 | 16        |
| 153 | Research on optimization of the hot embossing process. <i>Journal of Micromechanics and Microengineering</i> , 2007, 17, 2420-2425.  | 1.5 | 71        |
| 154 | Photopolymerization of hybrid monomer 3-(1-propenyl)oxypropyl acrylate. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007, 191, 25-31.                                 | 2.0 | 36        |
| 155 | Photopolymerization kinetics of cycloaliphatic epoxide-acrylate hybrid monomer. <i>Polymer International</i> , 2007, 56, 1292-1297.  | 1.6 | 18        |