Sedat Ylmaz

List of Publications by Citations

Source: https://exaly.com/author-pdf/4641556/sedat-yilmaz-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 601 14 22 g-index

73 768 2.6 avg, IF L-index

#	Paper	IF	Citations
60	Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. <i>Rheumatology</i> , 2014 , 53, 741-5	3.9	64
59	Characteristics Predicting Tuberculosis Risk under Tumor Necrosis Factor-Inhibitors: Report from a Large Multicenter Cohort with High Background Prevalence. <i>Journal of Rheumatology</i> , 2016 , 43, 524-5	9 ^{4.1}	58
58	Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , 2016 , 69, 59-63	15.5	39
57	Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018 , 70, 1090-1094	4.7	34
56	Tocilizumab in the treatment of patients with AA amyloidosis secondary to familial Mediterranean fever. <i>Rheumatology</i> , 2015 , 54, 564-5	3.9	28
55	Diagnostic dilemma of paraneoplastic arthritis: case series. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 640-5	2.3	23
54	Living with scleroderma: patients' perspectives, a phenomenological study. <i>Rheumatology International</i> , 2012 , 32, 3573-9	3.6	23
53	Patient-driven assessment of disease activity in Behāt's syndrome: cross-cultural adaptation, reliability and validity of the Turkish version of the Behāt's Syndrome Activity Score. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 77-83	2.2	21
52	The factors considered as trigger for the attacks in patients with familial Mediterranean fever. <i>Rheumatology International</i> , 2013 , 33, 893-7	3.6	20
51	A patient-reported outcome measures-based composite index (RAPID3) for the assessment of disease activity in ankylosing spondylitis. <i>Rheumatology International</i> , 2015 , 35, 1575-80	3.6	17
50	Value of DWI in visual assessment of activity of sacroiliitis in longstanding ankylosing spondylitis patients. <i>Skeletal Radiology</i> , 2013 , 42, 289-93	2.7	17
49	Comparison of early versus late onset familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 880-884	2.3	15
48	A polymorphism in ERAP1 is associated with susceptibility to ankylosing spondylitis in a Turkish population. <i>Rheumatology International</i> , 2013 , 33, 2851-8	3.6	15
47	Cross-Cultural Adaptation, Reliability, and Validity of the Turkish Version of the Compliance Questionnaire on Rheumatology in Patients With Beh\(\textit{B}\)t's Disease. <i>Journal of Transcultural Nursing</i> , 2016 , 27, 480-6	2.2	14
46	Relationship of ultrasonographic findings with synovial angiogenesis modulators in different forms of knee arthritides. <i>Rheumatology International</i> , 2013 , 33, 879-85	3.6	14
45	Reliability and validity of the Turkish translation of the beliefs about medicines questionnaire (BMQ-T) in patients with Behlet's disease. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S46-S51	2.2	13
44	The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. <i>Turkish Journal of Medical Sciences</i> , 2019 , 49, 472-477	2.7	12

(2020-2019)

43	Quantitative Analysis of Optical Coherence Tomography Angiography Features in Patients with Nonocular Behcet's Disease. <i>Current Eye Research</i> , 2019 , 44, 212-218	2.9	11	
42	Apparent diffusion coefficients of sacroiliitis in patients with established ankylosing spondylitis. <i>Clinical Imaging</i> , 2013 , 37, 734-9	2.7	9	
41	Long-term efficacy and safety of Anakinra in a patient with liver transplant due to Adult onset Still's Disease. <i>Modern Rheumatology</i> , 2014 , 24, 1030-1	3.3	9	
40	Investigation of the veins in patients with Behlet's disease with no known vascular event by Doppler ultrasonography. <i>Rheumatology International</i> , 2012 , 32, 303-6	3.6	8	
39	Familial Mediterranean fever gene mutations as a risk factor for early coronary artery disease. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 2113-2117	2.3	8	
38	Exon 2: Is it the good police in familial mediterranean fever?. <i>European Journal of Rheumatology</i> , 2019 , 6, 34-37	1.7	8	
37	The expression of transmembrane and soluble CXCL16 and the relation with interferon-alpha secretion in patients with Behat's disease. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 84-7	2.2	8	
36	Criteria sets for primary Sjogren's syndrome are not adequate for those presenting with extraglandular organ involvements as their dominant clinical features. <i>Rheumatology International</i> , 2017 , 37, 675-684	3.6	7	
35	Retro-orbital granuloma associated with granulomatosis with polyangiitis: a series of nine cases. <i>Rheumatology International</i> , 2015 , 35, 1083-92	3.6	7	
34	Varicocele and epididymitis in Behcet disease. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 909-13	2.9	7	
33	Investigation of the arterial stiffness and associated factors in patients with familial Mediterranean fever. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 132-138	0.8	7	
32	A case of exogenous ochronosis associated with hydroxychloroquine. <i>European Journal of Rheumatology</i> , 2018 , 5, 206-208	1.7	7	
31	Thoughts and perceptions of ankylosing spondylitis patients with regard to TNF inhibitors. <i>Rheumatology International</i> , 2014 , 34, 979-86	3.6	6	
30	Systemic involvements and preferred treatments in a large cohort of Behät's disease. <i>Rheumatology International</i> , 2013 , 33, 3025-30	3.6	6	
29	Early intervention in the treatment of rheumatoid arthritis: focus on tocilizumab. <i>Therapeutics and Clinical Risk Management</i> , 2013 , 9, 403-8	2.9	6	
28	Ulnar artery aneurysm in a patient with Beh@t's disease. Rheumatology International, 2010, 30, 383-5	3.6	6	
27	Recurrence of proteinuria after cessation of tocilizumab in patients with AA amyloidosis secondary to FMF. <i>European Journal of Rheumatology</i> , 2018 , 5, 278-280	1.7	6	
26	Treatment of idiopathic granulomatous mastitis and factors related with disease recurrence. <i>Turkish Journal of Medical Sciences</i> , 2020 , 50, 1380-1386	2.7	6	

25	Muscle involvement in two Behlet cases: magnetic resonance imaging and histology findings. Japanese Journal of Radiology, 2014 , 32, 233-7	2.9	5
24	Predictive factors for work-day loss in Behët's syndrome: A multi-center study. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 240-246	2.3	4
23	Methodology of a new inflammatory arthritis registry: TReasure. <i>Turkish Journal of Medical Sciences</i> , 2018 , 48, 856-861	2.7	4
22	Coping strategies for activities of daily living in women whose hands affected by systemic sclerosis. Journal of Clinical Nursing, 2014 , 23, 1630-8	3.2	3
21	Sarcopenia in rheumatoid arthritis: Is it a common manifestation?. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 1685-1691	2.3	3
20	Successful treatment of PR3-ANCA positive vasculitis with pancreatitis as the first manifestation with rituximab. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 2209-2210	2.3	2
19	Comparison of the efficacy of written information vs. verbal plus written information in rheumatic patients who receive colchicine treatment. <i>Gulhane Medical Journal</i> , 2013 , 55, 94		2
18	Moderation analysis exploring associations between age and mucocutaneous activity in Behelt's syndrome: A multicenter study from Turkey. <i>Journal of Dermatology</i> , 2020 , 47, 1403-1410	1.6	2
17	The presence of MEFV gene mutations in patients with primary osteoarthritis who require surgery. <i>Korean Journal of Internal Medicine</i> , 2013 , 28, 594-8	2.5	2
16	Reliability and Validity of the Turkish Translation of the Beliefs about Medicines Questionnaire (BMQ-T) in Patients with Behat's Disease. <i>Turkish Thoracic Journal</i> , 2018 , 19, 231	0.8	2
15	Assessment of the effects of loneliness, perceived social support, and depression on medication adherence in patients with ankylosing spondylitis. <i>Perspectives in Psychiatric Care</i> , 2021 , 57, 517-523	2.2	2
14	The assessment of tocilizumab therapy on recurrent attacks of patients with familial Mediterranean fever: A retrospective study of 15 patients. <i>Modern Rheumatology</i> , 2021 , 31, 223-225	3.3	2
13	Use of complementary and alternative medicine in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2021 , 8, 20-26	1.7	2
12	Anterior spinal cord syndrome in a patient with Behät's disease. <i>Bulletin of the NYU Hospital for Joint Diseases</i> , 2012 , 70, 120-3		2
11	Evolu ß clībica da doenā de Behāt em paciente com atraso do diagnātico e seguimento radiolātico dos trombos com angiotomografia computadorizada: seguimento por 5 anos durante tratamento imunossupressor. <i>Revista Brasileira De Reumatologia</i> , 2017 , 57, 264-269		1
10	A case of leishmaniasis with a lupus-like presentation. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, e3-4	5.3	1
9	Onycho-pachydermatit with extensive bone marrow edema predominant in the metacarpals: a "forme fruste" of POPP?. <i>Rheumatology International</i> , 2012 , 32, 1449-52	3.6	1
8	Non-adherence to colchicine treatment is a common misevaluation in familial Mediterranean fever. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 2357-2363	2.7	1

LIST OF PUBLICATIONS

7	Autonomic functions in acrocyanosis assessed by heart rate variability. <i>European Journal of Rheumatology</i> , 2014 , 1, 18-20	1.7	O
6	Investigation of joint hypermobility in individuals with hyperbilirubinemia. <i>European Journal of Rheumatology</i> , 2017 , 4, 36-39	1.7	O
5	Comparison of vitamin D levels between patients with pterygium and healthy subjects. <i>International Ophthalmology</i> , 2021 , 41, 3057-3064	2.2	О
4	Comment on Treatment of idiopathic granulomatous mastitis and factors related with disease recurrence Turkish Journal of Medical Sciences, 2020 , 50, 2073-2074	2.7	
3	In the era of disease-modifying antirheumatic drugs, how close are we to treating rheumatoid arthritis without the use of glucocorticoids?. <i>Rheumatology International</i> , 2021 , 41, 1915-1924	3.6	
2	Biological treatment in resistant adult-onset Still disease: A single-center, retrospective cohort study. <i>Archives of Rheumatology</i> , 2022 , 37, 11-18	0.9	

The assessment of rheumatologic immune-related adverse events with immune checkpoint inhibitors. *Gulhane Medical Journal*, **2022**, 64, 103-109