

Sedat Yilmaz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4641556/sedat-yilmaz-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

601
citations

14
h-index

22
g-index

73
ext. papers

768
ext. citations

2.6
avg, IF

3.31
L-index

#	Paper	IF	Citations
60	Biological treatment in resistant adult-onset Still's disease: A single-center, retrospective cohort study. <i>Archives of Rheumatology</i> , 2022 , 37, 11-18	0.9	
59	The assessment of rheumatologic immune-related adverse events with immune checkpoint inhibitors. <i>Gulhane Medical Journal</i> , 2022 , 64, 103-109		
58	Comparison of vitamin D levels between patients with pterygium and healthy subjects. <i>International Ophthalmology</i> , 2021 , 41, 3057-3064	2.2	0
57	Assessment of the effects of loneliness, perceived social support, and depression on medication adherence in patients with ankylosing spondylitis. <i>Perspectives in Psychiatric Care</i> , 2021 , 57, 517-523	2.2	2
56	The assessment of tocilizumab therapy on recurrent attacks of patients with familial Mediterranean fever: A retrospective study of 15 patients. <i>Modern Rheumatology</i> , 2021 , 31, 223-225	3.3	2
55	Use of complementary and alternative medicine in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2021 , 8, 20-26	1.7	2
54	Non-adherence to colchicine treatment is a common misevaluation in familial Mediterranean fever. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 2357-2363	2.7	1
53	In the era of disease-modifying antirheumatic drugs, how close are we to treating rheumatoid arthritis without the use of glucocorticoids?. <i>Rheumatology International</i> , 2021 , 41, 1915-1924	3.6	
52	Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. <i>Journal of Dermatology</i> , 2020 , 47, 1403-1410	1.6	2
51	Comment on "Treatment of idiopathic granulomatous mastitis and factors related with disease recurrence" <i>Turkish Journal of Medical Sciences</i> , 2020 , 50, 2073-2074	2.7	
50	Predictive factors for work-day loss in Behçet's syndrome: A multi-center study. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 240-246	2.3	4
49	Sarcopenia in rheumatoid arthritis: Is it a common manifestation?. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 1685-1691	2.3	3
48	Treatment of idiopathic granulomatous mastitis and factors related with disease recurrence. <i>Turkish Journal of Medical Sciences</i> , 2020 , 50, 1380-1386	2.7	6
47	The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. <i>Turkish Journal of Medical Sciences</i> , 2019 , 49, 472-477	2.7	12
46	Exon 2: Is it the good police in familial mediterranean fever?. <i>European Journal of Rheumatology</i> , 2019 , 6, 34-37	1.7	8
45	Quantitative Analysis of Optical Coherence Tomography Angiography Features in Patients with Nonocular Behçet's Disease. <i>Current Eye Research</i> , 2019 , 44, 212-218	2.9	11
44	Comparison of early versus late onset familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 880-884	2.3	15

43	Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018 , 70, 1090-1094	4.7	34
42	Recurrence of proteinuria after cessation of tocilizumab in patients with AA amyloidosis secondary to FMF. <i>European Journal of Rheumatology</i> , 2018 , 5, 278-280	1.7	6
41	Reliability and Validity of the Turkish Translation of the Beliefs about Medicines Questionnaire (BMQ-T) in Patients with Behçet's Disease. <i>Turkish Thoracic Journal</i> , 2018 , 19, 231	0.8	2
40	A case of exogenous ochronosis associated with hydroxychloroquine. <i>European Journal of Rheumatology</i> , 2018 , 5, 206-208	1.7	7
39	Methodology of a new inflammatory arthritis registry: TReasure. <i>Turkish Journal of Medical Sciences</i> , 2018 , 48, 856-861	2.7	4
38	Evolução clínica da doença de Behçet em paciente com atraso do diagnóstico e seguimento radiológico dos trombos com angiotomografia computadorizada: seguimento por 5 anos durante tratamento imunossupressor. <i>Revista Brasileira De Reumatologia</i> , 2017 , 57, 264-269		1
37	Successful treatment of PR3-ANCA positive vasculitis with pancreatitis as the first manifestation with rituximab. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 2209-2210	2.3	2
36	Criteria sets for primary Sjogren's syndrome are not adequate for those presenting with extraglandular organ involvements as their dominant clinical features. <i>Rheumatology International</i> , 2017 , 37, 675-684	3.6	7
35	Familial Mediterranean fever gene mutations as a risk factor for early coronary artery disease. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 2113-2117	2.3	8
34	Investigation of the arterial stiffness and associated factors in patients with familial Mediterranean fever. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 132-138	0.8	7
33	Investigation of joint hypermobility in individuals with hyperbilirubinemia. <i>European Journal of Rheumatology</i> , 2017 , 4, 36-39	1.7	0
32	Cross-Cultural Adaptation, Reliability, and Validity of the Turkish Version of the Compliance Questionnaire on Rheumatology in Patients With Behçet's Disease. <i>Journal of Transcultural Nursing</i> , 2016 , 27, 480-6	2.2	14
31	Characteristics Predicting Tuberculosis Risk under Tumor Necrosis Factor- α Inhibitors: Report from a Large Multicenter Cohort with High Background Prevalence. <i>Journal of Rheumatology</i> , 2016 , 43, 524-9	4.1	58
30	Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , 2016 , 69, 59-63	15.5	39
29	Reliability and validity of the Turkish translation of the beliefs about medicines questionnaire (BMQ-T) in patients with Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S46-S51	2.2	13
28	Retro-orbital granuloma associated with granulomatosis with polyangiitis: a series of nine cases. <i>Rheumatology International</i> , 2015 , 35, 1083-92	3.6	7
27	A case of leishmaniasis with a lupus-like presentation. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, e3-4	5.3	1
26	A patient-reported outcome measures-based composite index (RAPID3) for the assessment of disease activity in ankylosing spondylitis. <i>Rheumatology International</i> , 2015 , 35, 1575-80	3.6	17

25	Tocilizumab in the treatment of patients with AA amyloidosis secondary to familial Mediterranean fever. <i>Rheumatology</i> , 2015 , 54, 564-5	3.9	28
24	Muscle involvement in two Behçet cases: magnetic resonance imaging and histology findings. <i>Japanese Journal of Radiology</i> , 2014 , 32, 233-7	2.9	5
23	Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. <i>Rheumatology</i> , 2014 , 53, 741-5	3.9	64
22	Thoughts and perceptions of ankylosing spondylitis patients with regard to TNF inhibitors. <i>Rheumatology International</i> , 2014 , 34, 979-86	3.6	6
21	Coping strategies for activities of daily living in women whose hands affected by systemic sclerosis. <i>Journal of Clinical Nursing</i> , 2014 , 23, 1630-8	3.2	3
20	Diagnostic dilemma of paraneoplastic arthritis: case series. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 640-5	2.3	23
19	Long-term efficacy and safety of Anakinra in a patient with liver transplant due to Adult onset Still's Disease. <i>Modern Rheumatology</i> , 2014 , 24, 1030-1	3.3	9
18	Autonomic functions in acrocyanosis assessed by heart rate variability. <i>European Journal of Rheumatology</i> , 2014 , 1, 18-20	1.7	0
17	Value of DWI in visual assessment of activity of sacroiliitis in longstanding ankylosing spondylitis patients. <i>Skeletal Radiology</i> , 2013 , 42, 289-93	2.7	17
16	Systemic involvements and preferred treatments in a large cohort of Behçet's disease. <i>Rheumatology International</i> , 2013 , 33, 3025-30	3.6	6
15	A polymorphism in ERAP1 is associated with susceptibility to ankylosing spondylitis in a Turkish population. <i>Rheumatology International</i> , 2013 , 33, 2851-8	3.6	15
14	Relationship of ultrasonographic findings with synovial angiogenesis modulators in different forms of knee arthritides. <i>Rheumatology International</i> , 2013 , 33, 879-85	3.6	14
13	The factors considered as trigger for the attacks in patients with familial Mediterranean fever. <i>Rheumatology International</i> , 2013 , 33, 893-7	3.6	20
12	Apparent diffusion coefficients of sacroiliitis in patients with established ankylosing spondylitis. <i>Clinical Imaging</i> , 2013 , 37, 734-9	2.7	9
11	Comparison of the efficacy of written information vs. verbal plus written information in rheumatic patients who receive colchicine treatment. <i>Gulhane Medical Journal</i> , 2013 , 55, 94		2
10	Early intervention in the treatment of rheumatoid arthritis: focus on tocilizumab. <i>Therapeutics and Clinical Risk Management</i> , 2013 , 9, 403-8	2.9	6
9	The presence of MEFV gene mutations in patients with primary osteoarthritis who require surgery. <i>Korean Journal of Internal Medicine</i> , 2013 , 28, 594-8	2.5	2
8	Patient-driven assessment of disease activity in Behçet's syndrome: cross-cultural adaptation, reliability and validity of the Turkish version of the Behçet's Syndrome Activity Score. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 77-83	2.2	21

7	The expression of transmembrane and soluble CXCL16 and the relation with interferon-alpha secretion in patients with Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 84-7	2.2	8
6	Investigation of the veins in patients with Behçet's disease with no known vascular event by Doppler ultrasonography. <i>Rheumatology International</i> , 2012 , 32, 303-6	3.6	8
5	Living with scleroderma: patients' perspectives, a phenomenological study. <i>Rheumatology International</i> , 2012 , 32, 3573-9	3.6	23
4	Onycho-pachydermatit with extensive bone marrow edema predominant in the metacarpals: a "forme fruste" of POPP?. <i>Rheumatology International</i> , 2012 , 32, 1449-52	3.6	1
3	Anterior spinal cord syndrome in a patient with Behçet's disease. <i>Bulletin of the NYU Hospital for Joint Diseases</i> , 2012 , 70, 120-3		2
2	Varicocele and epididymitis in Behcet disease. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 909-13	2.9	7
1	Ulnar artery aneurysm in a patient with Behçet's disease. <i>Rheumatology International</i> , 2010 , 30, 383-5	3.6	6