

# David N Proctor

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4641613/david-n-proctor-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83  
papers

5,339  
citations

31  
h-index

73  
g-index

87  
ext. papers

5,923  
ext. citations

3.1  
avg, IF

5.28  
L-index

#	Paper	IF	Citations
83	Consumption of Dried Fruits Is Associated with Greater Intakes of Underconsumed Nutrients, Higher Total Energy Intakes, and Better Diet Quality in US Adults: A Cross-Sectional Analysis of the National Health and Nutrition Examination Survey, 2007-2016. <i>Journal of the Academy of Nutrition and Dietetics</i> , <b>2021</b> , 121, 1258-1272	3.9	4
82	Bilateral NIRS measurements of muscle mitochondrial capacity: Feasibility and repeatability. <i>Physiological Reports</i> , <b>2021</b> , 9, e14826	2.6	1
81	Herbs and spices at a relatively high culinary dosage improves 24-hour ambulatory blood pressure in adults at risk of cardiometabolic diseases: a randomized, crossover, controlled-feeding study. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> ,	7	1
80	The effect of culinary doses of spices in a high-saturated fat, high-carbohydrate meal on postprandial lipemia and endothelial function: a randomized, controlled, crossover pilot trial. <i>Food and Function</i> , <b>2020</b> , 11, 3191-3200	6.1	7
79	Invasive Physiological Measurements in Patients with Peripheral Artery Disease: Willingness and Barriers to Participation. <i>FASEB Journal</i> , <b>2020</b> , 34, 1-1	0.9	
78	A Time-Efficient NIRS Protocol For Cross- And Within-limb Comparisons Of Muscle Oxidative Capacity. <i>Medicine and Science in Sports and Exercise</i> , <b>2020</b> , 52, 84-84	1.2	
77	Acute application of a transdermal nitroglycerin patch protects against prolonged forearm ischemia-induced microvascular dysfunction. <i>Microcirculation</i> , <b>2020</b> , 27, e12599	2.9	2
76	Peripheral vasodilation is reduced during exercise in perimenopausal women with elevated cardiovascular risk. <i>Menopause</i> , <b>2020</b> , 27, 1167-1170	2.5	
75	A prospective community engagement initiative to improve clinical research participation in patients with peripheral artery disease. <i>SAGE Open Medicine</i> , <b>2020</b> , 8, 2050312120930915	2.4	1
74	Effects of acute dietary nitrate supplementation on aortic blood pressures and pulse wave characteristics in post-menopausal women. <i>Nitric Oxide - Biology and Chemistry</i> , <b>2019</b> , 85, 10-16	5	9
73	Aging women and their endothelium: probing the relative role of estrogen on vasodilator function. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2019</b> , 317, H395-H404	5.2	31
72	Near-infrared spectroscopy detects transient decrements and recovery of microvascular responsiveness following prolonged forearm ischemia. <i>Microvascular Research</i> , <b>2019</b> , 125, 103879	3.7	4
71	Replacing Saturated Fat With Walnuts or Vegetable Oils Improves Central Blood Pressure and Serum Lipids in Adults at Risk for Cardiovascular Disease: A Randomized Controlled-Feeding Trial. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e011512	6	37
70	Retrograde and Oscillatory Shear Remain Stable Across the Menstrual Cycle but Increase in Postmenopausal Women. <i>FASEB Journal</i> , <b>2019</b> , 33, lb504	0.9	
69	Retrograde and oscillatory shear increase across the menopause transition. <i>Physiological Reports</i> , <b>2019</b> , 7, e13965	2.6	4
68	The association between near-infrared spectroscopy-derived and flow-mediated dilation assessment of vascular responsiveness in the arm. <i>Microvascular Research</i> , <b>2019</b> , 122, 41-44	3.7	21
67	Esmolol acutely alters oxygen supply-demand balance in exercising muscles of healthy humans. <i>Physiological Reports</i> , <b>2018</b> , 6, e13673	2.6	2

66	Differences in vascular function between trained and untrained limbs assessed by near-infrared spectroscopy. <i>European Journal of Applied Physiology</i> , <b>2018</b> , 118, 2241-2248	3.4	19
65	L-Citrulline Supplementation: Impact on Cardiometabolic Health. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	74
64	Patterns of Conduit Artery Shear Stress Across the Menopause Transition. <i>FASEB Journal</i> , <b>2018</b> , 32, lb308.9		
63	Nitrate Supplementation Influences Contraction-Relaxation Rates During Ischemic Exercise in Post-Menopausal Women. <i>Medicine and Science in Sports and Exercise</i> , <b>2018</b> , 50, 593	1.2	
62	Tree Nut Consumption and Adipose Tissue Mass: Mechanisms of Action. <i>Current Developments in Nutrition</i> , <b>2018</b> , 2, nzy069	0.4	11
61	Esmolol infusion versus propranolol infusion: effects on heart rate and blood pressure in healthy volunteers. <i>Journal of Applied Physiology</i> , <b>2017</b> , 122, 511-519	3.7	4
60	Beta-1 vs. beta-2 adrenergic control of coronary blood flow during isometric handgrip exercise in humans. <i>Journal of Applied Physiology</i> , <b>2017</b> , 123, 337-343	3.7	7
59	Blood pressure and calf muscle oxygen extraction during plantar flexion exercise in peripheral artery disease. <i>Journal of Applied Physiology</i> , <b>2017</b> , 123, 2-10	3.7	21
58	Found in WansitionWshifting mechanisms of aerobic exercise adaptation in ageing women. <i>Journal of Physiology</i> , <b>2017</b> , 595, 4119-4120	3.9	1
57	Incorporating freeze-dried strawberry powder into a high-fat meal does not alter postprandial vascular function or blood markers of cardiovascular disease risk: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 105, 313-322	7	20
56	Blood pressure and leg deoxygenation are exaggerated during treadmill walking in patients with peripheral artery disease. <i>Journal of Applied Physiology</i> , <b>2017</b> , 123, 1160-1165	3.7	17
55	Isometric Handgrip as an Adjunct for Blood Pressure Control: a Primer for Clinicians. <i>Current Hypertension Reports</i> , <b>2017</b> , 19, 51	4.7	4
54	Coronary Exercise Hyperemia Is Impaired in Patients with Peripheral Arterial Disease. <i>Annals of Vascular Surgery</i> , <b>2017</b> , 38, 260-267	1.7	13
53	Effect of adrenergic agonists on coronary blood flow: a laboratory study in healthy volunteers. <i>Physiological Reports</i> , <b>2016</b> , 4, e12806	2.6	8
52	Implementation and evaluation of an Exercise is Medicine™ campus week. <i>Evaluation and Program Planning</i> , <b>2015</b> , 52, 176-81	1.7	7
51	Arterial stiffness is higher in older adults with increased perceived fatigue and fatigability during walking. <i>Experimental Gerontology</i> , <b>2015</b> , 61, 92-7	4.5	15
50	Endothelial function, arterial stiffness and adherence to the 2010 Dietary Guidelines for Americans: a cross-sectional analysis. <i>British Journal of Nutrition</i> , <b>2015</b> , 113, 1773-81	3.6	27
49	Evidence for the emergence of leg sympathetic vasoconstrictor tone with age in healthy women. <i>Physiological Reports</i> , <b>2015</b> , 3, e12275	2.6	6

48	Impairments in central cardiovascular function contribute to attenuated reflex vasodilation in aged skin. <i>Journal of Applied Physiology</i> , <b>2015</b> , 119, 1411-20	3.7	16
47	Calf exercise-induced vasodilation is blunted in healthy older adults with increased walking performance fatigue. <i>Experimental Gerontology</i> , <b>2014</b> , 57, 1-5	4.5	5
46	Lifelong physical activity and blood flow to active muscles: sufficient supply to meet the demand. <i>Journal of Physiology</i> , <b>2012</b> , 590, 5927-8	3.9	5
45	Exercise-induced vasodilation is associated with menopause stage in healthy middle-aged women. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2012</b> , 37, 418-24	3	9
44	Sex-dependent associations between daily physical activity and leg exercise blood pressure responses. <i>Journal of Aging and Physical Activity</i> , <b>2011</b> , 19, 306-21	1.6	7
43	Sex-specific effect of aging on submaximal leg exercise hemodynamics in middle-aged and older adults. <i>European Journal of Applied Physiology</i> , <b>2011</b> , 111, 1369-79	3.4	5
42	Age and sex influence the balance between maximal cardiac output and peripheral vascular reserve. <i>Journal of Applied Physiology</i> , <b>2010</b> , 108, 483-9	3.7	33
41	Arterial Compliance And Responsiveness: Relative Impact Of Menopause And Fitness. <i>Medicine and Science in Sports and Exercise</i> , <b>2010</b> , 42, 303	1.2	3
40	Evidence for sex differences in cardiovascular aging and adaptive responses to physical activity. <i>European Journal of Applied Physiology</i> , <b>2010</b> , 110, 235-46	3.4	59
39	Relation of femoral diameter, shear rate, and dilatory response to knee extensor exercise. <i>Medicine and Science in Sports and Exercise</i> , <b>2010</b> , 42, 1870-5	1.2	10
38	Femoral shear rate response to knee extensor exercise: an age and sex comparison. <i>Biorheology</i> , <b>2009</b> , 46, 145-54	1.7	6
37	American College of Sports Medicine position stand. Exercise and physical activity for older adults. <i>Medicine and Science in Sports and Exercise</i> , <b>2009</b> , 41, 1510-30	1.2	2266
36	Hormone therapy is associated with preserved smooth muscle structure and dilation in the arterial vasculature of the leg in older women. <i>Maturitas</i> , <b>2008</b> , 59, 46-54	5	4
35	Sex-specific influence of aging on exercising leg blood flow. <i>Journal of Applied Physiology</i> , <b>2008</b> , 104, 655-64	3.7	76
34	Commentary on Viewpoint: Exercise and cardiovascular risk reduction: time to update the rationale for exercise? Considering the role of sex in modulating direct effects of exercise on the vasculature. <i>Journal of Applied Physiology</i> , <b>2008</b> , 105, 778	3.7	
33	Age and microvascular responses to knee extensor exercise in women. <i>European Journal of Applied Physiology</i> , <b>2008</b> , 103, 343-51	3.4	15
32	Evidence for reduced sympatholysis in leg resistance vasculature of healthy older women. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2007</b> , 292, H1148-56	5.2	52
31	Sex differences in leg vasodilation during graded knee extensor exercise in young adults. <i>Journal of Applied Physiology</i> , <b>2007</b> , 103, 1583-91	3.7	91

30	Blunted leg vasodilation during isolated quadriceps exercise in healthy older women. <i>FASEB Journal</i> , <b>2007</b> , 21, A1238	0.9	
29	Feasibility Of A Regional K40 Detector To Determine Differences In Triceps Surae Muscle Quality. <i>FASEB Journal</i> , <b>2007</b> , 21, A578	0.9	
28	Is there a difference in vascular reactivity of the arms and legs?. <i>Medicine and Science in Sports and Exercise</i> , <b>2006</b> , 38, 1819-28	1.2	34
27	Age and flow-mediated dilation: a comparison of dilatory responsiveness in the brachial and popliteal arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2006</b> , 291, H3043-9	5.2	101
26	Longitudinal changes in physical functional performance among the oldest old: insight from a study of Swedish twins. <i>Aging Clinical and Experimental Research</i> , <b>2006</b> , 18, 517-30	4.8	28
25	Vasodilation and vascular control in contracting muscle of the aging human. <i>Microcirculation</i> , <b>2006</b> , 13, 315-27	2.9	91
24	Blood flow to exercising limbs varies with age, gender, and training status. <i>Applied Physiology, Nutrition, and Metabolism</i> , <b>2005</b> , 30, 554-75		32
23	Age and regional specificity of peak limb vascular conductance in women. <i>Journal of Applied Physiology</i> , <b>2005</b> , 99, 2067-74	3.7	36
22	Age and regional specificity of peak limb vascular conductance in men. <i>Journal of Applied Physiology</i> , <b>2005</b> , 98, 193-202	3.7	39
21	Flow-mediated dilation. <i>Journal of Applied Physiology</i> , <b>2005</b> , 99, 1620	3.7	3
20	Heterogeneous vasodilator responses of human limbs: influence of age and habitual endurance training. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2005</b> , 289, H308-15	5.2	62
19	Changes in myosin heavy chain mRNA and protein expression in human skeletal muscle with age and endurance exercise training. <i>Journal of Applied Physiology</i> , <b>2005</b> , 99, 95-102	3.7	127
18	Different vasodilator responses of human arms and legs. <i>Journal of Physiology</i> , <b>2004</b> , 556, 1001-11	3.9	110
17	Leg blood flow and VO <sub>2</sub> during peak cycle exercise in younger and older women. <i>Medicine and Science in Sports and Exercise</i> , <b>2004</b> , 36, 623-31	1.2	33
16	Impact of aerobic exercise training on age-related changes in insulin sensitivity and muscle oxidative capacity. <i>Diabetes</i> , <b>2003</b> , 52, 1888-96	0.9	471
15	Leg blood flow during submaximal cycle ergometry is not reduced in healthy older normally active men. <i>Journal of Applied Physiology</i> , <b>2003</b> , 94, 1859-69	3.7	70
14	Impaired leg vasodilation during dynamic exercise in healthy older women. <i>Journal of Applied Physiology</i> , <b>2003</b> , 95, 1963-70	3.7	91
13	Augmented leg vasoconstriction in dynamically exercising older men during acute sympathetic stimulation. <i>Journal of Physiology</i> , <b>2003</b> , 551, 337-44	3.9	76

12	Application of the LaGrange polynomial in skeletal muscle fatigue analysis. <i>Research Quarterly for Exercise and Sport</i> , <b>2002</b> , 73, 168-74	1.9	2
11	Reserve capacity for ATP consumption during isometric contraction in human skeletal muscle fibers. <i>Journal of Applied Physiology</i> , <b>2001</b> , 90, 657-64	3.7	44
10	Reduced submaximal leg blood flow after high-intensity aerobic training. <i>Journal of Applied Physiology</i> , <b>2001</b> , 91, 2619-27	3.7	40
9	Effects of genetic selection and voluntary activity on the medial gastrocnemius muscle in house mice. <i>Journal of Applied Physiology</i> , <b>1999</b> , 87, 2326-33	3.7	33
8	Muscle blood flow during exercise: the limits of reductionism. <i>Medicine and Science in Sports and Exercise</i> , <b>1999</b> , 31, 1036-40	1.2	41
7	Influence of age and gender on cardiac output-VO <sub>2</sub> relationships during submaximal cycle ergometry. <i>Journal of Applied Physiology</i> , <b>1998</b> , 84, 599-605	3.7	98
6	Reduced leg blood flow during dynamic exercise in older endurance-trained men. <i>Journal of Applied Physiology</i> , <b>1998</b> , 85, 68-75	3.7	180
5	Skeletal muscle mass and the reduction of VO <sub>2</sub> max in trained older subjects. <i>Journal of Applied Physiology</i> , <b>1997</b> , 82, 1411-5	3.7	145
4	Contribution of nitric oxide and prostaglandins to reactive hyperemia in human forearm. <i>Journal of Applied Physiology</i> , <b>1996</b> , 81, 1807-14	3.7	208
3	Delay time adjustments to minimize errors in breath-by-breath measurement of Vo <sub>2</sub> during exercise. <i>Journal of Applied Physiology</i> , <b>1996</b> , 81, 2495-9	3.7	57
2	Cardiovascular and peak VO <sub>2</sub> responses to supine exercise: effects of age and training status. <i>Medicine and Science in Sports and Exercise</i> , <b>1996</b> , 28, 892-9	1.2	19
1	Protein intake and athletic performance. <i>Sports Medicine</i> , <b>1991</b> , 12, 313-25	10.6	28