## Ulrika Söderhamn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4643860/publications.pdf

Version: 2024-02-01

471509 580821 43 791 17 25 citations h-index g-index papers 43 43 43 806 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Experiences of using the ISBAR tool after an intervention: A focus group study among critical care nurses and anaesthesiologists. Intensive and Critical Care Nursing, 2022, 70, 103195.	2.9	3
2	Factor analysis of the Chinese version of the Selfâ€care Ability Scale for the Elderly: A multiâ€centre crossâ€cultural validation study. International Journal of Nursing Practice, 2022, , e13060.	1.7	1
3	Loneliness Among Older Home-Dwelling Persons: A Challenge for Home Care Nurses. Journal of Multidisciplinary Healthcare, 2021, Volume 14, 435-445.	2.7	6
4	Intensive care nurses' implicit and explicit attitudes and their behavioural intentions towards obese intensive care patients. Journal of Advanced Nursing, 2019, 75, 3631-3642.	3.3	13
5	A sense of belonging: A metaâ€ethnography of the experience of patients with chronic obstructive pulmonary disease receiving care through telemedicine. Journal of Advanced Nursing, 2019, 75, 3219-3230.	3.3	18
6	Reflections on communication of disease prognosis and life expectancy by patients with colorectal cancer undergoing palliative care: a qualitative study. BMJ Open, 2019, 9, e023463.	1.9	9
7	Unlocking the limitations: Living with chronic obstructive pulmonary disease and receiving care through telemedicine—A phenomenological study. Journal of Clinical Nursing, 2018, 27, 132-142.	3.0	22
8	Intensive care nurses' experiences of caring for obese intensive care patients: A hermeneutic study. Journal of Clinical Nursing, 2018, 27, 386-395.	3.0	22
9	Design and psychometric testing of instruments to measure qualified intensive care nurses' attitudes toward obese intensive care patients. Research in Nursing and Health, 2018, 41, 525-534.	1.6	12
10	Perceived stress and depression amongst older stroke patients: Sense of coherence as a mediator?. Archives of Gerontology and Geriatrics, 2018, 79, 164-170.	3.0	26
11	Psychometric properties of the Persian version of the nutritional form for the elderly (NUFFE) in nursing home residents. Medical Journal of the Islamic Republic of Iran, 2018, 32, 610-617.	0.9	1
12	Reliability and validity of the Chinese version of the Selfâ€care Ability Scale for the Elderly. Journal of Clinical Nursing, 2017, 26, 4489-4497.	3.0	15
13	Who often feels lonely? A crossâ€sectional study about loneliness and its related factors among older homeâ€dwelling people. International Journal of Older People Nursing, 2017, 12, e12162.	1.3	38
14	To be a trained and supported volunteer in palliative care – a phenomenological study. BMC Palliative Care, 2017, 16, 18.	1.8	25
15	Testing and comparing two self-care-related instruments among older Chinese adults. PLoS ONE, 2017, 12, e0182792.	2.5	9
16	Advancing beyond the system: telemedicine nurses' clinical reasoning using a computerised decision support system for patients with COPD – an ethnographic study. BMC Medical Informatics and Decision Making, 2017, 17, 181.	3.0	13
17	Nutritional screening of patients at a memory clinic – association between patients' and their relatives' selfâ€reports. Journal of Clinical Nursing, 2016, 25, 760-768.	3.0	3
18	Reliability and validity of the Chinese version of the Nutritional Form For the Elderly. Public Health Nutrition, 2015, 18, 2559-2564.	2.2	10

#	Article	IF	Citations
19	Nutritional self-care among a group of older home-living people in rural Southern Norway. Journal of Multidisciplinary Healthcare, 2015, 8, 67.	2.7	6
20	Psychometric properties of Antonovsky's 29-item Sense of Coherence scale in research on older home-dwelling Norwegians. Scandinavian Journal of Public Health, 2015, 43, 867-874.	2.3	15
21	Evaluation of ethical reflections in community healthcare. Nursing Ethics, 2015, 22, 194-204.	3.4	33
22	Self-care telephone talks as a health-promotion intervention in urban home-living persons 75+ years of age: a randomized controlled study. Clinical Interventions in Aging, 2014, 9, 95.	2.9	15
23	Testing two selfâ€careâ€related instruments among older homeâ€dwelling people in Norway. International Journal of Older People Nursing, 2013, 8, 189-198.	1.3	16
24	The meaning of actualization of self-care resources among a group of older home-dwelling peopleâ€"A hermeneutic study. International Journal of Qualitative Studies on Health and Well-being, 2013, 8, 20592.	1.6	19
25	Nutritional self-care in two older Norwegian males: a case study. Clinical Interventions in Aging, 2013, 8, 609.	2.9	6
26	Life situation and identity among single older home-living people: A phenomenological–hermeneutic study. International Journal of Qualitative Studies on Health and Well-being, 2012, 7, 18456.	1.6	33
27	Psychometric properties of the Norwegian version of the General Health Questionnaire (GHQ-30) among older people living at home. Psychology Research and Behavior Management, 2012, 5, 151.	2.8	12
28	Tools to identify nutritional risk for older people in the home. British Journal of Community Nursing, 2012, 17, S26-S29.	0.4	1
29	Selfâ€care ability among homeâ€dwelling older people in rural areas in southern Norway. Scandinavian Journal of Caring Sciences, 2012, 26, 113-122.	2.1	52
30	Psychometric testing of the Norwegian version of the Nutritional Form For the Elderly among older home-dwelling people. Journal of Multidisciplinary Healthcare, 2012, 5, 121.	2.7	10
31	Ability for self-care in urban living older people in southern Norway. Journal of Multidisciplinary Healthcare, 2012, 5, 85.	2.7	30
32	Lived experiences of self-care among older, home-dwelling individuals identified to be at risk of undernutrition. Journal of Multidisciplinary Healthcare, 2012, 5, 319.	2.7	6
33	Nutritional screening of older home-dwelling Norwegians: a comparison between two instruments. Clinical Interventions in Aging, 2012, 7, 383.	2.9	33
34	Living alone, receiving help, helplessness, and inactivity are strongly related to risk of undernutrition among older home-dwelling people. International Journal of General Medicine, 2012, 5, 231.	1.8	34
35	Factors associated with nutritional risk in 75â€yearâ€old community living people. International Journal of Older People Nursing, 2012, 7, 3-10.	1.3	17
36	Narrated lived experiences of self-care and health among rural-living older persons with a strong sense of coherence. Psychology Research and Behavior Management, 2011, 4, 151.	2.8	26

#	Article	IF	CITATIONS
37	Perceived health and risk of undernutrition: a comparison of different nutritional screening results in older patients. Journal of Clinical Nursing, 2011, 20, 2162-2171.	3.0	12
38	A successful way for performing nutritional nursing assessment in older patients. Journal of Clinical Nursing, 2009, 18, 431-439.	3.0	12
39	Norwegian version of the Nutritional Form for the Elderly: sufficient psychometric properties for performing institutional screening of elderly patients. Nutrition Research, 2009, 29, 761-767.	2.9	23
40	Nutritional form for the elderly is a reliable and valid instrument for the determination of undernutrition risk, and it is associated with health-related quality of life. Nutrition Research, 2008, 28, 59-65.	2.9	29
41	Nutritional screening and perceived health in a group of geriatric rehabilitation patients. Journal of Clinical Nursing, 2007, 16, 1997-2006.	3.0	26
42	Reliability and validity of the nutritional form for the elderly (NUFFE). Journal of Advanced Nursing, 2002, 37, 28-34.	3.3	44
43	Developing and testing the Nutritional Form For the Elderly. International Journal of Nursing Practice, 2001, 7, 336-341.	1.7	35