

# Yutaka Nibu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4644072/publications.pdf>

Version: 2024-02-01

30  
papers

2,114  
citations

361413

20  
h-index

477307

29  
g-index

32  
all docs

32  
docs citations

32  
times ranked

2247  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploiting transcription factor binding site clustering to identify cis-regulatory modules involved in pattern formation in the <i>Drosophila</i> genome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 757-762.	7.1	541
2	Interaction of Short-Range Repressors with <i>Drosophila</i> CtBP in the Embryo. <i>Science</i> , 1998, 280, 101-104.	12.6	249
3	Transcriptional Coregulators in Development. <i>Science</i> , 1999, 284, 606-609.	12.6	232
4	dCtBP mediates transcriptional repression by Knirps, Krüppel and Snail in the <i>Drosophila</i> embryo. <i>EMBO Journal</i> , 1998, 17, 7009-7020.	7.8	199
5	The Nutrient-Responsive Hormone CChamide-2 Controls Growth by Regulating Insulin-like Peptides in the Brain of <i>Drosophila melanogaster</i> . <i>PLoS Genetics</i> , 2015, 11, e1005209.	3.5	143
6	From Notochord Formation to Hereditary Chordoma: The Many Roles of <i>Brachyury</i> . <i>BioMed Research International</i> , 2013, 2013, 1-14.	1.9	79
7	A -Acting DNA Element Located between TATA Box and Transcription Initiation Site Is Critical in Response to Regulatory Sequences in Human Angiotensinogen Gene. <i>Journal of Biological Chemistry</i> , 1996, 271, 15981-15986.	3.4	78
8	Akirin Links Twist-Regulated Transcription with the Brahma Chromatin Remodeling Complex during Embryogenesis. <i>PLoS Genetics</i> , 2012, 8, e1002547.	3.5	73
9	<i>Drosophila</i> Ebi mediates Snail-dependent transcriptional repression through HDAC3-induced histone deacetylation. <i>EMBO Journal</i> , 2008, 27, 898-909.	7.8	55
10	Human Activin $\beta$ 2A Gene IDENTIFICATION OF NOVEL 5'â€². <i>Journal of Biological Chemistry</i> , 1996, 271, 32760-32769.	3.4	48
11	CtBP-dependent activities of the short-range Giant repressor in the <i>Drosophila</i> embryo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 6204-6208.	7.1	40
12	Functional <i>Brachyury</i> Binding Sites Establish a Temporal Read-out of Gene Expression in the <i>Ciona</i> Notochord. <i>PLoS Biology</i> , 2013, 11, e1001697.	5.6	40
13	Regulated Expression of Human Angiotensinogen Gene by Hepatocyte Nuclear Factor 4 and Chicken Ovalbumin Upstream Promoter-Transcription Factor. <i>Journal of Biological Chemistry</i> , 1999, 274, 34605-34612.	3.4	36
14	<i>Tbx2/3</i> is an essential mediator within the <i>Brachyury</i> gene network during <i>Ciona</i> notochord development. <i>Development (Cambridge)</i> , 2013, 140, 2422-2433.	2.5	33
15	Local action of long-range repressors in the <i>Drosophila</i> embryo. <i>EMBO Journal</i> , 2001, 20, 2246-2253.	7.8	31
16	CtBP-Independent Repression in the <i>Drosophila</i> Embryo. <i>Molecular and Cellular Biology</i> , 2003, 23, 3990-3999.	2.3	30
17	<i>Brachyury</i> , <i>Foxa2</i> and the cis-Regulatory Origins of the Notochord. <i>PLoS Genetics</i> , 2015, 11, e1005730.	3.5	30
18	Structurally related <i>Arabidopsis</i> ANGUSTIFOLIA is functionally distinct from the transcriptional corepressor CtBP. <i>Development Genes and Evolution</i> , 2007, 217, 759-769.	0.9	23

#	ARTICLE	IF	CITATIONS
19	A Cell Type-Dependent Enhancer Core Element Is Located in Exon 5 of the Human Angiotensinogen Gene. <i>Biochemical and Biophysical Research Communications</i> , 1994, 205, 1102-1108.	2.1	22
20	Purification and Characterization of Extracellular Alginate Lyase from <i>Enterobacter cloacae</i> M-1. <i>Bioscience, Biotechnology and Biochemistry</i> , 1995, 59, 632-637.	1.3	22
21	The acetyltransferase activity of <i>Drosophila</i> CBP is dispensable for regulation of the Dpp pathway in the early embryo. <i>Developmental Biology</i> , 2007, 305, 650-658.	2.0	20
22	Natto extract, a Japanese fermented soybean food, directly inhibits viral infections including SARS-CoV-2 in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2021, 570, 21-25.	2.1	19
23	Cloning of the rat angiotensin II type 2 receptor gene and identification of its functional promoter region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1995, 1262, 155-158.	2.4	18
24	CtBP is required for proper development of peripheral nervous system in <i>Drosophila</i> . <i>Mechanisms of Development</i> , 2009, 126, 68-79.	1.7	17
25	Finb, a multiple zinc finger protein, represses transcription of the human angiotensinogen gene. <i>International Journal of Molecular Medicine</i> , 2004, 13, 637-42.	4.0	15
26	Characterization of a Novel Alginate Lyase from <i>Flavobacterium multivolum</i> K-11. <i>Food Science and Technology Research</i> , 1997, 3, 388-392.	0.2	6
27	Purification and Characterization of Endo Poly(.ALPHA.-L-Guluronate) Lyase in the Enzyme System from <i>Flavobacterium multivolum</i> . <i>Food Science and Technology Research</i> , 1997, 3, 22-26.	0.2	1
28	Optimization of a Method for Chromatin Immunoprecipitation Assays in the Marine Invertebrate Chordate <i>Ciona</i> . <i>Marine Biotechnology</i> , 2013, 15, 520-525.	2.4	1
29	Transcriptional Repressors and Repression Mechanisms. , 2006, , 159-173.		0
30	Transcriptional Repression by the CtBP Corepressor in <i>Drosophila</i> . , 2007, , 18-27.		0