

# Dunja AljinoviÄ

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4644728/publications.pdf>

Version: 2024-02-01

19  
papers

385  
citations

840776

11  
h-index

794594

19  
g-index

20  
all docs

20  
docs citations

20  
times ranked

362  
citing authors

#	ARTICLE	IF	CITATIONS
1	Smithian and Spathian (Early Triassic) conodonts from Oman and Croatia and their depth habitat revealed. <i>Global and Planetary Change</i> , 2021, 196, 103362.	3.5	14
2	Permian-Triassic biofacies of the TeoÄak section, Bosnia and Herzegovina. <i>Global and Planetary Change</i> , 2021, 200, 103458.	3.5	7
3	Suppressed competitive exclusion enabled the proliferation of Permian/Triassic boundary microbialites. <i>Depositional Record</i> , 2020, 6, 62-74.	1.7	38
4	FIRST RECORD OF THE UPPER ILLYRIAN AMMONOID SUBZONE MARKER REITZIITES REITZI IN THE KARST DINARIDES. <i>Rudarsko Geolosko Naftni Zbornik</i> , 2020, 35, 75-84.	0.5	1
5	Biostratigraphy and sedimentology of Upper Permian and Lower Triassic strata at Masore, Western Slovenia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 490, 38-54.	2.3	9
6	Western Tethyan Epeiric Ramp Setting in the Early Triassic: An Example from the Central Dinarides (Croatia). <i>Journal of Earth Science (Wuhan, China)</i> , 2018, 29, 806-823.	3.2	14
7	Stratigraphic Definition and Correlation of Middle Triassic Volcaniclastic Facies in the External Dinarides: Croatia and Bosnia and Herzegovina. <i>Journal of Earth Science (Wuhan, China)</i> , 2018, 29, 864-878.	3.2	17
8	Conodont biostratigraphy of the Early Triassic in eastern Slovenia. <i>Paleontological Journal</i> , 2017, 51, 687-703.	0.5	10
9	Equatorial Palaeotethys as the last sanctuary for late Permian metazoan reef-builders: New evidence from the Bellerophon Formation of Slovenia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 454, 91-100.	2.3	7
10	Early Triassic conodonts and carbonate carbon isotope record of the IdrijaÄ“Ä½iri area, Slovenia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 444, 84-100.	2.3	35
11	COMPOSITION AND PROVENANCE OF GRÄ–DEN SANDSTONE FROM THE VELEBIT MTS.. <i>Rudarsko Geolosko Naftni Zbornik</i> , 2016, 31, 53-67.	0.5	3
12	Middle Triassic autoclastic deposits from southwestern Bosnia and Herzegovina. <i>Rudarsko Geolosko Naftni Zbornik</i> , 2016, 31, 1-12.	0.5	2
13	Magmatic provenance and diagenesis of Miocene tuffs from the Dinaride Lake System (the Sinj Basin,) <i>TJ ETQq1 1 0.784314 pgBT /Ov</i>	1.3	17
14	The Guadalupian (Permian) Kamura event in European Tethys. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 308, 12-21.	2.3	66
15	Some engineering properties of limestone: Tunnel StraÄ¼ina case study (Croatia). <i>Tunnelling and Underground Space Technology</i> , 2011, 26, 242-251.	6.2	4
16	Stratigraphy of Upper Permian and Lower Triassic Strata of the Ä½iri Area (Slovenia). <i>Geologija</i> , 2011, 53, 193-204.	0.4	12
17	Late Variscan (Carboniferous to Permian) environments in the Circum Pannonian Region. <i>Geologica Carpathica</i> , 2009, 60, 71-104.	0.7	24
18	End-Guadalupian extinction of the Permian gigantic bivalve Alatoconchidae: End of gigantism in tropical seas by cooling. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 284, 11-21.	2.3	75

#	ARTICLE	IF	CITATIONS
19	The occurrence of giant bivalve Alatoconchidae from the Yabeina zone (Upper Guadalupian, Permian) in European Tethys. <i>Gondwana Research</i> , 2008, 13, 275-287.	6.0	30