Mitja Kosnik

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4646474/mitja-kosnik-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118 3,394 31 55 h-index g-index citations papers 3,946 4.81 134 4.3 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
118	Allergies and COVID-19 vaccines: An ENDA/EAACI Position paper Allergy: European Journal of Allergy and Clinical Immunology, 2022,	9.3	9
117	Adrenaline autoinjector is underprescribed in typical cold urticaria patients <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022 ,	9.3	1
116	Eblockers and ACE inhibitors are not a risk factor for severe systemic sting reactions and adverse events during venom immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 2166-2176	9.3	7
115	Cold Agglutinins and Cryoglobulins Associate With Clinical and Laboratory Parameters of Cold Urticaria. <i>Frontiers in Immunology</i> , 2021 , 12, 665491	8.4	2
114	Severe cold urticaria can point to an underlying clonal mast cell disorder. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 2609-2613	9.3	3
113	Asthma treatment response to inhaled corticosteroids is associated with variants in VEGFA gene. <i>Gene</i> , 2021 , 783, 145573	3.8	
112	Venom Immunotherapy: Immune Mechanisms of Induced Protection and Tolerance. <i>Cells</i> , 2021 , 10,	7.9	3
111	Cold urticaria - What we know and what we do not know. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1077-1094	9.3	22
110	The global impact of the COVID-19 pandemic on the management and course of chronic urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 816-830	9.3	18
109	A very low number of circulating basophils is predictive of a poor response to omalizumab in chronic spontaneous urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1254-1257	9.3	2
108	Routine KIT p.D816V screening identifies clonal mast cell disease in patients with Hymenoptera allergy regularly missed using baseline tryptase levels alone. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 148, 621-626.e7	11.5	5
107	Biomarkers of the Severity of Honeybee Sting Reactions and the Severity and Threshold of Systemic Adverse Events During Immunotherapy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 3157-3163.e5	5.4	1
106	Clinical, serological and basophil response to a wasp sting in patients with European hornet sting anaphylaxis. <i>Clinical and Experimental Allergy</i> , 2021 , 51, 1641-1644	4.1	O
105	Fractional heat shock protein 27 urine excretion as a short-term predictor in acute exacerbation of chronic obstructive pulmonary disease. <i>Annals of Translational Medicine</i> , 2021 , 9, 117	3.2	О
104	Methodological and diagnostic relevance of IgEs to recombinant allergens Api m 1 and Ves v 5 determined by the multiplex test ImmunoCAP ISAC. <i>Clinical and Experimental Allergy</i> , 2020 , 50, 981-983	4.1	1
103	Definition, aims, and implementation of GA LEN/HAEi Angioedema Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2115-2123	9.3	10
102	Heat shock protein 27 as a predictor of prognosis in patients admitted to hospital with acute COPD exacerbation. <i>Cell Stress and Chaperones</i> , 2020 , 25, 141-149	4	3

(2016-2019)

101	The functional promoter F12-46C/T variant predicts the asymptomatic phenotype of C1-INH-HAE. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 1520-1522	4.1	8
100	Selective hypersensitivity to a single nonsteroidal anti-inflammatory drug. <i>Acta Dermatovenerologica Alpina, Panonica Et Adriatica</i> , 2019 , 28,	0.7	1
99	Selective hypersensitivity to a single nonsteroidal anti-inflammatory drug. <i>Acta Dermatovenerologica Alpina, Panonica Et Adriatica</i> , 2019 , 28, 97-101	0.7	2
98	Hereditary angioedema due to C1-inhibitor deficiency in Macedonia: clinical characteristics, novel SERPING1 mutations and genetic factors modifying the clinical phenotype. <i>Annals of Medicine</i> , 2018 , 50, 269-276	1.5	7
97	EAACI guidelines on allergen immunotherapy: Hymenoptera venom allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 744-764	9.3	188
96	Functional Complement Analysis Can Predict Genetic Testing Results and Long-Term Outcome in Patients With Complement Deficiencies. <i>Frontiers in Immunology</i> , 2018 , 9, 500	8.4	3
95	The Variants in the 3RUntranslated Region of the Matrix Metalloproteinase 9 Gene as Modulators of Treatment Outcome in Children with Asthma. <i>Lung</i> , 2018 , 196, 297-303	2.9	2
94	Limited ability of recombinant Hymenoptera venom allergens to resolve IgE double sensitization. Journal of Allergy and Clinical Immunology: in Practice, 2018 , 6, 2118-2120	5.4	8
93	Basophils, high-affinity IgE receptors, and CCL2 in human anaphylaxis. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 750-758.e15	11.5	31
92	Allergen immunotherapy for insect venom allergy: a systematic review and meta-analysis. <i>Allergy:</i> European Journal of Allergy and Clinical Immunology, 2017 , 72, 342-365	9.3	74
91	Comparison of the diagnostic value of two assays for specific immunoglobulin E in suspected beta lactam allergy. <i>Medicinski Pregled</i> , 2017 , 70, 209-215	0.1	2
90	Benefits of venom immunotherapy: How soon can they be expected. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2017 , 145, 173-177	0.2	
89	Distinct Contributory Factors Determine Basophil-Allergen Sensitivity in Grass Pollen Rhinitis and in Anaphylactic Wasp Venom Allergy. <i>International Archives of Allergy and Immunology</i> , 2016 , 171, 89-101	3.7	1
88	Identification and characterization of major cat allergen Fel d 1 mimotopes on filamentous phage carriers. <i>Molecular Immunology</i> , 2016 , 71, 176-183	4.3	8
87	Angiotensin-converting enzyme inhibitors as a cause of isolated angioedema in a Slovenian population. <i>Acta Dermatovenerologica Alpina, Panonica Et Adriatica</i> , 2016 , 25, 1-4	0.7	
86	Predictive value of a negative oral provocation test in patients with hypersensitivity to analgesics. <i>Acta Dermatovenerologica Alpina, Panonica Et Adriatica</i> , 2016 , 25, 27-30	0.7	
85	Improved recombinant Api m 1- and Ves v 5-based IgE testing to dissect bee and yellow jacket allergy and their correlation with the severity of the sting reaction. <i>Clinical and Experimental Allergy</i> , 2016 , 46, 621-30	4.1	23
84	Frequent life-threatening laryngeal attacks in two Croatian families with hereditary angioedema due to C1 inhibitor deficiency harbouring a novel frameshift mutation in SERPING1. <i>Annals of Medicine</i> , 2016 , 48, 485-491	1.5	2

83	Self-medication of anaphylactic reactions due to Hymenoptera stings-an EAACI Task Force Consensus Statement. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 931-43	9.3	46
82	Venom immunotherapy: clinical efficacy, safety and contraindications. <i>Expert Review of Clinical Immunology</i> , 2015 , 11, 877-84	5.1	9
81	Allergen immunotherapy for insect venom allergy: protocol for a systematic review. <i>Clinical and Translational Allergy</i> , 2015 , 6, 6	5.2	8
80	Immunological and clinical factors associated with adverse systemic reactions during the build-up phase of honeybee venom immunotherapy. <i>Clinical and Experimental Allergy</i> , 2015 , 45, 1579-89	4.1	29
79	Hereditary Angioedema Due to C1 Inhibitor Deficiency in Serbia: Two Novel Mutations and Evidence of Genotype-Phenotype Association. <i>PLoS ONE</i> , 2015 , 10, e0142174	3.7	21
78	Sustained effect of grass pollen subcutaneous immunotherapy on suppression of allergen-specific basophil response; a real-life, nonrandomized controlled study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 547-55	9.3	35
77	Down-regulation of FcRI-mediated CD63 basophil response during short-term VIT determined venom-nonspecific desensitization. <i>PLoS ONE</i> , 2014 , 9, e94762	3.7	10
76	Omalizumab in chronic urticaria: our experience and literature review. <i>Acta Dermatovenerologica Alpina, Panonica Et Adriatica</i> , 2014 , 23, 57-61	0.7	2
75	Discharge coordinator intervention prevents hospitalizations in patients with COPD: a randomized controlled trial. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 450.e1-6	5.9	40
74	Serum diamine oxidase activity as a diagnostic test for histamine intolerance. <i>Wiener Klinische Wochenschrift</i> , 2013 , 125, 239-43	2.3	46
73	The relevance of basophil allergen sensitivity testing to distinguish between severe and mild peanut-allergic children. <i>International Archives of Allergy and Immunology</i> , 2013 , 162, 310-7	3.7	18
72	Clinical routine utility of basophil activation testing for diagnosis of hymenoptera-allergic patients with emphasis on individuals with negative venom-specific IgE antibodies. <i>International Archives of Allergy and Immunology</i> , 2013 , 161, 363-8	3.7	43
71	Over-reliance on assays for specific IgE in diagnostics of penicillin allergy?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1626-7	9.3	1
70	Hereditary angioedema nationwide study in Slovenia reveals four novel mutations in SERPING1 gene. <i>PLoS ONE</i> , 2013 , 8, e56712	3.7	26
69	Basophil response and the induction of a tolerance in venom immunotherapy: a long-term sting challenge study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 822-30	9.3	55
68	Short-term venom immunotherapy induces desensitization of FcRI-mediated basophil response. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 1594-600	9.3	23
67	Angiogenin and vascular endothelial growth factor expression in lungs of lung cancer patients. <i>Radiology and Oncology</i> , 2012 , 46, 354-9	3.8	14
66	Predictive value of ABCB1 polymorphisms G2677T/A, C3435T, and their haplotype in small cell lung cancer patients treated with chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012 , 138, 1551-60	4.9	5

65	High non-specific T lymphocyte response to the adjuvanted H1N1 vaccine in comparison with the H1N1/H3N2/B-Brisbane vaccine without adjuvant. <i>Scandinavian Journal of Immunology</i> , 2012 , 76, 497-200.	50¾·4	2
64	Cardiac biomarkers predict outcome after hospitalisation for an acute exacerbation of chronic obstructive pulmonary disease. <i>International Journal of Cardiology</i> , 2012 , 161, 156-9	3.2	50
63	High sensitivity of CAP-FEIA rVes v 5 and rVes v 1 for diagnosis of Vespula venom allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 1406-8	11.5	59
62	Reply: To PMID 22277204. Journal of Allergy and Clinical Immunology, 2012, 130, 818-9	11.5	13
61	Asthma treatment outcome in children is associated with vascular endothelial growth factor A (VEGFA) polymorphisms. <i>Molecular Diagnosis and Therapy</i> , 2012 , 16, 173-80	4.5	18
60	let-7b and miR-126 are down-regulated in tumor tissue and correlate with microvessel density and survival outcomes in nonsmallcell lung cancer. <i>PLoS ONE</i> , 2012 , 7, e45577	3.7	80
59	Monitoring honeybee venom immunotherapy in children with the basophil activation test. <i>Pediatric Allergy and Immunology</i> , 2012 , 23, 166-72	4.2	39
58	Rhinitis symptoms caused by grass pollen are associated with elevated basophile allergen sensitivity and a larger grass-specific immunoglobulin E fraction. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 49-57	4.1	10
57	Airway angiogenesis in stable and exacerbated chronic obstructive pulmonary disease. <i>Scandinavian Journal of Immunology</i> , 2012 , 75, 109-14	3.4	10
56	Association of ORMDL3, STAT6 and TBXA2R gene polymorphisms with asthma. <i>International Journal of Immunogenetics</i> , 2012 , 39, 20-5	2.3	22
55	House dust mite-specific immunotherapy alters the basal expression of T regulatory and FcRI pathway genes. <i>International Archives of Allergy and Immunology</i> , 2012 , 159, 287-96	3.7	11
54	Low sensitivity of commercially available rApi m 1 for diagnosis of honeybee venom allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 671-3	11.5	64
53	Predictive value of multidrug resistance proteins, topoisomerases II and ERCC1 in small cell lung cancer: a systematic review. <i>Lung Cancer</i> , 2011 , 72, 271-9	5.9	20
52	Aged 90 years but more alive than ever. <i>Respiratory Medicine</i> , 2011 , 105 Suppl 1, S1-3	4.6	
51	Natural killer T cells in pulmonary disorders. <i>Respiratory Medicine</i> , 2011 , 105 Suppl 1, S20-5	4.6	35
50	Effectiveness of discharge-coordinator intervention in patients with chronic obstructive pulmonary disease: study protocol of a randomized controlled clinical trial. <i>Respiratory Medicine</i> , 2011 , 105 Suppl 1, S26-30	4.6	17
49	Mini nutritional assessment, body composition, and hospitalisations in patients with chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2011 , 105 Suppl 1, S38-43	4.6	25
48	Acetylsalicylic acid-triggered 15-HETE generation by peripheral leukocytes for identifying ASA sensitivity. <i>Respiratory Medicine</i> , 2011 , 105 Suppl 1, S81-3	4.6	8

47	Add-on montelukast in antihistamine-resistant chronic idiopathic urticaria. <i>Respiratory Medicine</i> , 2011 , 105 Suppl 1, S84-8	4.6	21
46	Adherence to treatment guidelines and long-term survival in hospitalized patients with chronic obstructive pulmonary disease. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 737-43	2.5	21
45	Feasibility of transcutaneous electrical muscle stimulation in acute exacerbation of COPD. <i>Wiener Klinische Wochenschrift</i> , 2011 , 123, 384-7	2.3	9
44	Body mass index and prognosis in patients hospitalized with acute exacerbation of chronic obstructive pulmonary disease. <i>Journal of Cachexia, Sarcopenia and Muscle,</i> 2011 , 2, 81-86	10.3	101
43	Expressions of topoisomerase IIIand BCRP in metastatic cells are associated with overall survival in small cell lung cancer patients. <i>Pathology and Oncology Research</i> , 2011 , 17, 691-6	2.6	12
42	Anxiety and depression during hospital treatment of exacerbation of chronic obstructive pulmonary disease. <i>Journal of International Medical Research</i> , 2011 , 39, 1028-38	1.4	26
41	Basophil responsiveness and clinical picture of acetylsalicylic acid intolerance. <i>International Archives of Allergy and Immunology</i> , 2011 , 155, 257-62	3.7	21
40	Hymenoptera-Induced Hypersensitivity Reactions and Anaphylaxis 2011 , 209-222		1
39	Complement factor C5a in acute exacerbation of Chronic Obstructive Pulmonary Disease. <i>Scandinavian Journal of Immunology</i> , 2010 , 71, 386-91	3.4	24
38	Immunoglobulin G-dependent changes in basophil allergen threshold sensitivity during birch pollen immunotherapy. <i>Clinical and Experimental Allergy</i> , 2010 , 40, 1186-93	4.1	50
37	Recombinant allergen-based IgE testing to distinguish bee and wasp allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 1300-1307.e3	11.5	95
36	Deficiency of pulmonary Valpha24 Vbeta11 natural killer T cells in corticosteroid-nalle sarcoidosis patients. <i>Respiratory Medicine</i> , 2010 , 104, 571-7	4.6	15
35	Association of preoperative vitreous IL-8 and VEGF levels with visual acuity after vitrectomy in proliferative diabetic retinopathy. <i>Acta Ophthalmologica</i> , 2010 , 88, e311-6	3.7	24
34	Self-rated health predicts acute exacerbations and hospitalizations in patients with COPD. <i>Chest</i> , 2010 , 138, 323-30	5.3	32
33	Heart failure and chronic obstructive pulmonary disease: Two for tea or tea for two?. <i>World Journal of Cardiology</i> , 2010 , 2, 305-7	2.1	6
32	Aspirin-induced COX-2 overexpression in monocytes of aspirin-intolerant patients. <i>International Archives of Allergy and Immunology</i> , 2009 , 149, 378-84	3.7	8
31	C5a-induced in vitro basophil activation in patients with chronic urticaria: a pilot study. <i>Wiener Klinische Wochenschrift</i> , 2009 , 121, 339-43	2.3	5
30	Distribution of self-rated health and association with clinical parameters in patients with chronic obstructive pulmonary disease. <i>Wiener Klinische Wochenschrift</i> , 2009 , 121, 297-302	2.3	11

(2007-2009)

29	Carbohydrate epitopes as a cause of cross-reactivity in patients allergic to Hymenoptera venom. <i>Wiener Klinische Wochenschrift</i> , 2009 , 121, 349-52	2.3	12
28	Venous thromboembolism prophylaxis in hospitalized patients with pneumonia: a prospective survey. Wiener Klinische Wochenschrift, 2009, 121, 318-23	2.3	2
27	Diagnostic value of the basophil activation test in evaluating Hymenoptera venom sensitization. Wiener Klinische Wochenschrift, 2009 , 121, 344-8	2.3	15
26	The specificity of tests for anti-beta-lactam IgE antibodies declines progressively with increase of total serum IgE. <i>Wiener Klinische Wochenschrift</i> , 2009 , 121, 353-6	2.3	9
25	Importance of basophil activation testing in insect venom allergy. <i>Allergy, Asthma and Clinical Immunology</i> , 2009 , 5, 11	3.2	13
24	Airway angiogenesis in patients with rhinitis and controlled asthma. <i>Clinical and Experimental Allergy</i> , 2009 , 39, 354-60	4.1	22
23	Basophil responsiveness in patients with insect sting allergies and negative venom-specific immunoglobulin E and skin prick test results. <i>Clinical and Experimental Allergy</i> , 2009 , 39, 1730-7	4.1	77
22	Chronic Heart Failure in Patients with Acute Exacerbation of Chronic Obstructive Pulmonary Disease: Prevalence, Clinical Characteristics, Treatment and Mortality. <i>Journal of Cardiac Failure</i> , 2009 , 15, S99	3.3	2
21	Long-term efficacy of venom immunotherapy. <i>Annals of Allergy, Asthma and Immunology</i> , 2008 , 100, 162-5	3.2	23
20	Basophil sensitivity in patients not responding to venom immunotherapy. <i>International Archives of Allergy and Immunology</i> , 2008 , 146, 248-54	3.7	39
19	International study of temperature, heat and urban mortality: the RSOTHURMR project. <i>International Journal of Epidemiology</i> , 2008 , 37, 1121-31	7.8	430
18	Effect of different incubation atmospheres on the production of biofilm in methicillin-resistant Staphylococcus aureus (MRSA) grown in nutrient-limited medium. <i>Current Microbiology</i> , 2008 , 57, 386-9	02.4	14
17	Local and genetic determinants of vascular endothelial growth factor expression in advanced proliferative diabetic retinopathy. <i>Molecular Vision</i> , 2008 , 14, 1382-7	2.3	50
16	Short-term effects of carbon monoxide on mortality: an analysis within the APHEA project. <i>Environmental Health Perspectives</i> , 2007 , 115, 1578-83	8.4	66
15	Predicting side-effects in venom immunotherapy by basophil activation: basophil sensitivity vs maximal response. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007 , 62, 81	9.3	5
14	Lung tissue and tumour-infiltrating T lymphocytes in patients with non-small cell lung carcinoma and chronic obstructive pulmonary disease (COPD): moderate/severe versus mild stage of COPD. <i>Scandinavian Journal of Immunology</i> , 2007 , 66, 694-702	3.4	5
13	Expansion of pulmonary CD8+CD56+ natural killer T-cells in hypersensitivity pneumonitis. <i>Chest</i> , 2007 , 132, 1291-7	5.3	32
12	Vitreous levels of interleukin-8 in patients with proliferative diabetic retinopathy. <i>American Journal of Ophthalmology</i> , 2007 , 143, 175-6	4.9	44

11	The influence of antimicrobial therapy on the sensitivity of Legionella PCR. <i>Scandinavian Journal of Infectious Diseases</i> , 2006 , 38, 925-8		6
10	Multidrug resistance in small cell lung cancer: expression of P-glycoprotein, multidrug resistance protein 1 and lung resistance protein in chemo-naive patients and in relapsed disease. <i>Lung Cancer</i> , 2006 , 54, 235-40	5.9	81
9	Evaluation of separate vs pooled swab cultures, different media, broth enrichment and anatomical sites of screening for the detection of methicillin-resistant Staphylococcus aureus from clinical specimens. <i>Journal of Hospital Infection</i> , 2005 , 61, 155-61	6.9	28
8	High sensitivity of basophils predicts side-effects in venom immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005 , 60, 1401-6	9.3	63
7	Acute effects of ozone on mortality from the "air pollution and health: a European approach" project. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004 , 170, 1080-7	10.2	336
6	Complement factors c3a, c4a, and c5a in chronic obstructive pulmonary disease and asthma. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2004 , 31, 216-9	5.7	79
5	Multinucleated giant cells in bronchoalveolar lavage. Acta Cytologica, 2003, 47, 426-30	3	14
4	Wasp venom is appropriate for immunotherapy of patients with allergic reaction to the European hornet sting. <i>Croatian Medical Journal</i> , 2002 , 43, 25-7	1.6	16
3	Anaphylaxis to venom without IgE antibody. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2000 , 55, 676-7	9.3	8
2	Shift from Th2 to Th1 response in immunotherapy with venoms. <i>Pflugers Archiv European Journal of Physiology</i> , 2000 , 440, R070-R071	4.6	3
1	Relative safety of meloxicam in NSAID-intolerant patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1998 , 53, 1231-3	9.3	50