

# Luis Filipe F Menezes

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4647523/luis-filipe-f-menezes-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119  
papers

2,405  
citations

25  
h-index

46  
g-index

124  
ext. papers

2,633  
ext. citations

2.8  
avg, IF

4.91  
L-index

#	Paper	IF	Citations
119	Evaluating the influence of the deformation of the forming tools in the thickness distribution along the wall of a cylindrical cup. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2022</b> , 1238, 012079 <sup>0.4</sup>		
118	Study on the influence of the yield surface shape in the hole expansion test. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2020</b> , 967, 012085	0.4	1
117	Constitutive parameter identification of CB2001 yield function and its experimental verification using tube hydroforming tests. <i>International Journal of Mechanical Sciences</i> , <b>2020</b> , 185, 105868	5.5	3
116	Experimental and numerical analysis of the heat generated by plastic deformation in quasi-static uniaxial tensile tests. <i>Mechanics of Materials</i> , <b>2020</b> , 146, 103398	3.3	6
115	The punch speed influence on warm forming and springback of two Al-Mg-Si alloys. <i>Journal of Manufacturing Processes</i> , <b>2019</b> , 38, 266-278	5	7
114	Thermomechanical analysis of the draw bead test. <i>Advances in Materials and Processing Technologies</i> , <b>2019</b> , 5, 401-417	0.8	2
113	On the impact of modelling tension-compression asymmetry on earing and thickness predictions. <i>Advances in Materials and Processing Technologies</i> , <b>2019</b> , 5, 445-460	0.8	
112	Influence of the characteristics of the 3D FE mesh on the evolution of variables used to characterize the stress state <b>2019</b> ,		1
111	Numerical study of springback using the split-ring test: influence of the clearance between the die and the punch. <i>International Journal of Material Forming</i> , <b>2018</b> , 11, 325-337	2	6
110	Detailed experimental and numerical analysis of a cylindrical cup deep drawing: Pros and cons of using solid-shell elements. <i>International Journal of Material Forming</i> , <b>2018</b> , 11, 357-373	2	10
109	Thermo-mechanical finite element analysis of the AA5086 alloy under warm forming conditions. <i>International Journal of Solids and Structures</i> , <b>2018</b> , 151, 99-117	3.1	12
108	Study on the effect of tension-compression asymmetry on the cylindrical cup forming of an AA2090-T3 alloy. <i>International Journal of Solids and Structures</i> , <b>2018</b> , 151, 135-144	3.1	7
107	Study on the influence of orthotropy and tension-compression asymmetry of metal sheets in springback and formability predictions. <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 1063, 012053	0.3	2
106	Incremental volumetric and Dual Kriging remapping methods. <i>Finite Elements in Analysis and Design</i> , <b>2018</b> , 139, 35-48	2.2	1
105	The influence of warm forming conditions on the natural aging and springback of a 6016-T4 aluminum alloy. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 418, 012020	0.4	1
104	Numerical and experimental analysis of wrinkling during the cup drawing of an AA5042 aluminium alloy. <i>International Journal of Material Forming</i> , <b>2017</b> , 10, 125-138	2	17
103	Influence of boundary conditions on the prediction of springback and wrinkling in sheet metal forming. <i>International Journal of Mechanical Sciences</i> , <b>2017</b> , 122, 244-254	5.5	25

102	A new staggered algorithm for thermomechanical coupled problems. <i>International Journal of Solids and Structures</i> , <b>2017</b> , 122-123, 42-58	3.1	19
101	The role of tension-compression asymmetry of the plastic flow on ductility and damage accumulation of porous polycrystals. <i>Ciência &amp; Tecnologia Dos Materiais</i> , <b>2017</b> , 29, e234-e238		1
100	Numerical optimization strategies for springback compensation in sheet metal forming <b>2017</b> , 51-82		8
99	Tension-compression asymmetry modelling: strategies for anisotropy parameters identification.. <i>MATEC Web of Conferences</i> , <b>2016</b> , 80, 05002	0.3	1
98	Automatic correction of the time step in implicit simulations of thermomechanical problems. <i>MATEC Web of Conferences</i> , <b>2016</b> , 80, 07002	0.3	
97	Numerical analysis on the elastic deformation of the tools in sheet metal forming processes. <i>International Journal of Solids and Structures</i> , <b>2016</b> , 100-101, 270-285	3.1	12
96	Prediction of wrinkling and springback in sheet metal forming. <i>MATEC Web of Conferences</i> , <b>2016</b> , 80, 03005	0.3	2
95	Modeling of tension-compression asymmetry and orthotropy on metallic materials: Numerical implementation and validation. <i>International Journal of Mechanical Sciences</i> , <b>2016</b> , 114, 217-232	5.5	23
94	Numerical modeling of the thermal contact in metal forming processes. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2016</b> , 87, 1797-1811	3.2	10
93	A contact smoothing method for arbitrary surface meshes using Nagata patches. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2016</b> , 299, 283-315	5.7	15
92	Numerical analysis of different heating systems for warm sheet metal forming. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2016</b> , 83, 897-909	3.2	19
91	Evaluation of strain and stress states in the single point incremental forming process. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2016</b> , 85, 521-534	3.2	23
90	Influence of the characteristics of the experimental data set used to identify anisotropy parameters. <i>Simulation Modelling Practice and Theory</i> , <b>2015</b> , 53, 15-44	3.9	11
89	Mechanical characterization and constitutive parameter identification of anisotropic tubular materials for hydroforming applications. <i>International Journal of Mechanical Sciences</i> , <b>2015</b> , 104, 91-103	5.5	23
88	Trimming of 3D solid finite element meshes: sheet metal forming tests and applications. <i>Engineering With Computers</i> , <b>2015</b> , 31, 237-257	4.5	4
87	Experimental and numerical studies on the warm deep drawing of an AlMg alloy. <i>International Journal of Mechanical Sciences</i> , <b>2015</b> , 93, 59-72	5.5	66
86	Influence of the plastic anisotropy modelling in the reverse deep drawing process simulation. <i>Materials &amp; Design</i> , <b>2014</b> , 60, 368-379		39
85	Applying Nagata patches to smooth discretized surfaces used in 3D frictional contact problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2014</b> , 271, 296-320	5.7	35

84	Improving Nagata patch interpolation applied for tool surface description in sheet metal forming simulation. <i>CAD Computer Aided Design</i> , <b>2013</b> , 45, 639-656	2.9	18
83	Piobert's plateau and Portevin's Chatelier effect in an AlMg alloy in simple shear. <i>Mechanics Research Communications</i> , <b>2013</b> , 48, 1-7	2.2	40
82	Nagata patch interpolation using surface normal vectors evaluated from the IGES file. <i>Finite Elements in Analysis and Design</i> , <b>2013</b> , 72, 35-46	2.2	22
81	Earing Prediction in Drawing and Ironing Processes Using an Advanced Yield Criterion. <i>Key Engineering Materials</i> , <b>2013</b> , 554-557, 2266-2276	0.4	5
80	Sensitivity Analysis of Process Parameters in the Drawing and Ironing Processes. <i>Key Engineering Materials</i> , <b>2013</b> , 554-557, 2256-2265	0.4	4
79	Applying Nagata Patches in the Description of Smooth Tool Surfaces Used in Sheet Metal Forming Simulations. <i>Key Engineering Materials</i> , <b>2013</b> , 554-557, 2277-2284	0.4	1
78	Cazacu and Barlat Criterion Identification Using the Cylindrical Cup Deep Drawing Test and the Coupled Artificial Neural Networks Genetic Algorithm Method. <i>Key Engineering Materials</i> , <b>2012</b> , 504-506, 637-642	0.4	4
77	Experimental study of friction in sheet metal forming. <i>Wear</i> , <b>2011</b> , 271, 1651-1657	3.5	51
76	Local bifurcation and instability theory applied to formability analysis. <i>International Journal of Material Forming</i> , <b>2011</b> , 4, 347-356	2	
75	Improving Computational Performance through HPC Techniques: case study using DD3IMP in-house code <b>2011</b> ,		18
74	Lightweight metal alloy tailor welded blanks <b>2011</b> , 97-117		4
73	Finite Element Analysis of the Amontons-Coulomb's Model using Local and Global Friction Tests <b>2011</b> ,		2
72	Young's modulus of thin films using depth-sensing indentation. <i>Philosophical Magazine Letters</i> , <b>2010</b> , 90, 9-22	1	4
71	Thermal Residual Stresses in Aluminium Matrix Composites. <i>Advanced Structured Materials</i> , <b>2010</b> , 33-62	0.6	1
70	Local Bifurcation and Instability Theory Applied to Formability Analysis <b>2010</b> ,		1
69	Local Interpolation for Tools Surface Description <b>2010</b> ,		4
68	Occurrence of strain path changes in a two-stage deep drawing process. <i>Journal of Materials Processing Technology</i> , <b>2010</b> , 210, 226-232	5.3	26
67	Finite Element Analysis on the Influence of Material Mechanical Properties in Local Contact Conditions. <i>International Journal of Material Forming</i> , <b>2010</b> , 3, 139-142	2	1

66	Finite element analysis of the influence of the restraining force in the draw bend test. <i>International Journal of Material Forming</i> , <b>2010</b> , 3, 143-146	2	
65	A multi-step analysis for determining admissible blank-holder forces in deep-drawing operations. <i>Materials &amp; Design</i> , <b>2010</b> , 31, 1475-1481		13
64	Influence of the temperature on residual stresses and springback effect in an aluminium alloy. <i>International Journal of Mechanical Sciences</i> , <b>2010</b> , 52, 1094-1100	5.5	49
63	Numerical study of springback using the split-ring test for an AA5754 aluminum alloy. <i>Finite Elements in Analysis and Design</i> , <b>2010</b> , 46, 751-759	2.2	22
62	A deformation based blank design method for formed parts. <i>International Journal of Mechanics and Materials in Design</i> , <b>2009</b> , 5, 303-314	2.5	12
61	Stochastic analysis of a deep drawing process using finite element simulations. <i>International Journal of Material Forming</i> , <b>2009</b> , 2, 347-350	2	8
60	Study on springback in deep drawn tailor welded blanks. <i>International Journal of Material Forming</i> , <b>2009</b> , 2, 829-832	2	12
59	Numerical study on the influence of initial anisotropy on optimal blank shape. <i>Finite Elements in Analysis and Design</i> , <b>2009</b> , 45, 71-80	2.2	13
58	Blank design for deep drawn parts using parametric NURBS surfaces. <i>Journal of Materials Processing Technology</i> , <b>2009</b> , 209, 2402-2411	5.3	19
57	Sensitivity study on some parameters in blank design. <i>Materials &amp; Design</i> , <b>2009</b> , 30, 1223-1230		11
56	Material parameters identification: Gradient-based, genetic and hybrid optimization algorithms. <i>Computational Materials Science</i> , <b>2008</b> , 44, 339-346	3.2	142
55	Reverse analysis in depth-sensing indentation for evaluation of the Young's modulus of thin films. <i>Philosophical Magazine</i> , <b>2008</b> , 88, 313-325	1.6	5
54	Algorithms and Strategies for Treatment of Large Deformation Frictional Contact in the Numerical Simulation of Deep Drawing Process. <i>Archives of Computational Methods in Engineering</i> , <b>2008</b> , 15, 113-162	7.8	100
53	Influence of draw restraining force on the springback in advanced high strength steels. <i>International Journal of Material Forming</i> , <b>2008</b> , 1, 177-180	2	7
52	Deep drawing of aluminium-steel tailor-welded blanks. <i>Materials &amp; Design</i> , <b>2008</b> , 29, 154-160		52
51	Numerical simulation and analysis on the deep drawing of LPG bottles. <i>Journal of Materials Processing Technology</i> , <b>2008</b> , 200, 416-423	5.3	18
50	Optimization of the Phenomenological Constitutive Models Parameters Using Genetic Algorithms <b>2007</b> , 35-54		4
49	Influence of Vickers tip imperfection on depth sensing indentation tests. <i>International Journal of Solids and Structures</i> , <b>2007</b> , 44, 2732-2747	3.1	25

48	On the determination of the Young's modulus of thin films using indentation tests. <i>International Journal of Solids and Structures</i> , <b>2007</b> , 44, 8313-8334	3.1	63
47	A new approach for reverse analyses in depth-sensing indentation using numerical simulation. <i>Acta Materialia</i> , <b>2007</b> , 55, 69-81	8.4	81
46	Influence of process parameters on the deep drawing of stainless steel. <i>Finite Elements in Analysis and Design</i> , <b>2007</b> , 43, 1062-1067	2.2	105
45	Study on the influence of work-hardening modeling in springback prediction. <i>International Journal of Plasticity</i> , <b>2007</b> , 23, 516-543	7.6	133
44	Effect of anisotropy on the deep-drawing of mild steel and dual-phase steel tailor-welded blanks. <i>Journal of Materials Processing Technology</i> , <b>2007</b> , 184, 288-293	5.3	49
43	Study on the Influence of the Refinement of a 3-D Finite Element Mesh in Springback Evaluation of Plane-Strain Channel Sections. <i>AIP Conference Proceedings</i> , <b>2007</b> ,	0	7
42	Kinematic Hardening: Characterization, Modeling and Impact on Springback Prediction. <i>AIP Conference Proceedings</i> , <b>2007</b> ,	0	1
41	Trimming of 3D solid finite element meshes using parametric surfaces: Application to sheet metal forming. <i>Finite Elements in Analysis and Design</i> , <b>2006</b> , 42, 1053-1060	2.2	20
40	Influence of the Weld on the Mechanical Behaviour of Tailor Welded Blanks. <i>Materials Science Forum</i> , <b>2006</b> , 514-516, 1493-1500	0.4	6
39	Evolutional Friction Law in the Numerical Simulation of the Deep Drawing of a Rail. <i>Materials Science Forum</i> , <b>2006</b> , 514-516, 1443-1447	0.4	
38	Strain and Stress Distribution in Vickers Indentation of Coated Materials. <i>Materials Science Forum</i> , <b>2006</b> , 514-516, 1472-1476	0.4	
37	Three-dimensional numerical simulation of Vickers indentation tests. <i>International Journal of Solids and Structures</i> , <b>2006</b> , 43, 784-806	3.1	88
36	Numerical analysis of large deformation processes at elevated temperatures. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2006</b> , 195, 3947-3959	5.7	4
35	Modelling of anisotropic work-hardening behaviour of metallic materials subjected to strain-path changes. <i>Computational Materials Science</i> , <b>2005</b> , 32, 301-315	3.2	69
34	Drawbeads: to Be or Not to Be. <i>AIP Conference Proceedings</i> , <b>2005</b> ,	0	4
33	Application of the Incremental Volumetric Remapping Method in the Simulation of Multi-Step Deep Drawing Processes. <i>AIP Conference Proceedings</i> , <b>2005</b> ,	0	2
32	Large Deformation Processes on AA1050-O Aluminium at Elevated Temperatures. <i>Materials Science Forum</i> , <b>2004</b> , 455-456, 723-727	0.4	1
31	An Investigation of the Influence of Strength Mis-Matching and HAZ Width on the Fracture Behaviour of Welds with Cracks in the WM/HAZ Interface. <i>Materials Science Forum</i> , <b>2004</b> , 455-456, 685-689	0.4	1

30	Springback Evaluation with Several Phenomenological Yield Criteria. <i>Materials Science Forum</i> , <b>2004</b> , 455-456, 732-736	0.4	3
29	Numerical Analysis on the Effects of the Friction Coefficient on the Deep Drawing of a Rail. <i>Materials Science Forum</i> , <b>2004</b> , 455-456, 737-741	0.4	
28	Work Hardening Models and the Numerical Simulation of the Deep Drawing Process. <i>Materials Science Forum</i> , <b>2004</b> , 455-456, 717-722	0.4	8
27	Numerical Simulation of Ultramicrohardness Tests in Thin Films. <i>Materials Science Forum</i> , <b>2004</b> , 455-456, 694-698	0.4	1
26	Modelling the effect of HAZ undermatching on the crack-tip stress distribution in idealized welds. <i>International Journal of Mechanical Sciences</i> , <b>2004</b> , 46, 1481-1488	5.5	6
25	Numerical study of the plastic behaviour in tension of welds in high strength steels. <i>International Journal of Plasticity</i> , <b>2004</b> , 20, 1-18	7.6	50
24	A benchmark for validation of numerical results in sheet metal forming. <i>Journal of Materials Processing Technology</i> , <b>2004</b> , 155-156, 1980-1985	5.3	13
23	The influence of the HAZ softening on the mechanical behaviour of welded joints containing cracks in the weld metal. <i>Engineering Fracture Mechanics</i> , <b>2004</b> , 71, 2053-2064	4.2	24
22	Automatic correction of the time step in implicit simulations of the stamping process. <i>Finite Elements in Analysis and Design</i> , <b>2004</b> , 40, 1995-2010	2.2	26
21	Improvement of a frictional contact algorithm for strongly curved contact problems. <i>International Journal for Numerical Methods in Engineering</i> , <b>2003</b> , 58, 2083-2101	2.4	25
20	Influence of Plastic Deformation of the Heat Affected Zone on the Mechanical Behaviour of Welds in High Strength Steels. <i>Key Engineering Materials</i> , <b>2003</b> , 233-236, 791-796	0.4	
19	On the evaluation of the ductility of thin films. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2002</b> , 337, 97-103	5.3	4
18	Experimental and numerical study of reverse re-drawing of anisotropic sheet metals. <i>Journal of Materials Processing Technology</i> , <b>2002</b> , 125-126, 764-771	5.3	26
17	Towards standard benchmarks and reference data for validation and improvement of numerical simulation in sheet metal forming. <i>Journal of Materials Processing Technology</i> , <b>2002</b> , 125-126, 798-805	5.3	8
16	Ultra-microhardness testing procedure with Vickers indenter. <i>Surface and Coatings Technology</i> , <b>2002</b> , 149, 27-35	4.4	131
15	Effect of the Substrate Thermal Expansion Coefficient on the Thermal Residual Stresses in W-Si-N Sputtered Films. <i>Key Engineering Materials</i> , <b>2002</b> , 230-232, 513-516	0.4	4
14	Comparison of Experimental and Simulated Results for a Mild Steel and a Dual-Phase Steel Deformed under Tension and Deep-Drawing. <i>Key Engineering Materials</i> , <b>2002</b> , 230-232, 549-554	0.4	2
13	Numerical Study of the Influence of Imperfection of the Tip of a Vickers Indenter on Ultramicrohardness Test Results. <i>Key Engineering Materials</i> , <b>2002</b> , 230-232, 525-528	0.4	3



12	Reverse Deep Drawing: Experimental and Numerical Simulation Results. <i>Key Engineering Materials</i> , <b>2002</b> , 230-232, 541-544	0.4	1
11	A kinematic and incremental integration model for the micromechanical numerical analysis of dual-phase materials. <i>Computational Materials Science</i> , <b>2002</b> , 25, 237-245	3.2	5
10	Numerical aspects of finite element simulations of residual stresses in metal matrix composites. <i>International Journal for Numerical Methods in Engineering</i> , <b>2001</b> , 50, 629-644	2.4	17
9	Numerical determination of the influence of the cooling rate and reinforcement volume fraction on the levels of residual stresses in AlSiC composites. <i>Computational Materials Science</i> , <b>2001</b> , 21, 26-36	3.2	15
8	Three-dimensional numerical simulation of the deep-drawing process using solid finite elements. <i>Journal of Materials Processing Technology</i> , <b>2000</b> , 97, 100-106	5.3	194
7	Non-uniform deformation after prestrain. <i>European Journal of Mechanics, A/Solids</i> , <b>2000</b> , 19, 209-221	3.7	9
6	A model for coated surface hardness. <i>Surface and Coatings Technology</i> , <b>2000</b> , 131, 457-461	4.4	16
5	Numerical simulation of tensile tests of prestrained sheets. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1999</b> , 264, 130-138	5.3	15
4	The coated surface hardness: a kinematic model. <i>Thin Solid Films</i> , <b>1998</b> , 335, 153-159	2.2	9
3	Thermal residual stresses in particle-reinforced viscoplastic metal matrix composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1993</b> , 167, 97-105	5.3	26
2	Positron studies in polycrystalline deformed copper. <i>Crystal Research and Technology</i> , <b>1987</b> , 22, K185-K190		
1	Sliding Friction: Global Versus Local Analysis 165-170		