

Maria Grazia Modena

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4647774/ maria-grazia-modena-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

5,291
citations

40
h-index

70
g-index

153
ext. papers

5,974
ext. citations

4.1
avg, IF

4.97
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 141 | Updated Recommendations on Cardiovascular Prevention in 2022: An Executive Document of the Italian Society of Cardiovascular Prevention.. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2022 , 29, 91 | 2.9 | 1 |
| 140 | Association of high-risk coronary atherosclerosis at CCTA with clinical and circulating biomarkers: Insight from CAPIRE study. <i>Journal of Cardiovascular Computed Tomography</i> , 2021 , 15, 73-80 | 2.8 | 8 |
| 139 | The Strategic Alliance between Clinical and Molecular Science in the War against SARS-CoV-2, with the Rapid-Diagnostics Test as an Indispensable Weapon for Front Line Doctors. <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 5 |
| 138 | Coronary Plaque Features on CTA Can Identify Patients at Increased Risk of Cardiovascular Events. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 1704-1717 | 8.4 | 32 |
| 137 | Hypertension and Pharmacological Therapy in Women. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2018 , 25, 147-150 | 2.9 | 4 |
| 136 | Paclitaxel eluting balloon plus spot bare metal stenting for diffuse and very long coronary disease. (PEB-long pilot study). <i>Clinical Trials and Regulatory Science in Cardiology</i> , 2017 , 27, 1-7 | | 1 |
| 135 | Gender Differences in Post-Traumatic Stress. <i>BioResearch Open Access</i> , 2017 , 6, 7-14 | 2.4 | 5 |
| 134 | A randomized multicenter trial comparing the XIENCE everolimus eluting stent with the CYPHER sirolimus eluting stent in the treatment of female patients with de novo coronary artery lesions: The SPIRIT WOMEN study. <i>PLoS ONE</i> , 2017 , 12, e0182632 | 3.7 | 3 |
| 133 | Coronary atherosclerosis in outlier subjects at the opposite extremes of traditional risk factors: Rationale and preliminary results of the Coronary Atherosclerosis in outlier subjects: Protective and novel Individual Risk factors Evaluation (CAPIRE) study. <i>American Heart Journal</i> , 2016 , 173, 18-26 | 4.9 | 10 |
| 132 | Usefulness of High-Sensitivity Cardiac Troponin T for the Identification of Outlier Patients With Diffuse Coronary Atherosclerosis and Low-Risk Factors. <i>American Journal of Cardiology</i> , 2016 , 117, 1397-404 | 3.4 | 12 |
| 131 | Huge coronary perforation during percutaneous intervention sealed by injection of polyvinyl alcohol microspheres. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16 Suppl 2, S130-2 | 1.9 | 4 |
| 130 | Prognostic value of a negative peak supine bicycle stress echocardiography with or without concomitant ischaemic stress electrocardiographic changes: a cohort study. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 636-44 | 3.9 | 4 |
| 129 | Hypertension in postmenopausal women: how to approach hypertension in menopause. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2014 , 21, 201-4 | 2.9 | 11 |
| 128 | Longitudinal evaluation of endothelial function in children and adolescents with type 1 diabetes mellitus: a long-term follow-up study. <i>Pediatrics International</i> , 2014 , 56, 188-95 | 1.2 | 15 |
| 127 | Hypertension, Menopause and Natural Antioxidants in Foods and the Diet 2014 , 225-231 | | 1 |
| 126 | Response to letter regarding article, "good prognosis for pericarditis with and without myocardial involvement: results from a multicenter, prospective cohort study". <i>Circulation</i> , 2014 , 129, e443-4 | 16.7 | 1 |
| 125 | Early and long-term outlook of percutaneous coronary intervention for bifurcation lesions in young patients. <i>International Journal of Cardiology</i> , 2013 , 167, 2995-9 | 3.2 | 4 |

| | | | |
|-----|---|------|-----|
| 124 | Right versus left radial artery access for coronary procedures: an international collaborative systematic review and meta-analysis including 5 randomized trials and 3210 patients. <i>International Journal of Cardiology</i> , 2013 , 166, 621-6 | 3.2 | 25 |
| 123 | Incidence, etiology and predictors of adverse outcomes in 43,315 patients presenting to the Emergency Department with syncope: an international meta-analysis. <i>International Journal of Cardiology</i> , 2013 , 167, 57-62 | 3.2 | 67 |
| 122 | Long term prognostic value of subclinical carotid and femoral arterial wall lesions in patients with ST-elevation-myocardial infarction having percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2013 , 111, 649-56 | 3 | 6 |
| 121 | Effect of cardiac resynchronization therapy on left atrial reverse remodeling: role of echocardiographic AV delay optimization. <i>International Journal of Cardiology</i> , 2013 , 167, 1456-60 | 3.2 | 7 |
| 120 | Sex-related differences in carotid plaque features and inflammation. <i>Journal of Vascular Surgery</i> , 2013 , 57, 338-44 | 3.5 | 40 |
| 119 | Incidence and predictors of coronary stent thrombosis: evidence from an international collaborative meta-analysis including 30 studies, 221,066 patients, and 4276 thromboses. <i>International Journal of Cardiology</i> , 2013 , 167, 575-84 | 3.2 | 128 |
| 118 | Effects of pregnancy on endothelial function and cardiovascular disease risk in HIV-infected women. <i>Pregnancy Hypertension</i> , 2013 , 3, 105-10 | 2.6 | 4 |
| 117 | Percutaneous left-ventricular support with the Impella-2.5-assist device in acute cardiogenic shock: results of the Impella-EUROSHOCK-registry. <i>Circulation: Heart Failure</i> , 2013 , 6, 23-30 | 7.6 | 220 |
| 116 | Response to letter regarding article, Percutaneous left-ventricular support with the impella-2.5-assist device in acute cardiogenic shock results of the Impella-EUROSHOCK registry[] <i>Circulation: Heart Failure</i> , 2013 , 6, e56 | 7.6 | 5 |
| 115 | Good prognosis for pericarditis with and without myocardial involvement: results from a multicenter, prospective cohort study. <i>Circulation</i> , 2013 , 128, 42-9 | 16.7 | 148 |
| 114 | Parity as predictor of early hypertension during menopausal transition. <i>Journal of Hypertension</i> , 2013 , 31, 501-7; discussion 507 | 1.9 | 18 |
| 113 | Incidence and predictors of coronary stent thrombosis: Evidence from an international collaborative meta-analysis including 30 studies, 221,066 patients, and 4276 thromboses. <i>International Journal of Cardiology</i> , 2013 , 167, 575-584 | 3.2 | 83 |
| 112 | Indexed left atrial volume is superior to left atrial diameter in predicting nonvalvular atrial fibrillation recurrence after successful cardioversion: a prospective study. <i>Echocardiography</i> , 2012 , 29, 276-84 | 1.5 | 39 |
| 111 | Erectile dysfunction is not a mirror of endothelial dysfunction in HIV-infected patients. <i>Journal of Sexual Medicine</i> , 2012 , 9, 1114-21 | 1.1 | 17 |
| 110 | Reduction of scatter radiation during transradial percutaneous coronary angiography: a randomized trial using a lead-free radiation shield. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 97-102 | 2.7 | 74 |
| 109 | Use and misuse of multivariable approaches in interventional cardiology studies on drug-eluting stents: a systematic review. <i>Journal of Interventional Cardiology</i> , 2012 , 25, 611-21 | 1.8 | 48 |
| 108 | Acute coronary syndromes in human immunodeficiency virus patients: a meta-analysis investigating adverse event rates and the role of antiretroviral therapy. <i>European Heart Journal</i> , 2012 , 33, 875-80 | 9.5 | 77 |
| 107 | Remote ischaemic preconditioning in coronary artery bypass surgery: a meta-analysis. <i>Heart</i> , 2012 , 98, 1267-71 | 5.1 | 66 |

| | | | |
|-----|---|------|-----|
| 106 | Parallel increase of subclinical atherosclerosis and epicardial adipose tissue in patients with HIV. <i>American Heart Journal</i> , 2012 , 163, 1024-30 | 4.9 | 22 |
| 105 | TIMI, GRACE and alternative risk scores in Acute Coronary Syndromes: a meta-analysis of 40 derivation studies on 216,552 patients and of 42 validation studies on 31,625 patients. <i>Contemporary Clinical Trials</i> , 2012 , 33, 507-14 | 2.3 | 129 |
| 104 | Potential pitfalls of meta-analyses of observational studies in cardiovascular research. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 292-3 | 15.1 | 9 |
| 103 | Retrograde popliteal access as bail-out strategy for challenging occlusions of the superficial femoral artery: a multicenter registry. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 1188-93 | 3.7 | 19 |
| 102 | Progression of coronary artery calcium in men affected by human immunodeficiency virus infection. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 935-41 | 2.5 | 24 |
| 101 | Right ventricular function predicts cardiovascular events in outpatients with stable cardiovascular diseases: preliminary results. <i>Internal and Emergency Medicine</i> , 2012 , 7, 251-6 | 3.7 | 7 |
| 100 | Left ventricular hypertrophy reclassification and death: application of the Recommendation of the American Society of Echocardiography/European Association of Echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 109-17 | 4.1 | 43 |
| 99 | Prevalence and non-invasive predictors of left main or three-vessel coronary disease: evidence from a collaborative international meta-analysis including 22 740 patients. <i>Heart</i> , 2012 , 98, 914-9 | 5.1 | 60 |
| 98 | Prasugrel during primary percutaneous coronary intervention: evidence from clinical data. <i>Current Vascular Pharmacology</i> , 2012 , 10, 454-7 | 3.3 | 3 |
| 97 | SPIRIT Women, evaluation of the safety and efficacy of the XIENCE V everolimus-eluting stent system in female patients: referral time for coronary intervention and 2-year clinical outcomes. <i>EuroIntervention</i> , 2012 , 8, 325-35 | 3.1 | 20 |
| 96 | Prognostic impact of left ventricular mass severity according to the classification proposed by the American Society of Echocardiography/European Association of Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2011 , 24, 1383-91 | 5.8 | 18 |
| 95 | Are propensity scores really superior to standard multivariable analysis?. <i>Contemporary Clinical Trials</i> , 2011 , 32, 731-40 | 2.3 | 158 |
| 94 | Agreement between adjusted indirect comparison and simplified network meta-analyses on prasugrel and ticagrelor (Reply to Passaro et al. - Int J Cardiol 2011). <i>International Journal of Cardiology</i> , 2011 , 151, 228-9 | 3.2 | 5 |
| 93 | Influence of body mass index on extent of coronary atherosclerosis and cardiac events in a cohort of patients at risk of coronary artery disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 86-93 | 4.5 | 24 |
| 92 | Primary prevention of diastolic dysfunction in the normal heart: the "eyes wide shut" on a statin pleiotropic effect?. <i>Atherosclerosis</i> , 2011 , 216, 272-4 | 3.1 | |
| 91 | Circumflex coronary artery agenesis associated with thoracic great vessels anomalies. <i>Journal of Thoracic Imaging</i> , 2011 , 26, W9-11 | 5.6 | |
| 90 | Endothelial function affects early carotid atherosclerosis progression in hypertensive postmenopausal women. <i>Journal of Hypertension</i> , 2011 , 29, 1136-44 | 1.9 | 22 |
| 89 | Stent-triggered 'electric shock' during leg bending 2 years after emergency iliac artery percutaneous revascularization. <i>Journal of Cardiovascular Medicine</i> , 2011 , 12, 663-5 | 1.9 | |

| | | | |
|----|---|------|-----|
| 88 | Detection of localized chronic type A aortic dissection: a multimodality imaging approach. <i>Journal of Cardiovascular Medicine</i> , 2011 , 12, 439-40 | 1.9 | 1 |
| 87 | Congenital complete absence of the pericardium: a multimodality imaging diagnostic approach. <i>Echocardiography</i> , 2011 , 28, E21-2 | 1.5 | 4 |
| 86 | Randomized clinical trial on short-time compression with Kaolin-filled pad: a new strategy to avoid early bleeding and subacute radial artery occlusion after percutaneous coronary intervention. <i>Journal of Interventional Cardiology</i> , 2011 , 24, 65-72 | 1.8 | 33 |
| 85 | Acute myocardial infarction with occlusion of all three main epicardial coronary arteries: when Mother Nature takes care more than physicians. <i>Heart and Vessels</i> , 2011 , 26, 222-5 | 2.1 | 3 |
| 84 | Prevalence of 'borderline' values of cardiovascular risk factors in the clinical practice of general medicine in Italy: results of the BORDERLINE study. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2011 , 18, 43-51 | 2.9 | 3 |
| 83 | Prognostic and therapeutic implications of pulmonary hypertension complicating degenerative mitral regurgitation due to flail leaflet: a multicenter long-term international study. <i>European Heart Journal</i> , 2011 , 32, 751-9 | 9.5 | 123 |
| 82 | Hypertension in postmenopausal women: pathophysiology and treatment. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2011 , 18, 13-8 | 2.9 | 12 |
| 81 | Antegrade access: choose the right operator and the right patient. <i>Archives of Surgery</i> , 2011 , 146, 1451-2 | | 1 |
| 80 | Epicardial adipose tissue is an independent marker of cardiovascular risk in HIV-infected patients. <i>Aids</i> , 2011 , 25, 1199-205 | 3.5 | 42 |
| 79 | Indexed left atrial volume predicts the recurrence of non-valvular atrial fibrillation after successful cardioversion. <i>European Journal of Echocardiography</i> , 2011 , 12, 214-21 | | 54 |
| 78 | Human immunodeficiency virus infection is associated with accelerated atherosclerosis. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 1857-60 | 5.1 | 15 |
| 77 | Effects of antihypertensive treatment on endothelial function in postmenopausal hypertensive women. A significant role for aldosterone inhibition. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011 , 12, 446-55 | 3 | 7 |
| 76 | Left atrial size is a potent predictor of mortality in mitral regurgitation due to flail leaflets: results from a large international multicenter study. <i>Circulation: Cardiovascular Imaging</i> , 2011 , 4, 473-81 | 3.9 | 80 |
| 75 | Gender-specific aspects in the clinical presentation of cardiovascular disease. <i>Fundamental and Clinical Pharmacology</i> , 2010 , 24, 711-7 | 3.1 | 26 |
| 74 | Acute myocardial infarction--from territory to definitive treatment in an Italian province. <i>Journal of Evaluation in Clinical Practice</i> , 2010 , 16, 1071-5 | 2.5 | 3 |
| 73 | Prognostic implications of functional mitral regurgitation according to the severity of the underlying chronic heart failure: a long-term outcome study. <i>European Journal of Heart Failure</i> , 2010 , 12, 382-8 | 12.3 | 93 |
| 72 | Multivessel revascularisation in ST-elevation myocardial infarction: too early to change the guidelines. <i>Heart</i> , 2010 , 96, 1511-1512 | 5.1 | |
| 71 | Mehran contrast-induced nephropathy risk score predicts short- and long-term clinical outcomes in patients with ST-elevation-myocardial infarction. <i>Circulation: Cardiovascular Interventions</i> , 2010 , 3, 491-8 ⁶ | | 86 |

| | | | |
|----|--|------|-----|
| 70 | Hypertension alone or related to the metabolic syndrome in postmenopausal women. <i>Expert Review of Cardiovascular Therapy</i> , 2010 , 8, 1541-8 | 2.5 | 15 |
| 69 | Coronary artery disease: clinical presentation, diagnosis and prognosis in women. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 426-35 | 4.5 | 14 |
| 68 | A randomised trial of target-vessel versus multi-vessel revascularisation in ST-elevation myocardial infarction: major adverse cardiac events during long-term follow-up. <i>Heart</i> , 2010 , 96, 662-7 | 5.1 | 255 |
| 67 | Lipodystrophy and anti-retroviral therapy as predictors of sub-clinical atherosclerosis in human immunodeficiency virus infected subjects. <i>Atherosclerosis</i> , 2010 , 208, 222-7 | 3.1 | 58 |
| 66 | Cardiovascular Prevention in Subjects with Impaired Fasting Glucose or Impaired Glucose Tolerance. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2010 , 17, 73-102 | 2.9 | 9 |
| 65 | Sinus venosus atrial septal defect: the importance of multimodality approach. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 547-9 | 1.9 | 1 |
| 64 | Modified mother-child technique for selective cannulation of complex take-off left coronary artery. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 514-6 | 1.9 | 2 |
| 63 | A multicenter randomized study to evaluate intracoronary abciximab with the ClearWay catheter to improve outcomes with Lysis (IC ClearLy): trial study design and rationale. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 529-35 | 1.9 | 9 |
| 62 | Acute ST elevation myocardial infarction in early puerperium due to left main coronary thrombosis in a woman with thrombophilic state: a case report. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 758-61 | 1.9 | 5 |
| 61 | Rationale and study design of the OISTER trial: optical coherence tomography evaluation of stent struts re-endothelialization in patients with non-ST-elevation acute coronary syndromes--a comparison of the intrEvide tRapidil eluting stent vs. taxus drug-eluting stent implantation. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 536-43 | 1.9 | 2 |
| 60 | Coronary aging in HIV-infected patients. <i>Clinical Infectious Diseases</i> , 2009 , 49, 1756-62 | 11.6 | 93 |
| 59 | Metabolic disorders induced by highly active antiretroviral therapy and their relationship with vascular remodeling of the brachial artery in a population of HIV-infected patients. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 927-33 | 12.7 | 7 |
| 58 | Perioperative red blood cell transfusion and outcome in stable patients after elective major vascular surgery. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009 , 37, 311-8 | 2.3 | 69 |
| 57 | Chronic total coronary occlusion in patients with intermediate viability: value of low-dose dobutamine and contrast-enhanced 3-T MRI in predicting functional recovery in patients undergoing percutaneous revascularisation with drug-eluting stent. <i>Radiologia Medica</i> , 2009 , 114, 692-704 | 6.5 | 15 |
| 56 | Failure of mitral valve repair: partial detachment of valvular ring by 3D transesophageal echocardiography reconstruction. <i>Echocardiography</i> , 2009 , 26, 111-2 | 1.5 | 2 |
| 55 | Assessing coronary heart disease in women. <i>Maturitas</i> , 2009 , 62, 243-7 | 5 | 12 |
| 54 | Survival implication of left ventricular end-systolic diameter in mitral regurgitation due to flail leaflets a long-term follow-up multicenter study. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1961-8 | 15.1 | 168 |
| 53 | The role of the Framingham risk score to predict the presence of subclinical coronary atherosclerosis in patients with HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52, 303-4 | 3.1 | 7 |

| | | | |
|----|--|------|-----|
| 52 | Cardiac delayed enhancement distribution in extralysosomal glycogen storage disease. <i>Clinical Imaging</i> , 2008 , 32, 474-6 | 2.7 | 2 |
| 51 | Prognostic role of flow-mediated dilation and cardiac risk factors in post-menopausal women. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 997-1002 | 15.1 | 213 |
| 50 | Outcomes in mitral regurgitation due to flail leaflets a multicenter European study. <i>JACC: Cardiovascular Imaging</i> , 2008 , 1, 133-41 | 8.4 | 123 |
| 49 | 3-Tesla MRI for the evaluation of myocardial viability: a comparative study with 1.5-Tesla MRI. <i>Radiologia Medica</i> , 2008 , 113, 347-62 | 6.5 | 11 |
| 48 | Sildenafil improves endothelial function in patients with pulmonary hypertension. <i>Pulmonary Pharmacology and Therapeutics</i> , 2008 , 21, 172-7 | 3.5 | 18 |
| 47 | Left atrium reclassified: application of the American Society of Echocardiography/European Society of Cardiology cutoffs to unselected outpatients referred to the echocardiography laboratory. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 433-8 | 5.8 | 13 |
| 46 | Images in cardiovascular medicine. Spontaneous echocardiographic wall motion abnormalities in variant angina. <i>Circulation</i> , 2008 , 118, e4-6 | 16.7 | |
| 45 | ST-segment elevation myocardial infarction with concomitant multiple coronary arteries thromboses in a young patient with hyperhomocysteinaemia. <i>Heart</i> , 2008 , 94, 1180 | 5.1 | 6 |
| 44 | Metabolic syndrome affects cardiovascular risk profile and response to treatment in hypertensive postmenopausal women. <i>Hypertension</i> , 2008 , 52, 865-72 | 8.5 | 32 |
| 43 | Maximum persisting single lead ST elevation after primary angioplasty: a good predictor of left ventricular dilatation assessed by magnetic resonance imaging. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 1113-9 | 1.9 | |
| 42 | Age and heart transplantation: results from a heart failure management unit. <i>Clinical Transplantation</i> , 2008 , 22, 150-5 | 3.8 | 3 |
| 41 | Bicuspid aortic valve regurgitation: quantification of anatomic regurgitant orifice area by 3D transesophageal echocardiography reconstruction. <i>Echocardiography</i> , 2008 , 25, 797-8 | 1.5 | 3 |
| 40 | Echocardiographic diastolic dysfunction and magnetic resonance infarct size in healed myocardial infarction treated with primary angioplasty. <i>Echocardiography</i> , 2008 , 25, 575-83 | 1.5 | 9 |
| 39 | Italian position statement on hormone replacement therapy following the National Conference on Menopause and Hormone Replacement Therapy, Villa Tuscolana, Frascati (Rome), May 8-9, 2007. <i>Gynecological Endocrinology</i> , 2007 , 23, 436-44 | 2.4 | 5 |
| 38 | Endothelial dysfunction in postmenopausal women and hypertension. <i>Women's Health</i> , 2007 , 3, 515-8 | 3 | 3 |
| 37 | Does 16-slice multidetector computed tomography improve stent patency and in-stent restenosis evaluation?. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 438-44 | 1.9 | 2 |
| 36 | Anti- and pro-oxidant factors and endothelial dysfunction in chronic cigarette smokers with coronary heart disease. <i>European Journal of Internal Medicine</i> , 2007 , 18, 314-20 | 3.9 | 4 |
| 35 | Prognostic stratification of women with chronic heart failure referred for heart transplantation: relevance of gender as compared with gender-related characteristics. <i>Journal of Heart and Lung Transplantation</i> , 2006 , 25, 648-52 | 5.8 | 6 |

| | | | |
|----|---|------|-----|
| 34 | Role of severe functional mitral regurgitation in predicting electrical remodeling in idiopathic dilated cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 691-5 | 1.9 | |
| 33 | Type 2 diabetes mellitus is a risk factor for the development of hypertension in postmenopausal women. <i>Journal of Hypertension</i> , 2006 , 24, 2017-22 | 1.9 | 12 |
| 32 | Relevance of cardioverter defibrillators for the prevention of sudden cardiac death on the timing of heart transplantation. <i>Clinical Transplantation</i> , 2006 , 20, 684-8 | 3.8 | 7 |
| 31 | Prodromal symptoms in myocardial infarction. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 323-7 | 9.4 | 39 |
| 30 | Vascular surgery patients: perioperative and long-term risk according to the ACC/AHA guidelines, the additive role of post-operative troponin elevation. <i>European Heart Journal</i> , 2005 , 26, 2448-56 | 9.5 | 74 |
| 29 | Non-invasive, three-dimensional visualization of coronary artery bypass grafts by multislice spiral computed tomography. <i>International Journal of Cardiology</i> , 2005 , 99, 157-9 | 3.2 | 3 |
| 28 | New evidence regarding hormone replacement therapies is urgently required transdermal postmenopausal hormone therapy differs from oral hormone therapy in risks and benefits. <i>Maturitas</i> , 2005 , 52, 1-10 | 5 | 56 |
| 27 | Subclinical coronary artery atherosclerosis in patients with erectile dysfunction. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 1503-6 | 15.1 | 195 |
| 26 | Menopause-related blood pressure increase and its relationship to age and body mass index: the SIMONA epidemiological study. <i>Journal of Hypertension</i> , 2005 , 23, 2269-76 | 1.9 | 98 |
| 25 | Radiofrequency catheter ablation of common atrial flutter in a patient with anomalous inferior vena cava and azygos continuation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005 , 28, 733-5 | 1.6 | 23 |
| 24 | Follow-up of coronary artery bypass graft patency by multislice computed tomography. <i>American Journal of Cardiology</i> , 2005 , 95, 1094-7 | 3 | 90 |
| 23 | Endothelial-dependent vasodilation and incidence of type 2 diabetes in a population of healthy postmenopausal women. <i>Diabetes Care</i> , 2005 , 28, 702-7 | 14.6 | 59 |
| 22 | Transdermal 17-beta-estradiol and risk of developing type 2 diabetes in a population of healthy, nonobese postmenopausal women. <i>Diabetes Care</i> , 2004 , 27, 645-9 | 14.6 | 44 |
| 21 | Flow-mediated vasodilation and the risk of developing hypertension in healthy postmenopausal women. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1636-40 | 15.1 | 112 |
| 20 | Acute idiopathic pericarditis with transient constriction. <i>International Journal of Cardiology</i> , 2004 , 97, 313-5 | 3.2 | 3 |
| 19 | Effects of progestins on estrogen-induced increase in C-reactive protein in postmenopausal women. <i>Maturitas</i> , 2004 , 49, 315-20 | 5 | 12 |
| 18 | Menopause and cardiovascular risk. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2002 , 32, 325-8 | | 53 |
| 17 | Effects of hormone replacement therapy on C-reactive protein levels in healthy postmenopausal women: comparison between oral and transdermal administration of estrogen. <i>American Journal of Medicine</i> , 2002 , 113, 331-4 | 2.4 | 28 |

| | | | |
|----|--|------|-----|
| 16 | Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 505-10 | 15.1 | 475 |
| 15 | Aldosterone inhibition limits collagen synthesis and progressive left ventricular enlargement after anterior myocardial infarction. <i>American Heart Journal</i> , 2001 , 141, 41-6 | 4.9 | 80 |
| 14 | Determinants of career structure and advancement among Italian cardiologists. An example of segregation and discrimination against women? SCIC Group. Studio Condizione Italiana Cardiologi. <i>European Heart Journal</i> , 1999 , 20, 1276-84 | 9.5 | 6 |
| 13 | Effects of transdermal 17beta-estradiol on left ventricular anatomy and performance in hypertensive women. <i>Hypertension</i> , 1999 , 34, 1041-6 | 8.5 | 51 |
| 12 | Effect of prolonged administration of transdermal estradiol on flow-mediated endothelium-dependent and endothelium-independent vasodilation in healthy postmenopausal women. <i>American Journal of Cardiology</i> , 1999 , 84, 367-70, A9-10 | 3 | 20 |
| 11 | Double-blind randomized placebo-controlled study of transdermal estrogen replacement therapy on hypertensive postmenopausal women. <i>American Journal of Hypertension</i> , 1999 , 12, 1000-8 | 2.3 | 25 |
| 10 | Modification in serum concentrations of aminoterminal propeptide of type III procollagen in patients with previous transmural myocardial infarction. <i>American Heart Journal</i> , 1998 , 135, 287-92 | 4.9 | 5 |
| 9 | Relationship between atrial function, left ventricular isovolumic relation time, and early filling in dual chamber-paced patients. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 300-9 | 5.8 | 4 |
| 8 | Short atrioventricular delay reduces the degree of mitral regurgitation in patients with a sequential dual-chamber pacemaker. <i>American Journal of Cardiology</i> , 1997 , 80, 901-5 | 3 | 9 |
| 7 | Early predictors of late dilation and remodeling after thrombolized anterior transmural myocardial infarction. <i>Clinical Cardiology</i> , 1997 , 20, 28-34 | 3.3 | 8 |
| 6 | Left atrial size is the major predictor of cardiac death and overall clinical outcome in patients with dilated cardiomyopathy: a long-term follow-up study. <i>Clinical Cardiology</i> , 1997 , 20, 553-60 | 3.3 | 88 |
| 5 | The importance of different atrioventricular delay for left ventricular filling in sequential pacing: clinical implications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996 , 19, 1595-604 | 1.6 | 11 |
| 4 | Evaluation of the effectiveness of isradipine SRO in the treatment of hypertensive patients with left ventricular hypertrophy. <i>Cardiovascular Drugs and Therapy</i> , 1994 , 8, 153-60 | 3.9 | 3 |
| 3 | Atenolol in dilated cardiomyopathy: a clinical instrumental study. <i>Cardiovascular Drugs and Therapy</i> , 1990 , 4, 505-7 | 3.9 | 6 |
| 2 | Autosomal-dominant dystrophy with humeroperoneal weakness and cardiopathy: a genetic variant of Emery-Dreifuss disease?. <i>Italian Journal of Neurological Sciences</i> , 1986 , 7, 125-32 | | 8 |
| 1 | Computerized tomography and ultrasound in the noninvasive evaluation of coarctation of the aorta. <i>American Journal of Cardiology</i> , 1985 , 56, 822-4 | 3 | 4 |