

Pin Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4648713/publications.pdf>

Version: 2024-02-01

108
papers

3,429
citations

186209

28
h-index

149623

56
g-index

109
all docs

109
docs citations

109
times ranked

2565
citing authors

#	ARTICLE	IF	CITATIONS
1	The effect of bonding temperature on the bending behaviors and toughening mechanism of W/(Ti/Ta/Ti) multilayer composites prepared by field activated sintering technique. <i>Materials Characterization</i> , 2021, 172, 110875.	1.9	5
2	A modified beam model based on Gurtin's Murdoch surface elasticity theory. <i>Meccanica</i> , 2021, 56, 1147-1164.	1.2	1
3	10.1063/5.0063514.1., 2021, , .		0
4	Evaluation of vibration mode shape using a mechanoluminescent sensor. <i>Applied Physics Letters</i> , 2021, 119, .	1.5	6
5	Mesoporous g-C ₃ N ₄ /rGO-CD nanocomposites modified glassy carbon electrode for electrochemical determination of 2,4,6-trinitrotoluene. <i>Talanta</i> , 2020, 208, 120410.	2.9	26
6	Molecular insights into the thermal stability of gold superlattices. <i>Nanotechnology</i> , 2020, 31, 085704.	1.3	2
7	An Autonomous Soft Actuator with Light-Driven Self-Sustained Wavelike Oscillation for Phototactic Self-Locomotion and Power Generation. <i>Advanced Functional Materials</i> , 2020, 30, 1908842.	7.8	100
8	Graphene-Based Bimorph Actuators with Dual-Response and Large-Deformation by a Simple Method. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1800688.	1.7	22
9	The microstructure and property of W/Ti multilayer composites prepared by spark plasma sintering. <i>International Journal of Refractory Metals and Hard Materials</i> , 2019, 79, 138-144.	1.7	5
10	Multifunctional Soft Actuators Based on Anisotropic Paper/Polymer Bilayer Toward Bioinspired Applications. <i>Advanced Materials Technologies</i> , 2019, 4, 1800674.	3.0	37
11	A bioinspired multi-functional wearable sensor with an integrated light-induced actuator based on an asymmetric graphene composite film. <i>Journal of Materials Chemistry C</i> , 2019, 7, 6879-6888.	2.7	42
12	Molecular interaction between asymmetric ligand-capped gold nanocrystals. <i>Journal of Chemical Physics</i> , 2019, 150, 034702.	1.2	7
13	High-performance ionic polymer-metal composite actuators fabricated with microneedle roughening. <i>Smart Materials and Structures</i> , 2019, 28, 015007.	1.8	13
14	Research on hand-eye calibration method based on stereo vision for harvesting robot. , 2019, , .		0
15	Ligand coverage dependence of structural stability and interparticle spacing of gold supracrystals. <i>Journal of Applied Physics</i> , 2018, 123, .	1.1	14
16	Temperature-dependent surface density of alkylthiol monolayers on gold nanocrystals. <i>Materials Research Express</i> , 2018, 5, 035001.	0.8	5
17	The microstructure and formation mechanism of face-centered cubic Ti in commercial pure Ti foils during tensile deformation at room temperature. <i>Materials Characterization</i> , 2018, 136, 257-263.	1.9	34
18	The evolution of shear bands in Ta-2.5W alloy during cold rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 726, 259-273.	2.6	11

#	ARTICLE	IF	CITATIONS
19	Ionic polymer with single-layered electrodes: a novel strategy for ionic actuator design. <i>Smart Materials and Structures</i> , 2018, 27, 105046.	1.8	13
20	Ionic Electroactive Polymers Used in Bionic Robots: A Review. <i>Journal of Bionic Engineering</i> , 2018, 15, 765-782.	2.7	41
21	A powerful dual-responsive soft actuator and photo-to-electric generator based on graphene micro-gasbags for bioinspired applications. <i>Journal of Materials Chemistry B</i> , 2018, 6, 5031-5038.	2.9	42
22	Size effects on the tensile properties and deformation mechanism of commercial pure titanium foils. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 730, 244-261.	2.6	33
23	Rough interface in IPMC: modeling and its influence analysis. <i>Smart Materials and Structures</i> , 2018, 27, 075055.	1.8	12
24	The orientation spreading in β -fiber of electron beam melted Ta-2.5W alloy during cold rolling. <i>Journal of Alloys and Compounds</i> , 2017, 699, 57-67.	2.8	11
25	A twin orientation relationship between $\{001\}$ and $\{111\}$ obtained in Ta-2.5W alloy during heavily cold rolling. <i>Materials Characterization</i> , 2017, 125, 108-113.	1.9	7
26	Studies of Low-loading Micro-slip Contacts on Rough Surfaces with GW Model. <i>International Journal of Applied Mechanics</i> , 2017, 09, 1750049.	1.3	6
27	Mechanical behavior and deformation mechanism of commercial pure titanium foils. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 707, 435-442.	2.6	28
28	Electrically and Sunlight-Driven Actuator with Versatile Biomimetic Motions Based on Rolled Carbon Nanotube Bilayer Composite. <i>Advanced Functional Materials</i> , 2017, 27, 1704388.	7.8	211
29	The evolution of deformation microstructure in electron beam melted Ta-2.5W alloy during cold rolling. <i>Fusion Engineering and Design</i> , 2017, 125, 510-514.	1.0	2
30	An easily fabricated high performance ionic polymer based sensor network. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	20
31	Application-oriented simplification of actuation mechanism and physical model for ionic polymer-metal composites. <i>Journal of Applied Physics</i> , 2016, 120, .	1.1	15
32	The evolution of dislocation microstructure in electron beam melted Ta-2.5W alloy during cold rolling. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016, 61, 136-146.	1.7	7
33	MODIFIED MODELS FOR SMALL CONTACTS. , 2015, , 67-68.		0
34	A Study of Particles Adhesion to Compliant Substrates with a Modified Sphere Contact Model. <i>Tribology Letters</i> , 2015, 58, 1.	1.2	2
35	Further studies on Mori-Tanaka models for thermal expansion coefficients of composites. <i>Polymer</i> , 2013, 54, 1691-1699.	1.8	32
36	Effective moduli of nanoparticle reinforced composites considering interphase effect by extended double-inclusion model - Theory and explicit expressions. <i>International Journal of Engineering Science</i> , 2013, 73, 33-55.	2.7	72

#	ARTICLE	IF	CITATIONS
37	Creep behaviour of eutectic SnBi alloy and its constituent phases using nanoindentation technique. <i>Journal of Alloys and Compounds</i> , 2013, 574, 98-103.	2.8	48
38	Friction measurement on free standing plates using atomic force microscopy. <i>Review of Scientific Instruments</i> , 2013, 84, 013702.	0.6	7
39	Mechanical contact between rough surfaces at low load. <i>Journal Physics D: Applied Physics</i> , 2012, 45, 475303.	1.3	9
40	EXACT EIGEN-RELATIONS OF CLAMPED-CLAMPED AND SIMPLY SUPPORTED PIPES CONVEYING FLUIDS. <i>International Journal of Applied Mechanics</i> , 2012, 04, 1250035.	1.3	8
41	Reply to the "Comment on: A Note on the Two-Spring Tomlinson Model" <i>Tribology Letters</i> , 2012, 45, 227-228.	1.2	0
42	A Note on the Two-Spring Tomlinson Model. <i>Tribology Letters</i> , 2011, 43, 73-76.	1.2	6
43	Electroplated CoPt magnets for actuation of stiff cantilevers. <i>Review of Scientific Instruments</i> , 2011, 82, 115002.	0.6	1
44	A general relation for contact stiffness including adhesion in indentation analysis. <i>Journal of Materials Research</i> , 2011, 26, 1406-1413.	1.2	4
45	Free vibration analysis for micro-structures used in MEMS considering surface effects. <i>Journal of Sound and Vibration</i> , 2010, 329, 236-246.	2.1	31
46	Three-Dimensional Modeling for Thin Plate-Like Structures Including Surface Effects by Using State Space Method. <i>Acta Mechanica Solida Sinica</i> , 2010, 23, 260-270.	1.0	1
47	A treatment for the study of dynamic instabilities of fluid-conveying pipes. <i>Mechanics Research Communications</i> , 2009, 36, 742-746.	1.0	9
48	A theoretical model for the bending of a laminated beam with SMA fiber embedded layer. <i>Composite Structures</i> , 2009, 90, 458-464.	3.1	30
49	Thermoelastic damping in cylindrical shells with application to tubular oscillator structures. <i>International Journal of Mechanical Sciences</i> , 2008, 50, 501-512.	3.6	36
50	Effects of Interface Slip and Viscoelasticity on the Dynamic Response of Droplet Quartz Crystal Microbalances. <i>Analytical Chemistry</i> , 2008, 80, 7347-7353.	3.2	18
51	Study of the Evaporation of Colloidal Suspension Droplets with the Quartz Crystal Microbalance. <i>Langmuir</i> , 2008, 24, 8373-8378.	1.6	17
52	Research of Natural Frequency of Single-walled Carbon Nanotube. <i>Chinese Journal of Chemical Physics</i> , 2007, 20, 525-530.	0.6	14
53	Frequency Response of a Quartz Crystal Microbalance Loaded by Liquid Drops. <i>Langmuir</i> , 2007, 23, 7392-7397.	1.6	21
54	Non-local elastic plate theories. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2007, 463, 3225-3240.	1.0	231

#	ARTICLE	IF	CITATIONS
55	Dynamic analysis of axially prestressed micro/nanobeam structures based on nonlocal beam theory. <i>Journal of Applied Physics</i> , 2007, 101, 073504.	1.1	97
56	Further studies on edge waves in anisotropic elastic plates. <i>International Journal of Solids and Structures</i> , 2007, 44, 2192-2208.	1.3	9
57	Application of nonlocal beam models for carbon nanotubes. <i>International Journal of Solids and Structures</i> , 2007, 44, 5289-5300.	1.3	328
58	Further studies on Stroh-type formalisms for anisotropic plates with bending-extension coupling. <i>Acta Mechanica Solida Sinica</i> , 2007, 20, 324-332.	1.0	1
59	Dynamic properties of flexural beams using a nonlocal elasticity model. <i>Journal of Applied Physics</i> , 2006, 99, 073510.	1.1	376
60	Thin plate theory including surface effects. <i>International Journal of Solids and Structures</i> , 2006, 43, 4631-4647.	1.3	370
61	Exact solutions for simply supported functionally graded piezoelectric laminates by Stroh-like formalism. <i>Composite Structures</i> , 2006, 72, 352-363.	3.1	59
62	A Modified Molecular Structural Mechanics Method for Analysis of Carbon Nanotubes. <i>Chinese Journal of Chemical Physics</i> , 2006, 19, 286-290.	0.6	12
63	Adsorption-Induced Surface Stress Effect on the Resonance Behavior of a Quartz Crystal Microbalance. , 2006, , .		0
64	Finite element analysis of interference for the laterally coupled quartz crystal microbalances. <i>Sensors and Actuators A: Physical</i> , 2005, 119, 90-99.	2.0	38
65	An exact solution for functionally graded piezoelectric laminates in cylindrical bending. <i>International Journal of Mechanical Sciences</i> , 2005, 47, 437-458.	3.6	47
66	Experimentally fitting the attraction strength of an interface by the response of the thickness shear-mode acoustic wave sensor. <i>Journal Physics D: Applied Physics</i> , 2005, 38, 1599-1607.	1.3	3
67	Out-of-plane electrostatic actuation of microcantilevers. <i>Nanotechnology</i> , 2005, 16, 602-608.	1.3	16
68	Surface stress effects on the resonance properties of cantilever sensors. <i>Physical Review B</i> , 2005, 72, .	1.1	133
69	A Stroh-type formalism for anisotropic thin plates with bending-extension coupling. <i>Archive of Applied Mechanics</i> , 2004, 73, 690-710.	1.2	11
70	Frequency coupling and energy trapping in mesa-shaped multichannel quartz crystal microbalances. <i>Sensors and Actuators A: Physical</i> , 2004, 111, 180-187.	2.0	13
71	Influence of interchannel spacing on the dynamical properties of multichannel quartz crystal microbalance. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2004, 51, 249-253.	1.7	10
72	DYNAMICAL ANALYSIS OF A CYLINDRICAL PIEZOELECTRIC TRANSDUCER. <i>Journal of Sound and Vibration</i> , 2003, 259, 427-443.	2.1	11

#	ARTICLE	IF	CITATIONS
73	An alternative derivation of dynamic admittance matrix of piezoelectric cantilever bimorph. Journal of Sound and Vibration, 2003, 266, 723-735.	2.1	29
74	Frequency interference between two quartz crystal microbalances. IEEE Sensors Journal, 2003, 3, 274-281.	2.4	31
75	Frequency interference between two mesa-shaped quartz crystal microbalances. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2003, 50, 668-675.	1.7	18
76	A theoretical analysis of mechanical dissipation of an electroded quartz resonator. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2003, 50, 1069-1072.	1.7	3
77	A modified model for the prediction of effective elastic moduli of composite materials. International Journal of Solids and Structures, 2002, 39, 649-657.	1.3	3
78	An effective method for calculating values on and near boundaries in the hybrid displacement BEM. Mechanics Research Communications, 2001, 28, 199-206.	1.0	1
79	A kinematic analysis of cylindrical ultrasonic micromotors. Sensors and Actuators A: Physical, 2001, 87, 194-197.	2.0	20
80	Thermal effects on coated resonant microcantilevers. Sensors and Actuators A: Physical, 2001, 95, 17-23.	2.0	56
81	Regularized algorithms for the calculation of values on and near boundaries in 2D elastic BEM. Engineering Analysis With Boundary Elements, 2001, 25, 851-876.	2.0	29
82	AN APPROXIMATE FREQUENCY FORMULA FOR PIEZOELECTRIC CIRCULAR CYLINDRICAL SHELLS. Journal of Sound and Vibration, 2001, 242, 309-320.	2.1	19
83	A Model Reduction Method for the Dynamic Analysis of Microelectromechanical Systems. International Journal of Nonlinear Sciences and Numerical Simulation, 2001, 2, .	0.4	6
84	A Coupled Model for Active Vibration Control of Beam System with Piezoelectric Actuators. Japanese Journal of Applied Physics, 2001, 40, 430-433.	0.8	1
85	A further investigation of Green's functions for a piezoelectric material with a cavity or a crack. International Journal of Solids and Structures, 2000, 37, 1065-1078.	1.3	19
86	A modified ultrasonic linear motor. Sensors and Actuators A: Physical, 2000, 86, 154-158.	2.0	32
87	A mathematical model of elastic fin micromotors. Smart Materials and Structures, 2000, 9, 511-522.	1.8	3
88	A design of an ultrasonic linear motor based on theoretical analysis. Smart Materials and Structures, 2000, 9, 774-779.	1.8	5
89	A Method for Establishing Hybrid Piezoelectric Composite Plate Theories with Continuous Interlaminar Stresses. Journal of Intelligent Material Systems and Structures, 2000, 11, 821-827.	1.4	0
90	Influence of cavity boundary conditions on the effective electroelastic moduli of piezoelectric ceramic with cavities. Mechanics Research Communications, 1999, 26, 229-238.	1.0	7

#	ARTICLE	IF	CITATIONS
91	Green functions of piezoelectric material with an elliptic hole or inclusion. International Journal of Solids and Structures, 1998, 35, 651-664.	1.3	37
92	Piezothermoelastic analysis of a piezoelectric material with an elliptic cavity under uniform heat flow. Archive of Applied Mechanics, 1998, 68, 719-733.	1.2	28
93	An effective method for finding values on and near boundaries in the elastic BEM. Computers and Structures, 1998, 69, 421-431.	2.4	36
94	An improvement on variational boundary element formulation for elasticity with body forces. Mechanics Research Communications, 1997, 24, 569-574.	1.0	1
95	Stress rate integral equations of elastoplasticity. Acta Mechanica Sinica/Lixue Xuebao, 1996, 12, 55-64.	1.5	7
96	An Improved Boundary Element Analysis for the Bending of a Thin Plate with a Crack. Solid Mechanics and Its Applications, 1995, , 463-472.	0.1	0
97	A variational boundary element formulation for piezoelectricity. Mechanics Research Communications, 1994, 21, 605-611.	1.0	23
98	Stroh type formalism for unsymmetric laminated plate. Mechanics Research Communications, 1994, 21, 249-254.	1.0	15
99	The fundamental solution for the theory of orthotropic shallow shells involving shear deformation. International Journal of Solids and Structures, 1994, 31, 913-923.	1.3	3
100	Extension of the Stroh formalism to the analysis of bending of anisotropic elastic plates. Journal of the Mechanics and Physics of Solids, 1994, 42, 1725-1741.	2.3	32
101	A modified hybrid displacement variational formulation of BEM for elasticity. Mechanics Research Communications, 1993, 20, 425-429.	1.0	3
102	Boundary element analysis of shallow shells involving shear deformation. International Journal of Solids and Structures, 1992, 29, 1273-1282.	1.3	14
103	Computation of the fundamental solution for shallow shells involving shear deformation. International Journal of Solids and Structures, 1991, 28, 631-645.	1.3	7
104	Energy trapping in mesa-shaped quartz crystal microbalance. , 0, , .		6
105	Frequency interference between two quartz crystal microbalances. , 0, , .		6
106	Dynamic analysis of AT-cut quartz resonators with ANSYS. , 0, , .		6
107	Flexural wave and vibration properties of nanotubes conveying fluid. Mathematical Methods in the Applied Sciences, 0, , .	1.2	0
108	Atomistic simulations of mechanical response of a heterogeneous fcc/bcc nanolayered composite. Journal of Physics Condensed Matter, 0, , .	0.7	0