

Erik Eliasson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4649228/publications.pdf>

Version: 2024-02-01

14
papers

270
citations

1163117
8
h-index

1199594
12
g-index

15
all docs

15
docs citations

15
times ranked

460
citing authors

#	ARTICLE	IF	CITATIONS
1	Bleeding and thromboembolism due to drug-drug interactions with non-vitamin K antagonist oral anticoagulants—a Swedish, register-based cohort study in atrial fibrillation outpatients. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 409-419.	1.9	19
2	Tribute to Folke Sjöqvist, a Pioneer in Clinical Pharmacology. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 108, 1127-1128.	4.7	0
3	SWEDGEN—a Swedish nation-wide DNA sample collection for pharmacogenomic studies of serious adverse drug reactions. <i>Pharmacogenomics Journal</i> , 2020, 20, 579-585.	2.0	9
4	Significantly lower CYP2D6 metabolism measured as the O/N desmethylvenlafaxine metabolic ratio in carriers of CYP2D6^*41 versus CYP2D6^*9 or CYP2D6^*10 : a study on therapeutic drug monitoring data from 1003 genotyped Scandinavian patients. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 194-201.	2.4	28
5	Angiotensin II Receptor Blockers Inhibit the Generation of Epoxyeicosatrienoic Acid from Arachidonic Acid in Recombinant $\text{CYP}2\text{C}9$, $\text{CYP}2\text{J}2$ and Human Liver Microsomes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 239-245.	2.5	14
6	Correlation Between Serum Concentrations of N-Desmethylozapine and Granulocyte Levels in Patients with Schizophrenia: A Retrospective Observational Study. <i>CNS Drugs</i> , 2017, 31, 991-997.	5.9	16
7	Reply to “Multiple and Opposite Effects of Angiotensin II Receptor Blockers on the Bioavailability of Epoxyeicosatrienoic Acids”. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 215-216.	2.5	0
8	The Role of CYP2C8 and CYP2C9 Genotypes in Losartan-Dependent Inhibition of Paclitaxel Metabolism in Human Liver Microsomes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 408-414.	2.5	3
9	Differences in CYP2C9 Genotype and Enzyme Activity Between Swedes and Koreans of Relevance for Personalized Medicine: Role of Ethnicity, Genotype, Smoking, Age, and Sex. <i>OMICS A Journal of Integrative Biology</i> , 2015, 19, 346-353.	2.0	18
10	A limited number of prescribed drugs account for the great majority of drug-drug interactions. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 1375-1383.	1.9	32
11	Posaconazole Concentrations in Human Tissues after Allogeneic Stem Cell Transplantation. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 4941-4943.	3.2	19
12	Institutional Profile: Karolinska Institutet. <i>Pharmacogenomics</i> , 2012, 13, 1887-1891.	1.3	2
13	Influence of the CYP2C9^*3 allele on the pharmacological interaction between warfarin and simvastatin: author reply. <i>Pharmacogenomics</i> , 2012, 13, 1561-1562.	1.3	1
14	The role of CYP2C9 genotype in the metabolism of diclofenac in vivo and in vitro. <i>European Journal of Clinical Pharmacology</i> , 2001, 57, 729-735.	1.9	109