Jong-Soo Ko

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4649386/publications.pdf

Version: 2024-02-01

566801 642321 41 623 15 23 citations h-index g-index papers 41 41 41 683 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Super Wear Resistant Nanostructured Superhydrophobic Surface. International Journal of Precision Engineering and Manufacturing - Green Technology, 2022, 9, 1177-1189.	2.7	6
2	Irregular Microdome Structureâ€Based Sensitive Pressure Sensor Using Internal Popping of Microspheres. Advanced Functional Materials, 2022, 32, .	7.8	45
3	Self-Restoring Capacitive Pressure Sensor Based on Three-Dimensional Porous Structure and Shape Memory Polymer. Polymers, 2021, 13, 824.	2.0	11
4	Linearly Sensitive Pressure Sensor Based on a Porous Multistacked Composite Structure with Controlled Mechanical and Electrical Properties. ACS Applied Materials & Samp; Interfaces, 2021, 13, 28975-28984.	4.0	27
5	Alignment of silver nanowires using heat-assisted dip-coating method. AIP Advances, 2020, 10, .	0.6	7
6	Linearly Sensitive and Flexible Pressure Sensor Based on Porous Carbon Nanotube/Polydimethylsiloxane Composite Structure. Polymers, 2020, 12, 1499.	2.0	31
7	Fabrication and Performance Evaluation of Highly Sensitive Flexible Strain Sensors with Aligned Silver Nanowires. Micromachines, 2020, 11, 156.	1.4	22
8	A Study on the Optimization of Electroplating Conditions for Silicon Vias Using the Taguchi Experimental Design Method. International Journal of Precision Engineering and Manufacturing, 2019, 20, 437-442.	1.1	2
9	Flexible and Micropatternable Triplet–Triplet Annihilation Upconversion Thin Films for Photonic Device Integration and Anticounterfeiting Applications. ACS Applied Materials & Interfaces, 2018, 10, 8985-8992.	4.0	43
10	Flexible pressure sensor made using PDMS containing carbon nanotubes., 2018,,.		3
11	Highly Reliable Superhydrophobic Surface with Carbon Nanotubes Immobilized on a PDMS/Adhesive Multilayer. ACS Omega, 2018, 3, 12956-12966.	1.6	22
12	Capacitive Oil Detector Using Hydrophobic and Oleophilic PDMS Sponge. International Journal of Precision Engineering and Manufacturing - Green Technology, 2018, 5, 303-309.	2.7	7
13	Formation of microstructure by copper-cuprous co-electrodeposition using stirring and boric acid addition. International Journal of Precision Engineering and Manufacturing, 2017, 18, 871-877.	1.1	4
14	High-shock silicon accelerometer with an over-range stopper. Journal of Mechanical Science and Technology, 2016, 30, 1817-1824.	0.7	4
15	High-shock silicon accelerometer with a plate spring. International Journal of Precision Engineering and Manufacturing, 2016, 17, 637-644.	1.1	16
16	Capacitive micro-oil detector with a nanotextured superhydrophobic/superoleophilic surface. Sensors and Actuators B: Chemical, 2016, 237, 974-983.	4.0	4
17	Flexible thermoelectric generator with polydimethyl siloxane in thermoelectric material and substrate. Current Applied Physics, 2016, 16, 1442-1448.	1.1	45
18	Effect of NaCl in a nickel electrodeposition on the formation of nickel nanostructure. Journal of Materials Science, 2016, 51, 3036-3044.	1.7	31

#	Article	IF	CITATIONS
19	One-step fabrication of nickel nanocones by electrodeposition using CaCl 2 ·2H 2 O as capping reagent. Applied Surface Science, 2016, 369, 163-169.	3.1	33
20	Cu–Ni alloy electrodeposition on microstructured surfaces. Journal of Materials Science, 2015, 50, 393-402.	1.7	10
21	Influence of open area ratio on microstructure shape in Cu–Ni alloy electrodeposition. Applied Physics A: Materials Science and Processing, 2015, 118, 579-585.	1.1	10
22	Fundamental study of direct microporous process using laser shock wave. Applied Physics B: Lasers and Optics, 2015, 119, 439-444.	1,1	1
23	GS1-11 THE EFFECTS OF DISTRIBUTION OF ADHESION PROTEINS ON SENSING MICROGROOVED STRUCTURE IN MIGRATING CELLS(GS1: Cell and Tissue Biomechanics II). The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics, 2015, 2015.8, 125.	0.0	O
24	Thermoelectric generator based on a bismuth-telluride alloy fabricated by addition of ethylene glycol. Current Applied Physics, 2014, 14, 1788-1793.	1.1	16
25	Evaluation of surface wettability by means of the measurement of the adhesive force between a microstructured hydrophobic surface and a water droplet. International Journal of Precision Engineering and Manufacturing, 2014, 15, 2397-2404.	1.1	1
26	Creation of microstructured surfaces using Cu–Ni composite electrodeposition and their application to superhydrophobic surfaces. Applied Surface Science, 2014, 289, 14-20.	3.1	39
27	High-shock silicon accelerometer with suspended piezoresistive sensing bridges. Journal of Mechanical Science and Technology, 2014, 28, 1449-1454.	0.7	15
28	Observation of water condensate on hydrophobic micro textured surfaces. Heat and Mass Transfer, 2013, 49, 955-962.	1.2	15
29	Effect of the diffusion rate of the copper ions on the co-electrodeposition of copper and nickel. International Journal of Precision Engineering and Manufacturing, 2013, 14, 2009-2014.	1.1	8
30	Skin friction reduction in tubes with hydrophobically structured surfaces. International Journal of Precision Engineering and Manufacturing, 2013, 14, 299-306.	1.1	12
31	Characterization of imaging performances of gadolinium-oxysulfide phosphors made for X-ray imaging by using a sedimentation process. Journal of the Korean Physical Society, 2012, 60, 514-520.	0.3	12
32	Characteristics of motility-based filtering of adherent cells on microgrooved surfaces. Biomaterials, 2012, 33, 395-401.	5.7	22
33	Microwrinkles by deposition of aluminum onto polydimethylsiloxane. Materials Letters, 2012, 81, 119-122.	1.3	3
34	Control of highly migratory cells by microstructured surface based on transient change in cell behavior. Biomaterials, 2010, 31, 8539-8545.	5.7	36
35	PDMS bonding to organically-modified solid surface using photocatalyst for fabricating low-cost plastic microchip. , 2010, , .		0
36	Fabrication of nickel micromesh sheets and evaluation of their water-repellent and water-proof abilities. International Journal of Precision Engineering and Manufacturing, 2009, 10, 161-166.	1.1	15

#	Article	IF	CITATIONS
37	Fabrication of curved copper micromesh sheets using flexible PDMS molds. Microsystem Technologies, 2008, 14, 829-833.	1.2	9
38	Fabrication of self-encapsulated nickel microchannels and nickel nanowalls by reactive ion etching. Journal of Materials Processing Technology, 2008, 208, 111-116.	3.1	8
39	Cascade Modeling of Pixelated Scintillator Detectors for X-Ray Imaging. IEEE Transactions on Nuclear Science, 2008, 55, 1357-1366.	1.2	24
40	Design and Fabrication of a Laterally Driven Bistable Electromagnetic Microrelay., 2007,,.		2
41	Microfludic Centrifuge of Nano Particles using Rotating Flow in a Microchamber., 2007,,.		2